



ELSEVIER

Information Processing Letters 78 (2001) 5–336

Information
Processing
Letters

www.elsevier.com/locate/ipl

Subject Index to Volumes 1–75

The numbers mentioned in this Subject Index refer to the Reference List of Indexed Articles (pp. 337–448 of this issue).

- 0, 1 semaphore, 470
- 0, 1 sequence, 768
- (0, 1)-CVP, 2395
- (0, 1)-matrix, 2395, 2462, 2588, 3550
- (0, 2)-graph, 583
- 0/1 knapsack problem, 2404, 2529
- OL
 - language, 47, 2665
 - scheme, 940
 - system, 47, 940
 - systems, 297
- OL-DOL equivalence problem, 456
- 0-1
 - integer programming, 3597
 - law, 3232, 3276
 - linear programming, 1533
 - matrix, *see* (0, 1)-matrix
 - polynomial, 436
 - programming, 216
 - resource, 648
- 0-capacity channel, 2055
- 0-dimensional object, 281
- 0.5-bounded, 2404
 - greedy algorithm, 2404, 2529
- (1, 0)/(1, 1) ms precedence form, 955
- (1, 1)-disjoint Boolean sums, 3711
- (1, 1)-method, 26
- 1ACMP- (k, i) , 1139
- 1DFA, 663
- 1DFA(3), 1371
- 1DFA(k), 1371
- 1DPDA, 1103
- 1GDSAFA, 2038
- 1NFA, 663, 1065
- 1NFA(2), 1065
- 1NFA(k), 1065
- 1NPDA, 894
- 1T-NPDA, 1065
- 1T-NPDA(1), 1065
- 1T-NPDA(k), 1065
- 1-approximation algorithm, 3109
- 1-bounded conflict free Petri net, 2154, 2369
- 1-center, 3000
- 1-colourable, 2299
- 1-conservative Petri net, 2253
- 1-copy serializability, 3001
- 1-dimensional space, 281
- 1-DNF consistent with a positive sample, 3856
- 1-edge fault tolerant, 3467
- 1-EFT graph, 3467
- 1-EFT(G), 3467
 - graph, 3467
- 1-enabled, 67
- 1-factor, 234
- 1-fault tolerant design, 3997
 - for token rings, 3997
- 1-Hamiltonian, 3997
 - graph, 3675, 3997
- 1-inkdot Turing machine, 2473, 2752
- 1-MFA, 2063
- 1-neighborhood chordal, 3703
- 1-persistent protocol, 2487
- 1-resilient symmetric function, 2677
- 1-restricted ETOL system, 778
- 1-SDR, 510
 - problem, 510
- 1-sided error logspace polynomial expected time, 2616
- 1-spiral polygon, 2939
- 1-vertex ranking, 3217
- 1-way checking stack automaton language, 144
- 1-width, 3658

- 1-writer multireader Boolean atomic variable, 2138
- 1-writer multireader multivalued atomic register, 1721
- variable, 2138
- 1-writer multireader multivalued regular variable, 2138
- register, 1721
- 2×2 algorithm, 351
- 2^n class of moduli sets, 4107
- 2^n -ary tree, 1126
- 2ACMP(k, i), 1139
- 2AFA(1) = 1P2NFA(1) = Reg, 2145
- 2AFA(1), 2145
- 2CNF, 4055
 - formula, 3829
- 2D, *see also* 2-D
 - curved object, 2690
 - C-string, 3614
 - linear, 271
 - linearity problem, 271
 - string, 3614
 - wormhole-routed mesh multicomputers, 4038
- 2DFA, 663
- 2DFA(k), 1371
- 2DPDA, 182, 547, 836, 909, 2930
 - with output, 182
 - without output, 182
- 2DPDA(1), 1022
- 2DPDA(k), 909
- 2D-dimensional ECDF searching problem, 1583
- 2D-matching
 - algorithm, 2633
 - problem, 2633
- 2LG, 1059
 - specification, 1059
- $2N - k$ -closure problem, 3268
- 2NFA, 663
- 2NPDA, 740, 894
 - language, 894
- 2NPDA(k), 814
- 2PFA, 2488
- 2PP, 2058
- 2SAT, 3683
- 2-3 tree, 206, 268, 365, 427, 475, 921, 2762, 3817
- 2-acyclic family of subtrees, 3703
- 2-APMPOTA, 571
- 2-cache problem, 3558
- 2-CGP, 2597
- 2-chain edge packing, 1842
- 2-CNF, 419, 1540, 2467, 3237
 - formula, 1540, 2467, 4003
 - satisfiability, 2597
- 2-CNFSAT, 2597
- 2-colorable, 2299
 - subgraph problem, 3456
- 2-colors graph partition, 2597
 - problem, 2597
- 2-competitive
 - 2-server algorithm, 2216
 - algorithm, 3038
- 2-connected planar graph, 2010
- 2-D, *see also* 2D
 - array grammar, 1244
 - binary image, 2873, 3089
 - convolution, 2592
 - grammar, 1244
 - image transposition encryption, 3428
 - language, 1244
 - mesh of processors, 2673
 - orthogonal wavelet transform, 2592
- 2-D string, 2242
 - matching problem, 2242
 - representation of a picture, 2242
- 2-D torus, 2354
 - wavelet transform, 2592
- 2-DA, 395
- 2-dimensional, 1699
 - checkboard, 857
 - convex hull problem, 363
 - mesh connected computer, 1810
 - space, 1014
- 2-edge connected
 - graph, 3584
 - spanning subgraph, 3737
- 2-evader problem, 3261
- 2-independent set, 2474
 - problem, 3456
- 2-modular tree transformation, 2078
- 2-node connected, 3737
- 2-permutation, 175
- 2-process consensus, 1808
- 2-processor
 - simulation strategies, 3044
 - tasks scheduling, 1027
- 2-QBF, 3237
 - truth, 2597, 3237
- 2-recipient
 - 1-buffer problem, 2192
 - problem, 2192
- 2-REF, 3242
- 2-register machine, 4062
- 2-restricted ETOL system, 778
- 2-SAT formula, 2716
- 2-satisfiability, 419, 630, 3079
- 2-SDR problem, 510
- 2-sep chordal graph, 2499
- 2-server algorithm, 4066

- 2-server problem, 2216, 3558
 - 2-state RCA, 2430
 - 2-tabled ETOL system, 778
 - 2-terminal problem, 1975
 - 2-threshold graph, 3073, 3173
 - 2-tree, 3620
 - 2-way
 - deterministic pushdown automaton, 2930
 - infinite automaton with a pebble, 2262
 - 2.5-factor approximation algorithm, 3667
 - 2.5-times optimal algorithm, 530
 - 3 symbol alphabet, 3
 - 3/2-approximation algorithm, 4117
 - 3D, *see also* 3-D
 - drawing, 3561
 - straight line grid drawing, 3561
 - 3n probe algorithm, 1236
 - 3NF, 798, 2449, 2751, 3533
 - 3SAT, 561, 2067
 - 3-approximation algorithm, 4016, 4023
 - 3-colorable, 1395
 - graph, 2534, 3446
 - 3-coloring, 2340, 2808
 - a graph, 1001
 - of a planar graph, 353
 - 3-colourable, 3651
 - 3-colouring, 3651
 - 3-competitive, 4100
 - 3-connected, 2058
 - graph, 441, 2058
 - 3-connectivity, 1926
 - 3-D, *see also* 3D
 - depth information, 3554
 - torus of processors, 2390
 - 3-dimensional
 - dominance searching problem, 3746
 - information, 3554
 - matching, 2088
 - 3-element subset, 478
 - 3-free DOL language, 948
 - 3-layer network, 1762
 - 3-matroid intersection problem, 130
 - 3-move identification scheme, 2997
 - 3-net wiring, 2508
 - 3-partition, 1044, 1393
 - 3-recipient 1-buffer problem, 2192
 - 3-regular planar
 - 1-Hamiltonian, 3997
 - graph, 2652
 - Hamiltonian graph, 3675
 - 3-restricted ETOL system, 778
 - 3-SAT, 1802, 2731, 3087
 - 3-SAT = SAT, 3087
 - 3-SATISFIABILITY, 561
 - 3-space, 746, 1057, 3599
 - 3-spanner problem, 3347
 - 3-square free morphism, 915
 - 3-Steiner distance, 3129
 - 3-valued
 - shared variable, 3119
 - wakeup protocol, 3119
 - 3-way tree, 2718
 - 4NF, 3533
 - relation scheme, 3533
 - 4-canonical decomposition, 3542
 - 4-colorable graph, 3561
 - 4-coloring, 353
 - 4-connected
 - array, 1244
 - planar graph, 1127, 1926, 3542
 - plane triangulation, 1926
 - set, 3696
 - 4-connectivity, 1926
 - test, 1926
 - 4-star graph, 2583
 - 5-coloring, 353, 1395
 - 5-connectivity, 1926
 - 5-pebble automaton, 857
 - (6, 2)-chordal bipartite graph, 2643
 - 6-competitive, 3315
 - 6-head deterministic two-way finite automation, 1371
 - 6-queens solution, 1767
 - 6-restricted ETOL system, 778
 - 7-colored, 353
 - 7-coloring of planar graphs, 2340
 - 7-multiplication method, 377
 - 8-connectivity, 3127
 - 8-puzzle problem, 1690
 - 8-restricted ETOL system, 778
 - 9DLT matrices, 3614
 - 15-puzzle, 2314, 3167
 - 80-20 rule, 449
 - 360° visibility, 3710
 - 802.4, 3501
 - network, 3501
 - 1108 Lisp, 496
 - 3990 control unit, 1591
- A**
- a posteriori methods, 229
 - a priori
 - statistic, 49
 - weight, 179
 - (a, b)-tree, 1261
 - A/D converter, 3898
 - A60D, 501
 - A_n , 13, 330, 1279
 - A^* , 1690, 1973, 2090, 2382, 2502, 2511
 - $A^* \times b^*$, 2502

- A*-algorithm, 3592
- Aanderaa-Rosenberg conjecture, 344
- Aaron, Eric, 3616
- Aarts, 3527
- Abadi, 2282
- Abadi, Lamport, and Plotkin, 2817
- Abadi, M. et al., 2282
- Abbasi, Sarmad, 3513
- abduction, 3386
- Abdulla and Jonsson, 4021
- Abd-Alla, 609
- Abelian
 - group, 30, 259, 1129, 2938, 3019
 - monoid, 3760
- Ablow, Yoeli, and Turner, 162
- abnegation incident, 1811
- abort, 1422
- absence of
 - dead values, 1456
 - deadlock, 962
 - forwards conflicts, 129
 - live lock, 962
 - useless values, 1456
- absolute
 - 1-center, 3000
 - entropy, 2112
 - error, 3422, 3993
 - liveness, 1173
 - privacy, 957
 - value, 138, 564, 2377, 3098, 3483, 4088
- abstract
 - architecture, 3163
 - basis, 1662
 - behavioral characteristics of windows, 1755
 - computation model, 120
- abstract data
 - structure, 105
 - type, 261, 412, 620, 674, 1399, 1506, 1520, 2263, 3633
- abstract
 - datatype, 316, 2068
 - design, 3649
 - domain, 2348
 - filter, 2679
 - formalism, 172
 - formulation, 307
 - for-loop, 443
 - graph, 1652
- abstract interpretation, 2348, 2679, 2707, 3920, 4111
 - framework, 3303
- abstract
 - machine, 1767, 2431, 3163, 3198
 - model, 63, 370, 1066, 1130
 - operation, 1520
 - production system, 3630
- abstract program, 412
 - fragment, 1941
- abstract
 - programming language, 151
 - relational algebra, 1881
- abstract semantics, 1035, 3920
 - of programs, 2707
- abstract specification, 2282
 - of data structures, 620
- abstract
 - structure, 284
 - syntax, 544
 - tape, 261
 - type, 412, 945
 - Voronoi diagram, 3599
- abstracting numeric constraints, 4111
- abstraction, 1934, 3418, 3920, 3921
 - algorithm, 1343
 - in linear space, 1343
 - process, 1343
- AC, 2252, 3644
 - compatible, 3760
- AC^0 , 2225, 2847, 3518
 - reduction, 2349
- $AC^0 \neq NC^1$, 2847
- AC^0 -reducible, 2349
- ACAC⁰ function, 3939
- ACC⁰, 2600
- accelerated integer GCD algorithm, 3443
- acceptable
 - identity, 4042
 - in the strong sense, 1550
- acceptance, 59
 - in the strong sense, 1550
 - of an array, 71
 - test, 1713
 - testing, 3022
- acceptation
 - by multitape automata, 752
 - in the weak sense, 1550
 - of nonregular languages, 1550
- accepted
 - by a finite automaton, 497
 - in deterministic polynomial time, 2112
 - string, 2549
 - word, 1550
- accepting and generating rewriting systems, 3074
- accepting computation, 814
 - tree, 1550
- accepting
 - configuration, 666
 - DPDA computations, 539
 - only regular languages, 2145
 - state, 112, 201
- acceptor, 395, 571, 722, 749, 1981, 3139

- acceptor for
 - a language, 1576
 - an sometric parallel context free array language, 749
- access control, 237, 1062, 1532, 1688, 1831, 2298
 - mechanism, 237, 654
 - method, 654
- access
 - cost, 224
 - distribution, 1527
 - efficiency, 895
 - frequency, 2114, 2373
 - function, 105
 - mechanism movement, 756
 - methods for image databases, 3614
 - modality, 333
 - of data, 1855, 2996
 - operation, 2950
 - path, 1037, 1048, 1063, 1663, 2041
 - pattern, 2557
 - probability, 224, 449, 756, 919
 - request, 3732
- access rights, 2298
 - to global variables, 190
- access structure, 3434, 3551, 3821, 3948
- access time, 203, 920, 1421, 1663
 - distribution, 4138
- access to
 - a tree, 360
 - an array element, 1297
 - local data base, 553
 - shared information, 1023
- accessibility, 1704, 1935
- accessible
 - region, 654
 - set, 1837
- accessing rules for descriptive information, 152
- Acciario, Vincenzo, 3241
- accumulation, 3423
- accumulator, 27
- accuracy, 2846
 - property, 4008
- Aceto, Luca, 3618
- achromatic number, 1758
 - problem, 1758
- Ackermann, 3276
 - function, 407, 471, 1441, 1882, 3425, 4127
 - type, 1441
- acoustic scattering, 140
- ACP process algebra, 3770
- acquire lock, 2742
- acquisition, 103
 - of stochastic data, 52
- action
 - conflict, 2883
 - dependencies, 3360
 - system, 3397
- activation, 868, 1535
 - of actions, 1535
 - tree, 579
- active
 - attack, 3659
 - node, 1512
 - processes, 1126, 1716
- actual
 - edge, 4071
 - parameter, 1817
 - termination problem, 501
- ACU compatible, 3760
 - reduction ordering, 3760
- acyclic, 2007, 3703
 - c-e structure, 1788
 - database schema, 1026
 - digraph, 997, 2007
- acyclic directed
 - graph, 128, 865, 1347
 - hypercube, 1834
 - network, 1275
- acyclic
 - flow network, 375
 - fraternal orientation, 2361
 - f-graph, 187
 - graph, 15, 335, 374, 636, 1652, 1745, 2041, 2243, 3523
 - hypergraph, 1672
 - instruction stream, 470
 - isomer, 123
 - join dependency, 3825
 - molecule, 123
 - network, 1780
 - orientation, 3995, 4054
 - relational database, 3703
 - subgraph problem, 2892
 - theorem, 2150
- acyclically oriented, 1834, 2034
- acyclicity, 1026, 1672, 2842, 3703
 - in hypergraphs, 1672
- AC-6, 3937
- AC-7, 3937
- AC-8, 3937
- ad absurdum reasoning, 1411
- Ada, 548, 653, 753, 1012, 1383
 - capabilities, 548
 - design, 548
 - overloading rules, 548
- ADABAS, 652
- Ádám
 - conjecture, 3727
 - property, 3727

- adaptive
 - architecture, 326
 - multiprogramming, 326
- adaptive
 - algorithm, 1273, 1854
 - branching, 2654
 - control, 1611
 - controller, 1611
 - Huffman code, 1009
 - learning, 1854
- adaptive parallel sorting, 1885
 - algorithm, 2234
- adaptive procedure, 326
- adaptive routing, 2861
 - method, 2861
- adaptive sorting algorithm, 2236
- adaptiveness, 326
- adder, 1352, 2770
- adding
 - a stack, 28
 - arcs, 67
 - correctly, 2770
 - mostly correctly, 2770
 - two n-bit numbers, 2770
- addition, 199, 215, 436, 694, 1164, 2526, 2620, 2770, 2835, 3517
 - and subtraction, 131
- addition chain, 1118, 1462, 1959
 - method, 1529
- addition of real numbers, 257
- addition/subtraction, 3517
 - chain, 1118
- additional
 - constraint, 984, 1094, 2082
 - information, 1891, 1913, 2584, 2827
 - storage, 103, 511
- additive, 2988, 3090, 3430
 - clock constraint, 4105
- additive complexity, 171, 436, 719, 1190, 3218
 - of bilinear problems, 719
- additive
 - metric, 3874
 - number theory, 2798
 - operation, 38, 171, 479, 3218
 - pseudorandom number generator, 38
 - weight, 2386
- address calculation, 974, 1162
 - algorithm, 974
- address
 - field, 35
 - generation, 2045, 2610
 - label, 52
 - lookup, 1717
 - mapping, 817, 933
 - order preserving, 114
 - ordering, 114
 - space, 708, 817, 2610
- address translation, 708
 - scheme, 708
- address valued variable, 100
- addressing
 - language, 370
 - scheme, 21
- Adelson-Velskii and Landis, 1216
- ADJ group, 620, 775
- adjacency
 - condition, 2176
 - graph, 2092
 - list, 309, 1132, 1994, 2108, 3275, 3457
- adjacency matrix, 136, 252, 781, 2540, 3275
 - based algorithm, 759
 - of a graph, 20
- adjacency preserving embedding, 2176
- adjacent, 170
 - centroid, 164
 - edges, 459, 2534, 2663, 3068
 - elements, 1465
 - nodes, 69, 244
 - vertices, 136, 299, 371, 2385, 2534, 2815, 3543, 4048
- adjoint, 1006
- Adleman, 1948
- Adleman, DeMarras, and Huang, 3962
- administration of privileges, 1249
- admissibility, 1690, 1995
- admissible
 - closure, 4076
 - lie pattern, 2105
 - operator, 859
 - order, 4063
 - predicate, 1995
 - searching algorithm, 1450
- admission control, 3841
- ADT, 2489, 2863
 - function, 2489
 - GRAPH, 2489
 - queries, 2489
- adult string, 279
- advance reservation, 3849
- adversarial noise model, 4035
- adversary, 503, 715, 2171, 2471, 3315, 4035, 4042
 - argument, 715
 - based lower bound, 715
 - CRCW PRAM, 3573
- advice, 3144
 - language, 1, 364
- aerial image, 509
- AESA, 3210
 - metric space, 3210
- aesthetic graph drawing, 2208

- Afek, Y., 3563
- affine
- approximation, 3606
 - nonconditional recurrent system, 3905
 - transformation, 336, 467, 1888, 2691
- affinity, 4055
- AFL, 94, 680, 712, 1681
- like operation, 982
 - operation, 2665
- after
- image, 652
 - images storage cost, 652
- AG, 2938
- semi-unifier, 2938
- AG_n , 3738
- Agarwal, Pankaj K., 3507
- age information, 2607
- agent
- calculus, 2294
 - search, 3327
 - valuation, 4103
- Aggarwal and Hawrylycz, 2454
- Aggarwal et al., 1739
- Aggarwal, A., 2274
- Aggarwal, A., M.M. Klawe, S. Moran, P. Shor, and R. Wilber, 1739
- Aggarwal, Chandra, and Snir, 2562
- aggregate, 443, 3984
- function, 2342, 2803
 - query, 4019
- Agrawal, 4110
- Agrawal, Divyakant, 3602
- Agrawal, Klein, and Ravi, 2843
- agreement, 3274, 3669, 4035
- of many trees, 3153
 - subtree, 2719
- Agui and Jimenez, 3702
- Ahmadian, Ahmad, 3416
- Aho, 747
- Aho and Corasick, 1179
- Aho and Ullman, 82, 289, 1526, 1837
- Aho et al., 2160
- Aho, A.V. and J.D. Ullman, 2318
- Aho, Hirschberg, and Ullman, 295
- Aho, Hopcroft, and Ullman, 766, 1216, 2930
- Aho, Sagiv, and Ullman, 771
- Aho, Steiglitz, and Ullman, 283
- Aho-Corasick algorithm, 3970
- Ahuja, Mohan, 3329
- AI, 2314, 2510
- application, 2737
 - problem, 1690
- Aichholzer, Oswin, 3892
- air traffic control, 908
- airline seat reservation, 1326
- Ait-Bouziad, Ahmed, 3657
- Ajtai, 2847
- Ajtai and Ben-Or, 1467, 2225
- Ajtai and Fagin, 1935
- Ajtai et al., 1903, 2856, 3311
- Ajtai, Komlós, and Szemerédi, 1095, 1814
- ak clustering, 3458
- Akers, S.B., D. Harel, and B. Krishnamurthy, 2222
- Akinar, Nakagawa, 2928
- Akl, 515, 2979, 3077, 3365, 3414, 3420
- Akl and Toussaint, 467
- Akl, S.G., 3037, 3091, 3209, 3346, 3361, 3383, 3393, 3399, 3400, 3415, 3427, 3445, 3457, 3459, 3463, 3464, 3472, 3473, 3487, 3490, 3491, 3514, 3522, 3524, 3529, 3530, 3544, 3549, 3573, 3574, 3587, 3604, 3606, 3607, 3615, 3634, 3671, 3672, 3679, 3680, 3688, 3702, 3719, 3751, 3752, 3785, 3799, 3817, 3822, 3832, 3835, 3836, 3850, 3859, 3871, 3877, 3878, 3879, 3881, 3883, 3900, 3905, 3906, 3966
- Akman, 1673
- AKS
- network, 1095
 - sorting network, 1095, 1903
- Al Jabri, A.Kh., 3393
- AL operation, 251
- AL1
- assertional language, 364
 - program system, 364
 - system, 364
- Alam, Shamsul, 3528
- Albers, Susanne, 3622
- Albert and Lawrence, 1644
- Albert and E.C. Allan, 45
- Alberts, 1550
- Aleliunas et al., 1613
- Alexopoulos, Bourbakis, and Ioannou, 3428
- algebra, 78, 155, 412, 945, 1205, 1481, 1642, 1849, 2072, 2116, 2334, 2563, 3008, 3316, 3384, 3424
- of two-level cause effect structures, 3384
 - system, 78
- algebraic, 620, 952, 1006, 1159, 1450, 2563, 3196
- algorithm, 2690, 3846
- approach, 256, 399, 412, 719, 1010
 - calculus, 448, 1188, 3002
- algebraic characterization of
- semantic independence, 2250
 - sets of processes, 275
 - the behaviour of nonsequential systems, 322
- algebraic
- circuit, 3520
 - coefficient, 2240

- algebraic complexity, 155, 171, 399, 591, 657, 674, 692, 936, 1164, 1188
 - measure, 674
 - theory, 1271, 3767
- algebraic computation, 2043
- algebraic computation tree, 1159
 - model, 1791, 2221, 2952, 3693, 4092
- algebraic
 - computational complexity, 719
 - curve, 2690
 - data type, 775
- algebraic decision tree, 1355, 1505, 1599, 1791, 2274, 3525, 3535
 - lower bound, 1863
- algebraic decision tree model, 1355, 2274, 2384
 - of computation, 1501, 3642
- algebraic decoding, 3846
 - algorithm, 3846
- algebraic definition, 454
- algebraic degree, 4093
 - of a Boolean function, 4093
- algebraic
 - differentiation, 334
 - equation, 561, 976, 2563
 - expression, 1259, 2653
- algebraic formal power series, 1931
 - in noncommuting variables, 1931
- algebraic
 - formula, 1870
 - function, 3448
 - geometric code, 3641
 - geometry, 2927
 - grammar, 720
 - group, 357
 - identity, 145
 - interpretation, 3196
 - language, 94, 795, 3078
 - law, 2563, 2590
 - machinery, 2040
 - manipulation, 780, 1286
 - method, 399, 463, 2043, 2549
- algebraic number, 1667, 2163, 3962
 - field, 2163
- algebraic
 - operation, 399, 608, 2072, 3572
 - operator, 795, 1870
 - polynomial, 2240
 - process, 3293
- algebraic program, 294
 - level style, 2867
 - testing, 355
- algebraic
 - properties, 814, 2867, 3097
 - quantities, 719
 - reasoning, 2563
- algebraic rewrite
 - rule, 2366
 - system, 2366
- algebraic
 - semantics, 1642, 2046, 2563
 - specification, 412, 775, 1101
 - structure, 316, 399, 454, 775, 2068, 2753, 3990
 - structures with equal expressiveness, 775
 - surface, 2043
 - system, 1259, 1481, 1603, 2018
 - test, 355
- algebraic theory, 794, 2259
 - of concurrency, 1639
- algebraic type, 620
- algebraically, 275, 4006
 - equivalent expression, 145
 - specified abstract type, 448
- Algol, 2, 4, 17, 34, 58, 60, 68, 82, 152, 156, 230, 237, 238, 262, 343, 465, 501, 544, 548
 - implementation problem, 17, 68
 - language, 58, 68
- Algol like
 - array, 443
 - FOR-loop, 443
 - language, 5, 500, 763, 1408
- Algol
 - machine, 199
 - mode, 55, 68
 - multiple values, 230
 - program, 501
 - scope rules, 975
 - style identifier, 244
 - WHILE-loop, 443
- algorithm, 9, 14, 15, 17, 18, 27, 32, 35, 37, 40, 42, 47, 49, 54, 64, 69, 70, 76, 82, 87, 96, 99, 101, 102, 108, 110, 112, 115, 122, 128, 136, 138, 152, 155, 156, 165, 166, 167, 168, 170, 176, 178, 181, 184, 192, 194, 205, 206, 215, 216, 217, 219, 220, 222, 223, 226, 231, 240, 247, 249, 251, 252, 255, 263, 265, 266, 281, 282, 283, 285, 288, 290, 295, 299, 301, 306, 308, 309, 312, 315, 319, 320, 324, 326, 328, 329, 331, 335, 336, 338, 341, 342, 346, 350, 353, 354, 358, 363, 365, 366, 367, 368, 371, 372, 374, 375, 378, 380, 381, 385, 391, 392, 393, 398, 399, 405, 406, 407, 414, 415, 416, 417, 422, 423, 427, 428, 429, 431, 432, 433, 437, 439, 441, 444, 448, 449, 450, 451, 453, 454, 458, 467, 468, 471, 490, 492, 494, 498, 499, 505, 509, 510, 511, 512, 515, 517, 518, 522, 523, 526, 530, 534, 536, 538, 540, 541, 545, 547, 548, 552, 558, 559, 560, 565, 567, 568, 569, 570, 573, 577, 580, 582, 583, 588, 589, 593, 594, 598, 600, 602, 615, 616, 618, 626,

- algorithm (*cont.*), 630, 631, 634, 636, 638, 641, 645,
656, 673, 674, 677, 678, 684, 689, 699, 701,
702, 705, 707, 714, 726, 728, 729, 731, 736,
737, 741, 743, 746, 748, 750, 759, 761, 766,
767, 781, 784, 788, 789, 793, 794, 797, 805,
807, 808, 813, 814, 818, 819, 823, 824, 825,
833, 836, 840, 841, 842, 850, 856, 858, 859,
865, 868, 873, 881, 887, 892, 893, 894, 901,
903, 905, 908, 909, 912, 913, 916, 918, 923,
925, 929, 935, 937, 942, 947, 950, 952, 955,
956, 960, 961, 963, 965, 968, 969, 970, 971,
976, 981, 991, 992, 994, 998, 1001, 1002,
1003, 1005, 1009, 1010, 1014, 1016, 1020,
1024, 1030, 1033, 1042, 1043, 1044, 1046,
1050, 1052, 1058, 1065, 1079, 1082, 1084,
1087, 1090, 1100, 1112, 1115, 1116, 1119,
1123, 1125, 1126, 1128, 1129, 1135, 1136,
1137, 1140, 1141, 1142, 1144, 1149, 1154,
1159, 1162, 1163, 1172, 1174, 1177, 1179,
1182, 1184, 1186, 1187, 1188, 1190, 1192,
1193, 1197, 1199, 1201, 1203, 1204, 1206,
1218, 1220, 1221, 1223, 1224, 1225, 1228,
1230, 1231, 1243, 1245, 1247, 1248, 1250,
1251, 1253, 1257, 1260, 1261, 1262, 1264,
1265, 1266, 1267, 1268, 1271, 1272, 1273,
1275, 1276, 1281, 1287, 1290, 1293, 1296,
1300, 1303, 1307, 1308, 1314, 1315, 1318,
1322, 1328, 1330, 1331, 1338, 1339, 1343,
1344, 1345, 1346, 1347, 1349, 1350, 1353,
1356, 1357, 1360, 1361, 1362, 1365, 1368,
1369, 1373, 1376, 1380, 1385, 1386, 1389,
1392, 1395, 1396, 1398, 1399, 1400, 1401,
1403, 1404, 1405, 1411, 1413, 1414, 1421,
1428, 1430, 1431, 1436, 1443, 1444, 1446,
1447, 1450, 1453, 1455, 1485, 1488, 1493,
1501, 1502, 1509, 1514, 1518, 1519, 1525,
1530, 1533, 1536, 1537, 1538, 1539, 1543,
1544, 1546, 1551, 1552, 1558, 1562, 1565,
1566, 1569, 1573, 1575, 1576, 1578, 1580,
1582, 1583, 1590, 1592, 1594, 1599, 1601,
1603, 1605, 1609, 1610, 1619, 1623, 1624,
1631, 1634, 1637, 1638, 1640, 1641, 1646,
1648, 1653, 1664, 1666, 1668, 1669, 1670,
1671, 1673, 1680, 1683, 1684, 1685, 1690,
1699, 1700, 1701, 1703, 1706, 1712, 1713,
1715, 1718, 1720, 1725, 1726, 1729, 1733,
1735, 1736, 1738, 1739, 1740, 1741, 1742,
1743, 1752, 1754, 1756, 1757, 1763, 1765,
1766, 1767, 1768, 1770, 1772, 1773, 1775,
1777, 1780, 1795, 1797, 1801, 1804, 1805,
1806, 1810, 1813, 1816, 1818, 1819, 1821,
1826, 1829, 1835, 1837, 1840, 1850, 1854,
1857, 1859, 1862, 1865, 1869, 1872, 1873,
1876, 1879, 1883, 1884, 1885, 1888, 1890,
1895, 1896, 1898, 1899, 1900, 1903, 1907,
1908, 1911, 1913, 1915, 1916, 1922, 1924,
1925, 1926, 1928, 1930, 1932, 1933, 1937,
1939, 1943, 1946, 1947, 1949, 1954, 1955,
1956, 1958, 1961, 1965, 1969, 1970, 1972,
1978, 1980, 1981, 1982, 1983, 1984, 1989,
1990, 1992, 1994, 1997, 2003, 2005, 2006,
2009, 2011, 2013, 2020, 2022, 2023, 2028,
2030, 2032, 2035, 2036, 2049, 2050, 2051,
2061, 2062, 2067, 2069, 2071, 2074, 2075,
2090, 2093, 2098, 2102, 2103, 2104, 2106,
2108, 2111, 2112, 2115, 2117, 2119, 2122,
2123, 2142, 2148, 2150, 2151, 2152, 2155,
2157, 2160, 2162, 2164, 2165, 2166, 2169,
2170, 2171, 2172, 2173, 2185, 2187, 2193,
2194, 2197, 2201, 2211, 2215, 2216, 2217,
2221, 2226, 2227, 2228, 2229, 2232, 2233,
2235, 2236, 2239, 2241, 2246, 2247, 2256,
2257, 2260, 2263, 2264, 2275, 2276, 2278,
2280, 2283, 2287, 2289, 2291, 2292, 2293,
2300, 2301, 2302, 2305, 2308, 2311, 2314,
2315, 2318, 2319, 2322, 2323, 2331, 2332,
2337, 2338, 2340, 2345, 2347, 2351, 2352,
2356, 2357, 2359, 2360, 2361, 2371, 2374,
2375, 2377, 2379, 2382, 2385, 2388, 2390,
2392, 2394, 2399, 2404, 2407, 2410, 2411,
2412, 2413, 2415, 2416, 2417, 2423, 2426,
2427, 2438, 2440, 2446, 2449, 2450, 2455,
2457, 2460, 2464, 2465, 2467, 2468, 2469,
2471, 2474, 2475, 2476, 2477, 2478, 2480,
2483, 2484, 2486, 2494, 2498, 2512, 2515,
2517, 2518, 2524, 2527, 2528, 2529, 2530,
2531, 2532, 2533, 2534, 2535, 2537, 2538,
2540, 2546, 2547, 2550, 2552, 2553, 2554,
2556, 2559, 2561, 2568, 2569, 2570, 2572,
2573, 2575, 2581, 2588, 2591, 2592, 2594,
2595, 2596, 2599, 2604, 2610, 2627, 2628,
2631, 2636, 2637, 2640, 2642, 2643, 2646,
2648, 2649, 2652, 2654, 2655, 2659, 2660,
2661, 2662, 2663, 2664, 2670, 2671, 2673,
2674, 2678, 2680, 2681, 2682, 2683, 2686,
2687, 2688, 2689, 2691, 2695, 2697, 2698,
2699, 2705, 2708, 2711, 2715, 2716, 2719,
2721, 2725, 2726, 2728, 2735, 2740, 2741,
2742, 2745, 2746, 2747, 2748, 2753, 2755,
2756, 2757, 2758, 2759, 2761, 2762, 2763,
2764, 2765, 2766, 2770, 2771, 2772, 2774,
2775, 2777, 2782, 2783, 2784, 2786, 2790,
2791, 2792, 2798, 2799, 2804, 2805, 2807,
2808, 2810, 2813, 2814, 2818, 2819, 2820,
2822, 2823, 2824, 2825, 2826, 2827, 2829,
2831, 2834, 2836, 2838, 2840, 2843, 2844,
2850, 2851, 2855, 2857, 2863, 2864, 2865,
2866, 2871, 2872, 2873, 2874, 2878, 2889,
2891, 2892, 2893, 2894, 2895, 2904, 2908,
2909, 2911, 2914, 2915, 2916, 2918, 2919,

- algorithm (*cont.*), 2920, 2930, 2931, 2932, 2933, 2934, 2938, 2939, 2940, 2945, 2947, 2952, 2959, 2961, 2965, 2966, 2967, 2968, 2971, 2975, 2976, 2977, 2987, 2989, 2990, 2997, 3000, 3001, 3011, 3013, 3016, 3022, 3024, 3034, 3038, 3039, 3044, 3045, 3048, 3054, 3055, 3056, 3057, 3059, 3060, 3062, 3063, 3064, 3070, 3073, 3078, 3079, 3080, 3083, 3085, 3089, 3090, 3098, 3104, 3105, 3109, 3112, 3115, 3120, 3121, 3122, 3123, 3124, 3129, 3133, 3139, 3143, 3147, 3148, 3152, 3153, 3154, 3156, 3157, 3159, 3162, 3167, 3168, 3169, 3170, 3171, 3174, 3176, 3177, 3179, 3181, 3185, 3187, 3191, 3192, 3193, 3200, 3205, 3212, 3217, 3218, 3219, 3227, 3228, 3233, 3235, 3253, 3254, 3256, 3262, 3264, 3266, 3267, 3269, 3272, 3273, 3275, 3277, 3278, 3284, 3286, 3287, 3289, 3293, 3294, 3295, 3297, 3298, 3299, 3301, 3305, 3306, 3311, 3313, 3314, 3315, 3320, 3322, 3327, 3330, 3331, 3334, 3337, 3338, 3339, 3340, 3342, 3344, 3345, 3348, 3350, 3351, 3354, 3363, 3368, 3369, 3370, 3371, 3375, 3376, 3378, 3379, 3380, 3382, 3383, 3386, 3388, 3389, 3391, 3398, 3401, 3405, 3410, 3411, 3412, 3413, 3415, 3416, 3419, 3421, 3423, 3425, 3426, 3429, 3431, 3433, 3436, 3440, 3443, 3445, 3452, 3455, 3456, 3457, 3460, 3461, 3462, 3471, 3474, 3476, 3477, 3482, 3485, 3486, 3487, 3489, 3491, 3494, 3503, 3507, 3508, 3510, 3511, 3513, 3516, 3524, 3527, 3528, 3531, 3536, 3537, 3539, 3542, 3544, 3545, 3546, 3547, 3548, 3550, 3552, 3553, 3554, 3560, 3562, 3572, 3575, 3576, 3577, 3578, 3579, 3584, 3585, 3590, 3595, 3596, 3597, 3607, 3612, 3615, 3617, 3619, 3621, 3622, 3623, 3624, 3625, 3628, 3629, 3632, 3637, 3642, 3645, 3646, 3648, 3650, 3656, 3657, 3661, 3662, 3663, 3666, 3667, 3669, 3673, 3676, 3685, 3688, 3691, 3693, 3694, 3698, 3700, 3702, 3703, 3707, 3708, 3712, 3713, 3715, 3716, 3719, 3720, 3721, 3722, 3724, 3725, 3726, 3728, 3729, 3733, 3734, 3737, 3748, 3749, 3756, 3758, 3763, 3766, 3769, 3772, 3776, 3777, 3781, 3783, 3784, 3786, 3790, 3791, 3792, 3794, 3795, 3796, 3799, 3802, 3803, 3805, 3807, 3808, 3809, 3816, 3817, 3822, 3826, 3828, 3834, 3836, 3844, 3846, 3849, 3854, 3856, 3857, 3860, 3864, 3866, 3870, 3877, 3878, 3881, 3888, 3892, 3896, 3899, 3902, 3903, 3904, 3913, 3917, 3918, 3919, 3924, 3926, 3927, 3928, 3930, 3931, 3932, 3937, 3941, 3942, 3943, 3947, 3949, 3950, 3954, 3955, 3960, 3961, 3965, 3967, 3970, 3972, 3982, 3985, 3986, 3992, 3994, 3995, 3996, 4003, 4006, 4007, 4009, 4011, 4013, 4015, 4016, 4017, 4020, 4024, 4030, 4037, 4039, 4040, 4041, 4043, 4045, 4054, 4055, 4056, 4057, 4058, 4064, 4065, 4066, 4072, 4074, 4077, 4079, 4080, 4081, 4082, 4083, 4084, 4087, 4092, 4094, 4098, 4 102, 4103, 4117, 4120, 4122, 4125, 4128, 4129, 4130, 4133, 4136, 4139, 4140, 4141
- analysis, 215, 285, 998, 1406, 2122, 2606
 - algorithm animation, 3371
 - system, 3371
 - algorithm
 - BE, 1243
 - complexity, 1092, 2901
 - algorithm design, 306, 813, 861, 1387, 2503, 2579
 - and analysis, 1765, 2182
 - algorithm E, 54, 437
 - algorithm for, 15, 255
 - 2-satisfiability, 630
 - a dictionary instruction, 206
 - adaptive Huffman codes, 1009
 - BFS, 1582
 - binary search, 1004
 - calculating addresses, 974
 - cliques, 69
 - colouring perfect planar graphs, 1752
 - algorithm for computing a
 - basis, 1129
 - complete basis, 1129
 - algorithm for computing
 - all derivatives, 283
 - products of quaternions, 155
 - algorithm for convex hull
 - computation, 3211
 - determination, 569
 - algorithm for
 - convex hulls, 64, 363
 - copying binary trees, 176
 - deciding the containment of polygons, 3375
 - decryption, 437
 - algorithm for determining
 - isomorphism of planar graphs, 9
 - the bridges of a graph, 14
 - algorithm for
 - diagnosing faulty processors, 1668
 - difference equations, 4147
 - discrete simulation, 269
 - distributing nonsequential application programs, 883
 - division, 1680
 - drawing general undirected graphs, 1738
 - ECP, 3808
 - algorithm for edge
 - detection, 963
 - disjoint branching, 121

- algorithm for
 - evaluating joins, 1907
 - exponentiation, 1429
 - finding a 5-coloring, 353
- algorithm for finding a maximal matching, 444
 - in a graph, 1199
- algorithm for finding a
 - maximum matching, 299
 - minimum coloring, 136
- algorithm for finding
 - an odd factor, 599
 - clique cut sets, 645
 - cliques, 181
 - k edge disjoint branchings, 392
 - maximum flows in networks, 375
- algorithm for finding minimum
 - cost tree mappings, 671
 - spanning trees, 165
- algorithm for finding periodicity of a sequence, 265
- algorithm for finding shortest paths, 199
 - in a graph, 249
- algorithm for finding
 - the closest pair, 391
 - weak components, 110
- algorithm for flow time minimization, 2440
- algorithm for generating
 - 2-3 trees, 2762
 - all permutations, 2360
 - combinations, 3844
 - words, 2772
- algorithm for
 - graceful numbering, 138
 - horizontal decompositions, 941
 - identifying parallel tasks, 106
 - inorder successor, 73
 - interpreting monitors, 235
 - interval graph recognition, 1947
 - inverting a permutation, 697
 - linear search, 1004
 - load balancing, 2006
 - lt-equivalence, 534
 - maintaining a directed acyclic graph, 961
- algorithm for matrix
 - closure, 1603
 - multiplication, 214, 351, 1603
- algorithm for
 - minimum spanning trees, 174, 317
 - multiple precision integer division, 285
 - numbering trees gracefully, 138
 - on line pattern matching, 1250
- algorithm for optimal
 - edge colouring, 1522
 - preemptive scheduling, 255
- algorithm for optimal scheduling, 167
 - of two-processor systems, 167
- algorithm for
 - placing recovery points, 1601
 - polygon similarity, 428
 - postorder successor, 73
 - preorder successor, 73
 - producing list schedules, 648
 - retrieving fuzzy information, 3657
 - scheduling jobs, 560
 - searching, 1491
 - shortest path motion in three dimensions, 1137
 - solving interface equations, 3784
- algorithm for sorting, 842, 901
 - in situ, 842
- algorithm for string matching, 182
 - with errors, 3334
- algorithm for
 - synchronization, 111, 676
 - syntactic analysis, 168
- algorithm for testing
 - chordality of graphs, 136
 - lossless join property, 600
 - validity of LTL formulas, 4140
- algorithm for the
 - calculation of the coefficient of inbreeding, 147
 - domination number of a tree, 170
 - drawing of algebraic curves, 1293
 - satisfiability problem, 1268
 - traversal of a binary tree, 35
 - Ulam game, 3179
- algorithm for
 - three-dimensional dominance searching, 3746
 - topological sorting, 99
- algorithm for traversing
 - binary trees, 62, 2689
 - the nodes of a binary tree, 62
 - trees, 35, 96
- algorithm for
 - unambiguous path systems, 836
 - uniform random sampling, 1141
 - verifying equations, 780
 - vertex insertion update, 1231
 - VLSI, 1254
- algorithm of
 - <name>, *see also* <name> algorithm
 - Arlazarov, Dinic, Kronrod, and Faradzev, 701
 - Bauernoppel et al., 3273
 - Brent, Gustavson, and Yun, 2334
 - Cooper and Marzullo, 3595
 - Cunningham and Marsh, 1338
 - Dijkstra, 905
 - Eddy, 515, 594
 - Even and Kariv, 299
 - Floyd and Warshall, 905
 - Ginsburg, 960
 - Hoffman et al., 1984

- algorithm of (*cont.*)
 - Hopcroft and Karp, 567, 810, 2125
 - Horner, 283
 - Jarvis, 328, 415, 594
 - Knuth, 807
 - Knuth, Morris, and Pratt, 2671
 - Lawler, 1772
 - Luby, 3154
 - Myers, 2023
 - Orlin, 1338
 - Preparata and Hong, 515
 - Rivest, 2406
 - Shamos, 512
 - Sollin, 165
 - Strassen, 1188
 - Viyajan and Wigderson, 1641
 - Warshall, 70, 701
 - Wegbreit, Haddon, and Waite, 152
 - Winter, 1217
 - Zemlyachenko, 3932
- algorithm
 - PC, 327
 - recognizing Hamming graphs, 3560
 - REGION-SEARCH, 447
- algorithmic, 444, 533, 565, 575, 986, 1044, 1065, 1119, 1308, 1360, 1726, 2043, 2534, 2669, 2821, 2984, 3503, 3749, 3755
- algebra, 370
- aspect, 481
- complexity, 415, 1216, 1394, 2444, 3458
- debugging, 3541
- implication, 1731
- invariant theory, 4063
- language, 2
- learning theory, 3856
- logic, 891, 1785
- paradigm, 1471, 1745
- problem, 204, 2189
- algorithmically solvable, 501
- algorithms in computer algebra, 2240
- algorithms on
 - Abelian groups, 1129
 - graphs, 630
 - polynomials, 674
 - words, 2205
- Alia, Barsi, and Martinelli, 1161
- aliasing, 480
 - of names, 480
- Alidaee, Bahram, 3416
- alignment, 2916, 3931
 - algorithm, 2916
 - of data, 1855
 - problem, 2395
- Alimonti, Paola, 3247
- all elements problem, 662
- all farthest neighbors, 1739
- all nearest neighbor problem, 354, 439
 - for convex polygons, 490
- all nearest neighbors, 968, 1501
 - smaller values problem, 2871, 3671
 - taller value problem, 2871
- all pairs, 505, 662
- all pairs of
 - adjacent nodes, 1490
 - atching positions, 1261
 - records, 1140
- all pairs problem, 662
- all pairs quickest path problem, 2593
 - paths, 2627
- all pairs shortest length, 3870
 - problem, 3870
- all pairs shortest path problem, 616, 702, 1013, 2468
- all pairs shortest paths, 2468, 3301
 - problem, 2311, 2618, 3147, 3301
- all pairs suffix prefix problem, 2345
- all
 - succinct circuits problem, 3588
 - to all, 2390
- Allen, 1480, 1824
- Allison, 992, 1143
- allocated
 - memory, 310
 - repeater, 2260
- allocating shared storage to parallel processes, 589
- allocation, 152, 189, 416, 1819, 2197, 2835, 4103, 4133
 - function, 1131, 1645
 - model, 1819
- allocation of
 - a binary tree structure, 114
 - coroutine environments, 189
 - goods, 4103
 - jobs, 530
 - storage, 157
- allocation
 - problem, 612, 851, 1049, 2835, 3679
 - strategy, 103, 612, 1740
- allocator, 612
- almost all, 581
 - graphs, 745
- almost constant, 2388
- almost everywhere, 1707, 3274
 - condition, 1576
 - randomly decidable, 1253
- almost
 - linear time reduction, 2341
 - matching lower bound, 1903
 - optimal parallel algorithm, 1990

- almost perfect, 1940
 - heuristic, 1940, 2613
- almost
 - single input buffering, 1385
 - surely, 2440
- ALOHA, 1902
- ALOHA network, 1902
 - model, 1902
- Alon and Azar, 1878
- Alon and Boppana, 3335
- Alon et al., 2568, 3351
- Alon, Goldreich, Håstad, and Peralta, 2568
- Alon, Noga, 3351
- Alonso, L., 3645
- Alpern and Schneider, 2086, 2281
 - characterization, 2281
- Alpern et al. algorithm, 2895
- Alpern, B. and F.B. Schneider, 2700
- Alpern-Schneider
 - characterization of safety and liveness, 2700
 - theorem, 2700
- $\alpha(n)$ -partitionable, 1057
- α -competitive, 2829
- α -conversion, 2615
- α -disjunction, 370
- α -edge separator, 2401
- α -entropy, 36
- α -fairness, 3714
 - of Pnueli, 3714
- α -iteration, 370
- α -neighbor p-center problem, 3174
- α -vertex separator, 2401
- alphabet independent algorithm, 2559
- alphabetic, 3708
 - binary search tree, 184
 - code tree model, 3776
 - order, 184
 - tree, 3776
- alphabetical metric, 416
- alphanumeric code, 325
- alpha- and beta-conversion, 1665
- alpha-beta, 892, 2688
 - algorithm, 1320
 - procedure, 892
- alpha-beta pruning, 1320
 - algorithm, 1320
- Alspach, B., 3481
- Alstrup, Stephen, 3331, 3623
- Alsuwaiyel, Muhammad H., 3117, 3365
- Alt et al., 2438
- alterability of actions, 1535
- alternate stacking, 725
- alternating, 245, 806, 1052, 1866
 - automata over infinite trees, 2017
 - automaton, 2017
- alternating bit, 1521
 - protocol, 1246
- alternating
 - computations, 2038
 - finite, 752
 - fixpoints, 2839
- alternating group, 4063
 - graph, 3738
- alternating
 - hierarchy, 1866
 - machine, 849
 - multicounter machine, 1139
 - offline Turing machine, 849
 - online Turing machine, 849
- alternating path, 245, 567, 660, 1315
 - in a graph, 444
 - relative to M , 1315
- alternating permutation, 272
- alternating real time
 - computation, 1625
 - pushdown automaton, 1625
- alternating
 - semantic evaluator, 273
 - time, 664
 - TM, 1550
 - Turing machine, 664, 1388, 1523, 1625, 1647, 1866
- alternation, 752, 849, 1139, 1625, 1981, 2145, 2675, 3043, 3202
 - depth, 3381
 - hierarchy, 1390
- alternative
 - representation, 2356
 - route, 3780
 - sum, 1574
- Althaus, Ernst, 3720
- ALU, 251
- Alur, Rajeev, 3880
- always true, 2015, 2297
- $AM \cap coAM \neq BPP$, 2203
- amalgamation, 1543
 - of external functional procedures in a logic program, 1543
- Amato et al. algorithm, 2020
- Amato, Blum, Irani, and Rubinfeld, 2020
- ambiguity, 34, 116, 779, 786, 1114, 1144, 1229, 1367, 1423, 1988, 2112, 2549
- ambiguity in
 - CFG, 1988
 - context free grammars, 1988
- ambiguity of context free grammars, 116
- ambiguous, 779, 1988
 - context free language, 1423
 - grammar, 779, 1988, 2883
 - graph, 3477
 - structure, 779

- Amdahl, 1591, 6380
 America and Rutten, 1674, 1856
 Amin and Hakimi, 163
 amino acid, 9
 Amir, Amihood, 3508, 3824
 Amir, Yair, 3686
 amortization argument, 3130
 amortized, 1803, 2530, 3552
 amortized analysis, 1436, 2195, 2216, 2558, 2816,
 2971, 3149, 3340, 3732
 of algorithms, 2971
 amortized
 bound, 1737
 complexity, 1633, 2129, 2558, 3149, 3484
 cost, 2129, 2816
 amortized cost of
 path reversal, 1737
 splaying, 2558
 amortized
 efficiency, 1737
 number of comparisons, 3484
 polylogarithmic time, 3552
 sense, 3191, 3844
 amortized time, 1748, 2680, 2975, 3340, 3457, 3822
 algorithm, 3822
 amount of context, 160
 Amoura, A.K., 3565
 AMPL, 928
 amplification, 1830
 AMPPL-II, 45
 AM[Q], 1407
 analog circuit, 3394
 analog computation, 3373
 architecture, 2601
 analog to residue conversion, 3898
 analysis, 7, 61, 442
 and design of algorithms, 3133
 analysis of
 algorithms, 25, 37, 49, 76, 96, 164, 214, 215,
 223, 226, 240, 245, 246, 268, 269, 282, 292,
 303, 347, 353, 354, 373, 377, 405, 409, 447,
 449, 450, 475, 490, 498, 512, 517, 518, 526,
 540, 557, 638, 674, 675, 677, 706, 717, 733,
 821, 824, 853, 858, 895, 918, 947, 965, 968,
 973, 978, 1000, 1008, 1013, 1037, 1045,
 1061, 1115, 1129, 1141, 1142, 1178, 1179,
 1184, 1206, 1222, 1225, 1233, 1261, 1274,
 1276, 1280, 1287, 1354, 1369, 1389, 1396,
 1428, 1442, 1451, 1485, 1493, 1513, 1525,
 1533, 1539, 1570, 1573, 1596, 1603, 1619,
 1623, 1624, 1648, 1662, 1720, 1737, 1755,
 1766, 1772, 1780, 1791, 1795, 1818, 1821,
 1880, 1899, 1900, 1903, 1913, 1915, 1924,
 1953, 1960, 1970, 1972, 1976, 1982, 1984,
 2003, 2013, 2032, 2039, 2050, 2051, 2054,
 2071, 2094, 2097, 2104, 2105, 2108, 2114,
 2116, 2117, 2125, 2129, 2131, 2136, 2140,
 2148, 2154, 2157, 2159, 2160, 2161, 2163,
 2164, 2170, 2171, 2172, 2195, 2201, 2205,
 2215, 2216, 2223, 2226, 2228, 2230, 2235,
 2236, 2237, 2240, 2241, 2247, 2254, 2263,
 2275, 2283, 2289, 2291, 2300, 2305, 2312,
 2319, 2336, 2338, 2341, 2346, 2352, 2360,
 2371, 2372, 2375, 2377, 2380, 2386, 2393,
 2394, 2398, 2399, 2406, 2419, 2422, 2436,
 2440, 2442, 2445, 2451, 2455, 2468, 2471,
 2472, 2474, 2478, 2482, 2493, 2508, 2509,
 2531, 2533, 2535, 2543, 2551, 2555, 2558,
 2564, 2585, 2588, 2591, 2593, 2610, 2617,
 2623, 2627, 2629, 2633, 2656, 2658, 2662,
 2667, 2668, 2671, 2681, 2686, 2694, 2698,
 2705, 2709, 2719, 2721, 2726, 2730, 2732,
 2735, 2741, 2748, 2755, 2772, 2774, 2775,
 2779, 2782, 2786, 2793, 2794, 2805, 2814,
 2815, 2820, 2823, 2829, 2836, 2843, 2851,
 2874, 2878, 2886, 2892, 2895, 2915, 2919,
 2920, 2922, 2927, 2929, 2933, 2934, 2935,
 2940, 2941, 2946, 2950, 2951, 2953, 2955,
 2967, 3028, 3038, 3044, 3048, 3049, 3053,
 3062, 3068, 3077, 3078, 3082, 3094, 3098,
 3100, 3114, 3116, 3149, 3158, 3165, 3167,
 3175, 3180, 3187, 3210, 3223, 3231, 3253,
 3254, 3261, 3265, 3272, 3278, 3280, 3287,
 3315, 3344, 3346, 3351, 3363, 3393, 3398,
 3422, 3446, 3447, 3455, 3457, 3461, 3476,
 3484, 3488, 3513, 3526, 3528, 3544, 3555,
 3557, 3560, 3562, 3573, 3575, 3577, 3579,
 3592, 3628, 3631, 3643, 3664, 3689, 3700,
 3765, 3774, 3776, 3801, 3824, 3830, 3863,
 3900, 3938, 3960, 3978, 3993, 4007, 4024,
 4058, 4064, 4100, 4106, 4116, 4124, 4126
 complexity, 433
 manipulation, 2570
 performance, 142
 programs, 14
 range searches, 153
 analysis path, 7
 analysis/design of algorithms, 3709
 Analyti and Pramanik, 2811
 analytic
 continuation, 347
 function, 347
 hierarchy process model of decision making,
 3833
 method, 142
 model, 142, 1037, 1730, 3492, 3744
 result, 3447
 tableau, 2420
 analytic tableaux, 2420
 method, 899

- analytic technique, 142
- analytical, 2576, 2613
 - method, 142
- anaphoric pronoun, 1229
- ancestor, 101, 166, 1745
 - context, 139
 - relation, 671
- AND
 - and OR gates, 3335
 - gate, 1152, 2600, 3335, 3768
 - gates at the bottom, 2600, 3768
 - parallelism, 2293, 2957
- AND/OR
 - graph, 239, 249
 - process model, 1659, 2293, 2461, 2957
 - trees representation of problems, 364
- \wedge - \vee -circuit, 2238
- Anderaa, 781
- Anderaa-Rosenberg conjecture, 781
- Anderson, 27, 515
- Anderson and Backhouse, 1308
- Anderssen and Bloomfield, 172
- Anderssen and Seneta, 46
- Andersson, Gunnar, 3698
- Andréka et al., 3893
- Andrew, 569
- Andrew, A.M., 558
- Andrews, G.R., 2901, 3334, 3362, 3371, 3410, 3423, 3497, 3533, 3546, 3609, 3619, 3825, 3849, 3895
- AND-gate, 2024
- Aneja, Y.P., 3625
- Anf, 922
- angelic nondeterminism, 2100, 3009
- angle, 1741
 - comparison, 64
 - restricted neighbors problem, 1923
 - sequence, 1741
- Angluin, 2061, 2231, 2497
 - algorithm, 2061
- Angluin and Laird, 2131
- angular
 - constraint, 1339
 - order, 328
- animating
 - information systems dynamics, 2047
 - string algorithms, 3371
- animation, 2047
- ANN, 4142
- annealing schedule, 2601
- annotated
 - logic, 2514
 - program, 1019
- anomalies in parallel branch and bound algorithms, 1272
- anomalous
 - behavior, 523, 2080
 - behaviour, 453
- anomaly, 634, 1272, 1650, 1683, 2281, 2282, 2449, 3690
- anonymity of the sender, 1145
- anonymous, 3059, 3549, 3644
 - result, 1097
 - ring, 3059, 3266, 3563
 - torus, 3266
- ANSV, 3671
- ANSV problem, 3671
 - on BSR, 3671
- answering queries, 600
- ant
 - multiplication, 259
 - transfer, 259
- authentication, 562
- antichain, 2498, 2849, 3523
- antifactorial language, 3772
- antikey, 2637
- antipodal graph, 2913
- antisymmetrical, 197
- antitoken, 2320
- antivoter
 - algorithm, 1890
 - model, 1890
- anti-AFL, 297
- anti-Horn expression, 4055
- Antoy, 3753
- Anzai, Koushi, 3734
- Aohan, Mei, 3526
- Aonuma, Imai, Imai, and Tokuyama, 2472
- AOWF, 3634
- APA algorithm, 450
- aperiodic, 1763
 - arrivals, 3022
 - deadline, 3022
 - monoid, 1763
 - tasks, 3022
- apex, 3164
- API, 4131
- APL, 256, 786
 - compilation, 1056
 - compiler, 1056
 - operator, 786, 1056
- Apostolico and Hambrusch, 1757
- Apostolico et al., 1990
- Apostolico-Giancarlo
 - algorithm, 3579
 - string matching algorithm, 3579
- appearance checking, 3074

- Appel algorithm, 2338
- Appel, Andrew, 2338
- application
 - domain policy, 2047
 - environment, 6
 - file, 1
 - programmer, 6, 256
 - programming interface, 4131
 - structure, 2150
- applicative, 928
 - algorithm, 972
 - approach, 972
 - communicating processes, 1934
 - features of Prolog, 1297
 - implementation, 620, 972
 - language, 928, 1092, 1402
 - logic programming, 2293, 2692, 2957
 - order evaluation, 1506
- applicative programming, 397, 972, 1101, 1477, 2679, 3161
 - language, 928
- applicative
 - random access stack, 972
 - semantics of Prolog, 1297
 - solution, 1092
 - subset, 397
- apply
 - actor, 1035
 - node, 1375
- appointment slot, 401
- approximability, 1178, 2124, 2935, 3052, 3294, 3422, 3491, 3830, 3842
 - of the TSP problem, 4030
- approximable, 2258, 3887
 - maximization problem, 2258
 - set, 3887
- approximate algorithm, 789, 1860, 2075, 2241, 3368, 3426, 3615, 3795
 - for edge coloring, 3068
- approximate analysis, 63, 515, 2709
- approximate average
 - storage utilisation, 1073
 - utilization of B-trees, 1234
- approximate
 - binary search, 3795
 - center point, 3483
 - closest point query, 2566
 - coloring, 353
 - compaction, 2225, 2490
 - computational geometry, 3615
 - congruence, 2227, 2438
 - convex hull, 893, 1198
- approximate counting, 2813
 - algorithm, 1700
- approximate
 - decision algorithm for approximate congruence, 2438
 - distance measurement, 3155
 - edge coloring problem, 3159
 - graph coloring, 2555
 - hull, 1198
 - linear programming, 2383
 - map labeling, 2952
 - matching, 1201, 2844, 3996
 - matrix multiplication, 641
 - max k -cut, 3673
 - median, 1924
 - membership checking, 2844
 - minimum link visibility path, 3117
 - min-wise independent permutation families, 4033
 - model, 3609
 - parametric searching, 2657
 - pattern matching, 3054, 3824, 3938
 - quantizer, 1765
 - rational arithmetic, 1010
 - satisfaction, 3418
 - shortest path queries, 3272
 - solution, 409, 689, 810, 1165, 1576, 2090, 2330, 2383, 2952, 3369, 3552, 3615, 3624, 3683, 3878
 - Steiner tree, 2618
 - stereo matching tree, 3615
 - storage utilisation, 1073
 - string matching, 1872, 2844, 3055, 3143, 3334, 3996
 - translation square arrangement, 3615
 - triclique coloring, 3426
 - value, 39, 1010
- approximately
 - matching, 3054
 - minimum cost network, 2975
- approximately optimal, 550
 - triangulation, 469, 550, 1431
- approximating
 - and eliminating search algorithm, 3210
 - closest lattice vectors, 3961
 - functions, 1274
 - graph genus, 3491
 - linear programming, 2124, 2383
 - maximum induced subgraph problems, 3476
 - minimum graph clusterings, 3458
 - optimal triangulations, 550
 - shortest lattice vectors, 3961
- approximation, 479, 507, 2088, 2179, 2533, 2809, 2846, 3294, 3569, 3609, 3673, 3674, 3730, 3793, 3809, 3843, 3878, 3913, 3917, 3961, 3978, 4030, 4117, 4122

- approximation algorithm, 689, 704, 756, 810, 893, 959, 1031, 1131, 1198, 1243, 1537, 1576, 1655, 1675, 1749, 1773, 1823, 1829, 2016, 2049, 2090, 2172, 2260, 2372, 2377, 2382, 2401, 2404, 2416, 2425, 2493, 2524, 2529, 2533, 2543, 2555, 2618, 2625, 2635, 2657, 2659, 2668, 2702, 2715, 2820, 2843, 2892, 2919, 2952, 2975, 3062, 3068, 3094, 3109, 3117, 3171, 3174, 3280, 3446, 3455, 3458, 3470, 3476, 3491, 3555, 3585, 3624, 3636, 3643, 3667, 3670, 3687, 3698, 3715, 3774, 3796, 3808, 3842, 3864, 3913, 3960, 4016, 4023, 4030, 4064, 4065, 4095, 4117, 4122
 - by Garg, 3667
 - for clustering, 3458
- approximation algorithms for
 - edge coloring, 3068
 - finding a minimum weight perfect matching, 689
- approximation
 - bound, 2054, 2524, 3062, 3978
 - classes, 2258
 - criteria, 1178
 - error analysis, 2516
 - factor, 3272, 3667, 3801, 3913, 4122
 - hardness, 3926
 - language, 1576, 1887
 - measure, 2650
 - method, 893, 2919
- approximation of
 - neededness, 3793
 - polynomials, 657
 - the permanent, 1700
- approximation preserving
 - reducibility, 2258
 - reduction, 2935, 3280
- approximation
 - problem, 2702
 - properties, 1178, 2659
 - ratio, 2493, 2566, 3077, 3094, 3426, 3491, 3960, 3978, 4095, 4117
 - result, 2815, 3094, 3698, 3913
 - scheme, 893, 1198, 2382, 2772, 3504, 3624, 3643, 3926
 - solution, 1576
 - strategy, 1131, 1323
 - theorem, 1274
 - threshold, 3842
- approximative evaluation of polynomials, 479
- APSL problem, 3870
- Apt and Kozen, 1607
- APX complete, 4117
- Apx complete problem, 3294
- Aqeel, Ahmed, 3445
- Aranha, R.F.M., 3354
- Arbib, 75
- Arbib and Alagić rules, 1019
- arbiter, 1709
- arbitrary CRCW PRAM, 3777
- ARBITRARY CRCW PRAM model, 3482
- arbitrary
 - directed tree, 2863
 - precision, 450
- arbitrated unconditionally secure authentication
 - scheme, 3681
- arbitration, 3681
- arborescence, 2518
- arborescence subhypergraph, 2518
 - problem, 2518
- arboricity, 2908, 3286
- arc, 13, 88, 249, 309, 374, 375, 441, 493, 538, 677, 723, 905, 1000, 1539, 1652, 1757, 1821, 1879, 2174, 2320, 2449, 2593, 2629, 2679, 2708, 2746, 2826, 2892, 2902, 3034, 3457
 - capacity function, 3724
 - coloured graph, 4121
- arc consistency, 3937
 - algorithm, 3937
 - problem, 3937
- arc
 - cost, 4082
 - delay function, 3724
 - insertion, 3457
 - network, 309, 1780
 - of a circle, 1394
 - set, 205, 3724
 - weight, 905
- ARCADE, 326
- architectural characteristic, 1735
- architecture, 326, 609, 896, 963, 1254, 1352, 1730, 1847, 2407, 2459, 2479, 2548, 2650, 2673, 2699, 2737, 2783, 2850, 3024, 3742, 3743, 4011, 4036
- architecture for
 - parallel computation, 1730
 - symbolic processing, 1494
- architecture of a
 - computer, 609
 - microprogrammable computer, 609
 - processor, 817
- area
 - and volume, 1476
 - * time complexity analysis, 1352
 - complexity, 592, 2107
- area of
 - binary tree layouts, 592
 - finite state machines, 1684
- area
 - preserving, 571
 - requirement, 1596, 3258, 3506
 - time, 1095

- area time complexity, 601, 605, 1005, 1051, 1161, 1226, 1269, 1270, 1316, 1454, 1917, 2673
 - of binary addition, 605
- area time
 - lower bound, 1917
 - optimal VLSI network, 601
 - product, 605
 - tradeoff, 1051, 1269
- area universal
 - circuit, 2885
 - graph, 2885
- argument evaluation order, 1383
- arithmetic, 18, 251, 283, 393, 450, 1010, 2009, 2183
 - chip, 3248
 - circuit, 2796, 3886
 - code, 3076
 - coding, 3342
- arithmetic complexity, 215, 253, 283, 393, 436, 692, 952, 1164
 - of matrix Kronecker powers, 952
- arithmetic
 - computation, 692
 - computational problem, 719
- arithmetic expression, 145, 208, 548, 694
 - evaluation, 585
- arithmetic
 - expressions without division, 145
 - function, 2619
 - inequality over predicates, 3356
 - manipulation, 381
- arithmetic of
 - finite fields, 758
 - $GF(p^n)$, 758
 - natural numbers, 1478
- arithmetic
 - operation, 37, 97, 199, 254, 283, 342, 351, 359, 381, 385, 391, 409, 436, 674, 1192, 2116, 2334, 3344, 3471, 4074
 - operations on integers, 759
 - problem, 2156
 - product of two $n \times n$ matrices, 2183
 - progression, 1963, 2763
 - properties, 2677
 - right shift, 2214
 - threshold circuit, 3373
- arithmetical
 - axiomatization, 1478
 - completeness, 1478
 - hierarchy, 1066, 1962
 - interpretation, 1478
 - operation, 3334
 - proof system, 1478
- arities of predicates, 727
- arity of queries, 2175
- Arjomandi, E., 335
- Arlazarov, 15
- arm movement, 1556
- Armstrong
 - database, 871
 - relation, 871, 996, 2637
- Arnold and Brlek, 2501
- Arnold and Sleep, 684
- Arnold syntactic monoid, 2396
- Arnold, A., 3608
- Aronov and Sharir, 3317
- Arora and Rana, 1819
- Arora, Anish, 3605
- Arora, Lund, Motwani, Sudan, and Szegedy, 2659
- arrangeable graph, 88
- arrangement, 88, 187, 416, 633, 962, 1274, 2055, 2290, 2674, 2848, 2877, 2912, 2945, 2956, 3582, 3797, 3810, 3989
 - graph, 2414, 2956, 3738
- arrangement of
 - curves, 1826
 - items, 187
 - Jordan curves, 2956
 - n lines in the plane, 1562
 - pseudolines, 2290, 2877
 - segments, 3317
 - straight lines, 3797
- arrangement order, 88
- array, 1, 71, 230, 244, 254, 256, 259, 290, 314, 443, 480, 571, 989, 1244, 1297, 1314, 1445, 1491, 1654, 1956, 2218, 2247, 2305, 2450, 2783, 2825, 2834, 3128, 3233, 3700
 - acceptor, 749
 - architecture, 1895
 - bound check, 3013
 - computer, 291
- array data
 - structure, 3454, 3876
 - type, 1297
- array
 - element, 658
 - facility, 1297
 - grammar, 210, 551, 989, 1244
 - handling, 1
 - index, 658, 2305
 - language, 210, 228, 551, 571, 722
 - matching problem, 290
- array of
 - automata, 71
 - processors, 2701
 - transputers, 1617
- array
 - representation, 593, 2356
 - rewriting rule, 989
 - segment, 658, 1194
 - size, 71

- array (*cont.*)
 - synchronized processor, 1496
 - synthesis technique, 2606
 - transformation concept, 786
 - variable, 658
- arrival
 - process, 878
 - time, 288, 2487
- art gallery problem, 2939, 4127
- Artem'ev, 587
- Artem'ev and Demidov, 587
- Arthur-Merlin, 2388
- Arthur-Merlin black box
 - IZKP, 2388
 - simulation IZKP, 2388
- Arthur-Merlin
 - class, 2988
 - IZKP, 2388
 - proof, 2388
- articulation
 - k -sets, 1926
 - pair, 1172
 - set, 1926
- artificial component, 1355
- artificial intelligence, 45, 79, 123, 139, 340, 423, 496, 647, 773, 892, 1272, 1480, 1690, 1824, 2382, 2731, 3156, 4103
 - community, 1477
 - programming language, 139
 - research, 108
- artificial
 - language, 1427
 - neural network, 4142
- Artin constant, 3515
- Arvind, A., 3889
- Arvind, V., 3887
- Arya, Sunil, 3667
- Asai, 979
- Asai and Cheng, 979
- Asano, T., 3375, 3406, 3428, 3429, 3450, 3465, 3467, 3541, 3542, 3543, 3547, 3562, 3580, 3590, 3591, 3592, 3599, 3614, 3620, 3659, 3661, 3667, 3668, 3669, 3675, 3681, 3683, 3690, 3691, 3706, 3709, 3710, 3718, 3730, 3734, 3735, 3736, 3737, 3779, 3780
- Ascend
 - algorithm, 2610
 - and Descend algorithm, 2610
- ascending
 - chain, 1184, 1791
 - order, 570, 855, 974, 1162, 1163, 1529
 - subsequence, 1151
- ASCII, 1418
- ASE, 273
- Ashir, Yaagoub, 3445
- Asp, 2518
- aspect ratio, 2936, 3566, 3725
- Aspvall, Bengt, 800, 3237
- assembler, 1558
- assembly, 2744, 3131
 - language, 237, 1169
 - line sequencing, 185
 - partitioning problem, 2744
- assertion, 178
 - language, 658, 1194
 - method, 178, 954
 - of a formal system, 1372
- assertional
 - correctness proof, 2794
 - language, 364
 - proof, 2794
 - reasoning, 2297
- assignment, 2, 192, 629, 1111
 - instruction, 82
- assignment of
 - colors, 3543
 - Floyd assertions, 192
 - rankings, 401
- assignment
 - operation, 1482
 - problem, 130
 - statement, 215, 258, 314, 462, 2060
- associated linear abstraction algorithm, 1343
- association, 1053
 - in a flowgraph, 1598
 - list, 397
- associative, 859
- associative addressing, 60, 157, 522
 - capability, 60
- associative
 - and commutative operator, 1461, 2835
 - binary operation, 2506
 - Boolean function, 1152
- associative commutative
 - addition operator, 1603
 - function symbol, 341, 2879
 - reduction ordering, 2437
- associative function, 2244
 - symbol, 2879
- associative
 - lexical table, 1558
 - memory, 45, 60, 2021
 - network, 45
 - one-way function, 3634
 - processor, 477
 - retrieval, 194
 - searching, 301, 422, 791
 - store, 708
- associativity, 30, 1028, 1636, 2079, 2437, 2506
 - condition, 3881
 - in algebras, 2116

- associativity law, 30
- assumption commitment, 2817
 - specification, 2817
- assuring interactive consistency problem, 797
- asterisk operator nested, 1449
- asterisk-cover, 3929
- asterisk-depth hierarchy, 1577
- asterisk-hierarchy, 2027
- asterisk-property, 1098
- asteroid avoidance problem, 2142
- asteroidal triple, 3083, 3836
- asteroidal triple free, 3836
 - graph, 3083, 3836
- asymmetric
 - Bernoulli model, 3271
 - similarity measure, 929
- asymmetric travelling salesman, 2543
 - problem, 2543
- asymmetry, 2351
- asymptotic, 2705, 2811, 3492, 3643, 3662, 3689
 - algorithm, 253
- asymptotic analysis, 282, 347, 573, 855, 1276, 1574, 1750, 2823, 3271
 - of Karmarkar algorithm, 1287
- asymptotic
 - approximation, 1276
 - average, 952
 - behavior, 603, 1222
 - behaviour, 282, 347, 447, 1633, 1864
 - bound, 831, 3790
 - class, 2051
 - complexity, 714
 - constant, 97
 - estimate, 796, 1222
 - evaluation, 1755, 2811
 - expansion, 347, 1222, 1274
- asymptotic expected
 - cost, 1633
 - storage, 895
- asymptotic
 - expression, 400, 4116
 - formula, 3662
 - lower bound, 1254
 - makespan, 2440
 - optimal bound, 3790
 - parallel complexity, 2516
 - performance, 2182, 2705
 - polynomial time approximation scheme, 3643
 - probabilities in logic, 3276
 - PTAS, 3643
 - result, 283
 - running time, 1508
 - tightness, 2422
 - time complexity, 2051
 - value, 859, 3231
 - worst case ratio, 2481, 3575
- asymptotical behavior, 2053
- asymptotically, 429, 449, 550, 873, 895, 905, 942, 1135, 1228, 1356, 1448, 1839, 2422, 2440, 2648, 2727, 2783, 2891, 3271, 3576, 3654
 - best possible, 2167
 - constant, 3210
 - damped solution, 287
 - equal, 2493, 3094
 - fast method, 540
 - faster, 2061
 - good algebraic geometric codes, 3641
 - improved performance, 2053
- asymptotically optimal, 385, 436, 840, 1210, 1245, 1525, 1740, 1983, 2332
 - algorithm, 936, 1230, 2450
 - area, 3506
 - number of buffers, 4054
 - routing schedule, 3979
 - time, 1501, 1583
- asymptotically
 - optimum, 1353
 - tight, 3506, 3589
- asynchronicity of
 - an algorithm, 1190
 - bilinear algorithms, 1190
 - linear algorithms, 1190
- asynchronism, 2257
- asynchronous, 1190, 1260, 1403, 1510, 1566, 1609, 1712, 1759, 1911, 2204, 2257, 3042, 3124, 3285, 3733
 - bidirectional rings of processors, 1564
 - circuit, 1709
- asynchronous communication, 930, 1721
 - network, 1116, 1403
- asynchronous
 - complete network, 1483
 - component, 735
 - consensus, 2567
- asynchronous distributed
 - algorithm, 1260, 3024
 - simulation, 1759
 - star network, 1706
 - system, 1911, 2710, 4008, 4059
- asynchronous
 - general network, 1566
 - interprocess persistent communication, 1721
 - iterative scheme, 1089
- asynchronous message passing, 1319
 - system, 2132, 4059
- asynchronous MIMD
 - network, 1047
 - parallel computer, 1632

- asynchronous
 - network of processes, 1165
 - operation, 3042
- asynchronous parallel
 - computation, 1936
 - computer, 728
- asynchronous parallel computing, 1936
 - environment, 3747
- asynchronous parallel system, 1936
- asynchronous PRAM, 2244
 - algorithm, 2244
 - model, 2244
- asynchronous
 - processes, 2158
 - processor, 1224, 2042, 2186
 - ranking problem, 1609
 - recovery algorithm, 3124
 - resilient consensus protocol, 2132
 - ring, 3328
 - shared memory model, 1858
 - simulation, 1759
 - system, 735, 928, 1483, 1545, 2132, 2165, 2204, 2376
 - timing model, 3613
 - unidirectional ring, 3328
 - wait free low atomicity system, 2376
- asynchronously, 1712, 2538
- AT free, 3083
 - graph, 3083
- ATA, 2390
- Atallah, 1115
- Atallah et al., 1883
- Atallah, M.J., 3028, 3049, 3055, 3065, 3081, 3086, 3102, 3117, 3342, 3379
- Athithan, G., 3368
- Atkinson et al., 1464
- ATM, 3679, 4131
 - delay analysis, 4073
 - network model, 3679
 - switch, 4073
- atom, 9
- atomic, 1721, 1742, 1858, 2138
 - action, 1305
 - Boolean n -reader 1-writer register, 1621
 - commitment, 2917
 - model of concurrency, 1589
 - multi-valued n -reader 1-writer register, 1621
 - register, 1621, 1721, 1858, 2376
 - semantics, 1589
 - set constraints, 3827, 4062
- atomic snapshot, 3285
 - memory, 3653
- atomic value, 2342
- atomicity, 686, 1589, 2285, 2376, 2451, 3349
 - refinement, 3397
- attack, 4042
 - against a protocol, 3659, 3906
- attack on a
 - recursive authentication protocol, 3649
 - threshold signature scheme, 3956
- Attalah, M.J., 3278
- attention, 10
- attractor, 2749, 3628
 - of an IFS, 3628
- attribute, 231, 372
 - classes, 273
 - evaluation, 273, 2942
 - evaluator, 1844
 - grammar, 273, 376, 779, 787, 830, 1311, 1318, 1844, 1867, 1987, 2326, 2733, 3541, 4060
 - reevaluation, 1867
 - set, 2449
 - stack organization, 1318
 - state, 2733
 - synthesis, 1987
 - value, 1844, 2313, 2491, 2576
- attributed grammar, 1311
- attributed tree, 671
 - transducer, 4060
- auction, 4103
 - theory, 4103
- Audsley, N.C., 3764
- augmentation, 485, 3049
 - process, 375
- augmenting path, 245, 567, 1315
 - techniques, 646
- Augustson and Minker, 917
- Aurenhammer, Franz, 3892
- Ausiello, D'Atri, and Sacca, 2449
- Ausiello, Giorgio, 3052
- Autebert et al., 1106
- authenticated encryption, 3308, 3587
 - scheme, 3308, 3587
- authenticated secure session key distribution system, 3230
- authentication, 562, 682, 1145, 1416, 2496, 2712, 2997, 2998, 2999, 3145, 3186, 3190, 3230, 3505, 3514, 3532, 3649, 3906
 - method, 654
 - protocol, 2999, 3186, 3532
 - scheme, 654, 3145, 3505, 3681
 - server, 643
 - system, 2998, 3532
- authorization, 430
 - condition, 555
- authorization mechanism, 621
 - grant, 621
- authorization system, 1249
- authorized, 3948
 - maximum drift, 1346
 - personnel, 654

- authorized (*cont.*)
 - subset, 3948
 - user, 437
- autocorrelation, 3271
 - function, 3706
- autoepistemic
 - logic, 2839
 - theories, 2839
- automata
 - hierarchy, 261
 - network, 2432
 - product, 2268
 - theory, 71, 90, 119, 261, 389, 520, 539, 675, 752, 898, 1155, 1191, 1303, 1581, 1763, 2017, 2063, 2078, 2320, 2962, 3848, 3990
- automated
 - decisionmaking, 2229
 - deduction, 1670, 1792, 2648
 - design, 1560
 - logic, 891
 - modular synthesis, 1515
 - reasoning, 2545
 - solution of logic puzzles, 1370
 - synthesis, 2458
 - theorem proving, 1330, 1670
- automatic
 - clustering, 917
 - compiler generation, 544
 - content analysis, 33
 - derivation, 2137
 - detection of parallel tasks, 106
 - discrimination dictionary, 61
 - drawing, 1738
 - free form content analysis of documents, 33
 - generation, 202
- automatic graph
 - drawing, 2082, 2316, 3155
 - layout, 2082
- automatic
 - information retrieval, 61
 - language processing, 61
 - left context uncover, 2198
- automatic problem
 - solver, 754
 - solving, 108
- automatic program optimization, 293
- automatic programming, 773
 - system, 773
- automatic
 - proof system, 1411
 - retrieval system, 10
 - solution, 274
 - synthesis of iterative programs, 773
 - term weighting process, 61
 - text analysis, 61
 - theorem proving, 506, 2031, 2202, 2420, 2437, 2514, 2521, 2545, 2648, 2666, 2672, 2731, 2879, 2924, 3087, 3695, 3760, 3788, 3815, 3873, 3893, 3966, 4068, 4076
- automatic verification, 1246, 3880
 - of correctness, 1246
- automatic verifier, 1607
- automatically generated
 - compiler, 671
 - program, 6
- automating the semantic component, 1367
- automation, 893, 2017, 3233
- automatized solution, 674
- automaton, 71, 113, 119, 144, 210, 261, 276, 279, 378, 452, 555, 578, 663, 696, 740, 751, 752, 766, 848, 849, 857, 982, 999, 1065, 1191, 1303, 1411, 1481, 1625, 1657, 1678, 1711, 1719, 1753, 1763, 2017, 2063, 2145, 2210, 2262, 2320, 2466, 2549, 2655, 2776, 2930, 2986, 3195, 3284, 3608, 3617, 3656, 3772, 3789, 4032, 4085, 4140
- automorphism, 87, 421, 2875
 - group, 421
 - of broadcasting schemes, 2875
 - partition, 421
- auto-associative memory, 2021
- auxiliary
 - data structure, 1140
 - memory, 721, 1182, 2530
 - stack, 72, 96, 3163
- auxiliary storage, 63, 176, 511, 1634
 - analysis, 63
- auxiliary
 - variable, 1677, 1875
 - worktape, 1657
- availability, 2869
 - analysis, 1817
 - constraint, 3972
- avalanche criterion, 4150
- average
 - access time, 224
 - analysis, 1268, 1774
 - behavior, 303, 573, 1287
- average case, 447, 574, 606, 615, 921, 1024, 1123, 1193, 1356, 1376, 1594, 2053, 2247, 2323, 2784, 2948, 3105, 3355
 - algorithm, 328
- average case analysis, 328, 447, 594, 796, 1024, 1773, 1774, 1916, 1958, 2323, 2386, 2726, 2920, 3134, 3526
 - of algorithms, 2386
- average case behavior, 194
 - of 2-3 trees, 475
- average case behaviour, 102, 1225

- average case (*cont.*)
 - complexity, 1878, 2399, 2412, 3134
 - parallel complexity of sorting, 1878
- average case performance, 194, 1773, 2784
 - rate, 1773
- average case
 - running time, 1898
 - scalable online algorithm, 2948
- average case time, 1878
 - complexity, 328, 2784, 3970
- average clause length, 1552
- average complexity, 594, 1001, 1682, 1774, 1852, 2033, 2399, 2850
 - result, 2850
- average
 - computational complexity, 1682
 - constant time, 969
 - cost, 631, 2920, 3447
 - data inflow, 52
 - delay, 2762
 - demand, 27
 - depth, 603
 - distance, 2756, 3291, 3738
 - duration, 2094
 - edge length, 3946
 - efficiency, 1474
 - height, 687, 717
- average height of a
 - digital search tree, 717
 - node, 3447
- average length, 1276, 2701
 - of codeword, 53
- average
 - matching cost, 2920
 - measure, 1451
 - memory occupancy, 1474
 - message complexity, 1712
 - NP completeness, 2399
 - number, 2509, 2806, 3185, 3497
- average number of
 - blocks, 16
 - compares, 691
 - comparisons, 3185, 3970
 - computational steps, 2806
 - entries, 603
 - key comparisons, 449
 - maxima, 1864
 - messages, 1564, 1712
 - probes, 303, 1112
 - records, 603
 - text characters, 615
- average number of tokens, 2806
 - in a cycle, 2806
- average performance, 947, 2920
 - analysis, 2920
- average
 - polynomial time, 3134
 - queue length, 142
 - response time, 3912
- average retrieval
 - performance, 194
 - time, 194
- average running time, 573, 3287
- average search, 53, 3405
 - length, 1142
 - time, 721, 2591
- average
 - seek distance, 2089
 - sensitivity, 3589, 3819, 4099
 - size, 1755
- average storage, 27, 1073
 - performance, 1451
 - utilisation, 1073
- average time, 211, 784, 829, 1001, 1551, 1552, 1720, 2371, 2701
 - analysis, 1552, 4148
 - complexity, 570, 833, 2308, 2760
 - hierarchy, 2760
 - per balanced parenthesis string, 684
- average
 - value of functions, 2987
 - wasted space, 2726
 - working storage, 27
- aviation medicine, 2634
- Avis, 552
- Avis et al., 1676
- AVL, 3817
 - tree, 206, 365, 521, 926, 1216, 1504, 2254, 3596, 3817
- avoidance, 1044
- avoiding
 - a word, 3772
 - cycling in a network, 1357
 - go to statements, 41
 - rabbits, 3005
- Avresky, Dimiter R., 3872
- Awerbuch, 1403
- axial symmetry, 428
- axiom, 47, 77, 118, 196, 241, 316, 331, 340, 361, 370, 412, 460, 528, 604, 940, 1091, 1158, 1618, 1639, 1643, 1722, 2060, 2132, 2202, 2363, 2734, 2981, 3825
- axiom of a
 - Boolean algebra, 1237
 - group, 30
- axiom of
 - choice, 294
 - group theory, 2563
- axiom
 - P, 361
 - system, 2046, 2057

- axiomatic approach, 412
- axiomatic approach to
 - program proving, 196
 - the consensus problem, 2132
- axiomatic
 - definition, 191, 480
 - method, 460, 480
 - presentation, 2001
 - proof, 460
 - semantics, 196, 480, 891, 2207, 3201
 - specification, 412, 846, 1642
 - system, 2060, 2876
 - transformation rules, 604
- axiomatically, 2876
- axiomatisation, *see also* axiomatization
- axiomatisation of the
 - intermittent assertions technique, 460
 - while loop, 460
- axiomatizable sound formal system, 1134
- axiomatization, 946, 2876, 2981, *see also* axiomatisation
- axiomatized theory of finite rational languages, 1067
- axiomatizing fixpoint logics, 2344
- axioms of multivalued dependencies, 3825
- axis, 3663
- axis parallel, 748, 2638, 3663, 4120
 - boxes, 4120
 - hypercube, 3406
 - rectangle, 3663
 - segment, 2960
- Axt classes, 11
- Ayani, Rassul, 3053
- Azar, 3540
- Azar, Broder, and Karlin, 3540
- Azar, Broder, Karlin, and Upfal, 3158
- Azar, Naor, and Rom, 3158
- A-bounded subset sum problem, 1253
- A-free graph, 4071
- a-immune, 3929
- a-isolated, 3929
- A-order, 1551
- A-stable, 287
- a-transducer, 348, 1585, 1681

- B**
- B+ tree
 - index, 2313
 - root node, 1460
- B*-tree, 1073
- B⁺-tree, 1966, 2080
- (*b, d*) uniform tree, 2688
- BA protocol, 2033
- Baader, Franz, 3788
- Baba, N., 2237
- Babai, 1407
- Bach and Sorenson, 3287
- Bach, Eric, 3515
- Bachmair and Ganzinger, 2202
- Bachmair method, 2924
- Back, 2452
- back
 - pointer, 339, 1290
 - propagation learning algorithm, 2062
 - referencing, 3677
 - to back *d*-ary tree, 3345
- Backhouse et al., 2452
- Backhouse, R., 4053
- Backhouse, Roland, 3782
- backpropagation training algorithm, 2650
- backtrack, 1001
 - algorithm, 434, 1001, 1258, 1646
 - literal, 1659
 - method, 776
 - points, 1767
- backtrack search, 1347
 - tree, 1001
 - type algorithm, 1347
- backtrack tree, 2386
- backtracking, 8, 99, 135, 276, 340, 434, 565, 647, 776, 958, 1001, 1041, 1767, 1809, 1940
 - algorithm, 276, 1767
 - program, 565
 - scheme, 1767
 - search, 3327
- backup
 - copy, 652
 - cycle, 652
 - frequency, 652
- Backus, 976
- backward, 2314
 - analysis, 3802
 - conflict, 129
 - dependency, 1439
 - dependent set, 1439
 - deterministic CA, 2430
 - diagonal, 524, 1855, 2045
 - distance, 1699
 - edge, 1745
 - error recovery, 1439
- backward execution, 1659, 2957
 - algorithm, 1659, 2293, 2461
- backward
 - flush, 1911
 - induction, 3974
 - reasoning predicate transformer, 298
- bad
 - anomaly, 1272
 - data, 652
 - hash function, 531
- Badal, 837

- Baek, Nakhoon, 3722
 Baeten, J.C.M. et al., 2403
 Baeza-Yates, Ricardo A., 3334, 3371
 bag, 590, 1489, 3199
 language, 3199
 Bagchi, Anindo, 3629
 Bagherzadeh, Nader, 3427
 Bahl and Kobayashi, 383
 Baier, Christel, 3353, 3714
 Bajaj and Li, 1401
 Baker and Schwarz, 3575
 Baker, Coffman, and Rivest, 589
 Baker, Gill, and Solovay, 1390, 2560
 balance, 3859
 algorithm, 2216
 factor, 365, 1799
 information, 365, 427
 balanced, 206
 2^d -tree, 1057
 allocation, 3158
 binary search tree, 521, 2221, 2230
 balanced binary tree, 2101
 technique, 2101
 balanced
 Boolean function, 3672, 3859, 3939
 CI function, 3969
 class of trees, 206
 data structure, 1953
 division, 1074
 divisions of lists, 3007
 formula, 3063
 graph, 3697
 balanced k - d
 binary search tree, 718
 tree, 447, 718
 balanced
 k -decomposition, 3785
 matrices, 2448, 3063
 matrix, 3697
 parenthesis string, 684
 quad tree, 1057
 balanced search
 strategy, 1953
 tree, 920, 1969, 2254
 balanced separator
 method, 2820
 procedure, 2820
 balanced tree, 206, 250, 365, 427, 521, 921, 926,
 1233, 1344, 1606, 1953, 2230, 4058
 structure, 365, 475
 balancedness, 3672
 balancing, 1074, 2530
 algorithm, 2934
 binary search trees, 2965
 principle, 1206
 Balasubramanian, R., 3676
 Balcázar and Schöning, 3144
 ball, 998
 problem, 998
 Banach, R., 3404
 Banach-Mazur game, 4050
 Banatre and Lapalme fair agreement algorithm,
 1125
 Bancelhon and Ramakrishnan, 1837
 band
 linear system, 1170
 Mat Inv(n), 3031
 band matrix, 1089, 1170
 multiplication, 2407
 banded matrix, 2311
 inversion, 3031
 bandwidth, 2, 1376, 1617, 1657, 1886, 2623, 3026,
 3031, 3116, 3193, 3539, 3655, 3679, 3854
 allocation problem, 3679
 constrained problem, 1570
 bandwidth k
 formula, 1570
 graph, 3116
 interaction graph, 1570
 bandwidth minimization, 2548
 bandwidth of
 a chain graph, 3854
 an interleaved memory system, 141
 communication channels, 1617
 bandwidth problem, 1886
 band-width, 2311
 BANG
 abstract directory tree, 3447
 file directory, 3447
 Banicescu, Ioana, 3739
 banker algorithm, 418, 1033, 1317, 2728
 banyan network, 2724
 bar visibility, 3506
 Bárányi and Füredi, 2813
 Barbe, 1169
 Barcan formula, 632
 Bardzin, 3401
 Barklund, Jonas, 3436
 Barlow and Evans, 783
 barrier, 1827
 synchronisation, 3201
 synchronization, 3742
 Barriga, Luis, 3053
 Barrington, 2847
 Barrington, Immerman, and Straubing, 1836
 Barrington, Straubing, and Thérien, 3281
 Barsi, F., 3184
 Barsi, Ferruccio, 3106
 Bartal, Fiat, Karloff, and Vohra, 2910
 Barth, 3345

- Barth, Dominique, 3345
 Baruah, Sanjoy K., 3607
 Bar-Yehuda and Even, 1243
 base
 4 representation, 158
 language, 24
 set, 370
 baseline, 1817
 network, 1466, 2724
 basi of a matroid, 308
 basic, 46
 algorithm, 3388
 CCS, 2981
 function, 6
 operation, 1297, 1502
 operations of r-merge, 617
 parameter, 22
 progress algebra, 2403
 security theorem, 1098
 basis, 2161, 2813, 3048, 3226, 4044
 for a finite Abelian p-group, 1119
 of solutions, 341
 Baskett et al., 310
 batch
 checking, 2387
 job, 806
 batch scheduling, 401
 with deadlines, 3610
 batched
 disk queries, 2050
 planar point location, 1883
 search, 1238
 Batcher, 580, 728, 956, 2793
 bitonic sort, 1177, 2793
 batching, 1238, 3610
 method, 353, 628
 Baudet and Stevenson, 728
 Bauer, 598
 Baum nonmalicious distribution model, 2915
 Baum, E., 2439
 Bax, Eric, 3413, 3550
 Bayer, 300, 920
 class, 920
 Bayesian formalism, 3504
 bayonet code, 3135
 BC chain, 1358
 BCD, 1418, 3517
 BCH code, 2888
 BCL, 340
 BCNF, 634, 798, 2449, 2751, 3533
 decomposition, 2449
 relation scheme, 3533
 BCR, 622
 BCSTSC problem, 3554
 BDD, 2918, 3735, 4113
 construction, 4112
 minimization, 4113
 BE algorithm, 1243
 Beals, Robert, 3377
 Beame and Hastad, 2408
 Beeri, 144
 Beeri and Bernstein, 2449
 behavior, *see also* behaviour
 analysis, 2701
 machine, 3692
 behavior of
 overlapping operations, 1709
 shared objects, 1709
 behavioral
 equivalence, 3911
 isomorphism, 279
 science, 147, 1930
 behaviour, 16, *see also* behavior
 behaviour of
 a system, 3418
 an organism, 45
 non-sequential systems, 322
 behaviour on a subdomain, 1995
 behavioural
 equivalence, 2001, 2459
 subtyping, 3113
 Beigel and Chang, 3705
 Beimel and Kushilevitz, 4056
 Beineke and Fiorni, 492
 Beineke and Plummer, 234
 Belady, 366
 Belady and Palermo, 366
 Belady MIN algorithm, 338
 Bell, 2254
 Bell and LaPadula, 1098
 Bellman, 905
 Bellmann-Ford algorithm, 2251
 Bellman-Ford algorithm, 905
 Belogay, E., 3603
 BenCherifa and Lescanne, 2771
 benchmark, 546, 1817
 bend, 2208
 Bendix G-20, 158
 benevolent adversary, 2171
 benign side effect, 1679
 Bennett and Gill, 2424, 2560
 bent function, 2327
 Bentley, 219, 301, 447, 533, 650, 661, 662, 679, 774,
 807, 850, 1045
 algorithm, 718
 Bentley and Maurer, 422, 774
 Bentley and McGeoch, 1633
 Bentley and Shamos, 301, 593, 893
 Bentley and Wood, 774

- Bentley
 - multilevel range structure, 3820
 - solution, 807
 - structure, 3820
- Bentley, Faust, and Preparata, 893, 1198
- Bentley, Kung, Schkolnick, Thompson, and Devroye, 1864
- Bentley, Stanat, and Williams, 2013
- Bentley, Weide, and Yao, 1916
- Ben-Ari, 1349
 - algorithm, 1349
- Ben-Or
 - lower bound, 1505
 - theorem, 2274
- Bérard, Béatrice, 3126, 4105
- Berge, 14, 163
 - graph, 3045
- Berger and Shor, 2705
- Berger-Shor algorithm, 2705
- Berghammer, Rudolf, 3495
- Bergstra, Jan A., 3770
- Berlekamp algorithm, 2888
- Berman and Hartmanis, 3071
- Berman, Franco, and Schlipf, 2716
- Bermond and Peyrat, 2778
- Bernasconi, 3819
- Bernasconi, A., 3355
- Bernays-Schönfinkel, 3276
- Bernoulli
 - model, 3271
 - numbers, 796, 3515, 3662
 - random number generator, 752
 - trial, 1905
- Bernstein, 735
- Bernstein and Beeri, 388
- Bernstein et al., 1456
- Bernstein synthesis algorithm, 523
- Berri, 741
- Berstel, 685, 915
- Berstel, J., 456, 3988
- Berthelot et al., 927
- Bertino, E., 3601
- Bertoni, A., 2982
- Bertossi, 1518, 1795, 2003, 2608
- Bertossi and Bonuccelli, 1822, 1947
- Bessière et al., 3937
- best
 - access path, 1063
 - α algorithm, 3960
 - bound, 2534
- best bound first, 1272
 - parallel branch and bound, 1272
- best case, 1707
 - complexity, 1707
- best circuit, 1749
- best container, 3228
- best first search, 2090, 2688, 2974
 - algorithm A*, 2688
- best fit strategy, 16
- best known, 4033
 - algorithm, 2248
- best
 - sequential algorithm, 2152
 - worst case bounds, 90
- Best, Eike, 1064
- beta
 - function, 1460
 - reduction, 3047
- β -reduction, 2366, 3047, 3302, 3916
- β -sharpened triangle inequality, 4117
- β -skeleton, 3892
- betrayal incident, 1811
- Beutelspacher, 3324
- Bezier polygon, 2691
- BFS, 2108, 2291
- BFS numbering, 1582
 - of a directed graph, 1582
- Bhatt and Cosmadakis, 1764
- Bhatt, S., 745
- Bhattacharya, Subir, 2974
- biased
 - coin, 2059, 3205
 - number generation, 3508
 - text, 3996
- bibliographic
 - data, 324
 - search, 1179
- bicategory, 2975
- bichromatic graph, 3495
- bichromaticity, 3495
- Bickart, 287
 - procedure, 287
- biconnected
 - component, 101, 518, 2413, 3169, 3411, 4081
 - graph, 518, 1835, 1892, 2343, 2623, 2889, 3354
 - spanning subgraph, 2857
- biconnectivity, 3113, 3330
- bidirectional, 2314, 2602, 2757, 2758, 2799, 2868, 2880
 - asynchronous rings of processors, 1564
 - communication channel, 2055, 2746
 - coroutine, 1138
- bidirectional heuristic search, 2314
 - algorithm, 2314
- bidirectional
 - link, 1224
 - loop, 2168
- bidirectional ring, 1712
 - of processors, 1712
- bidirectional routing, 1600, 2602

- bidirectional search, 2314
 - strategies, 1017
- bidirectional systolic algorithm, 2407
- Biedl, Therese C., 3666
- bifaithful, 1572
 - starry transduction, 1572
- bifurcation ratio of the lung, 3863
- biggest stick problem, 1970
- Biham and Shamir, 2327
 - attack, 2327
 - differential cryptanalysis, 2327
- bijection, 421, 637, 1551, 1656, 1932, 1961, 2408, 2412, 2578
- bijjective, 2578
 - embedding, 2354
- Bijlsma, A., 3004
- bilinear
 - algorithm, 398, 719, 1190, 3218
 - APA algorithm, 450
 - chain, 215
 - computation, 1164
 - EC algorithm, 450
- bilinear form, 198, 215, 450, 692, 713, 793, 1011, 1164, 1188, 1190, 1269
 - computational problem, 1269
- bilinear program, 1164
- bilinearity, 215
- billiard
 - ball path, 3602
 - quorum, 3602
- bin packing, 530, 589, 1031, 1448, 1760, 1773, 1784, 2037, 2436, 2481, 2726, 3369, 3552, 3643, 3687
 - algorithm, 537
 - problem, 537, 622, 1031, 1760, 2436, 2481, 3643
 - with extendable bins, 3687
- binary
 - addition, 605, 2620
 - alphabet, 717, 2511, 3640, 3708
 - ALU, 3517
 - attribute, 187, 221
 - backtrack tree, 2386
 - buddy, 1655
 - Byzantine agreement, 994
 - clause, 2521
 - code, 1943
 - coded decimal, 3517
 - codeword, 1943
- binary comparison, 367, 2471
 - model, 1974
- binary consensus, 4059
- binary decision
 - diagram, 2729, 3735, 4113
 - tree, 207
- binary
 - expansion, 606
 - field, 3218
 - form, 1558
 - function, 877, 976, 1015, 1774
 - heap, 1534, 2263
 - Horn clause, 2589
 - Huffman code, 2586
 - hypercube, 2123, 2126, 3026
- binary image, 963, 1208, 2186, 2465, 2873
 - processing, 1474, 2092
- binary
 - jumping, 2875
 - linear programming problem, 3815
 - machine, 2285
 - matrix, 1093
 - merge, 2305
- binary merging, 405
 - by partitioning, 405
- binary
 - monotone function, 435, 831
 - notation, 2812
 - number, 1943, 2620
 - n*-cube, 1047, 3367
 - operation, 30, 208, 370, 2506
 - operator, 2079
 - pattern, 738
 - period, 3678
 - queries, 1030
 - record, 1030
 - reflected Gray code, 998, 2783
 - relation, 128, 181, 216, 666, 772, 1029, 1776, 1909, 2585, 4145
 - representation, 393, 655, 827, 1429, 1513, 2611, 2694, 2833, 2891, 4106
 - representations of integers, 1491
- binary search, 137, 194, 281, 282, 303, 385, 409, 449, 559, 566, 656, 703, 1004, 1123, 1321, 2115, 2305, 3771, 3776, 3795, 3845, 3947
 - algorithm, 3795
 - network, 1321
- binary search tree, 272, 521, 706, 788, 850, 1142, 1290, 1321, 1344, 1504, 1658, 1746, 1913, 2157, 2254, 2591, 3044, 3635, 3682, 3776, 3863
 - model, 3863
- binary search
 - trie, 194
 - with errors, 3845
- binary
 - searching method, 281
 - segmentation, 1353
 - selfstabilization, 2285
 - semaphore, 404, 995, 1266
 - sequence, 274, 2609, 3072, 3465

- binary sort tree, 72
 - traversal, 72
- binary
 - space partition, 2535
 - string, 2560, 3757, 3899, 4109
 - system, 1005, 1009, 2309
 - systolic tree automaton, 2986
- binary tree, 35, 53, 60, 62, 73, 175, 176, 206, 272, 312, 424, 447, 511, 535, 592, 678, 684, 768, 920, 935, 969, 1009, 1126, 1273, 1290, 1297, 1450, 1476, 1623, 1741, 1764, 1913, 1930, 1997, 2092, 2176, 2233, 2246, 2319, 2393, 2394, 2397, 2503, 2548, 2598, 2603, 2718, 2719, 2747, 2783, 2866, 2890, 2965, 3014, 3051, 3180, 3382, 3436, 3596, 3688, 3725, 3822, 3915, 3980, 4041
 - algorithm, 2580
 - enumeration, 2890
 - generation, 969
 - labeling, 424
 - machine, 733
 - of processors, 1273
 - reconstruction problem, 2871
 - representation, 2891
 - search, 312
 - searching, 691
 - sequence, 2233, 2965, 3822
- binary
 - trie, 2654
 - vector, 221, 1030
- binder, 1919
- binding, 958, 1767, 1817, 1919
 - environment, 1299
 - mechanism, 1919
 - propagation, 2418
 - relation, 1968
 - time analysis, 2137
- Bini algorithm, 641, 789
- Bini and Gemignani, 2334
- Bini and others, 641
- Bini, D. and A. Schönhage, 2516
- Binkley, Aaron B., 3321
- binomial
 - coefficient, 304, 2656, 2677
 - coefficients with nonintegral lower index, 304
 - distribution, 703, 1460, 1750
 - queue, 3240
 - recurrence, 2656
 - theorem, 304
- biological, 47, 197
 - model, 197
 - observation, 197
 - organism, 77
 - origin, 93
 - phenomenon, 279
 - point of view, 75, 77, 232
 - sequence, 2106
- biology, 942, 1210
- biomedical field, 455
- bipartite, 1338, 1828, 1890, 2118, 2608, 2643, 3147, 3560, 3650, 3723
 - adjacency matrix, 3104
 - completeness of graphs, 3049
 - digraph, 2082
 - graph, 245, 390, 444, 492, 567, 646, 705, 743, 810, 816, 852, 942, 1040, 1127, 1199, 1221, 1315, 1442, 1689, 1927, 2019, 2067, 2082, 2125, 2286, 2307, 2444, 2597, 2608, 2766, 2961, 3068, 3200, 3379, 3422, 3561, 3748, 3826, 3924, 3969, 4128
 - matching, 510, 705, 1757
 - multigraph, 2724
 - of degree, 4, 816
 - perfect matching, 1689
 - permutation graph, 3147, 3192
 - subgraph listing algorithms, 2908
- bipartiteness, 3495
- bipartition, 2579
- bipartition of
 - biconnected graphs, 1892
 - graphs, 1892
- biprefix, 637
 - code, 2860, 3538
- biquaternions, 2460
- Bird, 547, 2255
 - method, 547
- Bird, R.S., 3043, 3051, 3122, 3190, 3223, 3279, 3314, 3367, 3409
- Bird, Richard S., 3545
- Birget, Jean-Camille, 3307
- Birman and Joseph, 2257
- bisecting a polygon, 2337
- bisection, 417, 507, 659, 2146, 2337
 - algorithm, 417, 529
 - point, 783
 - procedure, 529
 - process, 417
 - solution, 783
 - strategy, 529
 - tree, 788
- bisector of three points, 3599
- bisimilar term, 2981
- bisimilarity, 3911
- bisimplicial edge, 852
- bisimulation, 1687, 2219, 2295, 2403, 2563, 2614, 2972, 3360, 3773
 - equivalence, 1687, 2981
 - preorder, 3618
- Biskup, Dayal, and Bernstein, 1025
- bispecial, 2785
 - factor, 2785

- bistability, 1796
- BIT algorithm, 3187
- bit complexity, 2183, 2772, 3563
 - model, 3098
- bit
 - dimension, 127, 1090
 - operation, 724, 1818, 2183, 3175, 3515, 4139
 - optimal election, 2035
- bit reversal, 3410
 - algorithm, 1186
 - permutation, 1186
- bit sliced signature file, 3435
- bit string, 1307
 - compression, 2617
 - longest common subsequence algorithm, 1307
 - operation, 1307
- bit vector compression, 382, 383
- Bitner, 691, 1633
- bitonic, 2793
 - sort, 1177, 2123, 2793
 - sorting, 2793
- bitwise mutation, 3212
- bivalency, 3974
 - argument, 3974
- biweighted
 - binary tree, 935
 - path length, 935
- black and white
 - image, 1699, 4135
 - pebble, 563
- black & white pebble game, 563
- black box, 1817, 2279, 3448, 3471
- black box polynomial, 3471
 - resultant, 3471
- black box
 - resultant, 3471
 - simulation, 2388
- black boxes, 3448, 3471
- black pebble, 563
 - game, 563
- Bland and Jensen, 4082
- blank tape, 1607
- Blass and Gurevich, 2595
- Blass, Andreas, 3757
- Blattner and Latteux, 951
 - result, 951
- Blattner, Meera, 47
- Błażewicz, J., 2801
- Błażewicz, Jacek, 3319
- blind, 4134
- Blind signature, 4134
- block, 16, 69, 2413
 - accesses, 1048, 1616
 - behaviour of procedures, 501
 - cipher, 3751
 - diagram, 146
 - graph, 2977, 4048
 - hit ratio, 839
- block interchange, 3412
 - diameter, 3412
 - distance, 3412
- block of
 - a fixed size, 1655
 - cells, 83
 - code, 43
 - store of integral size, 612
- block PRAM, 2562
 - complexity, 2562
 - model, 2562
- block
 - selectivity, 2313
 - sensitivity, 3355, 3819, 4099
 - size, 1031, 2160, 2576
 - split tree structured file, 1460
 - structure, 2334
 - transfer, 919
- block tridiagonal
 - matrix, 1348
 - solver, 1348
 - system, 3702
 - systems of linear equations, 1348
- blocked
 - input, 2160
 - process, 508, 2005
- blocking, 837, 1527, 2160
 - communication, 2055
 - factor, 1048, 1616
- blocking flow, 1762, 1780
 - problem, 1762
- blocking
 - interprocess communication, 2055
 - network, 2724
 - set, 3496
- Blondel, Vincent D., 3593
- Bloniarz, 1015
- Bloniarz and Meyer, 949
- Bloom filter, 2844
- Blum, 670, 1015, 3446
- Blum and Goldwasser, 1932
- Blum and Hewitt, 578
- Blum and Impagliazzo, 2560
- Blum et al., 2919, 3635
- Blum
 - integer, 3925
 - measure, 670
- Blum, Avrim, 3446
- Blum, Floyd et al., 346
- Blum, Jiang, Li, Tromp, and Yannakakis, 2919

- Blum-Shub-Smale model of computation, 3525, 4005
- Blundo, Carlo, 3598, 3652
- BMP, 2548
- BNF type grammar, 24
- board
 configuration, 1347
 covering problem, 1437
- Boari, M., 360
- Boasson, 720, 874
- Boasson and Frougny, 720
- Boasson and Nivat, 1213
- Boasson and Sénizergues, 2522
- Boasson, L., 2946, 2949, 2962, 2982, 3041, 3106, 3126, 3135, 3139, 3204, 3292, 3307, 3350, 3352, 3387, 3391, 3395, 3430, 3431, 3432, 3449, 3494, 3502, 3503, 3510, 3519, 3528, 3537, 3538, 3565, 3579, 3608, 3611, 3617, 3656, 3657, 3696, 3699, 3772, 3789, 3797, 3814, 3821, 3829, 3830, 3846, 3848, 3856, 3884, 3892, 4080, 4105
- Bobrow, 312
- Bodlaender, 1961, 3253
- Bodlaender et al., 3674
- Bodlaender, Hans L., 3455, 3476
- Bodlaender, Thilikos, and Yamazaki, 3674
- Boehm, 1071
- Boesch, 217
- Böhm, 535
- Böhm and Jacopini, 535
- Bokhari method, 2069, 2748
- Boland, Ralph P., 3102
- Boldi, Paolo, 3644
- Bollig, Beate, 3711
- Bollobás and Simon, 1534
- Bollobás, Fenner, and Frieze, 1404
- Bonabeau, Eric, 3783
- bond, 1845
 structure, 1845
- Bondy and Chvátal, 1362
- Bonuccelli and Bovet, 2003
- Book, 1887
- Book and Otto, 4085
- book embedding, 2492
- Book trick, 3908
- Book, Ronald, 3908
- Books, 46
- Boolean, 151, 477, 661, 824, 1305, 1353, 1691, 2218, 2544, 2647, 2753, 3335, 3403, 3600
 algebra, 2, 4, 949, 3788
- Boolean circuit, 1154, 1341, 1499, 1647, 1680, 2124, 2153, 2163, 2167, 2865, 3226, 3242, 3464, 3589
 complexity, 1353
 family, 2163, 2419
- Boolean
 closure, 2261
 combinations of ω -languages, 3197
 component, 489
 computation, 692
 concept learning, 2224
 conjunctive normal form, 561
 connective, 2787
 cost of computing $\det A$, 1692
 dependency, 1541
 equation, 630
 expression, 2, 376, 630, 1372, 1636, 2590, 2753, 4055
 expressions by short circuiting, 1636
 flag, 1290
 formula, 419, 2781, 2865, 3063, 3588, 3626, 4112
 formulae, 2781
 function, 180, 323, 344, 410, 538, 555, 751, 877, 1007, 1015, 1152, 1295, 1340, 1351, 2024, 2040, 2224, 2255, 2365, 2495, 2729, 2753, 2818, 2847, 2865, 2979, 3037, 3044, 3226, 3263, 3355, 3370, 3373, 3377, 3394, 3420, 3464, 3473, 3496, 3606, 3672, 3711, 3781, 3819, 3859, 3939, 3941, 3957, 3969, 4083, 4093, 4099, 4111, 4113
 graph, 538
 hierarchy, 3705
 literal, 1268
 logarithmic time, 1353
 manipulation, 2865
 matrices, 455, 540, 814, 1634
 matrix characterization, 162
- Boolean matrix multiplication, 540, 1082, 1603, 1634
 algorithm, 1082
- Boolean matrix product, 162, 2183
 of two $n \times n$ matrices, 2183
- Boolean
 monomial, 3333
 $n \times n$ matrices, 2181
 negation, 949
- Boolean network, 877, 2024
 complexity, 877
 theory, 1015
- Boolean
 n -cube, 1730
 operation, 70, 389, 2017
 predicate, 2388
 primitive, 1636
 relation, 2
 semaphore, 227
 semiring, 3213
 semi-unbounded circuit, 3886
 set operator, 3827

- Boolean (*cont.*)
 - subexpression, 1636
 - sum, 538, 3711
 - term, 1541
 - value, 526
 - valued predicate, 3356
 - variable, 2, 133, 216, 2224, 4099
 - vector, 3394
- Booth, 701
- Booth and Lueker, 1947
- bootstrapping, 2530
- Boppana, Ravi B., 3589
- Borchert, Bernd, 3366, 3571
- Bordat, 3982
- border
 - of the circuit, 1454
 - rank, 1011
- Bordihn, H., 3865
- Borodin, 97, 283
- Borodin and Munro, 97, 205
- Borodin conjecture, 171
- Borodin et al., 1613, 3685
- Borodin-Munro, 171
- Boroujerdi, Ali, 3805
- Bose, Prosenjit, 3694
- bottleneck, 120, 883, 1047, 2245, 3109
 - biconnected spanning subgraph problem, 2857, 3330
 - in a network, 14
 - matching, 4123
 - objective function, 2857
 - optimization, 2857
 - problem, 1047
 - traveling salesman problem, 3771
- bottom, 3032, 3281, 3411
 - hull edge, 1328
 - terminal, 2054
 - to top flow, 953
- bottom up, 3410
 - abstract interpretation, 2679
 - algorithm, 168
 - data flow, 2679
- bottom up evaluation, 2679
 - of logic programs, 2679
- bottom up
 - execution, 2679
 - mergesort, 2747
 - mode, 452
 - nondeterministic tree transducer, 348
 - parse order, 3095
- bottom up parsing, 1661, 1838, 3095
 - strategy, 1661
- bottom up
 - pyramid acceptor, 395
 - reconstruction, 3817
 - search structure, 1017
 - tree transformation language, 200
- Bottoni, Paolo, 3630, 3755
- Bottreau, Anne, 3814
- bound, 112, 342, 349
 - estimation, 1235
 - for, 53
 - function, 1635
 - variable, 3161
- boundary, 31, 128, 592, 627, 677, 1454, 1474, 1738, 1921, 2075, 2221, 2757, 2856, 2893, 2993, 3317, 3359, 3731, 3857
 - complex, 2725
 - conditions, 89, 195, 878
 - edge, 350, 1020
 - function, 140
 - line, 2054
 - model, 1454
- boundary of a
 - chip, 592
 - convex hull, 328
 - polygon, 350
- boundary
 - of the Minkowski sum, 3731
 - problem, 98
 - tag algorithm, 189
 - value problem, 1170, 1348
- bounded
 - acceptor, 1553
 - balance tree, 859
 - buffer, 1111
 - communication, 971, 3787
 - complexity, 3534
- bounded context, 34
 - algorithm, 34
 - form, 34
 - method, 26
- bounded
 - cyclicity graph, 4102
 - degree, 2475, 2806, 3274, 3491, 3745
- bounded degree network, 1596, 2599, 3745
 - of processors, 2199
- bounded depth
 - Boolean circuit, 1467
 - circuit, 1424, 3589
- bounded edge, 2221
- bounded edge length, 3864
 - Steiner tree, 4122
- bounded error, 3957
 - probability, 967, 4099
- bounded fan in, 1499
 - Boolean circuit, 3242
 - circuit, 1986
- bounded fan out, 3562, 3936
 - m -center problem, 3562

- bounded
 - FIFO channel, 1150
 - height, 2866
 - key space, 226
 - language, 113, 712, 951, 960, 2063
 - lookahead, 378
 - memory, 1181
 - number, 470, 722, 3378, 3732, 3986, 4064
- bounded number of
 - edges, 774
 - leaves, 2397
 - negations, 3766
- bounded occurrence constraint satisfaction, 4064
- bounded one sided error probabilistic computation, 4004
 - multihead finite automaton, 4004
- bounded
 - ordered dictionary, 2000
 - Petri net, 2253
 - priority queue, 2000
 - probability operator, 2722
 - propagation of privileges, 1249
 - quantifiers, 430
 - rank, 2224
 - response, 2456
- bounded reversal multihead
 - finite automata, 113
 - pushdown automaton, 113
- bounded
 - reversal multipushdown machine, 1068
 - subset sum problem, 1253
 - timestamp, 3285
 - variable, 2376
- bounded width polynomial size
 - Boolean formula, 2847
 - branching program, 2847
- bounded workspace, 114, 1016
- boundedness, 960, 1392, 1507, 1626, 1843
 - axiom, 1158
 - for conflict free VRS, 1392
 - is undecidable, 1843
- boundedness problem, 1392, 1507
 - for VAS, 1392
- boundedness testing, 960
- bounding
 - area, 3628
 - function, 1272
 - operation, 76
- Bouquet, Fabrice, 3510
- Bouvry, Pascal, 3319
- Bovet et al., 3366
- Bovet, Crescenzi, and Silvestri, 3571
- Boxer, Laurence, 1977
- Boxes, 4056
- Boyce-Codd normal form, 388, 634, 798, 1800, 2449, 2751, 3533
- Boyer and Moore, 1003, 1250
- Boyer-Moore, 2855
 - pattern matching algorithm, 2660
- Bozani, Panayiotis, 3444
- BP, 2722
 - operator, 2722
- $\hat{B}P$ operator, 2722
- $BP \cdot C=P = RP \cdot C=P$, 2722
- BPA, 395, 2981
- BPP, 967, 2388, 2827, 2954, 3259, 3451, 3885
- BQP, 3962
- bracket
 - language, 245, 246, 1264
 - matching, 2101
 - sequence, 2319
- bracketed
 - CFL, 1647, 1836
 - code, 1807
- Bradford, 3351
- Bradford, Phillip G., 3351
- branch and bound, 130, 1272, 2090
 - algorithm, 216, 1272, 1806, 2556
 - method, 76
 - strategy, 76
- branch and cut, 2731
- branch coverage
 - criteria, 1598
 - criterion, 1598
- branch
 - free segment, 1090
 - instruction, 29, 931
 - merge rule, 2420
 - predicate, 314
- branching, 121, 392, 937, 2518
 - and bounding operations, 76
 - bisimilarity, 3300
 - bisimulation, 2295
 - factor, 1608
 - of nodes, 76
 - probability, 104
 - process model, 3212
 - program, 2918, 3496, 3685
 - rule, 76
- branching time, 1417, 2363
 - logic, 2363
 - semantics, 3360
 - temporal logic, 2458
- Brand and Zafropulo, 1150
- Brandenburg, 1277
- Brandstädt, 2947
- Brandstät and Kratsch, 2947
- Brandt, Jonathan, 2374
- Brauer, Wilfried, 3568
- Braunmühl and Verbeek, 1264

- breadth first, 2333
 - execution method, 1306
 - fashion, 2322
 - machine, 1306
- breadth first search, 736, 1354, 1444, 1582, 1939, 2108, 2308, 2322, 2546, 2765, 3121, 3181, 3295, 3411, 3490
 - algorithm, 1444, 3692
 - numbering, 1582
 - problem, 2308
 - tree, 1799, 2765, 3490, 3737
- breadth first traversal, 2322
 - of trees, 2322
 - problem, 2322
- breadth first tree, 2333
 - traversal, 2322
- break point, 1964
 - table, 2717
- breakdown, 2606
- breaking
 - generalized Diffie-Hellman, 3925
 - symmetry, 3790
- Bredt, T.H., 270
- Brehaut, 518
 - algorithm for outerplanarity, 518
- Brent and Kung, 1051, 1917, 2620
- Brent, Kuck, and Maruyama, 145
- Brent/Spira restructuring, 2781
- Breslauer, Dany, 3509
- BRGC
 - embedding, 2783
 - hypercube, 2783
 - order, 2783
- bridge, 14, 101, 978, 986, 1133, 2413, 3878
- bridge connected, 101
 - component, 101
- bridge in a network, 14
- bridge of
 - a graph, 14, 101
 - an undirected graph, 14, 978
- bridgeless, 986
- Brinch Hansen, 404
 - operating system, 44
- Brinch Hansen, P., 42
- brittle graph, 2052, 3391
- broadband network, 2724
- broadcast, 643, 681, 760, 1276, 1473, 2390, 2642, 2652, 2710, 2745, 2835, 2875, 3136, 3549, 3591, 3752, 3883, 4047
 - algorithm, 2192
 - bus, 2835
- broadcast communication, 1574, 2308, 2656, 3399, 3662
 - model, 2308
- broadcast conflict, 2308
- broadcast encryption, 3879
 - scheme, 3879
- broadcast
 - message, 3136
 - network, 3852, 4035
 - packet switching network, 1276
 - primitive, 2710
 - problem, 3549
 - scheduling, 3591
 - time, 2209, 2652, 3345
- broadcasted, 2405, 2710, 3136, 4035
- broadcasting, 2209, 2220, 2287, 2642, 2696, 2710, 2745, 2830, 2875, 3211, 3345, 3671, 3717, 3733, 3752, 3852, 3971, 4047, 4108
 - algorithm, 2745, 3733
 - architecture, 3922
- broadcasting in
 - hypercubes, 3752
 - unlabeled hypercubes, 3733
- broadcasting
 - problem, 3971
 - scheme, 2875
 - with selective reduction, 3671, 3964
- Brock, 914
- Broder, 1700, 2813, 3540
- Broder, Charikar, Frieze, and Mitzenmacher, 4033
- Bron-Kerbosch algorithm, 69
- brother tree, 521, 3817
- Brown, 325
 - University, 21
- Brown, D.J.S., 844
- Broy and Lamport, 3372
- Brucker et al., 3610
- Brun twin prime constant, 3515
- brush stroke design, 2690
- brute force algorithm, 350, 3554
- Bryant, 3510
- BS strategy, 3845
- Bshouty, Nader H., 3337, 3489, 3581, 3685, 3900
- BSP, 3741, 3742
 - computer, 3326
 - cost model, 4078
- BSP model, 3741, 4078
 - of computation, 3742
- BSP tree, 3646
- BSR, 3671, 3963, 3964
 - PRAM model, 3963
 - with multiple criteria, 3671
- BSR_k , 3964
- BSR^+ , 3671, 3964
- BST, 2157, 2254
- BSTA, 2986
- bubble memory, 264, 573
 - organization, 573
 - system, 602

- bubble
 - propagation, 573
 - sort, 570, 580, 1222, 1296
 - stream, 602
- bubblesort, 1465, 2064
 - algorithm, 2064
- Büchi, 1067, 2655
- Büchi and Landweber, 188
- Büchi
 - automata, 982, 3043
 - tree automata, 3043
- bucket, 244, 570, 678, 1020, 1300, 2080, 2096, 3447
 - capacities, 2709
 - of a file, 1597
 - scan, 244
 - size, 244, 678
 - sort, 1525
 - sorted array, 2096
- bucketing, 1020
- budget, 2556, 3748, 3913
- budget constrained, 3748
 - flow improvement, 3748
- budgeted maximum coverage problem, 3913
- Budnik and Kuck, 524
- buffer, 52, 111, 264, 420, 676, 708, 779, 1140, 1385, 1730, 1761, 1804, 2041, 2108, 2192, 2291, 3115, 3461, 4054
 - management, 1724
 - pool, 676
 - register, 146, 264
 - replacement strategy, 2291
 - sharing, 42, 676
 - size, 52, 146, 2041, 2188, 2291, 2450
- buffer storage
 - control, 2168
 - scheme, 264
- buffered
 - computation, 1122
 - FIFO storage, 264
- buffering, 1385
 - of information, 264
 - problem, 57
 - system, 57
 - technique, 1385
 - theory, 57
- Buhăceanu, D.S., 3419
- Buhrman et al., 3986
- Buhrman, Longpré, and Spaan, 2954
- Buhrman, van Helden, and Torenvliet, 3118
- Bui, 587
- Bui and Hunter, 529
- Bui, T.D., 446, 587
- building, 926
 - block, 745
 - lattices, 3982
 - road networks, 564
- built in, 3517
 - predicate, 1299
- bulk synchronous parallel, 3742
- Bull implementation, 3649
- Bull, John, 3649
- Bultena, Bette, 3844
- Bulterman, R.W., 3004
- bunch
 - of sets, 644
 - theory, 644
- Bundy et al., 2255
- Bunke, H., 3055
- Burkard, Rainer E., 3791
- Burkhard, 194
- Burnett and Coffman, 141
- Burns and Pacht, 2799
- Burns, A., 3764
- Burns, Alan, 3314
- Burstall, 460
- Burstall and Darlington, 2255
- Burstall program, 134
- Burstall-Darlington transformation technique, 626
- Burton, 757, 866, 958
 - proposal, 1099
- Burton, Warren, 359
- bus
 - automation, 2697
 - based multicomputer architecture, 2479
 - interconnection network, 2848
 - structured system, 883
 - system, 2030
- Busch, Costas, 3559
- bushiness, 3710
- Buss and Turán, 1925
- Buss, Jonathan F., 3694
- busy waiting, 667
- Buszkowski and Orłowska, 1567
- Butcher, 287
- butterfly, 2475, 2599, 2699, 3442, 3529, 3712
 - graph, 2209, 2903, 3442, 4010
 - network, 2123, 2209, 2561, 2599, 3137, 3529, 4104
- Bykat, 499, 512, 515, 569
 - algorithm, 569
 - convex hull algorithm, 569
- Bykat, A., 433
- Bykat-Eddy algorithm, 569
- Byzantine agreement, 994, 1415, 1857, 2033, 2788, 3669
 - algorithm, 994
- Byzantine failure, 3953
- Byzantine generals, 994
 - problem, 3669
- Byzantine quorum system, 3953
- B_tree, 1663

- B_tree (*cont.*)
 like index, 1663
 structure, 1663
 type index, 1663
b-matching, 854, 1338, 4103
 problem, 1338
B-order, 1551
B-PRAM, 2409
B-tree, 233, 427, 687, 921, 925, 1073, 1234, 1460,
 1517, 2762, 3231
 like structures, 3231
 representation, 2762
 search, 855
- C**
C expression, 1383
C language, 1418, 1558
C++, 1655, 2180, 3935
 (c, α) -concentrator, 390
c.f.
 grammar, 680, *see also* context free grammar
 language, *see also* context free language
 languages, 680
COL language, 1950
 (C_1, C_2) -effective entropy of a language, 2112
 $C_{3,1}$ problem, 3456
 c_4 , 713
 C_5 , 2284
 C_5 -colouring, 2284
 $C=P$, 2434, 2722, 3962
 C_I -systems, 1101
 C_{II} -systems, 1101
 C_{\max} criterion, 3070
 c_r , 1959
 C^∞ -words, 2973
CA, *see also* cellular automaton
 circuit design, 2865
 circuits, 1152
CAB, 3862
Cabrelli, C., 3603
Cabrelli, Carlos, 2374
Cabrelli, Carlos A., 3729
cache, 1735, 1874, 1953, 3803
 activities, 1874
 coherence protocol, 1874
 size, 1953
cached
 client data, 3684
 data, 3684
 fast uniformly balanced search strategies, 1953
 query, 3684
caching, 3235
 rules, 3684
cactus, 4057
 graphs, 3985
CAD, 1149, 3796, 4083, 4113
 systems, 1149
 tools, 2729
CAD/CAM, 2489
Cahit, 352
 algorithm, 352
Cai, 1467
Cai and Hemachandra, 2453
CAI system, 132
Cai, Hemachandra, and Vyskoč, 3885
Cai, Jin-Yi, 3885
Cai, Leizhen, 3878
Calamoneri, Tiziana, 3479, 3561
calculation, 15
 of moments, 173
calculational, 3005
 derivation, 2079, 2255
calculational method, 3008
 for inverting programs, 2100
calculational
 program construction, 2641
 proof, 1820, 3005
 properties, 3003
 techniques, 2255
calculus, 1402, 1849, 1934, 2294, 2304, 2452, 2803,
 2867, 3002, 3003, 3916
 for the discrete design of systems of programs,
 1402
calculus of
 binary relations, 1567
 communicating systems, 3920
 data structures, 454
 durations, 2304
 extreme fixed points, 3003
 functions, 2867
 relations, 1567, 2972, 3545
Calera-Rubio, Jorge, 3848
Călinescu-Karloff-Rabani relaxation, 4095
call by
 name, 1985
 need, 1985, 2707
call control
 problems, 3193
 scheduling problems, 3193
call overhead, 1817
call/return overhead, 1817
Cambridge
 CAP, 708
 multi-access system, 957
Camp, T., 3882
Campbell, Duncan K.G., 3740
Can, Fazli, 3435
cancel messages, 2293
cancellation, 7, 3520
 property, 794
 rules, 1086, 1303

- cancellative, 3520
- cand, 2590
- candidate
 - axes, 267
 - keys, 231, 372, 2751
- canonical, 1166, 1526, 2886
 - 4-ordering, 3542
 - computation, 657
 - decomposition, 3542
- canonical form, 12, 331, 576, 1259
 - algorithm, 331
- canonical Hamiltonian
 - circuit, 2003
 - path, 2003
- canonical
 - LR tables, 2318
 - LR(k) parser, 1105, 1526
 - model, 19
 - morphism, 1085
 - order, 72
 - parser, 1526
 - simplifier, 1667
- canonical state space
 - form, 19
 - model, 19
- canonical
 - string rewriting system, 1166
 - sum of products, 3528
 - systems, 357
 - term rewriting systems, 1639
- Cantor, 1988
 - space, 2828
 - topology, 3418
- capability, 980, 1010, 1654, 2672
 - based addressing, 708
- capacity, 1780, 2606, 3720, 3724, 3748
 - constraint, 1762, 2835
- capacity of
 - an arc, 375, 2593
 - the real memory, 498
- capacity restrictions, 4016
- Capetanakis-Tsybakov-Mikhailov, 1276
- Caprara, Alberto, 3808
- capturing a quorum, 2791
- Cardenas, 919
- cardinal, 2198
- cardinality, 125, 2576, 3219
 - constraint, 608
 - constraints in relational databases, 608
 - dependency, 608
- cardinality of a
 - largest clique, 69
 - minimum dominating set, 371, 2028
 - projection, 839
- Carlson, 1810
- Carlsson, Svante, 1790
- Carrasco, Rafael C., 3848
- carrier
 - of information, 278
 - set, 945
- carry skip adder, 2620
- Carter and Wegman, 531
- Cartesian, 2967
 - coordinates, 336, 1777
- Cartesian product, 369, 608, 748, 785, 786, 996, 2466, 2538, 2557, 3467, 3560
 - graph, 3467
- Cartesian product of
 - complete graphs, 3560
 - cycles, 2482
- Cartesian
 - sum, 1087, 1685
 - tree, 2967, 3061
- cartographic algorithm, 2952
- cartography, 2952
- Carton, 135
- Carvalho and Roucairol, 1346
- cascade algorithm, 216
- cascaded waking up, 404
- case
 - grammar, 3958
 - graph, 554
 - statement, 931
- CASOP, 1946
 - algorithm, 2079
- Castillo and Siewiorek, 914
- CASTOR group, 448
- Castro, Jorge, 3766
- Catalan number, 175, 1365
- catalog management, 296
 - part, 296
- catamorphism, 2452, 2867
- Catania, B., 3601
- catastrophic fault, 4045
 - pattern, 4045
- categorical, 2452
 - expressions, 7
- categories of user, 957
- categorization, 33
 - of documents, 33
- category, 267, 707, 818, 957, 1030, 1419, 1656, 1856, 3763, 3977, 4050
 - Fun of functions, 2867
- category of
 - complete metric spaces, 1674, 1856
 - predicate transformers, 2867
- category theory, 399, 780
- catenation, 160, 1124
 - closure, 160
- catenativity, 869

- Caucal, D., 2403
- Cauchy
 formula, 3731
 matrix, 3641
- causal, 2458, 2547
 memory, 3260
 message ordering, 2864
 order, 2547
- causal ordering, 2204, 2257, 2441, 2864, 4053
 abstraction, 2257
- causal
 precedence, 3085
 relation, 632
 relationships, 3818
 testing, 3360
- causality, 269, 2204, 3360, 3934
 based partial order semantics, 3108
 knowledge, 2046
 relation, 2204, 3934
- cause
 and effect regions of an action, 1535
 effect structure, 1512, 1535, 1788, 2578, 3384, 3839
 region, 1512, 1535
- Cayley, 3998
 colour graph, 3644
 enumeration formula for labelled trees, 2718
 graph, 2903, 3097, 3251, 3414, 3479, 3481, 3493, 3644, 3832, 4010, 4104
 interconnection networks, 3479
 network graphs, 3251
- Cayssials, R., 3501
- CBCAST primitive, 2710
- CC free relational structures, 1094
- CCC, 1883, 3463
 architecture, 1883
- CCD, 264
- CCITT X.509, 3906
- CCS, 928, 1934, 2219, 2402, 2563, 3293, 3920
 observational bisimulations, 2402
 processes, 3784, 3920
 specification, 2001
- CCTL, 2458
- CCW, 1861
 indexing technique, 1861
 surrogate files, 1861
- CD_d problem, 2289
- CDC SRAR-100, 214
- cdr
 cell elimination, 312
 of lists, 312
- CE, 2676
- Cell, 753
- cell, 27, 753, 1440, 1915, 2473, 2528, 2536, 2607, 2752, 3018, 3250, 3989
 complexes, 2725
 decomposition, 2725
 joining, 2682
 of nonuniform size, 1380
 probe model, 4109
 space, 1257
 stretching, 2682
- cellular
 algorithm, 1293
 array automaton, 593
 automata theory, 792
 automaton, 75, 395, 792, 1553, 1710, 2081, 2430, 2631, 2988, *see also* CA
 development of organisms, 313
 logic, 963
 space, 75, 1293
 telephone network, 3673
- census
 data, 762
 techniques, 2882
- center, 1070, 1835, 2784, 3174, 3354, 3562, 3670, 3985, *see also* centre
 of a graph, 1835
 point, 3483
 problem, 3562, 3985
- centering a spanning tree, 1835, 2889, 3354
- central
 arbiter, 2042
 authority, 760
 controller, 1712
 system concepts, 120
- centralized, 805, 1816, 2197
 allocator, 1033
 continuous deadlock detection, 961
 control algorithm, 805
 database, 1870
 decision, 1033
 environment, 2204
 function, 2421
 protocol, 1545, 2165
- centrally symmetric object, 3359
- centre, 550, 3250, *see also* center
- centre of a
 chordal set, 550
 polyomino, 3250
- centroid, 164, 916, 1888
 method, 916
 of a free tree, 164
 vertex, 1835
- Ceroli, Márcia R., 3758
- certificate, 3224
- certification, 837
- certified list, 2298
- certifier, 837
 techniques, 837
- Cesati, Marco, 3624

- CF grammar, 1134
- cf grammar, *see also* context free grammar
- CFG, 154, 1988
 - formalism, 1988
- CFGG, 1722
 - algorithmic techniques, 1722
- CFL, 739, 900, 1106, 1647, 1988, *see also* context free language
- CH problem, 673
- Cha, Guang-Ho, 3867
- chain, 166, 677, 799, 813, 1184, 1462, 1791, 2362, 2498, 2501, 2748, 2877, 3488, 3977
- chain code, 1474, 3290
 - picture language, 3290
- chain
 - decomposition, 1184
 - graph, 813, 3854
 - length of a word, 1959
- chain like
 - network computers, 2069
 - task, 2069
- chain
 - metrics, 416
 - network, 1084
- chain of
 - associations, 1598
 - deterministic pushdown transducers, 1130
 - dominoes, 75
 - DPDT, 1130
 - memory locations, 177
 - pointers, 152, 845
- chain
 - problem, 1791
 - task, 2515
- chained processors, 2515
- chaining, 244, 1112, 1714
 - effect, 916
 - mode, 3838
 - operations, 152
 - techniques, 187
- chairman assignment problem, 3607
- Chaitin, G.J., 2611
- Chakrabarti, P.P., 1841, 3327
- Chakrabarty, Krishnendu, 3639, 3872
- Chakraborty, Uday Kumar, 3176
- Chalamaiah, Nimmagadda, 3780
- chamfer distance, 3089
- Chan, 57
- Chan, Timothy M., 3802
- chance, 2150, 3246, 3393
 - correlations, 179
- Chandra, 342, 1152
- Chandra and Wong, 3171
- Chandra et al., 700
- Chandrasekaran and Venkatesan, 2757, 2758
- Chandra-Toueg failure detector classes, 4008
- Chandy, 1725, 1816
- Chandy and Lamport distributed snapshot algorithm, 1125
- Chandy and Misra, 1857, 2132
- Chang and Lee, 321
- Chang and Wang, 3694
- Chang et al., 1866, 2242, 4123
- Chang, Cheng Yi, 3838
- Chang, Chin-Chen, 3548, 3587
- Chang, Hung-Yi, 3604
- Chang, Jae-Young, 4019
- Chang, Jik H., 1523
- Chang, Jou-Ming, 3661, 3870
- Chang, Maw-Shang, 3713
- Chang, Ruay-Shiung, 3591, 3592
- Chang, Yaw-Wen, 3702
- Chang, Ye-In, 3614
- change
 - of state, 2
 - over time, 3227, 3607
 - point, 139
- changing recursion into iteration, 99
- channel, 1295, 1413, 1591, 1911, 1914, 1975, 2048, 2054, 2055, 2257, 2409, 2469, 2757, 2758, 2861, 3141, 3179, 3514, 3690, 3801, 3849, 4059
- channel allocation, 2444, 3801
 - problem, 2444
- channel
 - capacity, 2048
 - density, 3320
 - graph, 3883
 - of communication, 2409
 - primitive, 1911
- channel routing, 1975, 2469, 2539, 3141
 - model, 1975
 - problem, 3141
- channel
 - state, 1911
 - width, 1803
- Chao, H.S., 3490
- Chao, K.M., 3668
- Chao, Kun-Mao, 3866
- character, 615, 738, 1009, 1106, 2503, 2554, 2671, 2855
- character pair, 738
 - representation, 738
- character searching methods, 2855
- character set, 3899
 - design facility, 59
- character
 - stream, 1558
 - string, 1036, 1558
 - to integer conversion, 1036
 - transitions, 1776

- characterisation, 2079, 2363, *see also*
 - characterization
- characterisation of
 - benign, 1679
 - correctness, 1306
 - total correctness, 1306
- characterise maximal extension functions, 1489
- characteristic, 1418, 1725, 2268, 2449, 2456, 3127, 3152, 3479, 3684, 3859, 4097
- characteristic functions, 3356
 - of linear codes, 3901
- characteristic
 - inequalities, 3014
 - matrix, 1164, 1215
- characteristic of
 - a decomposition, 634
 - the Davis-Putnam procedure, 1268
- characteristic polynomial, 266, 342, 623, 1006, 1584, 1692
 - of a matrix, 1584
- characteristic
 - sequences, 3894
 - vectors, 2815
- characterizable, 3571, 3927
- characterization, 441, 454, 463, 554, 575, 583, 1023, 1025, 1026, 1088, 1241, 1279, 1468, 1495, 1500, 1647, 1650, 1763, 2029, 2072, 2151, 2269, 2278, 2334, 2495, 2626, 2676, 2721, 2779, 3075, 3255, 3262, 3457, 3570, 3571, 3618, 3640, 3786, 3911, 4071, *see also* characterisation
 - by Alpern and Schneider, 2029
- characterization by forbidden
 - configurations, 1927
 - subgraphs, 2492
- characterization for a
 - family of infinitely many irreducible equally spaced polynomials, 2130
 - vertex being in the center of a tree, 1835
- characterization for
 - ETOL languages, 161
 - n -cube, 583
- characterization of a
 - centroid, 164
 - class of amalgamated programs, 1543
- characterization of
 - AC^0 and NC^1 , 2847
 - articulation pairs, 1172
 - BPP, 2722
 - circuit depth, 2024
 - classes of recursive functions, 3075
 - computable functions, 159
 - context sensitive languages, 68
 - correlation immune Boolean functions, 4093
 - database dependency implication, 1241
 - deadlock freedom, 1023
 - deterministic space complexity classes, 2038
 - directed path graphs, 1822
 - distance automata, 2549
 - elastic graphs, 3155
 - ETOL languages, 232
 - extended LR (k) grammars, 3611
 - FD implication, 1650
 - finitely specifiable implicational dependency families, 1279
 - Hamiltonicity problem, 441
 - idempotent transformation monoids, 1763
 - interval graphs, 1947
 - line digraphs, 819
 - liveness, 1173
 - locally catenative L systems, 279
 - maximum weight independent sets in bipartite graphs, 1757
 - monoid classes, 1763
 - morphisms generating the Morse sequence, 655
 - multivalued dependencies, 1026
 - NP, 2659
 - optimum algorithms, 3398
 - oracles that separate NP from P, 1622
 - outregular graphs, 3644
 - partially commutative free monoids, 1211
 - perfect graphs, 1904
 - primitive morphisms, 3640
 - programmed grammars, 3074
 - proper interval graphs, 942
 - Q_n^k -like graphs, 3967
 - recursively enumerable languages, 68
- characterization of regular
 - languages, 2880
 - prefix codes, 463
- characterization of
 - rescaling functions, 1593
 - resistive spaces, 2117
 - right power bounded languages, 463
 - safety, 1173
 - selfstabilizing algorithms, 4034
 - semicommutation systems, 1468
 - semilinear sets, 726
 - solutions to language equations, 361
 - strings in D_2 , 1647
 - synchronization slices, 307
 - termination, 2771
 - the behaviour of nonsequential systems, 275, 322
- characterization of the class of
 - deterministic context sensitive languages, 2038
 - expressive interpretations, 1478
 - oracles for a relativation, 1622

- characterization of the
 - classes $RP \cdot C=P$ and $ZP \cdot C=P$, 2722
 - Dershowitz-Manna ordering, 826
 - homomorphic images of a transition graph, 162
 - information content, 3255
 - intersection of two convex polygons, 3857
 - n-cube, 583
 - set of leaf language classes, 3571
 - shortest path, 1779
 - strictness properties of the untyped lambda-calculus, 1592
- characterization of
 - undercovers, 1088
 - unit interval graphs, 3858
 - weakest preconditions, 3778
- characterization theorem, 279, 2851
- characterizing, 463, 1935, 2252, 2841, 3262
 - even linear languages, 3198
 - safety, 2700
- Charatonik, 4062
- Charatonik, Witold, 3827
- chart parser, 2585
- chase, 742
 - procedure, 742
 - rules, 742
- Chaudhuri, Shiva, 3670
- Chauhan, S.R., 3868
- Chazelle and Edelsbrunner, 2359
- cheating, 3110, 3598
 - problem, 3110
- Chebyshev
 - approximation, 1192
 - polynomials, 2292
- check
 - digit, 325
 - of constancy, 710
- checkable debate systems, 2993
- checker, 3635
- checking
 - algorithm, 209
 - disjointness of sets, 1043
 - equivalence of circular lists, 494
 - index terms, 10
 - parity, 2408
 - stutter invariance, 4140
- checkpoint, 2849
 - state, 1125
- checkpoint/restart, 1125
- checkpointing, 914, 934, 1439, 3861
 - policies, 934
 - protocols, 2849
- Chedid, F. and R. Chedid, 3112
- Chekuri et al., 3960
- chemical
 - bound, 9
 - composition, 123
 - compounds, 9, 2489
 - DBMS, 2489
 - graph, 123
 - isomers, 123
 - molecule, 1711
 - problems, 123
 - structure generator, 384
 - structures, 1711
- Chemiyani and Hagerup, 2002
- Chen, 2984
- Chen and Chin, 2593
- Chen and Liu algorithm, 4009
- Chen and Yu, 3246
- Chen, Chui-Cheng, 3051
- Chen, Danny Z., 3402, 3693
- Chen, Deng-Jyi, 3620
- Chen, Hong-Chung, 3876
- Chen, Hon-Chan, 3547
- Chen, Jianer, 3491
- Chen, Jiun-Liang, 3750
- Chen, Loon-Been, 3779
- Chen, Rong-Jaye, 3051, 3209, 3604, 3738
- Chen, Tzung-Shi, 4038
- Chen, Weimin, 4087
- Chen, Wen-huei, 3692
- Chen, Zhi-Zhong, 2969
- Chen/Udding, 1941
- Cheney, 312
- Cheng, 142
- Cheng, Siu-Wing, 3322
- Cheng, T.C.E., 3660
- Cheng, T.C. Edwin, 3903
- Cheng, Yi-Chang, 2983
- Cheriton, 2192
- Cheriyani, Hagerup, and Mehlhorn, 2125
- Cheriyani, Joseph, 3896
- Chernoff bounds, 1905
- chess, 79, 364, 1347, 2358
 - board, 170, 1437
 - end game, 364
- chessboard, 2358
 - distance, 3089
- Cheston, 1835
- Cheung, 1116, 1444
- Chew and Machtley, 1209
- $\chi(G)$ colouring, 1890
- Chiang, 3209
- Chiang, Wei-Kuo, 3738
- Chiba and Nishizeki, 1926
- chicken or egg objection, 2530
- Chien search, 3846
- children of a node, 764
- Chin, F.Y.L., 3716, 3792, 3826, 3866, 3870, 3897, 3903, 4026, 4073
- Chin, Francis, 3683

- Chin, Lung Lu, 3456
 Chin, Y.H., 3897
 China, 1418
 Chinese postman
 algorithm, 3692
 problem, 2026
 Chinese remainder, 2645
 theorem, 2405, 2812, 2833
 Chinese rings puzzle, 577
 Ching and Lee, 2221
 Ching, Yu Hung, 2901
 chip, 592, 605, 1095, 2245, 2620
 chip area, 592, 601, 1051, 1095, 1183, 1479, 3898
 lower bounds, 1183, 1479
 chip
 designs, 2119
 layouts, 592
 Chiu, Ge-Ming, 3717
 chi-square distribution test, 1248
 Chlamtac and Farago, 3152
 Chlebková, Janka, 3422
 Chlebus, 1766
 Chmeiss, Assef, 3503
 Cho and Sahni, 519
 Choe, Kwang-Moo, 2191, 2461, 4018
 Choi, Kyunghee, 3804
 Choi design, 2407
 Choi, Y., 3474
 choice, 27, 931, 2294
 coordination problem, 2042
 of procedure, 7
 Chomsky, 1988
 Chomsky and Schuetzenberger, 399
 Chomsky
 families, 241
 grammars, 126, 232
 hierarchy, 144, 572, 749
 language, 3
 normal form, 438
 Chomsky type
 0 languages, 1069
 formal language theory, 161
 grammars, 1301
 choosing initial points in local search, 1696
 Chor and Goldreich, 3400
 Chor et al., 2677
 Chor, Goldwasser, Micali, and Awerbuch, 1473
 chord, 856, 1354, 1794, 2187, 2331, 2448, 2708, 4127
 length, 3727
 of a circle, 2448
 chordal, 550, 1354, 2361, 2766, 3503, 3703
 biconnected graph, 3155
 chordal bipartite, 2588
 graph, 2067, 2588, 3104, 3870
 chordal completion, 3183
 chordal graph, 136, 518, 1040, 1288, 1334, 1354, 1514, 1624, 1672, 1747, 1787, 1961, 2019, 2361, 2499, 2740, 2766, 3082, 3183, 3295, 3304, 3456, 3503, 3928, 4057
 recognition, 1354
 chordal point set, 550
 chordal ring, 2187, 3160, 3727, 3883
 network, 1089
 chordal set, 550
 chordality, 1672
 in graphs, 1672
 chordless
 cycle, 2239, 3503
 path, 2034
 chosen message attacks, 3933
 Chou, Ching-Tsun, 3407
 Chou, Chun-yen, 3991
 Chow and Liu, 3504
 Christie, David A., 3412
 Christmas tree, 3997
 Christofides, 2372, 4117
 Chrobak et al., 3038
 Chrobak, Marek, 3558, 3904
 chromatic index, 492, 2534, 3721, 3928
 of graphs, 3721
 problem, 3721
 chromatic number, 69, 220, 645, 1184, 1723, 1890, 1904, 2028, 2284, 2448, 3426, 4136
 chromatic number of
 a graph, 1395, 1890, 2534
 graphs, 353
 chromatic number problem, 220
 Chu, Francis, 3800
 Chu, Jiang-Hsing, 3700
 Chu, Min Li, 3966
 Chu, P.C., 3958
 Chu, Shik Jhon, 3742
 Chuan, Yi Tang, 3456
 Chuang, Yen-Chu, 3736
 Chung, 424
 Chung et al., 3702
 Chung, Chin-Wan, 3867
 Chung, F., J. Salehi, and V. Wei, 2271
 Chung, Ilyong, 3726
 Chung, Keung Poon, 3516, 3683
 Chung, Kuo-Liang, 3454, 3554, 3850
 Chung-Feller theorem, 2319
 Church
 coding, 1968
 random, 1341
 Church-randomness, 1341
 Church-Rosser, 720, 1086, 1166, 2366
 property, 1086, 1101, 3047, 3404
 systems, 720

- Chvátal, 1267, 1904
 Chvátal and Lovász, 809
 Chvátal and Sbihi, 1927
 Chvátal and Szemerédi, 1925
 Chvátal star cutset lemma, 1904
 Chwa, Kyung-Yong, 3725, 3810, 3862
 CI
 Boolean functions, 3969
 functions, 3969
 Ciampolini, Anna, 3303
 Ciesinger, 582
 cigarette
 addicts, 555
 smoker problem, 254
 smokers' problem, 86, 254
 CINCOM TOTAL, 818
 Cintioli, Patrizio, 3469
 CIP, 620
 L, 620
 project, 448
 ciphertext, 2405, 3393
 circle, 422, 439, 494, 841, 1293, 2784, 3191
 circle cover, 1539, 1795, 1805, 1821
 minimization problem, 1000
 circle
 graph, 1184, 1794, 2331, 2448, 4057
 in the plane, 2260
 intersection graph, 1620
 circuit, 167, 255, 323, 526, 601, 605, 751, 820, 988,
 1006, 1014, 1051, 1095, 1152, 1161, 1180,
 1254, 1316, 1340, 1452, 1454, 1499, 1691,
 2024, 2040, 2161, 2163, 2167, 2238, 2245,
 2252, 2419, 2770, 2865, 2894, 2914, 3010,
 3032, 3248, 3281, 3370, 3377, 3394, 3464,
 3589, 3594, 3847, 4088, 4140
 boards, 526
 circuit complexity, 751, 767, 1152, 1691, 1814,
 1931, 1948, 1986, 2349, 2353, 2847, 3032,
 3226, 3335, 3464, 3594, 3768, 3886, 3924
 of symmetric functions, 3377
 result, 2109
 circuit
 depth, 751, 2024, 2424
 design, 2865
 family, 1499
 free graph, 1220
 layout, 672, 704
 circuit of
 AND, OR, and NOT gates, 2770
 length, 3, 1926
 small depth, 1424
 circuit
 representations, 3366
 size, 949, 3520, 4140
 switched network, 2914
 theory, 2865
 value problem, 526
 circulant, 3702, 3726
 block tridiagonal systems, 3702
 graph, 3481, 3726, 3727
 matrix, 1269
 network, 3726
 circulant tridiagonal
 linear systems, 3702
 system, 3702
 circular, 451
 circular arc, 1000, 1539, 1795, 1805, 1821, 2003,
 3200, 3722
 graph, 429, 942, 1493, 1757, 1879, 1900, 1951,
 2003, 2278, 2581, 4057
 model, 942, 1951
 circular
 arcs of a circle, 1951, 4057
 attribute grammar, 1867
 cellular automaton, 792
 consecutive 2 system, 4133
 circular convex, 3200
 bipartite graph, 3200
 circular
 doubly linked lists, 1443
 environments, 397
 IND, 3973
 circular list, 451, 494, 1163, 1257
 structures, 269
 circular
 patterns of relations, 1174
 ray, 3722
 robot, 2853
 route, 731
 sequence, 522
 circular shift, 602
 problem, 576
 circular
 structure, 397
 substrings, 576
 visibility, 3722
 wait, 2196
 waiting, 236
 circularly
 hidden surface removal, 3722
 projected images, 3722
 visible, 3722
 circumference, 1530, 2178
 circumscribing a
 polygon, 2075
 predicate, 2510
 circumscription, 1555, 1962, 2510, 2839
 of autoepistemic theories, 2839
 circumscriptive formulae, 2510
 Citrini, Crespi-Reghezzi and Mandrioli, 1130

- cityblock distance, 3089
- civil engineers, 564
- Clafic, 267
- Clark and Jacob, 3532
- Clark completion, 2269
- Clark, John, 3190
- Clarke, 1286
- Clarke and Emerson, 1246
- Clarke fixed point functional, 1286
- Clarkson, 1243
- Clark-Jacob algorithm, 3532
- class, 36, 43, 150, 190, 194
 - C_I systems, 1101
 - C_{II} systems, 1101
 - checking, 763
 - DOL, 712
- class hierarchy, 3750
 - analysis, 3750
- class
 - Max NP, 2258
 - membership, 267, 1575
 - MULTI-RESET, 712
 - NC, 1847, 2101, 2492
 - NC^1 , 2847
- class of
 - all languages recognized by 2pfa, 2488
 - expressions, 12
 - languages, 232, 712, 879, 951, 1251, 1449, 1499, 1625, 2070, 2231, 2752, 2993, 3705
- class of languages accepted by
 - a deterministic Turing machine, 832
 - $L(n)$ space bounded nondeterministic Turing machines, 1866
 - nondeterministic Turing machine, 832
- class of languages
 - accepted in real time, 1710
 - generated by context free programmed grammars, 232
 - recognized by 1-MFA, 2063
- class of
 - linear context free languages, 1277
 - one-counter languages, 1277
 - program schemas, 95
 - single reset languages, 1277
- class
 - S_0 of propositional sentences, 1322
 - subspace construction, 267
 - subspaces, 267
- classical
 - first order logic, 2572
 - linear programming, 2945
 - logic, 1204, 1782
 - propositional logic, 1782, 3087
 - resolution, 769
 - theorems, 2204
- classification, 20, 179, 1854, 2650, 2750, 2777, 3252, 3255, 3885, 4071
 - analysis, 20
 - by query type, 1302
- classification noise, 3252
 - process, 2131
- classification of
 - algorithm complexity, 1983
 - binding mechanisms, 1919
 - computational complexities, 3610
 - errors, 237
 - extensible programming languages, 23
 - if then else, 1592
 - nonlinear filters, 3894
 - NP problems, 2606
- classification
 - problem, 2650, 3885
 - purity, 179
 - scheme, 23
- classifier, 2021, 3504
- classifying, 2563
- classifying problems, 1485
 - in NP, 1209
- classifying solvable problems, 1209
- Claus, 695
- clausal
 - analytic tableaux, 2420
 - form, 1330
 - subset, 2514
- clause, 419, 799, 1187, 1204, 1268, 1289, 1299, 1322, 1330, 1552, 1659, 1664, 1670, 1733, 1767, 2293, 2371, 2420, 2431, 2442, 2514, 2563, 3280, 3648, 4003
 - form, 1330
 - ordering, 1767
- Clausen, Jens, 3331
- claw free graph, 4077
- cleartext
 - attack, 1055, 3430
 - data, 3430
- client, 3906
 - applications, 3064
 - server mappings, 1831
 - slot selections, 401
- client/server, 3684
- climbing
 - automata on infinite trees, 848
 - automaton, 848
- Clint, 196
- Clint and Hoare, 1019
- Clint generalized proof rule, 196
- Clint-Hoare system, 1019
- clipping a simple polygon, 1984

- clique, 14, 69, 181, 349, 645, 736, 743, 1493, 1613, 1757, 2028, 2258, 2408, 2448, 2616, 3283, 3426, 3637, 4057, 4116
 - approximation, 3283
- clique cover, 2028
 - number, 2028
 - problem, 3267
- clique
 - cut set, 645
 - finding algorithms, 181
 - graph, 69, 3928
- clique independence, 3306
 - number, 3306
- clique independent set, 2483
- clique number, 163, 349, 2408, 4136
 - of a graph, 163, 349
- clique
 - partition, 3194
 - polynomials, 4116
- clique problem, 736, 2258, 2408
 - for planar graphs, 736
- clique
 - separable graphs, 645
 - separators, 3082
- clique transversal, 3306
 - number, 3306
 - problem, 3697
- clique
 - tree, 1624, 1747
 - type functions, 3464
- clock, 953, 1346, 1609, 1712, 1816, 1998, 2204, 2441, 2875, 2944, 3084
 - cycle, 127, 3459
 - synchronization, 1247, 3084, 3701
- clockwise
 - and counterclockwise circuit, 3612
 - sequence of vertices, 2075
- cloning operation, 3944
- closed
 - condition, 370, 1011
 - cover, 1218
 - downward, 3571
 - FD, 1218
- closed form, 3780
 - approximation, 2629
 - expression, 1276
 - solution, 1276
- closed
 - formula, 347, 1670, 3680, 3850
 - implementation, 1176
 - nonredundant cover, 1218
 - paths, 736
- closed semiring, 1603
 - path finding problem, 1508
- closed subroutine, 29
 - closed under addition, 2526
 - and multiplication, 3118
 - closed under
 - a-NGSM maps, 201
 - Boolean operations, 2017
 - column catenation, 318
 - complement, 1866, 2722, 3851
 - complementation, 1873
 - composition, 11
 - concatenation, 1710
 - cyclic closure, 389
 - imited recursion, 11
 - intersection, 712, 3357
 - parity reductions, 2099
 - polynomial time parity reductions, 2099
 - product, 94, 874
 - rational transduction, 900
 - row catenation, 318
 - substitution, 1681
 - syntactic substitution, 1681
 - the star operation, 94
 - union, 94
 - closed
 - walk, 2698, 2778
 - world assumption, 3199
- closeness, 3071
- closest
 - boundary point, 1789
 - extreme vertex, 2454
- closest pair, 219, 593, 2384
 - of points, 204
 - problem, 593, 1501
- closest point
 - problems, 350
 - queries, 2566
 - Voronoi diagram, 2104
- closest vector, 2395
 - oracle, 3961
- closest vector problem, 2395, 3961
 - in a lattice, 2462
- closest vectors in a lattice, 3961
- closure, 159, 216, 397, 500, 836, 879, 995, 1081, 1085, 1218, 1308, 1778, 1927, 2085, 2311, 2526, 2870, 3216, 3234, 3268, 4076, 4145
 - algorithms, 2311
 - conditions, 2363, 2366
 - graph, 1308
- closure of
 - a graph, 1778
 - function classes, 2526
 - language classes, 2526
 - #P, 2526, 2870
 - synchronized shuffle, 995
 - triangle free graphs, 1927

- closure
 - operation, 1909
 - property, 161, 318, 389, 640, 1106, 1681, 2072, 2526, 2665, 3357, 3656, 4118
 - reduction, 3163
 - symbols, 1981
- closure under
 - complement, 1866
 - partial coding, 201
 - substitution, 1927
- +closure, 1124
- Clote and Kranakis, 2365
- Clu, 1012
- CLUMPS model of parallel computation, 3740
- cluster, 20, 522, 916, 2737, 2789, 2837, 3168
 - analysis, 20, 301, 422, 764, 929, 1560, 3483
 - centre, 916
 - representative, 916
 - structure, 2479
- clustered, 383
 - bit vectors, 383
 - indexes, 2041
- clustering, 14, 20, 517, 522, 718, 916, 917, 1063, 1195, 1930, 2313, 2533, 2661, 2789, 2837, 3016, 3458
 - algorithm, 916, 2968
 - criterion, 917
 - factor, 2313
 - methods, 20, 916, 2837
 - problem, 3663
 - sectors, 229
 - techniques, 14
- clutter, 1787
- CLW, 602
- Cm propositional logic, 2046
- CNF, 411, 438, 561, 829, 1322, 2521, 2792, 2865, 4055
 - formula, 2371, 3280, 3829
- co
 - $C=P$, 3962
 - CFL, 1189, 1325
- coalesced
 - hash table, 721
 - hashing, 721
- coalescing operations, 2628
- coalition, 760, 2584, 3598
- coAM, 2988
- coarse granularity of priority levels, 2713
- coarser image representations, 1421
- coarsest, 2389
 - fully abstract congruence, 2295
 - set partition problems, 2389
- coC=P, 2954
- Cockayne, 505
- Cockayne, Goodman, and Hedetniemi, 371
- Cocke-Younger-Kasami algorithm, 3054
- cocomparability graph, 3267, 4057
- cocontext free, 1585
- CODASYL proposals, 300
- Codd, 286, 372, 634, 700, 744, 795, 2072
 - division operator, 795
 - method, 286
 - normalization, 523
 - third normal form, 484
- Codd, E.F., 231
- code, 325, 495, 637, 794, 801, 1008, 1776, 3125, 3135, 3179, 3325, 3342, 3387, 3538, 3706, 4034
 - block, 2066
 - compaction, 1090
 - extension techniques, 1418
 - for a character set, 1009
 - generating, 1169
 - generation, 624, 975, 1097, 1144, 1383, 1636, 3405
- code generator, 495, 1144
 - generator system, 495
- code
 - having no finite completions, 3135
 - hoisting, 3013
 - improvement, 624
 - language, 1950
 - length, 1418, 2586
 - of uniform length, 1418
 - optimization, 1660, 1817, 3013, 3405
 - optimizer, 541
 - ordering optimizations, 882
 - set, 1251
 - skeletons, 495
 - straightening, 882
 - word, 1497, 1861
- codebreaking, 1416
- coded rewriting, 3424
- codefinition, 1265
- Codenotti and Lotti, 1454
- codeterministic automaton, 1104
- codeword, 383, 1251, 1943, 2215, 3708
- codiagonal elements, 529
- coding, 1968
 - methods of multiple alphabets, 1418
 - scheme, 1009
 - theory, 53, 382, 583, 794, 3048, 3872
- coefficient of
 - inbreeding, 147
 - viscosity, 22
- coemptiness problem, 476
- coequalizer, 3396
- coercion, 262
 - interpretations, 3302
- Coffman et al., 1760
- Coffman, E.G., 3609

- Coffman-Graham
 schedule, 648
 scheduling, 648
- cograph, 1758, 2052, 2670, 3537, 4071
- cogroup, 1849
 of a relation, 1849
 relation, 1849
- Cohen, M., 3563
- coherence, 1874
- coin, 2059, 2388, 2436, 2560, 2909, 3986
 toss, 2388, 3986
 tossing, 1554, 1905
- cointerval
 graph, 4057
 mixed graph, 4057
- Colbourn, 607
- Cole, 1685, 1903
- Cole and Vishkin, 1683
- Cole and Yap, 1236, 2013
- Cole et al., 2674, 2945
- Cole, Salowe, Steiger, and Szemerédi, 2232
- colearnable, 3075
- Cole-Vishkin technique, 1554
- collapse, 2206
- collapse of
 PP, 3451
 the polynomial hierarchy, 2827
- collapsing, 2963
- collecting, 628
- collection fusion, 4098
 problem, 4098
- collection of
 functions, 531
 German documents, 61
 rectangles on the plane, 1131
 strings, 2345
- collective behavioral characteristics, 1755
- collinear, 856, 1389, 1777, 2166
 scalings, 1731
 subsets, 3888
 WVD, 1210
- Collins, Michael J., 3855
- collision, 177, 746, 1044, 1276, 2142, 2487, 3132
 avoidance, 1149
- collision free, 746, 2853
 algorithm, 2810
 path finding, 1394
 trajectory, 2853
- collision
 probability, 2487
 recovery, 2487
 resistant, 3132
- collision resolution, 177, 222, 1112
 methods, 1142
- collisionful keyed hash functions, 3132
- color, 353, 1001, 1395, 1430, 1723, 2087, 2336,
 2534, 2597, 2694, 2815, 2902, 2941, 3068,
 3159, 3446, 3450, 3543, 3638, 3673, 3715,
 3721, 3765, 3808, 3978, 4102, *see also*
 colour
 assignment, 3673
 assignments, 3673
 class, 3450
 set, 69
- color the edges, 2534, 3068, 3808
 of a graph, 4102
- colorable, *see also* colourable
- colored, 2320, 2336, 3385, 3673, 3839, 3919
 cause effect structures, 3839
 geometric objects, 3638
 Petri nets, 590, 3839
 tokens, 590, 3839
- coloring, 492, 1395, 1430, 2028, 2087, 2534, 2808,
 3446, 3450, 3470, 3978, *see also* colouring
- coloring a
 graph, 69, 353
 planar graph by four colors, 1395
- coloring
 algorithm, 1184, 1395, 1945, 3446, 3543
 bounded degree graphs, 2808, 3091
 circle graphs, 1184
 interval graphs, 2087
 i-triangulated graphs, 3919
- coloring of
 a graph, 3543
 constant degree graphs, 1430
 graphs, 353
 trees, 3450
- coloring
 planar graphs, 353, 1077
 problem, 69, 3426, 3450, 3543
 proper circular arc graphs, 942
 random graphs, 3765
- coloring the edges of a
 graph, 2486
 tree, 2486
- colour, 628, 1752, 2284, 2636, 2694, 3557, 4121,
see also color
- colour switching, 2444
 problem, 2444
- colourable, 3697, *see also* colorable
 subgraph problem, 3697
- coloured graph, 181, 3644
- colouring, 628, 1743, 1752, 1890, *see also* coloring
 algorithm, 1522
 interval graphs, 942
 planar maps, 628
 problem, 429
- column, 318, 2045
 cover, 2310

- column (*cont.*)
 - restricted packing problems, 4065
 - sparse integer programs, 4065
- columnwise transform, 498
- Colussi, Livio, 3313
- combination, 102, 565, 974, 1058, 1635, 1876, 2315, 2915, 3844
 - operators, 159
 - set operations, 3735
- combinational, 2
 - circuit, 2, 526, 3936
 - complexity, 1152
 - logic circuits, 751
 - network, 2931
- combinator, 976, 1343
- code, 1343
 - expression, 1343
 - in CTL, 3099
- combinatorial, 76
 - algorithm, 810, 1024, 1058, 2891, 2914, 2965, 2992, 3688, 3792
 - algorithms on words, 3824, 3938
 - analysis, 3400, 3491
 - arguments, 3551
 - Boolean network, 208
- combinatorial complexity, 364, 949, 1671
 - measure, 1424
 - theory, 949
- combinatorial computing, 926
- combinatorial design, 2848, 3879, 3953
 - theory, 491
- combinatorial
 - enumeration, 2887, 2891
 - explosion, 276, 1527, 3735
 - generation, 1551
 - geometry, 442, 1394, 1469, 1815, 3317
 - identification of equivalent structures, 355
 - mathematics, 399, 684
 - object, 1541, 3822
- combinatorial optimization, 130, 1272, 1548, 1696, 2039, 2173, 2330, 2380, 2444, 2652, 2837, 3094, 3249, 3380, 3636, 3815, 4082, 4142
 - problems, 130
- combinatorial
 - problem, 40, 85, 92, 99, 130, 141, 144, 187, 204, 221, 271, 274, 336, 341, 364, 399, 409, 416, 441, 522, 525, 565, 567, 647, 672, 674, 711, 731, 815, 873, 978, 1045, 1083, 1128, 1131, 1178, 1180, 1192, 1248, 1323, 1426, 1442, 1485, 1495, 1539, 1570, 1619, 1655, 1668, 1771, 1795, 1821, 1832, 1890, 1900, 1924, 1940, 1963, 1976, 1979, 2010, 2034, 2048, 2088, 2095, 2098, 2118, 2128, 2133, 2152, 2161, 2171, 2174, 2178, 2185, 2192, 2200, 2205, 2209, 2211, 2224, 2226, 2233, 2237, 2243, 2251, 2258, 2265, 2271, 2278, 2284, 2286, 2300, 2306, 2307, 2331, 2350, 2358, 2367, 2372, 2382, 2400, 2401, 2425, 2427, 2429, 2432, 2433, 2440, 2448, 2474, 2481, 2493, 2494, 2495, 2498, 2500, 2501, 2504, 2518, 2519, 2527, 2533, 2539, 2540, 2546, 2571, 2579, 2588, 2598, 2605, 2613, 2618, 2627, 2630, 2634, 2635, 2659, 2687, 2698, 2701, 2705, 2718, 2719, 2731, 2743, 2755, 2765, 2778, 2798, 2805, 2809, 2815, 2820, 2821, 2826, 2851, 2856, 2857, 2860, 2890, 2892, 2902, 2903, 2910, 2912, 2931, 2935, 2941, 2945, 2960, 2964, 2965, 2973, 2975, 2979, 2994, 3000, 3010, 3011, 3035, 3037, 3045, 3048, 3049, 3056, 3057, 3066, 3069, 3072, 3082, 3092, 3094, 3125, 3133, 3140, 3155, 3158, 3181, 3214, 3229, 3250, 3253, 3263, 3276, 3278, 3289, 3294, 3330, 3333, 3341, 3361, 3380, 3385, 3395, 3400, 3412, 3413, 3420, 3422, 3442, 3450, 3451, 3455, 3460, 3463, 3472, 3476, 3481, 3487, 3488, 3491, 3494, 3503, 3513, 3527, 3528, 3538, 3539, 3550, 3553, 3556, 3575, 3597, 3612, 3625, 3627, 3643, 3658, 3678, 3680, 3688, 3696, 3700, 3709, 3712, 3730, 3763, 3786, 3792, 3801, 3814, 3819, 3822, 3843, 3850, 3877, 3888, 3904, 3915, 3926, 3969, 3970, 3980, 3987, 4033, 4048, 4051, 4052, 4058, 4093, 4103, 4117, 4136
 - programming, 364
 - properties of increasing and decreasing subsequences, 175
 - property, 685, 3228, 3250, 3262, 3901, 4106
 - search problems, 647, 1809
 - structure, 1700, 2278, 3400, 3863, 3969
 - theory of free monoids, 685
- combinatorics, 53, 274, 337, 442, 674, 1533, 1609, 1908, 2166, 2335, 2347, 3170, 3206, 3992
 - of trees, 3376
 - on words, 2511, 2785, 3135
- combinators, 802, 1099, 1343, 1358, 1375, 4101
- combinatory PDL, 1091
- combined evaluation, 36
 - measures, 36
 - met, 36
- combined occurrence, 423
- combining
 - multiple decisions, 3504
 - network, 1808, 3137
- COMFAIR, 1420
- command, 1333, 1487
 - invocations, 1167
 - languages, 314, 1919
- commensurable execution times, 255

- commit, 1742
 - problem, 2084
 - protocol, 3349
- commitment ordering, 2917
- common ancestor, 147
 - problem, 669
- common clock, 735
- common CRCW
 - B-PRAM, 2409
 - PRAM, 2408, 3089, 3159, 3169
- common due date, 3416
- common intersection, 1631, 2956
 - problem, 1896
- common key, 2991
 - block encryption, 2818
- common knowledge, 1417
 - operators, 1417
- common
 - Lisp, 2480
 - main memory, 1354
- common memory, 838, 986, 1133, 1315
 - area, 2509
- common modulus attack, 3933
- common multiplicand
 - method, 3719
 - multiplication, 3719
- common
 - perpendicular, 1149
 - PRAM, 3169
 - properties, 1709
- common release, 3764
 - of all tasks, 3764
- common sense reasoning, 1555
 - problems, 2510
- common
 - subexpression elimination, 1736
 - subgraphs, 181
 - termination, 1191
 - transversals, 1401
- Commoner, 129
- Commoner and Hack, 129
- communicate, 508, 562, 734, 797, 1165, 1376, 1418, 1609, 1816, 2042, 2158, 2220, 2409, 2699, 2783, 3299, 3477, 3591, 3620
- communicating, 1402, 3024
 - concurrent processes, 1639
 - finite state machines, 971
 - machines, 971
 - processes, 735, 928, 1150, 1180, 1298, 1694, 1857
 - programs, 1402
- communicating sequential
 - processes, 753, 838, 928, 1971, 2317
 - programs, 1298
- communicating system, 1402, 2219
- communication, 31, 838, 1191, 1276, 1447, 1740, 1769, 1831, 1934, 1980, 2009, 2208, 2409, 2447, 3239, 3755, 4013
 - algorithm, 1047, 3445
- communication among
 - parallel processes, 2038
 - processes, 838
- communication
 - between computers, 118
 - channel, 1145, 1276, 1734, 2048, 2257, 2471, 3669
 - communication complexity, 1116, 1152, 1224, 1444, 1695, 1999, 2024, 2213, 2388, 2730, 2827, 3196, 3383, 3549, 3563, 3759, 3768
 - of polling, 3383
 - communication cost, 546, 703, 1538, 1806, 2548, 2835, 2837, 3308, 3348, 3472, 3587
 - algorithm, 3383
- communication
 - deadlock, 1725
 - delay, 707, 1406, 1816, 2746, 3319
 - efficient solution, 2199
 - environments, 1145
 - errors, 3983
 - events, 3085
 - facilities, 693, 3419
 - failure, 1547
 - fairness, 1420
 - game, 2353
 - graph, 1116, 1403, 1825, 1978, 2757, 2758, 2807, 3388
 - in a network, 681, 682
 - induced checkpointing protocols, 3861
 - kernel, 2168
 - latency, 2562
 - lines, 883, 1566, 2602
 - link, 371, 508, 1084, 3549, 3756
 - lower bound, 3965
 - medium, 1721, 2699
 - model, 1191, 1725, 2431
- communication network, 138, 264, 371, 505, 704, 816, 1357, 1600, 1632, 2209, 2279, 2287, 2479, 2593, 2602, 3152, 3383, 3388, 3529, 3724, 3849
 - design, 1666
- communication
 - operations, 3326
 - overhead, 1697, 3840
 - paradigm, 1382
 - path, 735
 - phase, 1999
 - port, 753
 - possibilities, 735
 - power of an edge, 1252
 - primitive, 1111, 1160, 1295, 1694, 2060, 3326

- communication (*cont.*)
 - privacy, 2584
 - problem, 1047, 1944, 2353
 - processes, 946
 - processors, 1730
 - protocol, 971, 1150, 1420, 1964, 2550
 - requirements, 728
 - ring, 3609
 - round, 1473
 - rules, 2991
 - scheme, 3179
 - security, 1145
 - steps, 3965
 - system, 1712, 1816
 - theory, 2609
 - time, 1810, 2148, 3319, 3383
- communicative semiring, 1256
- commutation, 1085
 - graphs, 1468
 - monoid, 1468
 - relation, 307, 1085
 - relations of slices, 307
 - rule, 1649
- commutative, 859, 1152, 1176, 1603, 1763, 3617
 - algebra, 2927
- commutative closure, 3234
 - of a star free language, 3234
- commutative
 - conditions, 161
 - function symbols, 2879
 - group, 1368
 - mapping, 3
 - monoid, 341
 - positive semiring, 2018
 - regular languages, 3951
 - ring, 398, 1006, 1797, 2031, 2631
 - semigroup, 1368, 1603
 - variable binding, 2879
- commutatively equivalent, 637, 812
- commutativity, 215, 540, 1636, 2437
 - of multiplication, 351
- compact, 779, 830, 925, 1558, 2265, 3005, 3051, 3379
 - B-tree, 925
 - code, 624, 1497
 - convex, 3731
 - data structure, 3647
 - dispatching, 3647
 - encodings of list structure, 384
 - form, 3379
 - list representation, 1494
 - parsing tables, 1360
 - representation, 643, 1658, 2242, 3781
 - set, 2201, 2540, 3275
 - support, 1136, 1784
 - view, 1259
- compacted cells, 2682, 3320
- compactifying garbage
 - collection, 312
 - collector, 312
- compacting
 - algorithm, 114
 - garbage collector, 152, 468, 845, 912
- compaction, 468, 845, 1090, 1405, 1440, 1655
 - algorithm, 468
 - of horizontal microprograms, 1090
 - problem, 1405, 3963
 - procedure, 1090
 - theorem, 2490
- compactness, 95, 2265
 - of form, 6
 - theorem, 3276
- comparability, 2723
 - graph, 3306, 3584
- comparative, 602
 - problems, 241
 - sorts, 2096
- comparator, 3907
- compare and swap, 1808
- comparing
 - difficulty of computing functions, 1891
 - security risks, 1302
- comparison, 109, 315, 466, 1174, 1790, 2053, 2694
- comparison based, 715, 1228
 - algorithm, 656
 - lower bound, 1376
- comparison
 - between L languages, 160
 - efficient algorithms, 2664
 - model, 1113, 2664, 2774, 3509
- comparison of
 - adjacent elements, 1174
 - retrieval runs, 61
 - simulation results, 142
 - subrecursive hierarchies, 11
- comparison
 - oriented sorting methods, 306
 - queries, 2471
 - searching, 226
 - sorting, 581
 - times, 91
 - tree, 1878
- compass, 1244
 - on arrays, 1244
- compatibility, 2282
 - matrices, 300
- competing
 - objectives, 2865
 - processes, 1050
- competitions method, 3031

- competitive
 - 2-server algorithm, 2216
 - algorithm, 2909
 - analysis, 2171, 2195, 2436, 2735, 3114, 3187, 3315, 3398, 3558, 3575, 3577, 3707, 3754, 4024, 4066
 - constant, 2909
 - factor, 3187
 - group testing, 3775
 - ratio, 2195, 2735, 2831, 2895, 2934, 3193, 3261, 3369, 3526, 3540, 3558, 3577, 3622, 4024
- competitiveness, 2658, 2735, 2948, 3622, 3775, 4066
 - of randomized list update algorithms, 2658
- competitiveness factor, 2971
- compilation, 88, 151, 258, 262, 376, 779, 1097, 1724, 3201
 - in APL, 1056
 - process, 135, 1169
 - technique, 2418
 - time, 1817
- compile time, 5, 17, 135, 273, 710, 763, 2066, 2137, 2679, 2957
 - analysis, 3142, 3161
 - optimization techniques, 230
 - type checking, 763
- compiled, 384, 548, 1850
 - language, 1200
 - patterns, 2137
 - programs, 1494
- compiler, 5, 34, 82, 154, 202, 237, 244, 277, 376, 443, 457, 471, 480, 544, 582, 691, 710, 763, 773, 779, 975, 1169, 1308, 1318, 1500, 1526, 1558, 1817, 1850, 1915, 1919, 1968, 2137, 2198, 2326, 2528, 2607, 2685, 2733, 2768, 2789, 2938, 2942, 3025, 3095, 3161, 3201, 3305, 3405, 3541, 3611, 4018, 4111
 - analysis, 1436
 - assignment of data items to registers, 1049
 - compiler, 24, 202, 273, 340, 2198
- compiler construction, 237, 1342
 - system, 2198
- compiler
 - constructors, 501
 - correctness proofs, 1968
 - design, 3426
 - development, 2733
 - generation, 544, 2137
 - generator, 495, 1318
 - implementation, 120, 544
 - of a programming language, 202
 - optimization, 1844
 - writer, 2198
 - writing system, 779, 2326
- compiling, 539, 548
 - compiling a
 - pattern, 2137
 - program, 710
 - compiling technique, 1850
 - Complak, Wojciech, 3678
 - complement, 163, 538, 597, 755, 1106, 1189, 1325, 1585, 1787, 1866, 1927, 2056, 2214, 2359, 2776, 2947, 3131, 3426, 3976, 4057
 - graph, 69, 3737
 - complement of a
 - deterministic pda language, 112
 - graph, 163
 - program, 1091
 - complement
 - of $C=P$, 3962
 - problem, 516
 - reducible graphs, 2052
 - representation, 3976
 - rule, 2590
 - spanning tree matrix theorem, 3680
 - complementary leaf languages, 3571
 - complementation, 160
 - problems, 3976
 - complemented, 538, 2776
 - dynamic algebra, 1091
 - complete, 3588, 3714
 - 3D torus, 3832
 - complete and
 - edge weighted graph, 1749
 - sound inference system, 799
 - complete
 - axiomatisations, 2459
 - axiomatization, 528, 3825, 3893
 - bases, 877
 - basis, 1129
 - binary tree, 459, 592, 733, 1254, 1282, 1476, 1734, 2176, 2548, 2603, 2651, 2678, 3111, 3112
 - complete bipartite, 87
 - digraphs, 3023
 - graph, 87, 4052
 - networks, 2869
 - subgraphs, 2908, 3104
 - complete
 - Boolean algebras, 2700
 - but infinitary proof system, 1478
 - characterization, 3262, 3948
 - classification, 3885
 - complete decoding, 2888
 - algorithm, 2888, 2983
 - complete
 - deductive system, 1306
 - equational axioms, 2981
 - complete for
 - DP, 3674
 - exponential time, 1987

- complete for (*cont.*)
 - $\oplus L$, 2070
 - nondeterministic logarithmic space, 1993
 - NP, 1894
 - NSYMLOG, 2303
 - P_{\parallel}^{NP} , 3674
 - polynomial space, 1987
 - polynomial time, 526, 1987
 - uniform NC^1 , 1836
- complete graph, 87, 234, 308, 367, 883, 1220, 2629, 2922, 3503, 3592, 3680, 3721, 3790, 3812, 3850, 3946
 - K_4 , 3155
- complete hardware graphs, 883
- complete in
 - NL, 1251
 - polynomial space, 419
- complete
 - information, 1021
 - intrees, 3319
 - k -decomposable graph, 205
 - language, 1418
 - lattice, 125, 3381
 - logic for partial correctness, 846
 - matching, 1955
 - metric spaces, 1674, 1856
 - multipartite networks, 2869
 - network, 1224, 2287
 - operator precedence, 169, 263
 - poset, 3782
 - practical proof system, 1798
 - problem, 144, 898, 1294, 2303, 2453, 3843
- complete proof, 1019
 - system, 1798, 2210
- complete reconstruction, 533
- complete rewriting
 - strategy, 2001
 - system, 875, 1468
- complete
 - r -partite graphs, 2350
 - r -uniform hypergraphs, 2350
 - semicommutation system, 1468
 - semiring morphisms, 3213
 - set, 1294, 1531, 1668, 3571
- complete set of
 - axioms, 1618
 - E-unifiers, 1531
 - transformations, 289
- complete sets, 3386
- complete sets of
 - axioms, 2459
 - E-unifiers, 1531
- complete
 - solution, 1670, 1855
 - specification, 846, 1021
 - structure generator, 123
 - subgraph, 20, 2258
- complete system, 875
 - history, 554
 - of inference rules, 528
- complete
 - temporal system, 632
 - ternary trees, 1490
- complete tree, 3258
 - layout, 592
- complete
 - triangulations of polygons, 1901
 - uniform hypergraphs, 2350
- completely balanced k -d trees, 447
- completely connected, 136, 1128
 - cut set, 645
- completely connected network, 1084
 - of communicating processors, 1128
- completely connected subgraph, 736
- completely reconstructible, 1815
- completeness, 256, 289, 297, 632, 946, 1028, 1478, 1567, 1587, 1639, 1693, 2321, 2420, 2443, 2563, 2611, 2629, 2645, 3006, 3893, 4008
 - and soundness of LUST resolution, 799
 - issues, 1618
 - of, 289
- completeness of a
 - language, 795
 - set of transformations, 289
- completeness of
 - CVP, 526
 - gp resolution, 2514
 - Hoare logic, 846
 - modular proof systems, 2060
 - resolution, 1792
 - strategies, 2420
 - temporal logic, 2321
- completeness
 - proof, 1204
 - property, 4008
 - proving techniques, 1478
- completeness result, 2321, 2986, 3770, 3893
 - for leads to, 2520
- completeness via logical reductions, 3570
- completion, 217, 2001, 2006
 - algorithm, 1850
 - based methods, 2068
 - of observational congruence, 2001
 - theorem, 846
- completion time, 1038, 1819, 2133, 2831, 3470
 - scheduling, 1038
- completion times, 185
- complex
 - conjugate, 253
 - finite functions, 2542
 - matrix, 1692

- complexity of (*cont.*)
 - model checking, 2510
 - $n \times n$ approximate matrix multiplication, 450
 - negation limited circuits, 3377
 - noise tolerant learning, 3252
 - nonpreemptive scheduling, 1336
 - order statistics, 1706
 - parallel computations, 2673
 - parsing, 209
 - path planning, 1599
 - placing recovery points, 1601
 - polling, 3383
 - preemptive scheduling, 1406
 - quaternion multiplication, 155
 - queries, 2737
 - recognition, 209
 - recognizing 3NF relation schemes, 798
- complexity of scheduling, 3660
 - independent two-processor tasks, 1336
 - jobs, 560
 - tasks, 2757
- complexity of
 - searching, 1928
 - simplifying quadratic forms, 692
- complexity of solving, 880
 - algebraic equations, 561
- complexity of sorting algorithms, 306
 - by distributive partitioning, 487
- complexity of
 - strict serializability, 1456
 - string matching, 1371
 - symmetric functions, 1424
 - symmetrizing matrices, 491
 - test case generation, 2049
 - testing, 583, 745
- complexity of the
 - 2-dimensional convex hull problem, 363
 - chromatic number problem, 220
 - closest vector problem, 2395
- complexity of the convex hull
 - algorithm, 594
 - problem, 1414
- complexity of the
 - LCS problem, 315
 - maximum satisfiability problem, 1459
 - reliable connectivity problem, 2243
 - repeaters allocating problem, 2260
 - robber route problem, 1921
 - set union problem, 597
 - string prefix matching problem, 2664
 - testing graphs for n -cube, 583
 - unary 0-1 knapsack problem, 1657
- complexity of
 - theorem proving, 1492
 - transitive closure, 1220
 - tree embedding problems, 2548
 - ultrametric partitions on graphs, 1560
 - univariate polynomials with 0-1 coefficients, 436
 - unstructured programs, 513
- complexity of vector
 - computations, 733
 - products, 198
- complexity of VLSI circuits, 1316
- complexity
 - questions, 516
 - result, 674, 1903, 2008, 2572, 2858
 - theory, 483, 533, 542, 751, 808, 1152, 1316, 1576, 1702, 1707, 1887, 1986, 1987, 2526, 3366, 3634
- component, 187, 190
 - failure, 806, 1089
- composing
 - adjacent grid selectors, 1056
 - subsystems, 1919
- composite
 - algorithm, 1242
 - moduli, 3768
 - statements, 258
- composition, 11, 370
- composition of
 - associative functions, 2244
 - binary operators, 1946
 - functional terms, 258
 - functions, 572
 - morphisms, 780
 - relations, 1824
 - sparse maps, 853
- composition
 - operator, 941, 1639, 2060
 - rules, 2817
- compositional, 2707, 2817, 3407
 - analysis, 3161
 - denotation, 2219
 - operators, 2060
 - proof system, 2060
 - semantics, 2219
- compositionality, 2219
- compositions of
 - partial sequences, 275
 - tree transformations, 1853
- compound, 629
 - algebras, 1642
 - data structure, 1297
 - functions, 2121
 - logical terms, 1297
 - multiprocessor scheduling algorithm, 1453
- comprehension, 511, 3600
- compress and fold method, 3566
- compressed, 383, 1663, 2112
 - representation, 1065
- compressibility, 3534

- compressing, 2313
 - a table, 1065
- compression, 383, 2617
 - gain, 382, 383, 790
 - method, 383, 3566
 - ratio, 3566
 - scheme, 1228
 - technique, 790
- compromisability, 473
- compromisable, 984
- compromise, 984, 1302, 1727, 1956, 2620
- compromised, 1302
- compromising a database, 426
- computability, 821, 1555, 3905
 - of circumscription, 1555
 - theory, 11
- computable, 491
- computable by
 - logarithmic depth circuits, 2847
 - polynomial size formulas, 2847
- computable
 - function, 159, 2984, 3216, 3266
 - in polynomial time, 3282
 - mapping, 12
 - unary functions, 3216
- computation, 167, 258, 1657
 - complexity, 4140
 - cycles, 1126
 - history, 368, 575
 - homomorphism, 927
 - intensive, 2076, 3968
- computation model, 295, 2158, 3743
 - of parallel architectures, 3743
- computation of
 - a set of bilinear forms, 1164
 - determinants over \mathbb{Z} , 2070
 - distance between line segments, 1149
 - linear recurrences, 1429
 - the cost of paths, 1640
- computation
 - over structured memory, 396
 - paths, 1550, 2363, 3284
 - relative to an oracle, 2424
 - rule, 1557
 - structures, 620
 - system like model, 1191
 - theory, 450
 - time, 30, 140, 195, 458, 601, 947, 1051, 1095, 1810, 2044, 2673, 2704, 3022, 3937
- computation tree, 145, 2156, 3581
 - logic, 2655
 - model, 1846
- computation universal, 2430
 - model, 2430
- computation universality, 2430
- computational, 334, 381
 - analysis, 806
 - biology, 2554, 3153, 3590
 - complexity, 3787
- computational complexity, 11, 90, 130, 145, 171, 180, 207, 208, 209, 231, 247, 261, 265, 292, 308, 334, 335, 354, 357, 381, 390, 399, 411, 435, 436, 439, 441, 445, 450, 454, 459, 471, 472, 479, 490, 492, 517, 526, 533, 560, 561, 567, 607, 608, 636, 664, 670, 674, 675, 689, 727, 733, 743, 759, 770, 792, 816, 821, 824, 831, 833, 841, 860, 873, 877, 898, 947, 952, 965, 1007, 1011, 1083, 1109, 1119, 1132, 1134, 1136, 1139, 1177, 1180, 1192, 1195, 1236, 1289, 1303, 1315, 1332, 1336, 1341, 1354, 1364, 1376, 1390, 1396, 1442, 1467, 1485, 1495, 1507, 1513, 1560, 1570, 1573, 1581, 1622, 1624, 1664, 1682, 1692, 1763, 1782, 1809, 1810, 1812, 1827, 1836, 1845, 1868, 1873, 1894, 1924, 1960, 1961, 1963, 1976, 2000, 2007, 2012, 2030, 2037, 2038, 2039, 2040, 2043, 2049, 2051, 2071, 2076, 2088, 2099, 2107, 2109, 2112, 2118, 2121, 2124, 2144, 2153, 2156, 2167, 2169, 2183, 2189, 2203, 2206, 2223, 2224, 2225, 2232, 2238, 2244, 2252, 2253, 2258, 2262, 2270, 2272, 2279, 2284, 2299, 2303, 2309, 2330, 2338, 2339, 2349, 2353, 2355, 2362, 2370, 2378, 2380, 2383, 2392, 2395, 2397, 2399, 2409, 2411, 2412, 2415, 2419, 2424, 2425, 2427, 2433, 2434, 2451, 2453, 2457, 2460, 2473, 2493, 2495, 2510, 2518, 2521, 2526, 2529, 2539, 2542, 2544, 2556, 2560, 2562, 2565, 2572, 2574, 2595, 2596, 2600, 2608, 2612, 2616, 2619, 2621, 2626, 2645, 2648, 2650, 2659, 2660, 2668, 2671, 2691, 2702, 2704, 2711, 2722, 2739, 2744, 2752, 2755, 2760, 2766, 2769, 2779, 2797, 2809, 2813, 2815, 2833, 2845, 2847, 2859, 2865, 2870, 2879, 2882, 2885, 2887, 2894, 2906, 2927, 2937, 2941, 2952, 2954, 2956, 2962, 2963, 2980, 2986, 2988, 2993, 3016, 3028, 3031, 3032, 3034, 3041, 3046, 3052, 3066, 3069, 3071, 3087, 3107, 3110, 3130, 3131, 3133, 3134, 3144, 3182, 3189, 3196, 3202, 3207, 3218, 3222, 3224, 3226, 3245, 3252, 3259, 3268, 3280, 3281, 3282, 3283, 3284, 3294, 3323, 3333, 3335, 3358, 3364, 3366, 3370, 3373, 3377, 3389, 3394, 3409, 3433, 3438, 3449, 3451, 3460, 3464, 3469, 3470, 3472, 3482, 3488, 3496, 3503, 3511, 3515, 3520, 3525, 3527, 3534, 3535, 3539, 3552, 3556, 3565, 3569, 3570, 3571, 3579, 3584, 3588, 3589, 3593, 3594, 3609, 3610, 3620, 3624, 3634, 3641, 3644, 3645, 3648, 3660, 3668,

- computational complexity (*cont.*), 3674, 3678, 3679, 3682, 3689, 3693, 3694, 3709, 3711, 3713, 3729, 3730, 3734, 3737, 3757, 3759, 3768, 3771, 3775, 3777, 3779, 3788, 3790, 3792, 3803, 3805, 3807, 3811, 3823, 3828, 3829, 3830, 3842, 3843, 3851, 3856, 3868, 3869, 3871, 3874, 3885, 3886, 3887, 3890, 3893, 3896, 3901, 3908, 3924, 3927, 3937, 3939, 3947, 3957, 3961, 3962, 3966, 3976, 3977, 4001, 4004, 4014, 4050, 4052, 4055, 4056, 4064, 4074, 4082, 4083, 4088, 4099, 4106, 4107, 4108, 4118, 4119, 4128
 - measure, 670
- computational complexity of
 - 0-1 polynomials, 436
 - algorithms, 2466
 - languages, 3787
 - matrix multiplication, 215
 - planning, 2142
 - rational functions, 1240
 - satisfiability, 2572
- computational complexity
 - over the reals, 4005
 - theory, 2560
- computational
 - cost, 566, 703, 1696, 3840
 - experiments, 630
- computational geometry, 328, 350, 354, 422, 433, 490, 517, 673, 677, 785, 841, 870, 876, 884, 908, 965, 968, 1000, 1014, 1020, 1052, 1121, 1146, 1163, 1171, 1184, 1210, 1230, 1245, 1262, 1267, 1304, 1364, 1374, 1380, 1387, 1396, 1400, 1401, 1412, 1443, 1469, 1488, 1501, 1505, 1530, 1539, 1546, 1578, 1599, 1620, 1631, 1673, 1676, 1685, 1699, 1755, 1768, 1772, 1777, 1779, 1795, 1821, 1826, 1829, 1846, 1860, 1882, 1883, 1896, 1901, 1908, 1921, 1926, 1970, 1972, 1984, 1992, 2004, 2011, 2013, 2043, 2071, 2075, 2083, 2091, 2095, 2097, 2104, 2119, 2135, 2142, 2144, 2146, 2162, 2166, 2169, 2177, 2178, 2182, 2189, 2208, 2221, 2227, 2232, 2235, 2245, 2260, 2264, 2267, 2273, 2274, 2277, 2280, 2288, 2290, 2316, 2325, 2331, 2337, 2347, 2359, 2380, 2384, 2417, 2426, 2435, 2438, 2445, 2454, 2472, 2533, 2535, 2536, 2566, 2570, 2594, 2622, 2638, 2661, 2674, 2690, 2706, 2725, 2744, 2749, 2784, 2804, 2821, 2841, 2853, 2877, 2904, 2905, 2912, 2922, 2936, 2939, 2945, 2952, 2956, 2960, 3011, 3016, 3028, 3039, 3117, 3131, 3155, 3164, 3170, 3191, 3208, 3211, 3244, 3249, 3258, 3262, 3272, 3317, 3322, 3359, 3365, 3368, 3374, 3375, 3389, 3401, 3406, 3417, 3444, 3452, 3468, 3483, 3506, 3507, 3531, 3561, 3562, 3582, 3585, 3601, 3615, 3638, 3646, 3663, 3666, 3683, 3696, 3710, 3725, 3731, 3734, 3746, 3797, 3807, 3810, 3811, 3820, 3853, 3857, 3860, 3862, 3878, 3888, 3892, 3981, 3989, 4006, 4017, 4026, 4079, 4092, 4097, 4120, 4123
 - of numbers, 3468
- computational
 - indistinguishability, 1960
 - information content, 3630
- computational learning, 2231, 2497, 2792, 2953, 4056
 - theory, 2915, 3067, 3252, 3834, 4115
- computational
 - linguistics, 1229, 2329
 - lower bounds, 3202
 - meaning, 2334
 - methods, 417
 - model, 613, 692, 1632, 2599, 2696, 2813, 3159, 3301, 3767
 - molecular biology, 3513
 - point of view, 3136
 - power, 119, 133, 470, 757, 4113
- computational power of
 - counters, 3990
 - linearly transformed BDD, 4113
 - real time, 1625
- computational probability, 806
- computational problems, 209, 677, 719, 1269, 3412, 3545, 3961
 - in integer lattices, 3961
- computational properties, 1203
 - of PTM, 1066
- computational
 - results, 672, 2382, 2731
 - secure secret set schemes, 4091
 - semantics, 1367
 - steps, 3452
 - structure, 4005
- computational time, 777, 1328
 - bounds, 1608
- computational
 - tree model, 1846
 - viewpoint, 441
 - zero knowledge, 2827
- computationally, 64, 271
 - equivalent, 792, 1251, 2299
 - hard, 3132
 - indistinguishable, 1960
 - intractable, 560, 997, 1922, 2371
 - universal, 3352
- computer, 21, 33, 142
- computer aided
 - circuit design, 2865
 - design, 3901

- computer aided (*cont.*)
 - geometric design, 522
 - logic synthesis, 2865
 - software engineering, 2653
- computer algebra, 334, 1667, 1889, 2240, 3471
 - over $GF(p)$, 606
- computer
 - architecture, 326, 1494, 2062, 2214, 2309, 2312, 2479, 2561, 2599, 2651, 2673, 2724, 2738, 2780, 2903, 2914, 3042, 3053, 3097, 3112, 3127, 3137, 3211, 3248, 3345, 3414, 3517, 3914, 4036
 - arithmetic, 1161, 2214, 2812, 2901, 2928, 3429, 3728
- computer assisted
 - instruction, 132
 - programming, 213
- computer
 - checking, 544
 - chess, 364
 - communication networks, 1566
 - constructor, 75
 - design automation, 370
 - engineering, 1996, 2268
 - generation of vertex graphs, 123, 149
 - Go, 3511
 - graphics, 672, 893, 1380, 1387, 1699, 1972, 1992, 2037, 2465, 2690, 2696, 3039, 3115
 - hardware, 566
 - language, 45
 - memory, 244, 721
 - network, 649, 668, 734, 815, 851, 883, 885, 887, 1497, 1796, 1806, 1816, 1902, 2192, 2298, 2447, 2459, 2712, 2929
 - operating systems, 151
 - output device, 59
 - performance models, 1796
 - play, 364
- computer programs, 440, 773, 1265, 1601
 - for SMT, 1217
- computer
 - science, 326, 570, 622, 644, 704, 721, 901, 983, 1134, 1197, 1204, 1210, 1258, 1289, 1445, 1574, 1736, 1785, 1942, 1996, 2191, 2444, 2648, 2701, 3207, 3798
 - scientist, 45, 85
 - security, 2298, 2388, 2827
 - simulation, 45
- computer storage, 509
 - allocation problems, 942
- computer
 - store, 151
 - support tools, 1642
- computer system
 - design, 326
 - initialization, 2042
- computer
 - systems, 14, 142, 611, 957, 990, 1062, 1128, 1964, 1971, 1996
 - time, 59, 401
 - vision, 1895, 1946, 2148, 2227, 2438, 2873, 3298, 3888
- computing a
 - clique tree, 1624
 - Gröbner basis, 2927
 - minimum coloring, 1624
- computing
 - an order n determinant, 623
 - approximate convex hulls, 893
 - capability, 470
 - continuous functions, 445
 - device, 119, 766
 - distance maps, 3298
- computing dominators, 1350
 - in parallel, 1350
- computing
 - Eulerian trails, 1588
 - hulls of point sets in higher dimensions, 893
 - in phases, 2158
 - kernels, 3495
 - machinery, 157, 1996
 - maximal cliques, 1624
 - models, 182
 - OR, 3573
- computing power, 883
 - of, 215
- computing
 - suffix trees, 1990
 - symmetric functions, 3377
 - system, 693, 1385, 1735
- computing the
 - AND function, 3281
 - determinant, 1584, 3520
 - general closure, 1778
 - longest diagonal, 1970
- computing time, 37, 405, 606, 689, 1893
 - for sorting, 1893
 - of Rabin algorithm, 606
 - per word, 117
- concatenable queue, 2221
- concatenated code words, 1861
- concatenation, 284, 389, 1981, 2135, 2355, 2554
 - ambiguity, 1988
- concatenation of
 - numbers in m -adic notation, 1081
 - palindromes, 2503
- concave, 1075, 1206, 3054
 - angles, 380
 - chain, 2290, 2877
 - functions, 1075, 2657
 - one-dimensional dynamic programming, 1906
 - point, 380

- concavity, 380, 1075
 - test, 380
- concentration, 4028
 - of measure, 4028
 - properties, 808
- concentrator, 390, 745
- concept based
 - image retrieval facility, 4096
 - query evaluation, 4096
- concept
 - learning, 2131, 3067, 3766
 - structure, 33
- conceptual structure, 2733
- concrete
 - complexity, 774, 2175
 - computational complexity, 454
 - data type, 1399, 1498
 - fragment, 1941
 - operation, 1520
 - semantics, 2707, 3920
 - syntax, 710
- concurrency, 275, 404, 489, 554, 579, 590, 653, 686, 693, 820, 879, 985, 1023, 1173, 1246, 1260, 1285, 1317, 1366, 1512, 1589, 1639, 1674, 1708, 1709, 1742, 1788, 1856, 1876, 1909, 1911, 1934, 1991, 2001, 2025, 2055, 2086, 2113, 2150, 2153, 2154, 2158, 2204, 2210, 2229, 2246, 2253, 2295, 2351, 2369, 2376, 2402, 2451, 2456, 2458, 2459, 2477, 2485, 2557, 2573, 2578, 2612, 2700, 2742, 2787, 2817, 2842, 2876, 2943, 2972, 2981, 3036, 3060, 3064, 3336, 3360, 3372, 3384, 3407, 3410, 3432, 3462, 3485, 3605, 3618, 3747, 3770, 3773, 3784, 3798, 3839, 3880, 3895, 3911, 3920, 3934, 3952, 3983, 4000, 4053
- concurrency control, 805, 837, 851, 1326, 1527, 1565, 1742, 2005, 2150, 2842, 2917, 3349, 3578, 3690
 - algorithm, 1527, 2150, 3462
 - in distributed databases, 837
 - mechanisms, 2917, 3690
 - scheme, 805, 3349
 - theory, 1456
- concurrency
 - matrix, 368
 - of transitions, 2154
 - problem, 693
 - table, 379
 - theory, 3300
- concurrent, 754
 - access, 1709, 3137, 3410
 - calculi, 3920
 - components, 2458
- concurrent composition, 1934
 - of processes, 1111
- concurrent
 - computation tree logic, 2458
 - computations, 995
 - control, 43
 - database, 687
 - environment, 687
 - error detecting systolic design, 2407
 - execution of transaction copies, 1326
 - file access, 300, 556
 - garbage collection, 1361
 - histories, 554
 - language, 1807, 3920
 - logic programming, 2431
 - message passing computer system, 2168
 - micro-operations, 1090
 - migration, 3024
 - nonterminating systems, 2086
 - object oriented language, 1831
 - operations, 921, 1742, 1964
 - Pascal, 151, 190, 883, 1807
 - probabilistic processes, 3714
 - process, 124, 183, 236, 307, 686, 687, 995, 1060, 1120, 1425, 2113, 3215, 3605, 3920
 - processing, 300
- concurrent program, 190, 489, 1798, 2458, 2612
 - executions, 2700
 - semantics, 1909
- concurrent programming, 962, 1349, 1369, 1807
 - languages, 1807
- concurrent
 - programs, 604, 1018, 1246, 1349, 2458, 2612, 3895
 - Prolog, 1306
- concurrent read concurrent write, 1133, 1540, 1582, 1701, 1903, 1942, 3509
 - PRAM, 3650
 - random access machine model, 1799
- concurrent read exclusive write, 1133, 1729
- concurrent read exclusive write PRAM, 2102
 - model, 1590
- concurrent reading, 1590, 1621
 - and writing, 1721, 2451
 - while writing, 2138
- concurrent
 - statement, 1200
 - structural program design, 190
 - system, 554, 981, 1050, 1246, 1425, 1472, 1788, 1964, 2086, 2219, 2459, 2578, 2655, 3108
 - transaction processing, 300
 - transactions, 556, 1023, 1742
 - use of the garbage collector, 962
- concurrent write, 2408, 3159, 3301
 - model, 1990
 - PRAM, 3573

- concurrent writing, 1621, 3172
- concurrently executable, 1090
 - micro-operations, 1090
- condition, 27, 102
- condition event
 - net, 981
 - Petri net, 1535
- condition for parallelism, 106
- condition/event Petri net methods, 1788
- conditional, 192
 - branches, 254
- conditional branching, 314, 1598
 - statements, 314
- conditional connectives, 2590
- conditional critical
 - region, 404, 604, 1200
 - section, 42
- conditional demand, 1830
- conditional distribution, 36
 - of accesses, 691
- conditional edge connectivity, 1549
 - of a graph, 1549
- conditional
 - forms, 331
 - probability density functions, 143
 - relation, 2046
 - specifications, 775
 - statement, 86, 254, 501, 931
 - tree transformation rules, 1844
 - uniform recurrence equations, 2606
- conditioning, 1024
- cone, 3164
 - generators, 1681
- Conery, 1659
- conference key distribution, 1811, 3522
 - cryptosystem, 1811
 - system, 1811, 3522
- conferencing, 1145
- confidence
 - interval, 1080
 - level, 46
 - theory, 1391
- configuration, 577, 696, 1029, 1401, 1607, 2430, 2799, 4086
 - design, 990
 - loop, 112
 - mappings, 535
 - of faulty processors, 2875
 - reachability problem, 2988
- conflict, 2150
 - detection, 2198
- conflict free, 129, 996, 1094, 1392, 1472, 2154, 2410
- conflict free access, 524
 - of arrays, 524
- conflict free and
 - contention free relational structures, 1094
 - persistent TMPN, 1472
- conflict free
 - cover, 1026
 - dependency set, 996
 - nets, 129
 - Petri nets, 254, 1392, 2369
 - processes, 2295
 - set, 996
 - sets of MVD, 996
 - TMPN, 1472
 - VAS, 1392
 - vector replacement systems, 1392
 - VRS, 1392
- conflict
 - freedom, 1026
 - in memory access, 777, 944
- conflict of
 - multiplicity n , 1276
 - smaller multiplicity, 1276
- conflict resolution, 1276, 2198, 2308
 - algorithm, 1276, 1574
 - intervals, 1276
 - methods, 1144
 - protocols, 2656
 - scheme, 2308
- conflict serializability, 2842
- conflicting, 1276, 2560
 - information, 1128
 - messages, 2783
 - relativizations, 2560
 - transactions, 3462
- confluence, 1363, 2366, 2773
 - modulo partial commutativity, 1649
- confluence of
 - a graph rewrite system, 1652
 - indirection reductions, 1652
- confluence
 - on a given congruence class, 1363
 - property, 1652
- confluent, 875, 1363, 1463, 1910, 2228, 2366, 2773, 3453
 - modulo a partial commutativity relation, 1649
 - one-rule string rewriting systems, 3453
 - reductions, 2676
 - string rewriting system, 3020
 - system, 3453
 - term rewriting, 2773
 - variable preserving, 3017
- conformable, 2026
- conformance testing, 3692
- confusion, 786
- CONGEN, 384
- congestion, 2168, 2820, 2885, 3296, 3796
 - cost, 2548

- congruence, 635, 709, 875, 1085, 1086, 2227, 2295, 2438, 2614, 3036
 - arithmetic, 1502
 - class, 720
 - equations, 2367
 - relation, 1991
 - relations on transition graphs, 162
- congruent, 2438, 3165
 - regular polygons, 442
 - sequences, 953
 - weak bisimulation, 2614
- congruential, 680
 - generator, 38
- conic
 - approximating model function, 1731
 - approximation, 1731
 - curve, 3693
 - model, 1731
- conjecture, 421, 424, 427, 456, 473, 482, 559, 673, 680, 692, 778, 781, 894, 1029, 1106, 1223, 1266, 1277, 1576, 1594, 1615, 1744, 2038, 2160, 2216, 2330, 2454, 2501, 2677, 2856, 2903, 2954, 3265, 3727, 3892, 3929, 3961, 3989
- conjecture of
 - Borodin, 171
 - Cahit, 424
 - Chen, 3929
 - Flajolet, Gourdon, and Martinez, 3682
 - Furst, Saxe, and Sipser, 1467
 - Gilbert, 3183
 - Goldstine, 712
 - Ibarra and Jiang, 1710
 - Kam and Ullman, 473
 - Lai and Sahni, 1272
 - Lutz, 3875
 - Martin, 2545
 - O'Rourke and Supowit, 2144
 - Păun, 2973
 - Perrin and Schützenberger, 801
 - Schaudt and Drysdale, 3599
 - Strong, Maggiolo-Schettini, and Rosen, 669
 - Szymanski, 1979
 - Yao, 673
- conjecture on ECP, 3808
- conjunctive normal form, 411
- conjugate, 637
 - gradient methods, 1731
 - words, 637
- conjunct, 2521
- conjunction, 519, 1986, 2700, 2835, 3165, 3280, 3595, 3657
- conjunction of
 - clauses, 419
 - modulo functions, 3165
 - predicates, 742
- conjunctive, 1909
 - normal form, 419, 630, 829, 1503, 1552, 2521, 2865, 3242, 3815
 - query containment, 3238
- conjunctively reducible, 2645
- coNlogSPACE, 861
- connected, 101, 1651
 - bridgeless undirected graph, 1115, 1133
 - compact subset, 1044
- connected component, 101, 1455, 1466, 1559, 2308, 2809, 3217, 3599
 - problem, 2308
- connected components, 14, 205, 759, 841, 1085, 1355, 1401, 1455, 1718, 1803, 2186, 2274, 2299, 2415, 2577, 2769, 2822, 3169, 3482, 3511, 4005
- connected components of
 - a graph, 20
 - an intersection graph, 841
 - graphs, 1573
- connected
 - digraphs, 2546
 - dominating set, 1561, 2352
 - domination, 2352, 2976, 3181
 - graph, 101, 410, 583, 645, 689, 1133, 1309, 1651, 1758, 2209, 2226, 2343, 2429, 3129, 3422, 3547, 3584, 4048, 4051, 4094
 - induced subgraph, 3129, 3411, 3852, 4047
 - partition, 3422
 - perfect domination problem, 2740
 - sets, 2636
 - spanning subgraph, 2248
 - subgraph, 1561, 1892, 2341, 2869, 3129, 3178, 3542
 - subweb, 13
 - undirected graph, 165, 986, 1260, 2055, 2741, 3900
- connectedness, 20, 857, 1085, 3131, 3644, 3892, 4084
- connection
 - constraints, 3696
 - graphs, 2420
 - machine, 1754, 2218
 - problem, 3034
 - topology, 1629, 2507
- connective, 440, 2572, 2614
 - of PL, 440
- connectivity, 101, 110, 121, 234, 390, 887, 1172, 1398, 1549, 1568, 1600, 1613, 1718, 1926, 2041, 2126, 2381, 2421, 2528, 2616, 2651, 2708, 2884, 3026, 3112, 3475, 3650, 3737, 4007, 4027

- connectivity (*cont.*)
 - acceleration, 3582
 - determination, 3737
- connectivity of
 - a graph, 1915
 - plane triangulations, 1926
- connectivity
 - problem, 1398, 3169
 - properties of graphs, 101
 - property, 101, 2822, 3737
- Conniver, 340
- coNP, 1407, 1615, 1622, 2954, 3674
- coNP complete, 1782, 2243, 2510, 2637, 2716, 3455, 3829, 3893
 - problems, 1615
 - set, 3887
- coNP
 - completeness, 3829
 - hardness, 2510
 - languages, 1615
- consecutive
 - 2 linear system, 4133
 - 2 system, 4133
 - cells, 83, 845
 - ε -moves, 539
- consecutive retrieval, 221, 525, 1030
 - file organisation, 485
 - of data, 264
 - problem, 271
 - property, 187, 271, 485, 633, 1030, 3858
 - with redundancy, 187, 633
- consecutive
 - storage locations, 187, 485, 1030
 - zeros, 274
- consensus, 1191, 1415, 1808, 2788, 2823, 3897, 3974, 4059
 - absorbtion method, 216
 - algorithm, 1857, 2788
 - method, 630
 - operation, 2931
 - problem, 1483, 2132, 2567, 3119, 4059
 - protocol, 1191, 1857, 2132, 2567
 - task, 1483
 - under unreliable transmission, 3897
- consequence relation, 1541
- conservation
 - law, 80
 - of meaning, 278
- conservative
 - assumptions, 1817
 - extension, 1091
 - k -tape machine, 1581
 - Petri nets, 2253
 - simulation, 3060
 - Turing machines, 1581
- conservativeness, 3633
- conservativity, 2803
- consistency, 300, 404, 630, 797, 1459, 1527, 1598, 1697, 1786, 1809, 1989, 2084, 2563, 2970, 3396
 - condition, 3260
 - creating, 300
 - equations, 587
 - maintenance, 3510
- consistency of a
 - Boolean equation, 630
 - fuzzy knowledge base, 2229
- consistency
 - of the global state without communication, 1697
 - tests, 1809
- consistent, 630, 1381, 1635, 1788, 1950, 2375, 2563, 2616, 2849, 3124, 3285, 3730, 3856
 - assignment of truth values, 1268
 - choices, 1809
 - cut, 3124
 - decisions, 1862
 - description, 120
 - execution, 300
- consistent global
 - checkpoints, 2849
 - state, 2547, 2807
- consistent
 - labeling, 2616
 - ring, 1635
 - snapshot, 2204, 2547
 - view, 1742
 - with a positive sample, 3856
- conspiracy, 1064
 - attacks, 3956
 - safe fairness, 1933
 - safeness, 1933
- Constable and O'Donnell, 1019
- constancy, 710
- constant, 462
 - amortized time, 3877
 - bounds, 3534
 - deadline, 2652
 - degree graph, 1430
- constant density
 - input distributions, 1268
 - models, 1268
- constant depth, 1152
 - Boolean circuit, 2040
 - circuit, 1452, 2040, 2109, 2225, 2349
 - directed trees, 3539
 - parity circuits, 1467
- constant
 - dilation, 3566
 - distribution, 730
 - expected time, 391, 2033

- constant factor
 - approximation algorithms, 2698
 - space overhead simulations, 1702
- constant slowdown simulations, 2599
- constant space, 1438, 1913
 - algorithm, 1773
- constant structure fields, 462
- constant time, 391, 679, 714, 1214, 1464, 1876, 1906, 1916, 1924, 1997, 2153, 2292, 2411, 2490, 2673, 2863, 2965, 3038, 3345, 3415, 3517, 3557, 3573, 3671, 3688, 3691, 3844, 3936, 3950
 - access, 958
 - algorithm, 3288, 3936
 - factor, 1087
 - parallel algorithms, 3963
 - sorting, 1942
- constant vector elements, 462
- constant workspace, 176, 1016
 - constraint, 176
- constrained
 - assignment, 401
 - Delaunay triangulation, 2426
 - multi-object auctions, 4103
 - optimization problem, 76, 2432
 - resources, 711
 - subgraph, 245
- constrainedness, 3689
- constraint, 53, 3940, 3992
 - based compaction, 1405
 - databases, 3601
 - deletion, 3123
 - enforcement, 1626
 - graph, 1405
 - logic programming, 3510, 4076
 - matrix, 2448
 - network, 3937
 - on storage, 546
 - preservation, 3128
- constraint programming, 4111
 - tools, 3510
- constraint
 - propagation, 4078
 - query languages, 3940
 - relational model, 3940
- constraint satisfaction, 3133, 3510, 3709, 3762
 - problem, 2731, 3510, 3735, 3937, 4064
- constraint system, 1405
- constructibility, 1293, 2424
 - condition, 664
- constructible function, 1378
- constructing, 159
- constructing a spanning tree, 1483, 3178
 - distributively, 1566
- constructing
 - an interval representation, 1947
 - optimal binary decision trees, 207
 - trees from distance matrices, 1720
- construction, 190
 - algorithm, 1566, 1913
 - engineering, 711
- construction of
 - a tree from its traversals, 1913
 - programs, 448
 - treaps, 3061
- constructive
 - algorithm, 419
 - analy, 442
 - correctness proof, 1402, 1925
 - logic, 1204
 - mathematics, 891
 - negation, 4076
 - predicate transformers, 134
 - proof, 891, 1204, 1925, 2319, 2336, 3531, 3721, 3790
 - uniform algorithm, 2051
- constructor, 1101
 - based TRS, 3753
- constructor equivalent, 2949
 - systems, 2676
- constructor systems, 2676, 2949
- contact, 3723
 - graphs, 3723
 - networks, 2845
- containment, 378, 785, 2253, 2854, 3442, 3601, 3684
 - mappings, 771
 - of butterflies, 3442
 - problem, 378, 1034, 2854
- contaminated messages, 1439
- content
 - analysis, 33
 - based retrieval, 4098
 - significant strings, 33
- contention
 - analysis, 3743
 - free, 1094, 2065
 - resolution, 2929
 - sensitive, 2573
- context
 - dependence, 343
 - dependent, 482, 754
- context free, 34, 94, 343, 438, 535, 699, 804, 828, 874, 894, 1106, 1244, 1585, 1950, 3162, 3290
- context free array
 - grammars, 1244
 - languages, 1244
- context free
 - DOL language, 241
 - derivation, 356, 1124

- context free grammar, 26, 55, 65, 68, 116, 154, 161, 169, 202, 218, 225, 232, 249, 284, 394, 399, 413, 438, 457, 474, 614, 674, 709, 720, 770, 787, 847, 910, 951, 960, 1078, 1088, 1114, 1197, 1244, 1301, 1311, 1331, 1775, 1988, 2018, 2061, 2181, 2198, 2375, 2512, 2522, 2541, 2585, 2675, 3162, 3292, 4085, *see also* c.f. grammar; cf grammar
- forms, 683
- context free
 - grammars with control sets, 394
 - graph grammar, 770, 1197, 1722
 - image grammars, 2181
 - language, 3, 65, 78, 94, 113, 168, 200, 209, 241, 246, 249, 274, 292, 297, 343, 356, 378, 386, 535, 582, 640, 680, 712, 739, 804, 828, 836, 894, 900, 910, 922, 951, 1106, 1114, 1124, 1134, 1189, 1264, 1277, 1325, 1423, 1499, 1585, 1640, 1647, 1988, 2078, 2112, 2261, 2375, 2378, 2488, 2522, 2772, 2942, 3054, 3078, 3162, 3195, 3290, 3769, 4085, *see also* c.f language; CFL
 - like production system, 501
 - parsing, 108, 910
 - processes, 2403
 - productions, 394
- context free programmed grammars, 232
- languages, 144
- context free
 - QDL, 1102
 - recognition algorithm, 246
 - rules, 55, 1229
- context free syntax, 34
 - of ALGOL, 34, 68
- context
 - freeness problems, 241
 - independence, 343
 - independent L systems, 232
 - information, 779, 1844
 - nodes, 139
- context sensitive, 68
 - constraint checking, 975
 - language, 13, 68, 78, 242, 284, 482, 712, 879, 2038, 2261
 - rule, 13
 - syntax of programming languages, 1059
- context
 - tree, 139
 - unification, 4068
- contiguous, 737, 933
 - address space, 114
 - area of store, 612
 - bits, 2411
 - disk pages, 2080
 - empty record spaces, 1385
 - generators, 1020
 - sections, 128
 - segmentation, 933
 - storage locations, 176
 - subsequences, 1946
- continuation, 1985
 - in Scheme, 1985
 - semantics, 1793
- continued fraction, 385, 409, 507, 1865, 2280, 2334
 - approximation, 409
 - expansion, 1010
 - representation, 409
- continuity, 782, 2344, 3432
 - like property, 2363
- continuous, 527, 1372, 1380, 1606, 3432, 3845
 - fully abstract fixpoint semantics, 3432
 - function, 125, 445, 2472
 - media, 3235, 4131
 - methods of optimization, 711
 - objects, 442
 - plane, 1380
 - record, 693
 - rectilinear curve, 2054
 - resources, 527
 - spaces, 2237
- continuum, 1727
 - of possible compromises, 1727
- contour, 1079, 1245, 1373, 2267, 3731
 - computation, 1373
 - cycles, 1373
 - lines, 3731
 - maps, 517
 - of a polyomino, 2128
 - problem, 1079
 - query, 2267
 - word, 2128
- contractible, 24
- contracting, 1856
- contraction, 2270, 2708, 3376
 - property, 1856
- contractive affine transformations, 3628
- contractiveness, 1674
- control, 993
 - automaton, 370
 - cards, 6
 - dependence, 1329, 1654
 - dependencies, 3201
- control flow, 134, 879, 1053, 1598, 2207, 3085
 - analysis, 1239
 - based structural test selection criteria, 1598
 - characteristics, 1053
 - graph, 1239, 3013, 3215, 3426
 - paths, 88

- control
 - information, 3753
 - instruction, 931
 - intervals, 203
 - matrix, 1186
 - mechanism, 896
- control memory, 127, 609
 - clock cycle, 127
 - word, 127
- control
 - messages, 1413, 2547
 - of global variables, 237
 - parameter, 1548, 3501
 - problems, 1041
 - set, 394, 1604, 2061
- control structure, 8, 192, 340, 882, 931, 954, 1297, 1807, 1985, 2420
 - of alternation, 664
- control
 - systems, 2009
 - transition probabilities, 1239
 - word organization, 127
- controllable, 1919
- controlled
 - access, 1786
 - density sorting, 559
 - environment, 31, 1598
 - NOT, 4114
 - quantification, 1229
- controller, 707, 1611
- controlling
 - concurrency by locking, 1326
 - logical clock pulses, 1346
- conventional semantics, 3404
- convergence, 1548, 2824, 2943, 3363
 - division, 979
 - in $W_2^{(1)}$, 89
- convergence of
 - an iterative method, 48
 - difference schemes, 89
- convergence
 - rate, 2564
 - span, 2955
- convergent, 1010, 2750
 - iterative methods, 81
 - terms, 1592
- converging ratio, 979, 3429
- converse, 28
- conversion processes, 2309
- convertibility, 625
 - in databases, 625
- convex, 350, 746, 1075, 1206, 1431, 1671, 1777, 1896, 2075, 2435, 2912, 3374, 3379, 3892, 3917
 - arrangements, 2912
 - bipartite graph, 2067, 3200, 3379
 - body, 746, 2439, 2813
 - boundaries, 592
 - curve, 592
 - decomposition, 1389
 - distance function, 3599
 - d -polytopes, 2912
 - graphs, 3379
- convex hull, 32, 64, 319, 320, 328, 363, 380, 415, 433, 499, 512, 515, 517, 552, 558, 569, 594, 613, 673, 893, 1014, 1072, 1193, 1198, 1210, 1219, 1328, 1389, 1396, 1414, 1431, 1443, 1469, 1488, 1505, 1789, 1937, 2032, 2043, 2075, 2166, 2182, 2274, 2277, 2380, 2454, 2893, 3191, 3211, 3249, 3374, 3380
 - algorithm, 320, 328, 363, 415, 515, 552
- convex hull and k -line travelling salesman problem, 3380
 - TSP, 3380
- convex hull
 - and line traveling salesman problem, 2893
 - computation, 893, 3211
 - determination, 613
 - heuristic, 1014
 - in three dimensions, 1414
- convex hull of a finite planar set, 32, 319
 - set, 433
- convex hull of a finite set of points, 380, 499, 893
 - in the plane, 64, 319, 433, 1443
- convex hull of a planar set of points, 613
 - point set, 2166
 - polygon, 380
- convex hull of a set of n points in the plane, 569
 - points, 204, 328, 363, 415
- convex hull of a simple polyhedron, 1414
 - sorted planar point set, 1488
- convex hull of circles, 3191
 - n planar points, 893
- convex hull problem, 363, 673, 1414, 1488, 2251
 - k -gons, 2166
 - layers, 3374
- convex matrix searching, 2051
 - problem, 2051
- convex
 - m -gons, 1355
 - n -gon, 965, 1631, 1739, 3917
 - n -sided polygon, 1236
- convex optimization, 3056
 - problems, 3056

- convex polygon, 439, 490, 673, 1339, 1345, 1612, 1631, 1673, 1739, 2102, 2104, 2264, 2784, 2905, 3389, 3807, 3917, 4026
 - inclusion problem, 1355
- convex polygonal
 - obstacle, 1262, 1546
 - regions, 3878
- convex polygons, 354, 439, 490, 677, 746, 965, 987, 1236, 1339, 1546, 1777, 2146, 2426, 3170, 3452, 3531, 3878, 3892
 - in the plane, 3507, 3857
 - triangulations, 4041
- convex
 - polyhedra, 2146
 - polyhedron, 884, 2725
 - polyominoes, 3904
 - polytopes, 3507
- convex programming, 3811
 - problems, 1002
- convex
 - region, 569, 711, 1562
 - sets, 442, 673, 746, 3011
- convexity, 592, 1075, 1676, 1777, 2166, 2347, 3170, 3359
 - constraints, 3696
 - property, 673
- convolution, 445, 1797, 2073, 2592
- Cook, 144, 276, 696, 901, 1209, 1390, 1478, 2007
- Cook algorithm, 276, 547
 - for simulating 2-way deterministic pushdown automata, 547
- Cook and Dwork, 1007
- Cook and Luby, 2467, 3242
 - algorithm, 2467
- Cook and Wang, 749
- Cook
 - class DET, 2070
 - construction, 2930
 - proof, 3087
 - result, 182, 276
- Cook, Dwork, and Reischuk, 2408
- Cook-Karp problem, 209
- COOP3, 142
- cooperating, 754, 3865
 - distributed grammar systems, 3865
 - processes, 1697
 - processors, 1663, 2101
 - proofs, 1833, 1920, 2014
 - sequential processes, 43, 233, 568
- cooperation, 1260
 - mechanisms, 1704
 - of processes, 44
- cooperative game, 2192
 - theory problem, 2192
- coordinate, 439, 593, 1007, 1163, 1177, 1405, 1435, 2075, 2836, 2967, 3121, 3746, 3756, 3786, 3794
 - axis, 748
 - system, 317, 672
- coordinated motion, 746, 1044
- coordinating
 - concurrent accesses, 2150
 - motion, 1044
- coordination, 1276, 1697, 2204, 2405
 - in a distributed system, 3686
 - problems, 1044
- coordinator, 1807
- cop and robber, 2476
- Coppersmith and Winograd, 1582, 3301
- Coppo and Giannini, 2552
- coprime, 2881, 4015
 - task periods, 3764
- coprocessor, 1376, 1735, 1954
- copy and create operations, 1830
- copying, 958
 - a binary tree, 176
 - algorithm, 1915, 2528
 - assignment, 1482
 - list structures, 176
 - power, 200
 - systems, 2511
 - theorem, 200
 - trees, 72
- cor, 2590
- CORAL, 66, 191
- core, 1
- core of a
 - graph, 2911
 - tree network, 2911
- corecursively enumerable hard, 4062
- coreferential noun phrases, 1229
- corners, 1599, 1908, 2166, 2347
- cornet, 579
- coroutine, 189, 196, 881, 1138, 1143, 1793
 - approach, 992
 - environments, 189
 - implementations, 1138
 - mechanism, 196
- coRP, 3885
- corpus word frequency data, 33
- correct, 8, 25
 - implementations, 316
 - inference, 2231
 - operation, 4
 - prefix property, 955, 1054
 - procedure, 66
 - program, 134
- corrective, 1964

- correctness, 192, 355, 364, 412, 565, 632, 838, 954, 1247, 1248, 1257, 1263, 1266, 1346, 1349, 1360, 1391, 1520, 1635, 1653, 1756, 1857, 2247, 2257, 2407, 2415, 2446, 2537, 2636, 2742, 3060, 3064, 3201, 3572, 3659, 3921
 - algorithm, 1360
 - by induction, 954
 - certificate, 3949
 - conditions, 1941
 - criteria, 2842
 - criterion, 2147, 3349
- correctness of a
 - parser, 1360
 - program, 414
- correctness of an
 - algorithm, 1125
 - operator precedence parser, 1360
- correctness of
 - compilation, 331
 - complex control structures, 954
 - data representations, 412
 - extended operator precedence parsers, 1360
 - identification algorithms, 2197
 - nondeterministic programs, 1306
- correctness of parallel
 - programs, 345
 - systems, 927
- correctness of
 - programs, 460, 962
 - push operations, 2509
 - strategies, 364
- correctness of the
 - chase, 742
 - on the fly garbage collector, 962
 - Schorr and Waite algorithm, 618
- correctness
 - on simpler data items, 954
 - preserving transformations, 1028
 - proof, 8, 25, 300, 962, 995, 1019, 1266, 1349, 1402, 2015, 2329, 2541, 2742, 2838, 3233, 4039
 - properties of parallel computation systems, 927
 - property, 1324
 - proving, 579
 - specification, 1798
- corrector, 582
- correlated accesses, 691
- correlation, 333, 513, 691, 2161, 3923
 - attack, 3606, 3923
 - coefficient, 3606, 3923
 - function, 2021
- correlation immune, 3473, 3969
 - Boolean functions, 3473, 3969, 4093
 - function, 3473
- correlation immunity, 3969, 4093
- correlation noise, 3606
- correspondence, 181
 - theory, 2363
- corridor, 3810
- corruption, 957
- coset, 3894
- cosmic cube computer, 1632
- cospectral trees, 266
- cost, 401
 - array, 2300
 - equation, 104
 - function, 76, 226, 505, 756, 851, 1569, 1819, 1891, 1952, 2251, 3383, 3931
 - matrix, 3708
 - measure, 2772
 - minimization, 519
 - model, 3867
- cost of a
 - b-matching, 1338
 - path, 616, 723
- cost of
 - accesses from secondary storage, 1804
 - processing, 366
- cost of searching, 1238
 - a tree, 1347
- cost optimal, 1074, 2151, 2322, 2825, 3965
 - algorithm, 1273
 - division strategy, 1074
 - parallel algorithm, 2322
- cost
 - optimality, 2357
 - optimisation, 104
 - oriented, 104
 - prediction, 1063
 - scaling algorithm, 4082
- cost/performance, 3744
- costs of
 - paths on a grid graph, 1640
 - self stabilization, 1369
- coterie, 2310, 2791, 2852, 2869, 3602, 3785
- cotriangulated graph, 3192
- countable
 - complexity classes, 3571
 - directed acyclic graph, 4115
 - distributive lattice, 1209
- countably, 3372
- countably generated free
 - groups, 2303
 - monoid, 1644
- counter, 995, 1277, 1454, 1949
- COUNTER algorithms, 3622
- counter
 - example, 524, 850, 3050
 - machine, 999, 3990
 - one pass features, 376

- counter (*cont.*)
 - reversals, 727
 - scheme, 2114
- counterexample, 415, 512, 781, 1277, 1637, 1979, 2131, 2264, 2273, 2301
 - to termination, 1410
- counterfeit, 2909
- counterfeit coin
 - problem, 2909, 3775
 - puzzle, 3775
- counterfeit coins, 2909
- counting, 33
 - algorithm, 1442, 3224
 - arguments, 831, 967, 1925
 - class, 2434, 2453, 2954, 3144, 3908, 4118
 - clique trees, 1747
 - combinatorial objects, 1797
 - convex k -gons, 2347
 - cycles, 2966
 - function, 1931, 2024, 2453
 - isomorphisms, 421
 - k -subsets, 2166
 - method, 1925
 - mismatches, 2715
 - models, 2371
 - paths and cycles, 2966
 - problem, 399, 1442, 1931, 2894, 3694, 3857
 - strings, 274, 399
 - subtrees, 969
 - trees, 399, 2887
 - versus probing, 1949
- couple, 1824
- coupled context free grammars, 3162
- coupling, 1700, 3409
 - complexity, 3409
 - technique, 1700
- Coupry, Laurent, 3612
- Courtois and Georges, 345
- Courtois, P.J., 345
- Cousots approach to abstract interpretation, 3920
- cover, 43, 170, 474, 813, 873, 1078, 1755, 2205, 2551, 2795, 2851, 3057, 3658
- *-cover, 3929
- cover
 - a set of points, 1854
 - free families, 3763
 - grammar, 2883
- cover time, 1976
 - of a graph, 1976
- covering, 388, 672, 4121
 - a polygon with star shaped polygons, 1267
- covering a set
 - of points, 4120
 - with arithmetic progressions, 1963
- covering
 - BCNF, 634
 - Boyce-Codd normal form, 388, 634
 - by hypersquares, 2289
 - complete uniform hypergraphs, 2350
 - context free grammars, 438
 - grammar, 438
 - graph, 3982
 - hypersphere, 1854
 - covering number, 3090
 - of a graph, 3090
 - covering problem, 2369, 2543, 4120
 - for context free grammars, 438
 - covering relation, 438
 - covers for
 - context free grammars in Greibach normal form, 474
 - linear grammars, 474
 - regular grammars, 474
 - covers of a string, 2851, 3057
 - covert channel, 3690
 - CPDL, 1091
 - CPL construct, 82
 - cpo, 2259, 3353
 - CPP, 955
 - CPU, 142, 280, 2628, 3305
 - operations, 1735
 - optimal recognition, 2569
 - overhead, 1385
 - queue, 280
 - time, 1063, 1246, 2108
 - usage, 2835
 - utilization, 142
 - CR, 2031
 - categories, 1317
 - property, 485
 - CR sequence, 1030
 - of vectors, 1030
 - Crégut, P., 3873
 - CR_q problem, 2289
 - Cramér rule, 1386, 1584
 - Crane, 1504
 - crash, 4008, 4059
 - failure, 1858, 2132, 2567, 3974, 4059
 - recovery, 837, 897
 - Crawford, 1144
 - Cray
 - T3D machine, 3741
 - T3E-1200, 4078
 - CRCW, 1199, 1986, 2030, 2411, 3671, 3964
 - model, 1582, 2030
 - CRCW PRAM, 1133, 1202, 1509, 1540, 1747, 1766, 1799, 1842, 1903, 1942, 2004, 2152, 2340, 2467, 2530, 2597, 2808, 2871, 3169, 3172, 3178, 3267, 3379, 3425, 3963
 - algorithm, 2212, 2795
 - model, 1924, 3267

- crw pram model of computation, 1683
- CRCW shared memory, 2030
 - computer, 1701, 2030
- create, 1790
 - role, 1062
- creating a segment, 933
- creation, 6
 - of an array, 1297
 - rights, 1167
- credit distribution, 1716
- Creelman, 1781
- Creignou, Nadia, 3829
- Creemers and Mayer, 394
- CREP, 2988
- Crespi-Reghizzi and Mandrioli, 1392
- Crespi-Reghizzi, S., 150
- CREW, 2411, 3425, 3600, 3671, 3964
- CREW PRAM, 1133, 1396, 1544, 1729, 1747, 1805, 1896, 2263, 2409, 2427, 2537, 2695, 2808, 3147, 3159, 3301, 3543, 3600, 3963
 - computational model, 1488
- CREW PRAM model, 1544, 1821, 1883, 1951, 2605, 2725
 - of computation, 1795
- CREW/CRCW SM SIMD thinning algorithm, 2302
- CRFO, 485
- CRI, 1276
 - of multiplicity n , 1276
- Cries and Prins, 1399
- critic, 309
- critical, 22
 - behavior, 1796
 - block exit, 1176
 - complexity, 1007
- critical complexity of
 - a Boolean function, 1007
 - symmetric functions, 1007
- critical edge, 3761
- critical path, 309, 1912, 2316
 - analysis, 309
 - network, 309
- critical
 - problem, 1382
 - region, 345, 686
- critical section, 406, 568, 698, 838, 1158, 1266, 1280, 1305, 1446, 1635, 1715, 1816, 2005, 2323, 2351, 2477, 2742, 2791, 2840, 2852
 - problem, 698
- critical value, 22
- Crochemore and Rytter, 2503
- Crochemore, M., 3772
- Crochemore, Maxime, 3579
- cross edges, 736, 1745
- cross product, 198, 1811, 2538
 - set, 2538
- cross serial dependencies, 3162
- crossbar, 3042, 3239
- crossed cube, 3475
- crossing chords, 3129
- crossing sequence, 977
 - analysis, 1728
- crossover, 3212
- crossvalidation, 179
- CRP, 485, 1030
- cryptanalysis, 681, 682, 1055, 1475, 2327, 2999, 3175, 3206, 3871, 3922, 3933, 4137
 - of YCN key assignment scheme, 4046
- cryptanalytic attack, 682, 1973, 2327
- cryptocomplexity, 3634
- cryptographic, 734, 885, 1532, 3465, 3532
 - algorithm, 3968
 - attack, 3906
 - behavior, 3672
 - computation, 4135
 - functions, 2818
 - implementation, 1532
 - key, 643, 1532
 - paradigm, 4135
 - protocol, 1145, 1473, 3634
 - schemes, 3428
 - strength, 3859
 - trapdoors, 938
- cryptographically
 - strong functions, 2818
 - stronger, 3021
- cryptography, 393, 437, 610, 643, 734, 760, 885, 938, 1055, 1145, 1473, 1475, 1532, 1811, 2328, 2405, 2447, 2496, 2677, 2712, 2818, 2901, 2958, 2979, 2991, 2997, 3136, 3186, 3206, 3230, 3263, 3420, 3428, 3465, 3473, 3505, 3522, 3532, 3548, 3551, 3587, 3598, 3606, 3634, 3652, 3655, 3659, 3672, 3706, 3719, 3728, 3751, 3821, 3835, 3838, 3840, 3859, 3871, 3879, 3881, 3890, 3894, 3922, 3923, 3925, 3933, 3948, 3956, 3968, 3969, 4001, 4009, 4025, 4042, 4046, 4075, 4091, 4093, 4134, 4135, 4137
- cryptology, 2505, 3551, 3634
- cryptosystem, 562, 643, 681, 682, 885, 1145, 1416, 1475, 1532, 2327, 2712, 3175
 - for multiple communication, 681, 682
- CS_d , 2289
 - problem, 2289
- Csanky, 342, 623
 - algorithm, 342
- CSCAN rule, 63
- CSG^0 graph, 3503
- CSG^k graphs, 3503
- Csirik, J., 3055
- Csirik, János, 3575

- CSL, 879
 CSOP, 3528
 coefficients, 3528
 CSP, 254, 753, 883, 928, 985, 1111, 1295, 1420,
 1487, 1770, 1971, 2317, 2563, 2653, 2731,
 3485, 3510
 CSP program, 1420, 1487
 with I-guards, 1420
 CSP theory, 3036
 CTL, 2363, 3099
 CTL*, 2363, 2655
 CTM, 1276
 CTP, 1472
 cube, 748, 1834, 1942, 2034, 2197, 2888, 3112,
 4010, 4104
 a cyclic permutation, 2356
 cube connected, 1242, 1252, 1730, 1883
 cycle, 867, 1242, 1252, 1883, 3463
 cycles graphs, 1252
 parallel computer, 1730
 cube free, 2973
 strings, 1106
 cube network, 2022
 cubic, 628
 graph, 441, 704, 743
 cubic map, 627, 628
 configurations, 627
 cubic time, 894, 2552, 2565
 Cucker, Felipe, 3525
 Culberson and Rawlins, 1741
 Čulik and Cohen, 168
 Culik and Pacht, 1213
 Culik and Wood, 1504
 Cullum, 172
 procedure, 172
 cumulant, 1222
 cumulative distribution functions, 807
 Cunningham and Frank, 4082
 Curien, 2615
 definition of substitution, 2615
 currency trading, 3707
 Curried function, 976
 Currying, 976, 3047
 operation, 976
 curse of dimensionality, 4028
 Curtis, Sheppard, Milliman, Borst, and Love, 513
 curve, 2076, 2853, 2956, 3603, 3840, 4006, 4057
 tracing, 2043, 2690
 trajectory, 2690
 curved
 2D objects, 4006
 objects, 4006
 Cusick, Thomas W., 3263, 3420
 custom VLSI, 1684
 customer, 878
 customizable garbage collectors, 1704
 cut, 14, 392, 425, 2146, 2535, 3338
 edge, 3814
 in a graph, 3338
 primitive, 1299
 cut set, 631, 645, 1815
 probe, 1815
 sizes, 1815
 cut
 vertex, 3814
 vertices, 2413
 cutedge, 4048
 Cutler, 3380
 cutpoint, 3073
 of a graph, 4048
 cutting center, 1309
 of a tree, 1309
 cutting
 channels, 1914
 number, 1309
 planes proof, 3759
 stock, 589
 CVP, 526, 2395
 CWA, 1962
 cybernetical models of morphogenesis, 197
 cycle, 217, 309, 374, 403, 420, 441, 576, 588, 823,
 1242, 1347, 1357, 1705, 1725, 1845, 1883,
 1965, 2196, 2222, 2248, 2500, 2546, 2607,
 2616, 2743, 2903, 2966, 3010, 3023, 3048,
 3284, 3291, 3413, 3576, 3604, 4011, 4130
 bases, 3048
 basis, 3048
 checking, 2553
 counts, 104
 detection, 309, 823, 961
 elimination, 2553
 finding algorithm, 115, 588
 free graph, 2196
 graphs, 1252
 cycle of
 length, 2, 731
 odd length, 3604
 cycle
 separators, 2504
 structure, 3604
 symmetricity, 3493
 cycle time, 981, 1180
 problem, 981, 1472
 cycle tree, 3257, 3436
 cyclic, 264
 arrangements, 3989
 cyclic closure, 389
 operations, 389
 properties, 389

- cyclic
 - codes, 325
 - cubes, 4010, 4104
 - data structures, 1310, 2528
 - digraphs, 2959
 - graphs, 1223
 - list structures, 2689
 - memory, 264
 - molecules, 123
 - motion, 888
 - nonpreemptable tasks, 3678
 - order, 428, 736, 998
 - ordering, 736
 - parallel moves, 2604
- cyclic permutation, 1248, 1314, 1888, 2356
- algorithms, 2356
- cyclic
 - queueing network, 280
 - reference counting, 1915, 2528, 2607
 - schedule, 639
 - scheduling, 639, 942
 - separator, 1648
 - sequential processes, 1180
- cyclic shift, 2783
 - algorithms, 2783
- cyclic
 - space, 259
 - string, 1982
- cyclic string to string correction, 3554
 - problem, 1982, 3554
- cyclic
 - structure, 2168
 - tasks, 3678
 - towers of Hanoi, 732, 888, 998
 - word, 740
- cyclically
 - ordered, 1888
 - reducible, 1586
- cyclicity, 1083
- cyclomatic, 513
 - complexity, 513
 - number, 513
- cyclotomic
 - generator, 3706
 - polynomial, 1667
- cyphertext, 681
- Czaja, 1535
- Czajka, Adam, 3678
- Czumaj, Artur, 3379, 3509
- Czyzowicz, Jurek, 3723
- C-E structure, 1535, 1788, 2578
- c-oriented
 - geometry, 2119
 - objects, 876
 - polygons, 2119
- c-orientedness, 2119
- C-Prolog interpreter, 1297
- c-vertex ranking, 3217
- D**
- D.P. sort, 432
- DOD1, 465
- DOL, 572, 712
 - equivalence problem, 456
 - growth equivalence problem, 456
- DOL language, 160, 241, 712, 730, 948
 - of constant distribution, 730
- DOL
 - sequences, 107
 - system, 93, 107, 241, 279, 456, 572, 730, 1475, 1950
 - TOL public key cryptosystem, 1475
- DOLness for context free languages, 241
- DOS system, 572, 669
- D_2 , 1647
- D_k , 1647
- Dacey, 989
- DACTL, 3404
- daemon, 410
- Daescu, Ovidiu, 3693
- DAG, 642, 1347, 1632, 2150, 2895, 2926, 3301, *see also* directed acyclic graph
 - like, 3759
 - representation for linear blocks, 82
 - representations, 82
- Dahlhaus, Elias, 3697
- Dahlquist, 287
- Dally, 2699
- damaged hypercube, 2197
- Damaschke, Peter, 3775
- Damm, Carsten, 3886
- dangling reference, 1012, 1440
- Dannoura, Eisuke, 3707
- Dar, Emanuel, 3508
- Das et al., 127
- DASD, 203, 1591
 - dynamic reconnection, 1591
- DasGupta and Veni Madhavan, 2075
- Dasgupta, Pallab, 3327, 3669
- Dassow, 778, 1643
- data, 21, 139
 - abstraction languages, 1817
 - abstractions, 972
 - access, 566, 703, 1527, 2455
 - data access distribution, 1527
 - of transactions, 1527
- data
 - access technique, 603
 - algebra, 1259

- data allocation, 3001
 - strategies, 1740, 2009
- data authentication, 3132
- data based
 - program testing, 1265
 - testing tool, 1265
- data
 - bases, 194, 233, 744, 1063, 1919, 2449
 - collection processes, 762
 - complexity, 3940
- data compression, 264, 738, 1228, 1497, 3310, 3342, 3346, 3944
 - algorithms, 1497
 - methods, 1497
- data
 - conflicts, 3462
 - congestion, 146
 - consistency, 1786
 - dependence, 1329, 1654
 - dependency, 700, 742, 896, 950, 996, 1021, 1329, 1598, 1697, 1767, 2786
- data dependency based backtracking, 1767
 - scheme, 1767
- data dependency
 - graph, 1090, 1659, 2957
 - theory, 742
- data dependent, 1090
- data distribution, 553, 1663, 2184
 - method, 2184
- data driven, 896
 - architecture, 896
 - language, 896
 - machine, 896
 - programming, 496
- data
 - encoding, 772
 - encryption standard, 2327
 - flow, 950, 1035, 1053, 1598, 2679
- data flow analysis, 545, 1053, 1329
 - problems, 545
- data flow
 - determinacy, 1035
 - graphs, 1738
 - information, 1053, 1598, 1817
 - parallelism, 950
 - schema, 1035
 - testing, 1265
- data
 - folding schemes, 1177
 - generation tools, 3371
 - identity, 1091
 - independent bindings, 2679
 - interchanges between nodes, 553
 - items, 954, 984, 1177, 1259, 1810, 1946, 2164, 2562
 - leaf, 2080
 - leaves, 2080
 - logging, 693
 - management, 678, 717, 984, 1045, 1063, 1223, 1477, 1724, 1771, 2041, 2223, 2313, 2662, 2709, 2918, 3001, 3312
 - manipulation language, 2057
 - manipulations, 405
 - model, 1259
 - modelling, 625, 3390
 - models, 1259
 - modification, 1742
 - packets, 3716
- data parallel
 - algorithm, 3756
 - computation, 3935
 - languages, 3201
- data
 - partition and mapping, 3935
 - paths, 1005
 - permutations, 659
 - placement, 2373, 3841
- data portion, 3692
 - specification, 3692
- data processing, 278, 455, 551, 570, 984, 1108, 1128, 1497, 1593, 1843, 2136, 2271, 2405, 2447, 2496, 2712, 2918, 3235
 - rate, 146
 - system, 6, 146, 455
- data
 - record, 52, 718, 1037
 - redundancy, 3999
 - redundant distributed database, 1337
- data refinement, 1399, 1498, 1520, 1677, 1941
 - calculation, 1520
 - calculator, 1520
- data
 - replication, 3820
 - representation, 99, 278, 412, 847, 1036, 1214
 - security, 1107, 2447, 4046, 4135
 - semantics, 1278
 - skew, 3151, 4089
 - space, 1257, 3867
 - stream width, 1005
- data structure, 28, 54, 55, 60, 85, 96, 99, 100, 105, 120, 139, 153, 177, 192, 206, 217, 240, 242, 243, 244, 256, 259, 261, 268, 276, 312, 339, 365, 372, 427, 447, 454, 471, 488, 503, 511, 521, 532, 567, 678, 679, 687, 718, 721, 748, 772, 775, 791, 803, 841, 850, 853, 859, 861, 872, 906, 939, 954, 958, 1013, 1037, 1041, 1045, 1052, 1057, 1079, 1112, 1126, 1140, 1142, 1146, 1220, 1223, 1227, 1233, 1261,

- data structure (*cont.*), 1297, 1304, 1317, 1327, 1361, 1368, 1389, 1426, 1435, 1443, 1451, 1474, 1482, 1491, 1513, 1573, 1574, 1606, 1623, 1628, 1633, 1665, 1704, 1714, 1724, 1737, 1738, 1748, 1751, 1761, 1772, 1790, 1832, 1883, 1913, 1915, 1916, 1947, 1953, 1974, 1981, 1984, 1992, 1994, 2000, 2013, 2071, 2080, 2092, 2094, 2106, 2127, 2129, 2139, 2140, 2157, 2164, 2182, 2194, 2221, 2230, 2236, 2248, 2254, 2263, 2267, 2277, 2319, 2332, 2375, 2422, 2478, 2480, 2494, 2505, 2508, 2509, 2528, 2536, 2558, 2566, 2591, 2593, 2598, 2609, 2617, 2623, 2639, 2644, 2654, 2670, 2678, 2681, 2689, 2705, 2718, 2725, 2729, 2742, 2772, 2775, 2800, 2816, 2829, 2836, 2841, 2844, 2863, 2865, 2871, 2878, 2886, 2891, 2919, 2921, 2928, 2940, 2950, 2965, 2975, 2996, 3014, 3053, 3219, 3233, 3240, 3257, 3272, 3301, 3310, 3313, 3315, 3340, 3382, 3406, 3410, 3447, 3454, 3474, 3546, 3557, 3601, 3621, 3622, 3635, 3638, 3647, 3654, 3688, 3693, 3730, 3737, 3746, 3781, 3806, 3857, 3876, 3889, 3891, 3899, 3927, 3930, 3932, 3944, 3954, 3980, 3982, 3984, 4017, 4028, 4109, 4112, 4113
 - checker, 3635
 - construction, 100
 - continuations, 1985
- data
 - structures for Boolean functions, 2729
 - structuring mechanism, 763
 - sufficiency, 3684
 - swaps, 498
 - throughput, 1352
- data transmission, 422, 583, 908, 1497, 3724
 - costs, 1084
- data transmitting time, 146
- data type, 261, 1297, 1372, 1399, 1498, 1506, 2489, 2867
 - specification, 412, 846
- data types, 261, 412, 945, 1506, 2452, 2867, 3027, 3396, 4069
 - as algebras, 2452
- data warehouse, 4019
- database, 231, 236, 300, 332, 333, 372, 426, 473, 477, 484, 541, 625, 652, 700, 718, 738, 742, 771, 787, 795, 805, 818, 834, 871, 897, 941, 996, 1021, 1023, 1025, 1037, 1080, 1237, 1259, 1326, 1330, 1337, 1459, 1497, 1527, 1616, 1626, 1663, 1708, 1742, 1843, 1870, 2050, 2057, 2147, 2150, 2184, 2291, 2342, 2368, 2418, 2449, 2489, 2491, 2510, 2523, 2557, 2576, 2582, 2637, 2662, 2672, 2737, 2751, 2763, 2786, 2803, 2842, 2854, 2923, 3029, 3150, 3151, 3199, 3221, 3238, 3297, 3312, 3349, 3390, 3392, 3435, 3447, 3462, 3523, 3533, 3536, 3578, 3583, 3601, 3619, 3657, 3684, 3690, 3825, 3867, 3940, 3973, 4019, 4098, 4119
 - access costs, 493
 - accesses, 2188
 - application system, 2150
 - applications, 718, 787, 1037, 1140, 1663, 2108
- database backup, 652
 - and recovery, 652
- database concurrency control, 1565
 - theory, 1565
- database
 - constraints, 700
 - decomposition, 1025
 - dependencies, 700
- database design, 194, 522, 1259
 - methodologies, 899
- database
 - designer, 1259
 - dynamics, 787
 - for image processing, 672
 - integrity, 333, 2057
 - joins, 2538
 - languages, 237
 - machines, 1663
- database management, 496, 859, 1724, 2184
 - system, 496, 652, 1919, 2737
- database
 - managers, 652
 - mapping, 834
 - operations, 762, 1730
 - organizations, 1048, 1616
 - parameters, 1063
- database performance, 919, 1238
 - evaluation, 1048
- database
 - predicates, 742
 - processing, 503
 - queries, 2745
 - query languages, 369, 1636, 3199
 - recovery, 652
 - relation, 388, 528
- database reorganisation, 818
 - research, 818
 - strategies, 818
- database
 - schema, 528, 742, 1026
 - scheme, 523, 1025, 1626
 - semantics, 528, 787, 2368
 - system, 496, 621, 652, 818, 919, 961, 1023, 1527, 1636, 1837, 2150, 2672, 2737, 2917
 - theory, 996, 1218, 1377, 1672
 - transactions, 2057, 3583
 - updates, 834, 2057

- database/knowledge base, 1861
- dataflow, 3128
 - testing, 3128
- Datalog, 1843, 1989, 2662, 3058
 - programs, 1843, 2523
- Datalog[⊥], 3318
- datapath, 1515
 - synthesis, 1515
- datastructure, 268
 - for searching, 1491
- Date and Fagin, 3533
- Datta, Alak K., 3109
- Datta, Alak Kumar, 3955
- Davenport-Schinzel sequence, 1882
- Davis, Robert, 3314, 4053
- Davis-Putnam, 1268
 - procedure, 829, 1268, 2098, 4148
- Dawes, R., 3277
- dawg, 1990
- Dawson, E., 3606
- day, 27, 944
- Day and Tripathi, 4027
- Day-Tripathi orientation, 4027
- DB, 496
 - system, 496
- DBMS, 2737
 - sublanguages, 1919
- DBN, 2615
- DCFL, 1744
- DCSP, 3510
- Dcube, 3026
- DD, 608
 - schedule, 519
- DDAG, 3013
- DDG, 1090
- De Agostino, Sergio, 3358
- de Bakker and Zucker, 1674, 1856
- de Berg, Mark, 3582
- De Bonis, Annalisa, 3763
- de Bruijn, 1019, 3023, 3529
- de Bruijn and Kautz
 - digraphs, 3264
 - graphs, 3442, 3529
- de Bruijn
 - coding, 1968
 - digraph, 3023
 - graph, 1568, 2475, 2778, 3023, 3442
 - network, 3529
 - notation, 2615
 - number, 1665
 - sequence, 1959
- de Champeaux, 2314
- De Col, Alessia, 3313
- de Figueiredo, Celina M.H., 3758
- de Leeuw et al., 1066
- de Luca and Varricchio, 1563, 1839
- De Marco and Vaccaro, 3971
- De Marco, Gianluca, 3752
- de Moor, 2867
- De Prisco, Roberto, 3382
- De Remer, 747
 - recognizer, 65
- De Roue, D., 3749
- De Santis, Alfredo, 3598, 3652, 3890
- De Sarkar, S.C., 1841, 3327
- Deřineko, Vladimir G., 3380, 3791
- dead
 - free path length, 2936
 - value, 1456
- deadline, 185, 288, 402, 611, 639, 868, 902, 1605, 1713, 1812, 1938, 1969, 2628, 2652, 2681, 2757, 2819, 3022, 3066, 3462, 3610, 4138
 - constraints, 2628
 - scheduling, 402
- DEADLOCK, 2113
- deadlock, 233, 236, 300, 333, 406, 418, 430, 575, 686, 693, 698, 903, 961, 1023, 1033, 1050, 1150, 1263, 1280, 1286, 1317, 1326, 1413, 1487, 1725, 1807, 1967, 2113, 2168, 2196, 3036, 3148, 3462
 - absence proofs, 508
- deadlock avoidance, 418, 508, 1033, 1050, 1317, 1366, 2728
 - algorithm, 1317, 2728
- deadlock
 - conditions, 236
 - cycle, 2196
- deadlock detection, 236, 636, 961, 971, 1413, 1725, 2923, 3148
 - procedures, 300
- deadlock free, 333, 903, 1326, 2168, 2196, 3026, 4054
 - absorption, 3201
 - algorithm, 1742, 1967
 - communication structure, 2168
 - message system, 1967
- deadlock free packet routing, 4054
 - algorithms, 4054
- deadlock free
 - routing, 1967
 - shortest path routing algorithm, 4054
- deadlock
 - freedom, 1487
 - in parallel schemas, 575
 - predicate, 1286
 - prevention, 2168
 - problem, 333
 - properties, 2550
- deadlock recovery, 236, 903
 - problem, 903

- deadlock resolution, 2196, 3148, 3882
 - algorithms, 3882
- deadlock situations, 236, 575
- deadlocked, 1725
- deadness, 1456
- dealer, 4091
- deallocation, 1012, 1440, 1655
- deap, 1464, 1790, 2644
- debate systems, 2993
- debit arc, 2320
- debugger, 1919
- debugging, 321, 950, 1391, 1654, 1679, 2498, 3541, 3818
 - distributed systems, 2204
 - information, 2707
 - method, 3541
- DEC system 10 Simula compiler, 120
- decentralized algorithm, 1999
- decentralized control, 930, 1756
 - synthesis, 1515
- decentralized
 - database systems, 2923
 - distributed algorithm, 2165
- decentralized evaluation, 1999
 - of functions, 1999
- decentralized protocol, 1545, 2165
- Dechter and Dechter, 3510
- Dechter and Pearl, 3156
- decidability, 55, 378, 386, 456, 463, 619, 683, 709, 727, 884, 1103, 1463, 1649, 2403, 2502, 2589, 2631, 2736, 2876, 3453, 3519, 3593, 3911, 3983, 4076
 - for DOL languages, 241
- decidability of
 - algebra, 884
 - bisimilarity, 4000
- decidability of bisimulation, 2403
 - for normed processes, 2403
- decidability of
 - DOLness for FOL languages, 456
 - emptiness, 4105
 - equivalence, 725
 - equivalence between, 3150
 - PCP(2), 695
 - persistence, 584
 - reachability, 357
- decidability of the DOL
 - equivalence problem, 456
 - growth range equivalence problem, 456
- decidability of the
 - emptiness problem, 1103
 - FOL DOL equivalence problem, 456
 - liveness problem, 129
- decidability of the reachability problem for
 - CFN, 129
 - vector addition systems, 357
- decidability of
 - the star problem, 2502
 - v-local catenativity, 313
- decidability
 - problems, 1213, 2665
 - programs, 960
 - result, 313, 386, 666, 1088, 3332
 - theorem, 129, 150
- decidable, 241, 386, 440, 456, 501, 572, 658, 666, 669, 683, 695, 709, 741, 1029, 1211, 1256, 2072, 2081, 2396, 2665, 2676, 2876, 3243, 3284, 4068
 - approximations, 3793
- decidable equivalence, 534
 - problem, 725, 2522
- decidable in
 - linear time, 1463
 - polynomial time, 1289, 1456, 1485, 4000
- decidable
 - inclusion problem, 619
 - problem, 55, 313
 - property of Petri nets, 726
 - set of axioms, 1639
 - validity problem, 1194
 - word problem, 1166
- deciding
 - freeness for program schemes, 727
 - immutability, 1776
 - membership of a set, 1505
 - quadratic residuosity, 1703
 - the winner, 3823
 - validity, 3893
 - whether a graph is embeddable, 1393
- decimal adjust after add, 3517
- decimal adjustment, 3517
 - of long numbers, 3517
- decimal
 - arithmetic, 3517
 - floating point arithmetic, 131
- decimation property, 3706
- deciphering
 - delay, 3325
 - function, 643
- decision, 36, 707, 2534, 3504
 - algorithm, 1485, 2433
 - diagram, 3730
 - free Petri nets, 2806
- decision graph, 1483
 - of a task, 1483
- decision
 - graphs, 2865
 - labeling problem, 3860
 - lists, 2406
 - maker, 3833
 - making, 1342

- decision problem, 378, 584, 700, 742, 756, 798, 816, 1194, 1253, 1406, 1890, 2007, 2262, 2284, 2568, 2648, 2753, 3131, 3694, 3757, 3788, 3860
- decision problem for
 - 3NF, 798
 - definite formulas, 700
 - dependencies, 700
 - mathematical theories, 2008
 - unification, 3788
 - of K -colorability, 1001
- decision problems, 318, 378, 575, 578, 1485, 1891, 2008, 2037, 2262, 2648, 2986, 3644
 - about translations, 386
 - complete, 2434
 - for three-way two-dimensional finite automata, 578
- decision
 - procedure, 464, 658, 884, 2648
 - questions, 3332
- decision support, 2229
 - systems, 2737
- decision theory, 1391
- decision tree, 76, 249, 344, 715, 757, 1043, 1505, 2224, 2406, 2694, 2764, 2792, 2980, 3535, 3941
 - algorithms, 757
 - complexity, 2980
 - height, 2051
 - minimization, 3941
- decision tree model, 1718
 - of computation, 2051
- decision
 - tree representation, 3941
 - variables, 2479
- declaration, 230
 - of scope, 1440
- declarative
 - language, 1278
 - programming, 3753
 - statements, 3128
- declustering
 - algorithm, 4089
 - multidimensional data, 3497
 - property, 522
 - signature files, 4089
- Deco, Gustavo, 3568
- decoder, 2888
- decoding, 1497
 - algorithm, 3454, 3876
 - methods, 3639
 - noisy data, 301
 - problem, 1316
 - procedures, 3076
 - residue codes, 3076
- decompilation, 1169
- decomposable, 454, 533, 650, 661, 679, 996, 2783
 - problem, 454
 - searching problem, 454, 533, 596, 650, 661, 662, 679, 859
- decomposed
 - partially ordered sets, 2498
 - relations, 523
- decomposing a geometric
 - problem, 593
 - structure, 884
- decomposing
 - a set of points into chains, 1791
 - polygons, 1530
 - relation schemes into subschemes, 523
 - trees, 2537
- decomposition, 162, 217, 1025, 1085, 1126, 1151, 1251, 1267, 1481, 2222, 2379, 2449, 2458, 2489, 2498, 2960, 3785, 3826
 - algorithm, 3724
 - algorithms of graphs, 3560
- decomposition of a
 - firing sequence, 129
 - relation scheme, 2449
- decomposition of
 - graphs, 444
 - machines, 1481
 - queries, 553
 - sequences, 1151
 - tree transformations, 1853
- decomposition
 - problem of sequential machines, 162
 - procedure, 1014
 - rule, 1492, 2489
 - scheme, 2489
 - strategy, 1787
 - theorem, 1580
- decreasing
 - index size, 2080
 - order, 1973
 - subsequence, 175
- decremental connectivity in trees, 3623
- decremental neighbourhood, 416
 - method, 416
- decrementing privileges, 1249
- decrypting algorithm, 437
- decryption, 1475, 1973
- DEC-10, 624
- Dedekind, 1066
- Dedekind-MacNeille completion, 3982
- Dederichs and Weber, 2281
- dedicated processors, 2801, 3470

- dedicated resources, 560
- deduction, 769, 799, 1017, 1289, 1480, 2202
- deduction method, 1567
 - for modal logic, 769
- deduction
 - rules, 134
 - system, 1427, 1587, 2648
- deductive, 2672
 - analysis, 1767
 - capabilities, 2672
 - database, 1843, 1870, 1989, 2249, 2418, 2523, 2672, 2679
 - methods, 2219
 - system, 3893
- deepest safe node, 921
- default logic, 2513
 - theory, 2513
- defective, 3775
 - fraction, 2777
- deferred right to file, 300
- deferred, 803
 - data structure, 1974, 2277
 - work, 803
- deferring reversals, 958
- deficiency, 1816
 - of natural deduction, 1427, 1486
- definability, 2363, 3523
 - by programs, 1181
- definable, 2363
- defining operators, 786
- definite
 - DATALOG programs, 2523
 - Horn formula, 2056
 - iteration, 3891
 - programs, 2269
- definition, 23, 94
 - of functions, 2268
 - use chain, 1265
- definitional tree, 3753
- deflection
 - routing, 3979
 - worm routing, 3979
- degeneracy, 3086
- degenerate, 856, 2841
 - cases, 786
 - Delaunay triangulation, 1374, 1412
- degradation, 1297, 3026
- degree 0, 2299, 2414
- degree constrained, 245
 - graphs, 123
 - star subgraphs, 245
 - subforests, 854
- degree constrained subgraph, 245, 660
 - problem, 660
- degree constrained tree embedding, 2527
- degree of a
 - flowgraph, 1660
 - network, 1089
 - polynomial, 2763
 - tree, 1660
 - vertex, 245
- degree of
 - accuracy, 507
 - approximating polynomials, 4099
 - concurrency, 2491
 - constancy, 710
 - dominator trees, 1660
 - freedom, 1044, 2142
 - parallelism, 728, 751, 1126, 1632, 2133, 3397
 - polynomials, 1722
 - redundancy, 3833
 - super sparse sets, 1209
 - synchronization, 1643
- degree sequence, 1646, 2527
 - of vertices, 1646
- degree sum, 1778
- Dehne, 1583, 3176
- Dehne, F., 2953, 3238, 3247, 3492, 3493, 3501, 3509, 3581, 3582, 3583, 3600, 3655, 3663, 3664, 3665, 3666, 3676, 3682, 3684, 3685, 3692, 3693, 3694, 3722, 3723, 3724, 3725, 3726, 3727, 3728, 3729, 3731, 3732, 3733, 3738, 3749, 3801, 3802, 3803, 3804, 3805, 3810, 3811, 3812, 3813, 3820, 3852, 3853, 3855, 3860, 3862, 3863, 3899, 4045
- Dehne, Frank, 3615
- Deineko, Van Dal, and Rote, 3380
- Dekel and Sahni, 3379
- Dekel, Hu, and Ouyang, 3275
- Dekel, Nassimi, and Sahni, 2007
- Dekker, 568, 1305
- Dekker algorithm, 568, 1305, 2005
 - for mutual exclusion, 1305
- Dekker
 - like solutions, 667
 - solution, 1305
- Del Cerro et al., 1204
- Del Lungo et al., 4079
- Del Lungo, A., 3696
- Delaunay, 550
- Delaunay triangulation, 469, 550, 1374, 1412, 1431, 1768, 1901, 2010, 2841, 3086, 3244, 3531, 3981, 4097
 - of a simple polygon, 1768
- Delauney triangulation, 1193
- delay, 57
 - complexity, 435, 3995
 - line, 157
- delayed, 345, 568, 1158
 - forever, 1158

- delayed (*cont.*)
 - process, 1158
 - selection, 617
- delete, 2080
- Delete, 2639
- delete
 - min, 3240
 - operation, 687
- DeleteMax, 1790
- DeleteMin, 1790
- deleting
 - a node, 1216
 - edges, 1573
 - the root of a heap, 2103
- deletion, 188, 206, 365, 427, 655, 661, 679, 687, 859, 920, 1216, 1308, 1398, 1569, 1658, 1974, 2023, 2263, 2267, 2528, 2573, 2816, 2836, 2996, 3315, 3410, 3523, 3557, 3817
 - algorithm, 365, 1321, 2157
 - cost, 1308
 - files, 897
 - mechanism, 64
- deletion of a
 - process, 345
 - segment, 1052
- deletion of
 - edges, 1573
 - useless components, 1704
- deletion
 - operation, 157, 2836
 - rules, 2420
 - strategy, 1012
- Dell'Olmo, P., 2801, 3470
- Dell'Olmo, Paolo, 3488, 3687
- delmin, 3484
- Delobel and Casey, 231, 372
- (Δ, D) -graph problem, 815
- (Δ, D) -graphs, 815
- $(\Delta/2)$ -approximation algorithm, 2493
- Δ_β -TSP, 4117
- Δ_n^p , 1294
- Δ_2^p -immune sets, 1255
- Δ -bisimulation, 2295
- demand
 - based software testing, 3030
 - operation, 1830
- demand paging, 890, 1735
 - algorithm, 260, 338, 366
 - environment, 890, 1397
- demand prepagging algorithm, 338, 366
- Demidenko conditions, 2300
- Demidov, 587
- demonic
 - nondeterminacy, 2867
 - nondeterminism, 3009
- Demytko scheme, 2995
- Deng, Xiaotie, 3239
- Denis Thérien, 4032
- Denis, François, 3856
- Denning, 1735, 3577
- Denning and Kahn, 1075
- Denning and Schneider, 760
- Dennis, 44
- denotation, 1642
- denotational
 - linear time semantics, 3353
 - model of a software system, 1642
 - models, 604, 1642
- denotational semantics, 520, 544, 629, 928, 1298, 1642, 1793, 2219, 3353, 3432
 - of communicating processes, 928
- dense
 - 0-1 matrices, 1082, 1700, 2588
 - Boolean matrices, 540
 - complexity core, 1341
 - graph, 174, 668, 705, 1115, 1187, 2125, 2588
 - instances, 3926
 - matrices, 953
 - networks, 2002
 - point sets, 3483
 - real time, 2614
 - TSP, 3926
 - upper semilattices, 1209
 - usl, 1209
- density, 211, 594, 833, 1136, 1576, 1765, 1887, 1975, 2373, 2539, 2609, 2613, 3141, 3206, 3245, 3406, 3483
 - condition, 3518
 - function, 1448, 1887, 3867
 - of edges, 20
- density of NP complete
 - problems, 1894
 - sets, 1894
- density of
 - primes, 3515
 - states, 2111
- denumerable alphabet, 1032
- Deo, Krishnamoorthy, and Pai, 599
- Deogun, Jitender S., 3458, 3858
- departure, 2533
 - process, 878
- dependence, 691, 1192, 2043, 2774
 - between accesses, 691
 - graph, 1329, 1645
 - relation, 3234
- dependency, 481, 528, 608, 700, 742, 771, 899, 996, 1025, 1541, 1697, 3201, 3504
 - basis, 3619
 - directed approximation, 3504
 - implication algorithms, 3619
 - in a database, 481

- dependency preserving
 - database schemes, 2523
 - databases, 2523
- dependency
 - relation, 3139, 3360
 - theory, 742
 - tracking, 1439, 2849
- dependent, 288, 353
 - set, 1725
 - tasks, 288
- depth 2
 - AND MOD m circuits, 3768
 - monotone AC^0 , 3496, 3711
- depth 3, 2238, 2619, 3936, 4108
 - circuit, 3768
 - circuits with MOD m gates, 3768
 - threshold circuit, 2600, 3189
 - unbounded fan in threshold circuits, 3189
- depth 4, 2238
- depth 5, 435, 831, 1006, 1814, 2167, 3907
- depth 10, 2238
- depth
 - complexity, 2024
 - efficient simulation, 3886
- depth first, 986, 3547
 - backward chaining, 1767
 - copying, 3163
 - execution method, 1306
 - layout algorithm, 3734
 - machine, 1306
 - numbering, 1590
 - order, 273
 - recursive procedure, 2688
- depth first search, 101, 128, 309, 374, 505, 518, 567, 599, 701, 810, 961, 1116, 1132, 1187, 1403, 1510, 1590, 1648, 1733, 1745, 1799, 1892, 1978, 2108, 2291, 2339, 2553, 2569, 2765, 2807, 2974, 3267, 3295, 3388, 3457, 3547, 4007, 4081, 4094, *see also* DFS
 - algorithm, 599, 701, 1825, 1978
 - forest, 2339
 - order, 1132
 - ordering, 1132
 - paradigm, 618
 - problem, 3267
 - spanning tree, 567, 810
 - tree, 1403, 1648, 1799, 2765, 3388, 3457, 3737
- depth first
 - searches, 2708
 - spanning tree, 986, 3547
 - strategy, 1306
 - traversal, 3549
 - tree, 986
 - type search, 2553
- *-depth hierarchy, 1577
- depth k circuit, 1452
- depth of
 - a Boolean circuit, 2353
 - an n -ary monotone function, 435
 - Boolean circuits, 2163
 - collision, 2904
 - formulae, 435
 - logic circuits, 751
- depth of monotone
 - formulae, 323
 - functions, 435, 831
- depth of
 - negation limited circuits, 3377
 - nesting of loops, 11
 - noisy Boolean decision trees, 2542
 - polynomial size threshold circuits, 2619
 - set nesting, 2803, 3940
- depth
 - reduction theorem, 751
 - sequences, 3249
- depth size optimal, 3936
 - parallel prefix circuits with fan out 2, 3936
- depth two
 - Boolean circuits, 3032
 - MOD₆ circuits, 3281
- depth upper bound, 2024
- deque, 1227, 1389, 2644
 - implementation, 1227
 - of vertices, 1389
 - operations, 1227
 - with heap order, 1227
- derandomization, 2002, 2872, 3311, 3400
- derandomize, 2002, 3098
- derandomized, 3433
- dereferencing, 1482
- DeRemer recognizer, 65
- derivability, 1197
- derivation, 47, 65, 77, 78, 169, 413, 626, 951, 1073, 1078, 1331, 1643, 1988, 2123, 2129, 2356, 2391, 2563, 2606, 2867, 3008, 3176, 3572, 3664
 - bounded, 680
 - in a context free language, 356
- derivation of
 - a sentence, 295
 - asymptotic expressions, 400
 - codefinitions, 1265
 - designs, 2563
 - functional programs, 2255
 - logic programs, 2255
- derivation
 - preservation, 1078
 - procedure, 3884
 - process, 68
 - relation, 2511
 - rules, 3825

- derivation (*cont.*)
 - step, 193, 3074
 - tree, 107, 356, 399, 709, 1844, 2061, 2375, 2512
- derivational structure, 2061
- derivative, 39, 66, 283, 334, 1598
 - evaluation, 97
 - of a polynomial, 283
- derived, 27
 - graph, 1398
 - operators, 2294
- deriving group keys, 760
- Derman, Lieberman, and Ross, 4133
- Dermouche, A., 3122
- Derome method, 3548
- Dershowitz, 826, 2771
- Dershowitz and Manna, 1489
- Dershowitz-Manna ordering, 826
- Dervos, D., 3664
- DES, 2327, 3751
 - algorithm, 3751
- DES like
 - ciphers, 2327
 - systems, 2327
- Descend algorithms, 2610
- descendant, 101, 166, 447, 567, 669, 1375, 1745, 2215, 2301, 3312
 - context, 139
 - to ancestor direction, 986
- descending order, 570, 691, 2594
 - of strength, 1133
- description
 - language, 520
 - of a scene, 181
- descriptive complexity, 2659, 3035, 3570, 3627, 3868
 - of decision problems, 2258
 - theory, 3588
- descriptive
 - power, 2675
 - specification, 448
- descriptor, 33
 - files, 1861
- descriptorial dictionary, 61
- Desel, Jörg, 3096
- design
 - and analysis of algorithms, 2486, 2866, 2945
 - automation, 711
 - choices, 2120
 - decisions, 326, 448, 842, 2120, 2255
 - heuristics, 3419
- design of
 - algorithm, 1061, 1066, 1261, 1865, 1872, 1876, 1947, 1975, 1994, 2002, 2010, 2013, 2051, 2064, 2071, 2073, 2090, 2106, 2115, 2140, 2143, 2146, 2149, 2161, 2176, 2194, 2201, 2205, 2211, 2216, 2226, 2236, 2238, 2239, 2247, 2248, 2251, 2256, 2275, 2276, 2278, 2286, 2287, 2300, 2301, 2306, 2312, 2314, 2327, 2328, 2334, 2345, 2346, 2358, 2382, 2387, 2427, 2440, 2444, 2460, 2474, 2494, 2499, 2503, 2508, 2527, 2538, 2540, 2548, 2554, 2568, 2569, 2570, 2593, 2596, 2605, 2606, 2627, 2657, 2674, 2683, 2688, 2705, 2708, 2717, 2731, 2741, 2750, 2755, 2759, 2762, 2808, 2814, 2826, 2844, 2851, 2853, 2855, 2874, 2929, 2959, 2974, 3049, 3054, 3060, 3067, 3104, 3121, 3122, 3141, 3143, 3152, 3153, 3161, 3194, 3211, 3272, 3304, 3341, 3344, 3363, 3450, 3457, 3458, 3516, 3523, 3528, 3560, 3574, 3585, 3670, 3754, 3758, 3770, 3801, 3806, 3822, 3824, 3830, 3938, 3945, 4020, 4066, 4085, 4087
 - cryptographic algorithms, 2327
 - data structures, 59, 1504
- design of distributed
 - algorithms, 1862, 4039
 - systems, 4070
- design of
 - hardware systems, 1964
 - interconnection networks, 3097
 - large programs, 370
 - optimal filters, 49
 - programs, 1402
 - systolic arrays, 953
 - tries, 1952
- design
 - parameters, 57, 2414
 - pattern, 3935
 - principle, 326, 3270
 - principles of the EM-3, 896
 - procedures, 1996
 - process, 326
 - quality, 3321
 - rules, 1405
 - scheme, 601
 - systems, 711
 - tables, 146
 - theory, 2449
 - tradeoffs, 21
 - variable, 2054
- designated point, 731
- designer, 1051, 1996
- Desmedt and Seberry, 3681
- Dessmark, Anders, 3665
- destination, 230
 - variable, 258
- destructive, 2585
 - assignments, 2585
 - update operations, 1297
- desynchronization, 940
- desynchronized OL systems, 940

- (DET, P)-effective entropy, 2112
- detect tampering, 1107
- detectable
 - and undetectable faults, 3605
 - errors, 1329
- detected
 - error point, 582
 - errors, 270
- detecting
 - cycles, 823, 2379
 - deadlocks, 636
 - elementary cycles, 309
 - errors, 325
 - false terminations, 1281
- detecting global
 - deadlock, 2923
 - termination, 1949
- detecting
 - looping configurations, 112
 - loops, 1144
 - program unstructuredness, 1419
 - spatial regularity, 3888
 - termination, 930, 985
- detecting the
 - shape of object boundaries, 1895
 - termination of distributed computations, 1629
- detection, 270, 579, 675, 1144, 1447, 1631, 2198, 2759, 3595, 3775
 - algorithm, 2794
 - and correction, 1346
- detection of a
 - common intersection, 1896
 - Hamiltonian path, 485
- detection of
 - cheaters, 3821
 - combined occurrences, 423
 - convergence, 545
 - distributed termination, 1366
 - faults, 1964
 - handles, 26
 - hidden channels, 1914
 - parallelism, 1090
 - permanent faults, 1964
 - repetitions in a string, 3480
 - termination, 913, 1411
 - unstructuredness in flowgraphs, 1419
- determinacy, 554, 1035, 3478
- determinacy of
 - data flow schema, 1035
 - two-way pushdown automaton languages, 2978
- determinacy
 - problem, 2978
 - property, 1035
- determinant, 198, 1006, 1584, 1692, 3520, 4088
 - of a matrix, 623
- determining, 30
 - class subspaces, 267
 - the bridges of a graph, 14
- determinism, 298, 340, 1550
- deterministic 0L languages, 47, 112, 2329
- deterministic algorithm, 135, 391, 767, 898, 1066, 1113, 1202, 1766, 1898, 2149, 2195, 2232, 2436, 2594, 2715, 2799, 2961, 3351, 3508
 - for finding the minimum cuts, 14
- deterministic
 - automaton, 848, 999, 2776, 3486
 - BA protocol, 2033
 - climbing automaton, 848
 - complexity, 1695, 1898
- deterministic context free, 112, 1744
 - language, 378, 539, 640, 1744, 2061
- deterministic
 - context sensitive languages, 2038, 2488
 - device, 144
 - DPA, 112
 - evaluation method, 273
 - exponential class, 1887
 - expressions, 3478
 - feedback controlled models of automata, 1155
 - finite automaton, 1698, 2466, 2675
- deterministic finite state
 - automaton, 898
 - machine, 1684, 2279
- deterministic
 - flowchart, 135
 - GSM, 386
 - gsm, 348, 2078
 - k -tape Turing machine, 1379
- deterministic L
 - forms, 683
 - systems, 279, 1950
- deterministic
 - languages, 200
 - Lindenmayer system, 1950
- deterministic linear
 - bounded automaton, 1507
 - CFL, 1836
 - cfl, 1647
- deterministic log space, 2007, 2769
 - reductions, 1132
- deterministic
 - lower bound, 1043
 - L-systems, 93
 - machine, 1625, 1887
 - maximum flow algorithm, 2002
 - models, 1155
- deterministic multitape
 - automaton, 619
 - Turing machine, 182

- deterministic
 - NC² algorithm, 1726
 - networks, 3564
 - ω -automaton, 982
 - ω -languages, 982
- deterministic one-way
 - cellular automaton, 792
 - simulation, 792
 - weak space complexity classes, 3851
- deterministic
 - parser, 2883
 - pda, 112
- deterministic polynomial time, 144, 209, 1132, 1889, 2813
 - machine, 3705
- deterministic precedence, 26
 - grammar, 26
 - language, 26
- deterministic
 - predictive topdown syntax analysis, 154
 - programming languages, 629
 - programs, 629
 - protocol, 3084
- deterministic pushdown
 - automata computations, 539
 - automaton, 112, 378, 539, 666, 696, 716, 725, 1029, 1034
- deterministic pushdown store, 378
 - acceptor, 378
 - automaton, 378
- deterministic
 - pushdown transducers, 725, 1130
 - RAM, 182
 - recognition procedure, 740
 - reducibility, 1390
 - restriction, 77
 - reversal, 2574
 - sampling, 2633
- deterministic scheduling, 560, 1027, 1180, 1359, 3227
 - theory, 1027, 1336
- deterministic
 - sequence generators, 313
 - sequential comparison model, 2664
- deterministic server, 3564
 - network, 3564
- deterministic
 - simulation, 209
 - space, 664, 1132
- deterministic synchronized alternating, 2038
 - machine, 2038
- deterministic TOL
 - languages, 47, 77
 - systems, 47, 730, 4143
- deterministic t' -fst, 1853
- deterministic time, 2574
 - simulation, 3130
- deterministic TM, 1066
- deterministic top down
 - lookahead, 1853
 - tree transducer, 348, 2736
- deterministic Turing
 - acceptor, 257
 - machine, 675, 1083, 1576, 1607, 2574, 2925
- deterministic two-dimensional finite automaton, 318, 395
- deterministic two-way
 - cellular automaton, 792
 - finite automaton, 675
 - k-pushdown machines, 1068
 - one head pushdown automaton, 1022
 - pushdown automation, 276, 675
 - real time cellular automaton, 792
- deterministically, 1376, 1517, 3508
- Detig et al., 656
- detour critical edge, 3761
- detranslation, 1169
- deunion, 2140
- deunion(i), 2140
- Deutsch et al., 1257
- Deutsch-Schorr-Waite algorithm, 1223
- Dévai, 569
- Dévai and Szendrényi, 569
- developing evaluators, 2707
- development of
 - algorithms by transformations, 626
 - concurrent programs, 604
 - efficient parallel algorithms, 2299
 - filamentous organisms, 47, 93, 940
 - programs, 412
- developmental
 - languages, 47, 144
 - stages, 279
 - systems, 77, 126, 160, 279
- deviation, 49, 442, 3492
 - of jobs completion times, 3416
- device
 - service rates, 1075
 - utilization, 1075
- Deville, 2255
- Devillers, Olivier, 3582
- Devroye, Luc, 3682
- Dewdney, 2020
 - model, 2020
- Dewdney, A.K., 2020
- DEXPTIME complete, 2937
- DFA, 1526, 2466, 2880, 3730
- DFS, 810, 1116, 2108, 2291, 2807, 3457, *see also*
 - depth first search
 - algorithm, 3267
 - forest, 3457

- DFS (*cont.*)
 spanning tree, 810, 2807
 traversal of graphs, 2291
 traversals, 2291
 traversing graphs, 2291
 tree, 1116, 1745, 2291, 3457
- DFT, 719, 808, 1170
- DGR algorithm, 1725
- Dhall and Liu, 868
- Di Crescenzo, Giovanni, 3890
- Di Paola, 700
- Di Zenzo, Silvano, 3630
- diagnosing processor faults, 3872
- diagnosis, 1027, 2197
- diagnostic, 31
 algorithm, 2197
 tests, 1336
- diagonal, 214, 350, 524, 1777, 1827, 4036, 4127
 elements, 529
 flip distance, 4041
 function, 4036
 of a polygon, 350
- diagonalization, 2760
- diagram, 966, 1020, 1210, 1738, 1937, 2268, 2653, 2718, 3181, 3734
- dialogue, 1191
- diameter, 577, 815, 1600, 1676, 1834, 1942, 2126, 2343, 2414, 2415, 2630, 2856, 3026, 3112, 3209, 3251, 3291, 3524, 3646, 3675, 3780, 3799, 3832, 3959, 3985, 3997, 3998
 computation, 1829
- diameter of a
 convex polygon, 204, 354, 439
 directed graph, 1834
 graph, 815
 permutation group, 1083
 set of points, 1829
 spanning tree, 2477
 tree, 2517
- diameter of
 acyclic directed hypercubes, 2034
 CCC, 3463
 the graph, 2913
- diameter problem, 3000
- diametrical vertices, 583
- diamond, 2644
 free, 4077
- Diaz and O'Rourke, 2337
- Dickerson and Drysdale, 2235
- Dickson polynomials, 3902
- dictionary, 206, 521, 721, 1261, 2000, 2164, 2531, 2660, 2844, 3346, 3398, 3817, 4109
 indexes, 3346
 instructions, 206
 lookup, 4109
- dictionary matching, 2531
 algorithms, 2531
 problem, 2531
- dictionary
 operations, 206
 order, 576
 patterns, 2531
 problem, 1974, 2531, 3474
 search, 1521
 type data compression, 3346
- difference
 cover, 4110
 equations, 48, 598, 4147
 methods, 89, 1170
 net, 48
 operator, 1837
 problem, 39
 schemes, 89
 set, 4110
- differencing, 1228
 logarithmic algorithm for transitive closure, 1837
- differential
 addition, 897
 attack, 3751
 cryptanalysis, 2327, 3206
 equation in dimensionless form, 22
- differential equations, 287, 334, 1207, 1802
 with delay, 442
- differential
 files, 897
 quotient, 66
- differentiation, 334
- differentiation of
 complex functions, 334
 exact data, 172
 nonexact (experimental) data, 172
- Diffie and Hellman, 1932, 1973
 public key distribution scheme, 643
- Diffie-Hellman assumption, 3925
- Diffie-Hellman key
 distribution scheme, 2405
 exchange protocol, 3925
- Diffie-Hellman type key exchange protocols, 2997
- diffusing computation, 579, 2757, 2758
- diffusion, 878, 2684, 3751
 approximation, 878, 1902
 method, 2684
- diffusion model, 878
 of a general queueing network, 878
- diffusion
 of customers, 878
 phenomena, 140
 problems, 195

- digital
 - circuit layout systems, 2054
 - computer, 19, 3628, 3782
 - fields, 19
 - filtering, 1005
 - filters, 2460
 - geometry, 1380
 - image processing, 498
 - images, 3511
 - k - d trees, 1521
 - logic, 1996
 - multisignature protocols, 3922
 - picture processing, 989
 - plane, 1293
- digital search, 717, 1658
 - tree, 717, 1574, 2654
- digital signal processing, 2044, 2073, 2460
- digital signature, 1055, 3532, 3587, 3634, 3659, 3840, 3871
 - scheme, 1932, 3587
- digital to analog converters, 3898
- digitalized signatures, 610
- digitization process, 1380
- digitized
 - geometry, 2696
 - picture, 864
 - plane, 1380
- digitizing the plane, 1380
- digraph, 15, 205, 308, 309, 335, 441, 588, 616, 809, 986, 997, 1133, 1495, 1586, 1588, 1646, 2007, 2251, 2260, 2543, 2575, 2705, 2708, 3023, 3264, 3442, 3584, 3736
 - reachability, 2964
- Dijkstra, 5, 43, 44, 111, 134, 249, 298, 367, 448, 568, 598, 676, 761, 901, 905, 962, 1060, 1266, 1305, 1333, 1369, 1375, 1399, 1609, 1635, 1971, 2113, 2285, 2351, 2758, 2799
- Dijkstra algorithm, 249, 367, 731, 901, 1257, 3805
 - for unconstrained least cost paths, 3805
- Dijkstra and Scholten, 300, 2757, 2758, 3316
- Dijkstra
 - array sorting algorithm, 2247
 - calculus of weakest preconditions, 1333
- Dijkstra et al., 962, 1257, 1349, 2757
- Dijkstra
 - guarded command language, 629
 - language of guarded commands, 604
 - Law of the excluded miracle, 1498
 - like algorithm, 3034
- Dijkstra labeling
 - method, 1185
 - procedure, 1185
- Dijkstra
 - P and V operations, 1176
 - primitives, 43
 - programming language, 1567
 - proof, 962
- Dijkstra PV
 - operations, 307
 - primitives, 183
- Dijkstra
 - P-operation, 43
 - semaphore primitives, 43
 - shortest path algorithm, 367
 - shortestpaths algorithm, 731
 - translation, 1375
 - V-operation, 43
- Dijkstra, E.W., 249, 345, 410
- Dijkstra, E.W. and C.S. Scholten, 3316
- Dijkstra, Feijen, and van Gasteren, 1411, 1770, 2015
- Dijkstra, Rutger M., 3316
- Diks, Krzysztof, 3379, 3733
- dilatation, 336
- dilation
 - 1 embedding, 2548, 2738, 2885, 3111, 3296, 3529, 3566
 - cost, 2354, 2548, 3566
 - of a spanner, 3530
- Dillencourt, 2841, 3531
- Dilworth theorem, 656
- dimension, 46, 204, 3525
 - exchange, 3100
 - ordered routing, 4038
 - orderings, 3361
 - types, 2938
- dimensionality curse, 4028
- dimensionless variable parameter, 22
- Dimitrov, V.S., 3728
- Ding, Cunsheng, 3706
- Ding, Q., 3660
- Dinic, 375
 - algorithm, 375
- dining philosophers, 555
 - problem, 345, 2113, 2351, 3839
- dioid, 1582
- Diophantian
 - polynomial, 414
 - set, 414
- Diophantine
 - constraints, 2731
 - equations, 341, 984, 2031, 3175
 - inference, 984
 - polynomial, 414
 - set, 414
- Dirac, 136
- direct
 - access storage devices, 203
 - acyclic graphs, 333
 - control, 106
 - dependency tracking, 2849

- direct (*cont.*)
 - neighbours, 1712
 - operand, 624
 - product, 871
 - direct product of
 - cyclic, 259
 - free monoids, 2502
 - direct
 - retrieval, 203
 - routing algorithm, 1186
 - semantics, 1793
 - simulability, 2993
 - simulation, 664
 - direct sum, 1410, 1470, 1910
 - of term rewriting systems, 1410, 1470
 - directed acyclic
 - graph, 82, 504, 538, 563, 585, 642, 745, 808, 961, 1347, 1350, 1573, 1632, 1640, 1708, 2150, 2243, 2895, 2926, 3013, 3301, 3312, 3340, 3457, *see also* DAG
 - word graphs, 1990, 3970
 - directed
 - arcs, 375
 - bipartite graph, 772, 2012
 - connected graph, 167
 - connectivity, 3242
 - convergence, 1991
 - cycle separator, 2504
 - edge, 772, 978, 1979, 2260, 2343
 - Euler trail problem, 2663
 - forest, 2385
 - directed graph, 14, 15, 70, 79, 88, 101, 105, 110, 121, 128, 205, 324, 374, 375, 392, 403, 425, 485, 616, 618, 636, 701, 702, 723, 731, 765, 772, 781, 865, 889, 905, 986, 1115, 1132, 1223, 1347, 1350, 1466, 1512, 1573, 1582, 1601, 1651, 1660, 1745, 1799, 1935, 2058, 2150, 2196, 2339, 2343, 2361, 2504, 2571, 2575, 2593, 2602, 2616, 2705, 2708, 2723, 2759, 2806, 2856, 2892, 2894, 3114, 3242, 3386, 3413, 3495, 3576, 3748, 3959, 4007, 4027
 - reachability problem, 2964
- directed graphs of bounded
 - degree, 1935
 - in- and outdegree, 1935
- directed
 - hierarchical broadcast network, 4047
 - hypergraphs, 2716
 - maximal cut problems, 865
 - monotone contact networks, 2845
 - multigraph, 392, 937
 - network, 425, 1275, 1783, 2525, 3034
 - out trees, 2518
- directed path, 121, 128, 425, 518, 772, 978, 986, 1115, 1133, 1180, 1745, 2135, 2243, 2723, 3584
 - graph, 1822
 - of vertices, 564
- directed
 - planar networks, 1153
 - rooted tree, 101
 - sets, 1991
- directed spanning
 - forest, 1590
 - tree, 978
- directed tree, 865, 2863, 3158, 3539, 4058
- direction independent
 - grammars, 1244
 - two-dimensional array grammar, 1244
- directional, 3026
 - hypercube, 3026
- directions of extension, 24
- director
 - string translation, 1375
 - strings, 1375
- directory, 1658, 2080, 2491
- Dirichlet tessellation, 1020
- disabling, 2294
- disc packing, 1044
- disclosure protected, 3430
- discovery, 179
- discrepancy, 4033
- discrete, 209, 1765, 2146, 2373, 3171, 3609, 3696
 - density, 1765
 - distribution, 990
 - domains, 4056
 - dynamic system, 1535
- discrete event, 1233, 3060
 - simulation, 3060, 3362, 3934
- discrete finite state transductions, 766
- discrete Fourier
 - transform, 283, 445, 1183
 - transformation, 605, 1183
- discrete
 - k-ary finite state transductions, 766
 - linear time temporal logics, 3893
- discrete logarithm, 3021, 4137
- problem, 1811, 2405, 3021, 3308, 3522, 3587
- discrete
 - mathematics, 197, 344, 409, 416, 564, 772, 934, 1057, 1108, 1426, 1603, 1672, 1881, 1900, 3214
 - methods of optimization, 711
 - minimization problem, 3171
 - normed commutative ring, 2457
 - objects, 442
 - optimal quantization, 1765
 - optimization, 3878

- discrete (*cont.*)
 - periodic bimodal function, 1666, 1851
 - point set, 1328, 4079
 - probability distribution, 3504
 - process, 878
 - random variable, 211
 - resources, 527
 - set, 3696
 - simulation, 269
 - spaces, 4036
 - systems, 269
- discrete time
 - and space, 632
 - dynamical systems, 2546
 - Markov chain, 3042
 - optimal filter, 49
- discrete tomography, 3904
- discretization of boundary value problems, 1170
- discriminated records, 465
- discriminating key, 718
- discrimination dictionary, 61
- discriminator, 447, 678, 718
 - of a node, 447
 - value, 678
- disjoint
 - concave chains, 2290
 - convex polygons, 1262, 1546, 2146
 - cycles, 2222
- disjoint DNF, 2792
 - expressions, 2792
- disjoint
 - edges, 3433
 - graphs, 1927
 - Hamiltonian cycles, 3481
 - link algorithm, 2783
 - nonempty subsets, 2425
 - path covering, 429
- disjoint paths, 2058, 2316, 2630, 3109, 3524, 3799
 - problem, 3524
- disjoint polygons, 1079
- disjoint set union, 1079, 1737, 2596, 2716
 - algorithm, 1737
 - operations, 2596
 - problem, 2546, 2716, 2878
- disjoint
 - subsets, 1845, 2546, 4057
 - terminal sets, 683
- disjoint union, 2773
 - of cliques, 3090
- disjointness, 2580
- disjunct, 2590
- disjunction, 1268, 1843, 1986, 2787, 2835
 - of literals, 419
- disjunctive, 1909, 1962
 - database rule, 1962
 - logic program, 1962, 2513, 3498
 - normal form, 630, 2495, 2753, 2865
 - selfreducibility, 1894
- disjunctively reducible, 3887
- disk
 - access, 63, 2188
 - arrangement, 1771
 - bandwidth, 3101
 - blocks, 919, 3435
 - cache, 1735
 - drive, 1556
- disk I/O, 2108
 - overhead, 2996
- disk
 - page arrangement, 1556
 - performance, 63
 - scanning policies, 63
- disk scheduling, 3101
 - policy, 3492
- disk
 - seek time, 3101
 - storage, 1135
 - subsystem, 1591
 - surface, 63, 3149
 - systems, 63, 2089, 3492
 - with two independent heads, 2089
- disparity, 453, 3554
- dispatch, 1126, 3647
- dispersed, 2784
- displacement of layout features, 1405
- displaying a graph, 2489
- dissimilar strings, 3513
- dissimilarity
 - between cluster centres, 916
 - coefficients, 317
- distance, 209, 301, 367, 422, 459, 1930
 - automaton, 2549
 - between trees, 1930
 - bound, 1893
 - function, 1777, 1982
 - geometry, 3155
 - hereditary graphs, 2643
 - matrices, 1646, 1720
 - matrix, 199, 583, 1646, 1720, 3791
 - measure, 678, 822, 1450, 1779, 1982, 2904
 - measures of least moves type, 1450, 1930
 - metric, 1014, 1930, 2288, 2594, 3431
 - three codes, 3125
- distance transitive, 2913
 - graph, 2913
 - strongly antipodal graph, 2913
- distinct
 - objects, 346
 - representatives, 510
- distinct/nondistinct records, 1238

- distinguished vertex, 166
- distinguishing, 397, 851, 2846
- distortion, 188, 1108, 1776
- distributed, 1759
 - access control, 3686
 - algorithm, 1125, 1165, 1224, 1260, 1346, 1366, 1403, 1411, 1447, 1510, 1545, 1566, 1668, 1712, 1715, 1716, 1756, 1770, 1816, 1825, 1862, 1911, 1936, 1978, 2015, 2055, 2165, 2187, 2197, 2204, 2257, 2315, 2323, 2441, 2636, 2642, 2663, 2799, 2806, 2807, 2840, 3148, 3328, 3354, 3388, 3397, 3419, 3549, 3968, 4035
 - and parallel sorting algorithms, 2929
 - applications, 851
 - architectures, 2850
 - auction system Enchere, 1125
 - breadth first search algorithm, 1444
 - computation, 913, 985, 1111, 1165, 1247, 1281, 1411, 1483, 1629, 1637, 1653, 1756, 1813, 1936, 1949, 2204, 2884, 3085, 3595, 3818
 - distributed computing, 493, 546, 631, 1420, 1473, 1564, 1600, 1716, 1770, 1819, 1980, 2033, 2055, 2086, 2120, 2138, 2158, 2165, 2187, 2192, 2204, 2257, 2285, 2321, 2343, 2351, 2432, 2451, 2477, 2498, 2571, 2584, 2602, 2710, 2757, 2758, 2767, 2788, 2794, 2799, 2806, 2807, 2838, 2852, 2943, 2944, 3024, 3060, 3065, 3084, 3100, 3119, 3260, 3266, 3270, 3274, 3285, 3291, 3362, 3378, 3383, 3404, 3485, 3493, 3500, 3559, 3563, 3613, 3644, 3686, 3732, 3785, 3800, 3801, 3831, 3900, 3942, 3950, 3968, 3971, 3974, 4086
 - environment, 493, 1668
 - system, 546, 631, 1819, 2055, 2069, 2441, 2746, 2806, 3620
 - systems design, 546
- distributed consensus, 2788
 - protocols, 1415
- distributed control, 345, 410, 579, 1697, 1716, 1862
 - algorithms, 805, 1862
 - mechanisms, 1420
- distributed data structure, 1966, 2580, 3935
- distributed database, 493, 553, 649, 805, 837, 1326, 1337, 1709, 1786, 1870, 1897
 - environment, 837
 - system, 553, 805, 851, 1084, 1725, 1897, 2835
- distributed deadlock detection
 - algorithm, 1725
 - problem, 1725
- distributed
 - debugging, 2498
 - $\Delta + 1$ -coloring of graphs, 3942
 - depth first search algorithm, 1116, 1510, 1825, 1978
 - disassembly of mosaics, 2636
 - enumeration, 3477
 - environment, 1033, 2814, 3684
 - Euler trail algorithm, 2663
 - evaluation, 2315
 - fault tolerant systems, 2848
 - file, 649
 - grammar systems, 3865
 - graph algorithms, 3354
 - distributed graph reconstruction, 1725
 - algorithm, 1725
 - distributed
 - heterogeneous multimedia databases, 4098
 - identification, 2298
 - implementation, 2431, 3597
 - incremental and dynamic object environment, 1831
 - index, 203
 - information systems, 851
 - distributed join, 649
 - algorithm, 1907
 - distributed
 - k-mutual exclusion problem, 3336
 - leader finding, 1564, 1712
 - loop network, 3780
 - loops, 3780
 - distributed memory
 - message passing multiprocessors, 2684
 - multiprocessors, 3024
 - distributed memory parallel
 - computers, 2390, 2783
 - machines, 3024
 - distributed model, 2431
 - of parallel computation, 1430
 - distributed mutual exclusion, 1715, 1897, 2477, 2840
 - algorithm, 2477
 - problem, 2477, 3785
 - distributed
 - network, 753, 1260, 1336, 1949, 2446
 - observations, 1862
 - operating system, 631, 1033, 1816, 2168, 3997
 - operators, 1461
 - phase synchronization, 3419
 - pointers, 203
 - problem solving, 1473
 - process, 753, 1111, 1295
 - distributed processing, 553, 579, 1635, 1806, 2479
 - system, 566, 1806
 - distributed program, 546, 631, 753, 1165, 1247, 1653, 1756, 1833, 1920, 2014, 3779
 - reliability, 3620
 - distributed programming, 753, 930, 985, 1715
 - language, 753
 - toolkit, 2710

- distributed
 - programs control problems, 1609
 - protocol, 3653
 - query processing, 839
 - reduction data elements, 2835
 - relational databases, 1907
- distributed routing, 2571, 3580
 - scheme, 3580
- distributed
 - scheduling, 2684
 - search, 1165
 - shared memories, 3260
 - shortest paths, 2730
 - similarity search algorithm, 4098
 - snapshots, 1413, 1813, 2547, 2864
 - star network, 1706
 - storage, 753
 - subcube identification algorithms, 2197
 - synchronization, 1933
 - synchronous systems, 1998
- distributed system, 698, 838, 851, 1033, 1116, 1165,
 - 1191, 1239, 1369, 1403, 1413, 1417, 1444,
 - 1510, 1545, 1547, 1609, 1709, 1712, 1713,
 - 1725, 1756, 1786, 1816, 1825, 1911, 1936,
 - 1971, 1978, 2029, 2055, 2084, 2110, 2196,
 - 2204, 2210, 2257, 2281, 2282, 2285, 2298,
 - 2310, 2317, 2323, 2351, 2354, 2421, 2441,
 - 2446, 2477, 2507, 2547, 2636, 2642, 2653,
 - 2701, 2730, 2791, 2802, 2835, 2838, 2840,
 - 2848, 2849, 2864, 2868, 2869, 2875, 2876,
 - 2889, 2917, 2991, 3001, 3096, 3103, 3124,
 - 3132, 3142, 3148, 3166, 3186, 3190, 3279,
 - 3336, 3388, 3393, 3397, 3472, 3477, 3499,
 - 3500, 3529, 3532, 3540, 3595, 3602, 3613,
 - 3620, 3644, 3669, 3691, 3701, 3779, 3780,
 - 3785, 3818, 3861, 3865, 3872, 3882, 3897,
 - 3934, 3952, 3953, 3997, 4008, 4053, 4059,
 - 4090, 4110, 4121, 4138
- design, 851
- recovery, 1439
- distributed systems
 - design, 4070
 - theory, 1609
 - with local memories, 838
- distributed termination, 1366, 1447, 1547, 1629,
 - 1653, 1716, 1756, 1813
- distributed termination detection, 1629, 1949, 2757,
 - 2758, 2944
 - algorithm, 1247, 1281, 1447, 1637, 1756, 1770
- distributed termination
 - problem, 930, 1247, 2944
 - test, 1770
- distributed
 - uniformly, 2096
 - voting algorithms, 4138
- distributing, 1966
 - nonsequential programs, 883
- distribution, 36, 449, 569, 886, 890, 919, 2872,
 - 3134, 3834
 - free, 2792
 - functions, 807
- distribution of
 - access times, 224
 - accesses, 691
 - acyclic graphs, 636
 - generators, 1020
 - join attribute values, 1804
 - key values, 678
 - keys, 1037
 - points, 569
 - values, 1140
 - wait relations, 636
- distribution
 - pass, 2096
 - problem, 401
 - properties of sequences, 4075
 - protocol, 2991
- distributive, 431
 - lattice, 78, 2753
 - methods, 306
 - partition sort, 1300, 2096
 - partitioned sort, 1397
 - partitioning, 306, 570, 581
- distributive partitioning algorithm, 431, 570
 - for sorting, 431
- distributive partitioning
 - sort, 358, 431
 - sorting, 359, 581
- distributive
 - sorting, 306, 432, 487, 557, 895, 1300, 2096
 - sorts, 1300, 2096
- distributively, 2584
 - electing a leader, 2187
- disturbance, 1749
- divergence, 2001
 - measure, 143
- divide and conquer, 328, 910, 929, 1074, 1087,
 - 1136, 1206, 1488, 1501, 1511, 1847, 1983,
 - 2221, 2426, 3167, 3339, 3702, 3866, 3931,
 - 3937
 - algorithm, 301, 517, 569, 910, 1016, 1020, 1136,
 - 1206, 1682, 1852, 1923, 3339
 - approach, 910, 2783, 3408
 - paradigm, 3191
 - recurrences, 3339
 - search strategies, 2288
 - technique, 593, 1087
- divide instruction, 755
- dividend, 755
- dividing strategies, 3408

- division, 283, 436, 795, 979, 1074, 1154, 1240, 1353, 1680, 1950, 2068, 2398, 2526, 2619, 2901, 3092
 - algorithm, 979
 - free arithmetic expression, 145, 208
 - of floating point numbers, 2398
 - operator, 795
 - ordering, 2068, 2545
 - orderings on strings, 2068, 2545
 - pattern, 1950
 - problem, 1680
 - property, 3092
 - with remainder, 1353
- divisor, 285, 755, 1117, 2901
- Diwan, 1959
- DLBA, 1507
- DLOG, 2419
 - reducibility, 2419
- Dlogtime uniform AC^0 , 2272
- DLOGTIME uniform TC^0 , 1836
- DMC, 3944
 - data compression algorithm, 3944
- DMIN, 1735
- DMLSS algorithm, 1361
- DNA, 2919
 - computing, 3352
 - molecule, 2524
 - sequencing, 2524
 - strings, 2916
- DNF, 2495, 2753, 2792, 2865, 3337, 3486, 3766
 - formula, 2371
 - formulae, 2953, 3685
 - formulas, 2753
- Doberkat, 1222
 - results, 1222
- Dobkin and Lipton, 219, 281, 673
- Dobkin, Jones, and Lipton, 426
- Dobkin, Lipton, and Reiss, 426
- Dobosiewicz, 358, 431, 557, 570, 581, 757, 1300, 1465
 - variant, 1465
- Dobrev, Stefan, 3733
- Dobrindt, Katrin, 3582
- document, 10, 61
 - clustering, 917
 - collections, 61
 - content analysis, 10
 - discriminator, 61
 - filtering, 4033
 - generation, 59
- document retrieval, 477, 2218, 3958
 - system, 61, 477, 3255
- document word frequency data, 33
- Dodgson, 860
- dogleg free routing, 2539
- DOL
 - language, 869
 - systems, 313, 572, 869
- Dolev and Yao, 1086
- Dolev et al., 1857
- Dolev, D., 2918, 3488, 3500, 3553, 3563, 3602, 3630, 3686, 3872
- domain, 231, 371, 372
 - algebra, 256
 - construction, 1881
 - dependency, 608
 - independent, 700
- domain of
 - attributes, 1080
 - partial monadic 2-modular tree transformations, 2078
 - patt, 4060
 - strings, 1991
 - traces, 1991
- domain
 - problem for nondeterministic functions, 928
 - specific knowledge, 364
 - theory, 1881, 2259
- domatic number, 1619, 1859, 2766
 - of a graph, 1859
 - problem, 1859, 2766
- domatic partition, 1859, 2484, 2494, 2766
 - problem, 2484, 2494
- dominance, 3444
 - reporting, 4017
 - rule, 1178
 - searching, 785, 3746
- dominant, 2620
 - matches, 1261
 - sequence clustering, 2789
- dominate, 1561, 1660, 1859, 1864, 1964, 2545, 3265, 3642, 3968
- dominating, 3458, 3746
 - diametral path, 3458
 - independence number, 2635
 - path, 3083
 - point, 3642
- dominating set, 170, 371, 809, 1040, 1221, 1561, 1619, 2028, 2196, 2241, 2484, 3440, 3574
 - of a graph, 1518, 1619
 - problem, 371, 3440
- dominating vertex set, 809
- domination, 170, 371, 1859, 2067, 2423, 2740, 2976, 3083, 3574, 3968
 - network, 371
 - number, 170, 371
 - problem, 1561, 2019, 2067, 2122, 2740
- dominator, 1350, 3013
 - in flowgraphs, 1660
 - of a directed graph, 101

- dominator (*cont.*)
 - set, 3013
 - tree, 1660
- Domingo, Carlos, 3626
- Domingo i Ferrer, Josep, 3430
- domino effect, 1439, 3861
- domino free
 - communication induced checkpointing protocols, 3861
 - protocol, 3861
- domino free rollback, 1439
 - recovery, 1439
- don't care
 - characters, 3143
 - symbols, 2106
- Dong, Guozhu, 3058, 3238, 3523
- Donnelly and Welsh, 1890
- Doran and Thomas, 667
- Döring, Andreas, 3517
- dot depth one languages, 1763
- double
 - area strategy, 1724
 - based number system, 3728
 - buffering, 1385
 - coset, 123
 - coverage strategy, 3038
- double ended
 - heap, 1464
 - priority queue, 1464, 1790, 2836, 3889
 - queue, 1227
- double
 - error correcting primitive binary BCH codes, 2888, 2983
 - Greibach normal form, 2541
 - hash, 1142
 - hashing, 1750
 - input buffering, 1385
 - interval graph, 1288
 - loop network, 3691, 3736, 3950, 3991
 - pipeline systolic array, 2044
- double precision, 3720
 - arithmetic, 1010, 3720
- double
 - rotations, 926
 - star, 3680
- doubly, 2588
 - chordal graphs, 3928
 - exponential, 1137, 1192
 - exponentially, 2927
- doubly lexical ordering, 2588, 3104
 - problem, 2588
- doubly
 - stochastic, 2564
 - threaded binary search trees, 1290
- down loadability, 1200
- downward
 - closed integrity constraints, 2523
 - funarg, 397
- DO-loop, 104
 - structures, 104
- DP, 753, 883
 - hard, 3455, 3674
 - procedure, 3966
- DPA, 3931
- DPDA, 539, 666, 725, 741, 1029, 1034, 1103
 - acceptor, 539
 - computations, 539
 - with necessary stacking derivation, 1034
- DPDT, 1130
- DPMIN, 338, 366
 - algorithm, 338, 366
- DPP, 1268
- DPR, 1591
- DPS, 432, 581, 1300, 1397
 - method, 432
- drawable minimum weight triangulations, 4097
- drawing, 1738, 2082, 2208, 2435, 3666, 3734, 3783, 3917, 4072
- drawing a
 - planar graph, 3080
 - straight line, 864
- drawing
 - binary trees, 3725
 - edges, 689
 - general graphs, 1738
 - large graphs, 3783
- drawing of
 - a graph, 3666
 - algebraic curves, 1293
- drawing
 - outerplanar minimum weight triangulations, 3262
 - planar graphs, 1738, 4072
 - polygons, 1741
 - problem of trees, 3734
 - straight lines, 864
 - techniques, 2043
 - tree type program flowcharts, 3734
 - undirected graphs, 1738
 - weighted graphs, 1738
- DRDE, 2835
- Drezner, 2784
 - algorithm, 2784
- drift in floating point addition, 131, 148
- drifting clock, 1346
- Driscoll and Furst, 1083
 - conjecture, 1083
- Dromey, R.G., 3388, 3390, 3401, 3523, 3531, 3818
- drop, 1056
- Dror, Moshe, 3488

- Droubay, Xavier, 3140
 Drozdowski, M., 2801
 drum type storage, 271
 Drysdale and Lee, 517
 DSA, 1131, 1323
 problem, 1323
 DSAM, 2038
 DSAPCE, 1613
 DSC, 2789
 DSP, 2044
 DSPACE, 664, 2616
 DSPACE($\log n$), 1613, 2419, 2616
 DSPACE($\log n$) = NSPACE($\log n$), 1613, 2616
 DSPACE($\log n$) \neq NSPACE($\log n$), 1390
 algorithm, 1613
 DSR, 1894
 DT, 348, 469, 550
 DTOL system, 77, 1475
 DTD algorithm, 2757
 DTIME, 2574, 2755, 3118, 3130, 3913
 Dtime(2^{poly}), 1341
 DTM, 182, 832
 Du and Hwang, 2778
 dual, 398, 550, 794, 1163, 2435, 2674, 4016, 4062
 algorithm, 2098
 banyan, 2724
 bin packing problem, 1784
 disjunctive form, 2098
 graph, 2435
 link data structure, 177
 network, 729
 of a Voronoi diagram, 469, 1193
 ported IBM 3380 D/E, 1591
 space, 2221
 transformation, 3601
 trees, 3262
 duality, 398, 713, 1163, 3335
 theorems, 646
 transform, 1163
 dually, 630
 dually chordal, 3928
 graphs, 3574, 3928
 Dubhashi, Devdatt P., 3509
 Dubish, 2301
 Dubost and Trousse, 194
 due dates, 519
 Dufourd, Catherine, 4105
 Dunne, 1948
 Dunne, Paul E., 3651
 Duo, 3357
 duo processor task scheduling problem, 3470
 duodirun, 956
 DuoDirun merging algorithm, 956
 duplicated file, 649
 Durand, Irène, 2949
 duration, 2304, 2767, 2806, 3540
 calculus, 3704
 Dürr, Christoph, 3904
 Duszak, Zbigniew, 2970
 Duval, 685
 Dyck language, 680, 1647
 Dyer, 792, 1192
 Dyer and Rosenfeld, 395
 dynamic
 acquisition, 103
 algorithm, 1398, 2071, 2822, 3552
 dynamic allocation, 1632
 of storage, 189
 dynamic approximation algorithms, 3369
 dynamic array, 1655, 2194
 data structure, 2173
 dynamic
 backtracking, 3388
 behavior, 2733
 dynamic behaviour, 2157
 of an algorithm, 134
 dynamic
 bin packing, 3552
 characteristics of computer programs, 238
 checking, 710
 compiling, 1850
 dynamic connectivity, 3511
 problem, 1398
 dynamic
 constants, 462, 710
 constraints, 3510
 creation, 1655
 CSP, 3510
 cycle detection, 961
 dynamic data
 allocation, 3001
 structure, 1513, 1573, 1654, 2097, 3816, 3820
 dynamic
 deferred data structuring, 1974
 environment, 3235
 expression evaluation, 1847
 fault tolerant message routing algorithm, 3950,
 3991
 faults, 3752
 file structure, 1742
 filtering, 2679
 filters, 2679
 flow problem, 3724
 generation, 2538
 dynamic graph
 connectivity, 1398
 drawing, 4072
 dynamic graphs, 961, 3033, 3340
 dynamic hashing, 717, 1037, 1658
 method, 1556
 schemes, 1658

- dynamic
 - intersection searching, 1171
 - languages, 1012
 - linear lists, 2114
 - load balancing, 2006, 2684, 3741
 - loading conditions, 2006
 - logic, 776, 1102, 1478
 - logics of programs, 2344
 - maintenance, 2267, 3369, 3457, 3557
 - management, 3935
 - Markov compression, 3944
 - measure, 4089
 - memory allocation, 387
 - message routing, 3950
 - microprogramming, 609, 1049
 - modelling, 2047
 - object oriented languages, 3647
 - of the Karmarkar algorithm, 1287
 - optimization algorithm, 273
 - ordering, 1933
 - organization of data structures, 691
- dynamic parallel
 - computation, 2822
 - evaluation, 2538
- dynamic path reconnection, 1591
- dynamic planar
 - connectivity, 3511
 - point location, 2097
- dynamic
 - point location data structure, 2097
 - priorities, 1816
 - priority ordering problem, 2895
 - problem of elasticity, 89
 - problems, 89
- dynamic program
 - slice, 1654
 - slicing, 1654
- dynamic programming, 166, 935, 1165, 1337, 1442, 1570, 1620, 1636, 1645, 1655, 1906, 2051, 2256, 2300, 2358, 2364, 2470, 2548, 2606, 2628, 2748, 2805, 2932, 2947, 3034, 3170, 3423, 3554, 3708, 3791, 3807, 3931, 4058, 4129
 - algorithm, 756, 1253, 1620, 1943, 2054, 2300, 2470, 2548, 2805, 3660, 3931, 4129
 - languages, 1012
 - problem, 1906, 2256, 2932
 - recurrences, 2932
 - technique, 3456
- dynamic range, 4107
 - queries, 859
 - searching, 3820
- dynamic
 - reconfiguration, 1617
 - release, 103
 - removal, 1655
 - reorganization, 1556
 - routing, 1357
 - scheduling algorithm, 3841
 - scoping, 500
 - searching, 916
 - set of tasks, 3607
 - simulation, 716
 - single resource scheduling problem, 3607
 - slice, 1654
- dynamic storage allocation, 16, 83, 103, 1323, 1440, 1655
 - problem, 83, 1131
- dynamic storage
 - management, 1012
 - schemes, 1658
- dynamic
 - structure, 244, 662, 3820
 - suffix tree, 3474
 - system, 1535, 1971
 - tables, 2816
 - task allocation, 3935
 - text compression, 3358
 - threshold schemes, 2958, 3136
 - topological sorting problem, 2895
 - topologies, 1617
 - tree balancing, 1344
 - type checking, 710
 - updates, 1650
 - voting, 2310
- dynamical
 - behavior of parallel programs, 632
 - properties, 1287
 - system, 3568
- dynamically
 - allocated storage system, 16
 - changing environment, 961
- dynamics, 787
- dynamization, 661, 679, 2251, 2267, 3820
 - methods, 650
 - of decomposable searching problems, 533
 - problem, 2251
- dynamizing decomposable searching problems, 650
- d -ary
 - de Bruijn graph, 1568
 - trees, 3345
- d -cube, 2095, 2642, 2914
- d -dimensional, 1245, 1923, 2836
 - cellular automaton, 2631
 - ECDF searching problem, 1583
 - Euclidean space, 2189, 3483
 - grid, 3855
- d -dimensional hypercube, 1668, 2176, 2914
 - containment counting problem, 1583
 - intersection counting problem, 1583

- d*-dimensional
 - interval heap, 2836
 - maximal element determination problem, 1583
 - d*-dimensional mesh, 2697
 - connected, 1893
 - d*-dimensional poset, 3621
 - snake like order, 1893
 - space, 785, 1057, 2536, 2638, 3038, 3663, 4120
 - unit cube, 2400
 - vector packing problem, 3643
 - d*-heap, 1534, 2053
 - d*-heapsort, 2053
 - d*-immunity, 472
 - D-machine, 119
 - d*-partition, 3968
 - d*-query, 4109
 - d*-regular
 - expander, 1976
 - graph, 3493, 3967
 - D-S-W algorithm, 1223
 - d*-visibility, 3039
 - polygon, 3039
- E**
- E, 1887, 2626, 3071, 3134
 - E = NE, 1887
 - (*E*, *M*)-varieties of tree algebras, 1656
 - (*E*, *M*)-variety, 1656
 - EOL systems, 1124
 - E^3 , 2076
 - Eades, Peter, 3401
 - Eades-McKay, 3844
 - algorithm, 3844
 - eager, 2470
 - evaluation of function arguments, 1592
 - ear, 856, 3945
 - decomposition, 3945
 - length, 3945
 - of a polygon, 856
 - Earley, 108
 - algorithm, 108, 910, 2329
 - context free parsing algorithm, 108
 - parsers, 2329
 - earlier than operator, 3930
 - earliest, 299, 1713
 - deadlines, 868
 - optimal timing function, 1645
 - early rejection, 1557
 - eavesdropper, 3393
 - EBCDIC, 1037, 1418
 - Eberl, M., 479
 - Ebert, Jürgen, 3583
 - EC algorithms, 450
 - eccentricity, 1835, 2889, 3250, 3985
 - ECDF, 807
 - problem, 807
 - ECDF searching, 1583
 - problem, 1245, 1583
 - ECFSM, 3103
 - ECLR attributed grammars, 1318
 - economics, 2039, 3744
 - of computation, 3744
 - ECP, 3808
 - ECT
 - extension mechanism, 24
 - system, 24
 - EDOL systems, 3332
 - Edalat, Abbas, 3628
 - Eddy, 328, 515, 569
 - algorithm, 569
 - Edelsbrunner, 748, 774, 1401
 - Edelsbrunner and Maurer, 774
 - Edelsbrunner et al., 1401
 - edge, 9, 14, 101, 110, 121, 128, 136, 138, 164, 165, 166, 245, 252, 266, 299, 308, 367, 371, 390, 392, 403, 410, 425, 439, 459, 469, 492, 504, 505, 508, 510, 564, 567, 579, 616, 627, 628, 631, 636, 642, 668, 688, 689, 702, 705, 731, 736, 745, 748, 756, 764, 765, 772, 774, 781, 810, 813, 816, 841, 856, 873, 876, 889, 893, 929, 937, 942, 961, 963, 978, 983, 986, 1007, 1009, 1020, 1062, 1079, 1115, 1133, 1198, 1212, 1231, 1243, 1252, 1260, 1267, 1315, 1338, 1339, 1354, 1364, 1398, 1404, 1493, 1537, 1549, 1559, 1562, 1573, 1598, 1640, 1676, 1722, 1725, 1734, 1741, 1745, 1762, 1768, 1777, 1787, 1799, 1803, 1815, 1828, 1834, 1845, 1921, 1992, 1994, 2002, 2003, 2007, 2019, 2052, 2055, 2082, 2091, 2102, 2108, 2119, 2172, 2176, 2200, 2208, 2241, 2243, 2248, 2251, 2264, 2274, 2275, 2284, 2286, 2299, 2316, 2336, 2361, 2372, 2429, 2435, 2445, 2448, 2454, 2508, 2517, 2518, 2548, 2556, 2571, 2575, 2579, 2580, 2597, 2602, 2616, 2663, 2671, 2718, 2741, 2743, 2746, 2756, 2761, 2782, 2789, 2790, 2806, 2822, 2843, 2857, 2863, 2894, 2895, 2908, 2914, 2922, 2940, 2947, 2956, 2975, 2976, 2992, 3010, 3014, 3018, 3039, 3062, 3068, 3080, 3090, 3148, 3158, 3159, 3174, 3178, 3192, 3193, 3203, 3250, 3257, 3272, 3275, 3277, 3301, 3304, 3331, 3354, 3367, 3380, 3385, 3411, 3425, 3467, 3516, 3523, 3547, 3562, 3584, 3592, 3623, 3637, 3650, 3651, 3666, 3673, 3675, 3676, 3688, 3691, 3715, 3720, 3721, 3748, 3761, 3790, 3805, 3808, 3864, 3866, 3926, 3959, 3981, 3995, 4048, 4071, 4072, 4077, 4092, 4095, 4128
 - addition, 961
 - barrier, 1827

- edge chromatic sum, 4102
 - of trees, 4102
- edge classification, 4071
- edge coloring, 492, 1336, 2486, 2534, 2724, 3068, 3159, 3721, 3808, 3928, 4102
 - algorithm, 2534
 - bipartite graphs, 3068
 - multigraphs, 3808
- edge coloring of
 - a unicyclic graph, 492
 - graphs, 2486
- edge coloring problem, 660, 3068, 3808
- edge colouring, 1522
 - of trees, 1522
 - problem, 444
- edge
 - congestion, 2580
 - connectivity, 392, 887, 937, 1549, 2429, 3475, 3971
 - costs, 371, 765
 - crossing properties, 4072
 - crossings, 4072
 - deletion, 1544, 1573, 3523, 3623
 - detection, 963
 - edge disjoint, 392, 2603, 3612
 - branchings, 392, 937
 - cycles, 1965, 2486
 - directed paths, 392
 - graph, 2196
 - paths, 2421, 2603, 3612, 3959
 - paths in a tree, 2779
 - reducible, 2196
 - reducible wait for graphs, 2196
 - shortest paths, 1979
 - spanning trees, 887, 3914, 4108
 - (s, t) -paths problem, 3612
 - s - t paths, 2906
 - edge dominating set, 2743, 3192
 - edge domination, 2743, 3192, 3842
 - problems, 2743
 - edge fault, 1600, 3691, 3837
 - tolerance, 3467
 - edge
 - graph, 252, 743, 942, 1127, 2608
 - guards, 2273
 - Hamiltonian path problem, 743, 2608
 - in a guest graph, 772
 - insertion, 1544, 3340
 - intersect, 2527
 - intersection, 2359, 3794
 - label, 564
 - labeled graphs, 2786
 - edge length, 164, 428, 550, 1254, 1828, 2380, 3866, 3946, 3864, 4122
 - 1 and 2, 1823
 - edge multicolorings, 2055
 - edge of
 - a graph, 2200
 - an n -cube, 2034
 - unit length, 1764, 2756
 - edge
 - oriented algorithm, 1588
 - packing, 1842
 - partition, 492
 - partitioning problem, 660
 - partitions, 2401
 - pixels, 1895
 - search, 3203
 - separators, 2401
 - edge set, 166, 309, 403, 421, 764, 765, 772, 815, 873, 1745, 2248, 2417, 2556, 3592, 3661, 3691, 4057
 - deletions, 3523
 - insertions, 3523
 - edge
 - subgraph problem, 743
 - symmetry, 2414
 - to edge connections, 2482
 - vertex incidence matrix, 2815
 - visibility polygon, 3039
 - weighted graph, 2579, 2698, 3275, 4095
 - weights, 3155, 3670, 3761
 - zeroing, 2789
 - Edinburgh
 - Dec-10 Prolog, 1041
 - LCF ML rules, 3188
 - Edison, 1012
 - EDISON-80, 1200
 - Edison-80 object code, 1200
 - edit distance, 295, 1307, 1569, 1640, 2023, 2470, 2797, 2916, 3055, 3931
 - problem, 1569, 2470
 - edit
 - operations, 295, 1982
 - script, 2023
 - sequence algorithm, 3423
 - editing, 295
 - distance, 2397
 - editor, 1919, 3677
 - EDM, 2873
 - algorithm, 2873
 - Edmonds, 299
 - Edmonds and Johnson, 660
 - Edmonds' branchings theorem, 937
 - EDOL language, 2112
 - EDT0L, 200
 - education, 25, 1996
 - in computer architecture, 326
 - Edwards, 2317

- effect region, 1512, 1535
- effective
 - entropies, 2112
 - proof, 1630
 - specification, 846
 - transition system, 1687
- effectively
 - computable, 726, 3940
 - decidable, 1070
- effectiveness, 1687
- efficiency, 130, 243, 1690, 2212
- efficiency of
 - a tree, 3382
 - depth first search, 2553
 - interpolation search, 703
 - parsing, 1088
 - proofs, 1427
- efficient algorithm, 32, 101, 207, 217, 319, 423, 481, 560, 583, 684, 690, 806, 864, 865, 969, 997, 1220, 1268, 1276, 1364, 1429, 1527, 1667, 1703, 1778, 1970, 2009, 2061, 2072, 2079, 2170, 2211, 2345, 2474, 2495, 2547, 2598, 2642, 2814, 3157, 3174, 3328, 3410, 3483, 3546, 3595, 3621, 3686, 3799, 3805, 3807, 3836, 3866, 3878, 3925, 3982
- efficient algorithm for, 205
 - convex hulls, 515
- efficient algorithms, 15, 207, 393, 399, 451, 490, 552, 674, 679, 901, 1147, 1308, 1401, 1485, 1580, 1777, 1984, 2119, 2289, 2460, 2483, 2699, 2729, 2741, 2765, 2904, 3104, 3386, 3574, 3661, 3724, 3816, 3857, 4083
 - for rectangles, 1755
- efficient
 - allocation, 2069
 - broadcasting, 2745
 - compilation, 3201
 - computation, 1680, 2691, 2768, 3520
 - construction, 3925, 4134
 - data structures, 841
 - deterministic algorithms, 14, 3763
 - edge domination problems, 2743
 - evaluation, 1870
 - execution, 3007
 - generation of test instances, 2049
 - heuristics, 207, 546
 - implementation, 367, 548, 620, 972, 1790, 1958, 2164, 2326, 2441, 2603, 2639, 2783, 2793, 2891, 3053, 3735, 3805
 - implementations on general purpose computers, 1494
 - isomorphism algorithm, 9
 - learning, 3165
- efficient parallel, 4078
 - algorithm, 820, 1245, 1624, 1729, 1847, 1961, 1965, 1997, 2102, 2152, 2427, 2467, 2964
 - algorithms, 1544
 - circuits, 1680
 - computation, 1640, 2152
 - k selection algorithm, 2022
 - prefix algorithms, 3965
 - processing, 2184
 - sorting algorithm, 2455
 - strong orientation, 1133
- efficient
 - programs, 261, 1320, 3007
 - representations of data structures, 2548
 - sampling schemes, 1700
 - searching, 281, 656
- efficient selection, 1273
 - algorithm, 2990
- efficient
 - selfapplication, 2137
 - simulations, 2530, 3205
 - solution, 642, 753, 1387, 1421, 1446, 1583, 2391, 2450, 2716, 2731
 - string matching, 1872
- efficiently constructible distributions, 1960
- efficiently solvable, 865, 1847, 2101
 - on mesh connected computers, 1847
 - problems, 1847, 2101
- Efrat, Alon, 3646
- egd, 2786
- Eğecioğlu, Ömer, 3602
- Eğecioğlu and El Abbadi, 4110
- Egli-Milner order, 3356
- EH, 2491
- Ehrenfeucht and Haussler, 2406
- Ehrenfeucht and Rozenberg, 669, 695
- Ehrenfeucht conjecture, 1644
- Ehrich and Lipski, 221, 525, 1030
- Ehrich-Lipski algorithm, 221
- Ehrig and Rosen, 1652
- Eiffel™, 2180
- eigenvalue, 529, 783, 841
- eigenvalue of
 - a real symmetric matrix, 417, 529
 - symmetric quindagonal matrices, 783
- eigenvalue problem, 140, 529
- eight queens on a chessboard, 1258
- Eilenberg, 1656
- Eilenberg and Schutzenberger, 356
- Eilenberg theorem, 1656
- Eisenberg and McGuire, 1305
- El Abbadi, A., 3953
- El Abbadi, Amr, 3602
- El Ayat, 609
- El Yaniv-Fiat-Karp-Turpin money making bidirectional trading strategy, 3707

- ELALR (k) grammars, 3611
- elastic
 - buckets, 2709
 - embeddability, 3155
- elastic equilibrium, 48
 - of bodies in transferences, 98
- elastic
 - graphs, 3155
 - store, 157
- elastically embeddable, 3155
- elasticity, 89, 140
- Elcock scheme, 721
- Elcock, E.W., 721
- election, 1224, 1712, 2187, 2767, 3549
 - algorithm, 2035, 2187
 - in a complete network, 1627
 - of a leader, 3477
 - Pr, 1224
- election problem, 1609
 - in a complete network, 1224
- election protocol, 1858
- electrical
 - communication Laboratory of NTT, 896
 - resistance, 2054
- Electrologica X8 machine, 34
- electromagnetic scattering, 140, 195
- electron problem, 2636
- electronic
 - elections, 4134
 - voting schemes, 4134
- electronics, 711
- electrostatic
 - potential, 140
 - problems, 195
- elegant algorithm, 4079
 - for triangulating a set, 350
- Elekes, 2813
- element, 12, 20, 109
- element distinctness, 2925, 2980
 - problem, 2925, 2980, 3364
- element uniqueness problem, 841
- elementary, 43
 - components, 3848
 - cycles, 309
 - derivation tree, 709
 - formal system, 3884
 - message, 1712
 - operation, 1129
 - recursive, 2008
 - sequences, 129
- ElGamal
 - encryption, 3587
 - type digital signature scheme, 3587
- eliminating loops, 1144
- elimination
 - graph, 136
 - method, 1386
 - of recursion, 1264
 - order, 3183, 3928
 - ordering, 3104
- elimination tree, 3183
 - height, 3183
- ellipse, 3359
- ellipsoid, 893, 3811
- elliptic curve, 2995, 3840
 - RSA, 2995
- elliptic
 - equation, 1170
 - geometry, 4052
- Ellis, John, 4130
- ELR
 - grammars, 1331
 - parser, 1331
 - parsing, 1331
- ELR(k) grammar, 1331, 3611
- Elspas, 668
- embeddability, 279, 969
- embeddable, 1641, 3155
- embedded
 - domain, 3392
 - functions, 1598
 - graph, 1705, 1815
 - Horn structure, 2392
 - join dependency, 1025, 2368
 - sequencing principles, 29
 - systems, 340
- embedding, 279, 736, 772, 969, 1476, 1490, 1734, 1912, 2475, 2527, 2548, 2583, 2738, 3051, 3112, 3264, 3296, 3566, 3604, 3786, 4011
- embedding a
 - family of graphs, 772
 - graph, 1393, 2548
 - ring, 3367
- embedding
 - cycles, 3604
 - edges in a cycle, 3796
- embedding functions in logic, 1041
 - based languages, 1041
- embedding
 - hyperedges in a cycle, 3796
 - method, 2580
 - NP completeness, 144
- embedding of
 - an L system, 279
 - binary trees on a square grid, 1764
 - cycles, 4011
- embedding
 - rectilinear graphs, 1641
 - ternary trees, 1490

- embedding (*cont.*)
 - trees, 2176
 - vertices in the plane, 518
- Embley, David W., 3619
- Emerson, 2363
- Emlisp, 896
- empirical
 - cumulative distribution function, 807
 - data, 1071
 - evidence, 2640, 3212
 - laws, 1071
 - measurements, 384
 - performance, 328
 - study, 384
 - testing, 947, 2049
- emptiness, 501, 516, 572, 2731, 2937
- emptiness of
 - complement, 516
 - intersection, 1067
 - the intersection of two D0S languages problem, 572
- emptiness problem, 501, 578, 898, 1103, 1213, 2078, 2986
- empty
 - graph, 3340
 - L-shaped corridor, 3322
 - nonempty 2 system, 61
 - string, 7, 438, 1988
 - vertex, 585
 - word, 144, 201, 740, 1085, 1981, 2068
- emulation, 1651, 1996, 3026
- EM-3, 896
- en, 2471
- enabling, 2294
 - and disabling constructions, 2294
- encapsulation, 532, 1934
- Encarnación, Mark J., 3471
- enciphering, 1093
 - function, 643
 - keys, 3681
- enclosing
 - cycle, 1705
 - procedures, 5
 - walk, 1705
- enclosure, 237
- encoded pointers, 532
- encoding, 427, 1982, 2743, 3130, 3394, 3983, 4062, 4101
 - formalisms, 3094
 - method, 383
 - of a graph, 459
 - operator, 4101
 - rules, 3514
 - scheme, 1421
 - structured images, 1421
- encounter, 1163, 2509
- encrypted
 - data, 3430
 - information, 562
 - representation, 4091
 - word, 1973
- encrypting
 - 2-D gray scale images, 3428
 - and decrypting operations, 1932
 - information, 437
- encryption, 437, 562, 643, 681, 682, 734, 760, 885, 1145, 1473, 1932, 1973, 3308, 3840
 - function, 3430
 - key, 1475
 - methods, 437
 - schemes, 3308
 - standard, 2327
- encryption/decryption, 2999, 3190, 3532, 3881
 - keys, 2405
- end
 - around carry, 2214
 - predicate, 134
- endmarker, 1993
- endofunctor, 1674, 2452
- endomorphism, 361, 1205
- endorder, 35, 62, 96
- endpoint, 1671, 2408, 3121, 3158, 3794, 3945
- endvertex list, 854
- energy, 2021
- enforcing action sequencing, 555
- Engbretsen, Lars, 3698
- Engelfriet and Vogler, 2078
- engine room, 522
- engineering, 2, 4, 140, 195, 416, 711, 1611, 2240, 2444, 2489, 2701, 2810, 3103
 - design, 2039
- English, 61, 1059, 1229, 1418, 3996
 - alphabet, 1418
 - document collection, 61
 - fragments, 1229
- Enjalbert and Fariñas Del Cerro, 1587
- enlarged probability space, 3645
- enriched, 2452
- enrichment, 775
- entailment, 1567, 2046, 2269, 3893, 4069
- entailment logic, 2046
 - system, 2046
- entailment relation, 2046
- entire graph, 110
- entity relationship diagrams, 1738
- entrance variables, 159
- entropy, 173, 405, 2112, 2612, 3255, 3652, 3833, 3848, 4089
 - function, 788
- entropy minimax, 179
 - method, 179

- entropy of
 - a language, 2112
 - the future, 179
- entropy tree, 788
- enumerable, 2453
- enumerating
 - k -way trees, 2718
 - the elementary cycles of a digraph, 309
- enumeration, 565, 809, 1172, 1536, 2979, 3263, 3420, 3473, 3477, 3927, 3992
 - algorithms, 649
 - function, 2785
- enumeration of
 - articulation pairs of a planar graph, 1172
 - binary trees, 684, 2598, 2890
 - combinatorial structures, 1797
 - constrained spanning trees, 3992
 - DTM, 832
 - nodes, 3477
 - trees, 2718
- enumeration problem, 674, 684, 3969, 3992, 4044
 - of CI functions, 3969
- enumeration results, 2271
- enumerative
 - combinatorics, 4048
 - counting, 2179, 2453
 - procedures, 884
 - theory of Young tableaux, 175
- enumerator, 2453
- envelope, 1671, 1882, 2221
 - of a set of lines, 2221
- environment, 27, 31, 1346, 1375, 1724, 2249, 2409, 3142, 3435, 3583
 - coding, 1968
 - for program development, 213
- environmental
 - conditions, 197
 - planning, 509
- EOL, 2986
 - families of languages, 297
 - family, 297
 - form, 297
- EOL language, 292, 297, 2986
 - family, 297
- EOL systems, 297
- epimorphism, 1656
- Eppstein, David, 3511
- (ϵ, δ) -approximation algorithm, 1700
- ϵ -approximate solution, 3625
- ϵ -approximation
 - algorithm, 1760, 3625
 - parametric optimization, 3625
 - scheme, 1760
- ϵ -biased random variables, 2872
- ϵ -CLOSENESS problem, 2952
- ϵ -dependent random variables, 2872
- ϵ -discrepancy sets, 3098
- ϵ -free, 68, 709, 3357
 - covering grammar, 438
 - grammar, 438
 - homomorphism, 313
 - initial terminal Petri net languages, 476
 - K -iteration languages, 201
 - morphisms, 3357
 - regular languages, 1155
 - ω -regular language, 1678
- ϵ -halver, 3907
- ϵ -moves, 112, 539, 766
- ϵ -transition, 666
- EQP, 3695
- equal
 - keys, 858
 - radius circles, 1401
 - subset sum problem, 2425
- equality, 2, 430, 541, 771, 1067, 1194, 1567, 2391, 2560, 2854, 2879, 2882, 3469, 3525, 3551, 4005
 - data base, 541
 - generating dependency, 2523, 2786
 - Horn logic, 2202
 - in Abelian groups, 2938
 - language, 1585
 - languages of rational functions, 1585
- equality of
 - modes, 17
 - terms, 1531
- equality operator, 1140
- equality problem, 2879
 - for ϵ -free initial terminal Petri net languages, 476
- equality
 - queries, 2854
 - set, 1076
 - tests, 2137, 3557
 - theorem of Eilenberg, 1256
- equalization, 3151
- equates, 3036
- equation, 22, 104, 116, 140, 3424
 - for commutative regular languages, 3951
 - in words, 1085
 - on infinite words, 1644
 - sets, 966
 - solving performance, 984
- equational, 3006, 3695
 - axiomatization, 2981
 - axioms, 1639
 - programming, 2676
 - proof style, 3006
 - proofs, 2590
 - propositional logic, 3006
 - reasoning, 3004, 3006

- equational (*cont.*)
 - semi-unification, 2938
 - specification, 775, 1402
- equational theory, 1531, 1639, 2031, 3951
 - of processes, 1639
- equationally
 - defined, 2648
 - specified reduction systems, 1101
- equations of elastic equilibrium of bodies, 98
- equiangular lines, 4052
- equidistant, 2763
 - points, 2763
- equijoin, 1140
- equilibrium, 16
 - condition, 188
 - distribution, 990, 1548
 - perturbation, 410
- equivalence, 88, 178, 192, 471, 709, 725, 785, 1420, 1427, 2262, 2655, 2972, 3583, 3660, 3813, 3911
- equivalence between, 386, 2353, 3198
 - dual optimization problems, 2432
 - Petri nets, 2578
- equivalence check, 4083
- equivalence checking, 494, 692
 - algorithm, 451
- equivalence class, 240, 1991
 - of a configuration, 1029
- equivalence
 - classes, 54, 240, 834, 2578, 3890
 - covering, 3090
- EQUIVALENCE declaration, 471
- equivalence notions, 3360
- equivalence of
 - algorithms, 122
 - conditional forms, 331
 - database models, 1094
 - finite automata, 240, 471
 - formulas, 2056, 3829
 - Latin squares, 574
 - modes, 17
 - multistage interconnection networks, 1466
 - recursion and iteration, 243
- equivalence problem, 240, 378, 386, 396, 456, 471, 666, 692, 709, 726, 741, 945, 1029, 1103, 1256, 2253, 2655, 3243, 3284
 - between context free and DOL languages, 241
 - for 0L systems, 56
- equivalence problem for deterministic
 - context free languages, 378
 - pushdown automata, 741
 - TOL systems, 47
- equivalence problem for
 - ε -free nondeterministic generalized sequential machines, 476
 - finite turn DPDA, 666, 741
 - K - Σ -automata, 1256
 - one-turn DPDA, 741
- equivalence problem for realtime
 - deterministic pushdown store automata, 378
 - single state deterministic pushdown automata with bounded lookahead, 378
- equivalence problem for
 - sentential forms, 56
 - sp machines, 396
 - stateless DPDA, 666
 - TOL systems, 47
- equivalence problem of
 - E-patterns, 3243
 - morphisms, 1213
 - rational formal power series, 1256
- equivalence
 - proof, 1067
 - queries, 3165, 3337, 3489, 3766, 3941, 4056
 - relation, 15, 54, 110, 1463, 1652, 2578, 2972, 3300
- EQUIVALENCE statements, 240
- equivalence
 - test, 2753
 - testing, 2753
 - theories of algorithms, 122
 - transformations, 1870, 3009
 - under null completion, 1237
- equivalent, 12, 119
 - DPDA, 666
 - expression, 43
 - formula, 3829
 - processors, 185
 - program, 1487
 - programs, 1520
 - schema, 133
 - structures, 355
 - subsystem, 1644
 - transformations, 1028
- Er, 1429
- ERAL, 862
- erasing, 2473
- EREW, 2409, 2411, 2873, 3490, 3756, 3964
 - B-PRAM, 2409
 - computational model, 3178
 - dictionary, 3817
 - model, 1582, 2822
 - parallel random access machine, 1582, 2052, 2151
 - PRAM, 1133, 1430, 1509, 1780, 1879, 1884, 1899, 1986, 2036, 2083, 2115, 2143, 2215, 2322, 2415, 2455, 2467, 2486, 2575, 2706, 2808, 2825, 2873, 2911, 2961, 2971, 3089, 3154, 3178, 3350, 3516, 3671, 3963, 3987
- erew pram, 1640
- EREW PRAM algorithm, 1884, 2575, 3379, 3516

- EREW PRAM model, 1821, 1885, 2322, 2393, 2394, 2413, 2494, 2714, 2782, 3220, 3490, 3516
 - of computation, 2194, 2234, 2678
- EREW processors, 3425
- EREW/ERCW SM SIMD computers, 2302
- Ergün et al., 3685
- ergodic, 2564
 - Markov chain, 2564
 - theorem, 4032
- ergodicity of linear cellular automata, 3466
- ERH, 2149
- Eriksson and Rayner, 1297
- Erkio and Peltola, 1074
- Erlang distribution, 3564
- erlangian input distribution, 57
- Erlingsson, Úlfar, 3405
- Ernvall, 1228
 - algorithm, 1228
- ero suppressed BDD, 3735
- erroneous, 582, 1383, 1440, 1952, 2105, 2471, 2877, 3845
 - information, 2471
 - input symbol, 457
 - outputs, 180
 - points, 582
 - responses, 2471
 - symbol, 690
- error, 31, 188, 457, 462, 2105, 2398, 3845, 4109
 - analysis, 641, 789
 - bound, 767, 1771, 2919, 4004
- error correcting, 3076
 - algorithm, 998
 - codes, 325, 3179, 3514, 4040
 - coding scheme, 325
 - design, 2407
- error correction, 154, 325, 457, 543, 582, 690, 998
 - methods, 690
 - schemes, 582
- error corrector, 582
 - module, 582
- error detecting, 2407, 4034
 - codes, 4034
- error detection, 154, 325, 457, 690, 1107, 1329, 2407, 3779
 - and recovery, 270
 - point, 1308
 - property, 457
- error
 - diagnosis, 277
 - diagnostics, 277
- error evaluation, 253
 - algorithm, 253
- error free, 1712
 - computation, 1010, 1595
 - probabilistic algorithm, 391
- error handling, 154
 - in compilers, 154
- error
 - isolation, 31
 - levels, 3996
 - modeling, 3342
- error probability, 767, 843, 2388, 2722, 2764, 2987, 3400
 - for BPP, 2722
- error propagation, 4090
- error recovery, 154, 270, 277, 582, 779, 2226, 4018
 - scheme, 582
- error repair, 2768
 - model, 2685
 - scheme, 1308
- error
 - repairing parser, 1308
 - resynchronisation, 270
 - sources, 237
 - sum of squares method, 916
 - surface, 2062
 - symbol, 1308
 - threshold, 3888
 - tolerance, 479
- Ershov, 1736
- Ershov, A.P., 1409
- Ershov, Andrei P., 1736
- Ershov, Andrei Petrovich, 1736
- escape
 - control mechanism, 464
 - statements, 2207
- Esik, 794
- ESP, 2130
- essential
 - complexity, 2007
 - multiplication, 155
- estimate, 52, 649, 691, 839, 1235, 1353, 1513, 1690, 2089, 2098
- estimating, 2987
 - access costs, 1063
 - rule probabilities, 3994
 - the number of records in a relational database, 839
- estimation, 839, 1080, 1323, 1347, 2777, 2800, 3030, 3497, 3994, 4044
 - errors, 49
 - of the number of blocks, 1048
 - rule, 3393
- estimator for
 - linear regression, 250
 - software, 3030
- Eswaran, 485
- ETOL, 200, 1643
 - grammars, 161, 3519

- ETOL language, 144, 232, 361, 778, 1148
 - family, 161
- ETOL
 - languages of finite index, 232
 - proof techniques, 361
 - system, 193, 232, 297, 361, 778, 1643, 3074
- η -bisimulation, 2295
- Ethernet, 2487, 2929
 - throughput, 2487
- ETL data driven machine-3, 896
- ETSP, 1014
- Euclid, 465
- EUCLID, 480
 - like syntax, 443
- Euclidean, 991, 1195, 2334, 3864, 4092, 4122
 - algorithm, 2334
 - bottleneck matching, 4123
 - computation, 2334
- Euclidean distance, 439, 689, 965, 1020, 1149, 1738, 1829, 2102, 2384, 2873, 3089, 3155, 3507
 - function, 1210
 - map, 2873, 3089
 - transform, 3298
- Euclidean
 - fixed radius near neighbor searching, 422
 - geometry, 3562
 - matching algorithms, 1201
- Euclidean metric, 219, 422
 - in 3-space, 3599
- Euclidean
 - minimum spanning trees, 517
 - near neighbor searching, 422
 - plane, 354, 439, 841, 1020, 1210, 1245, 1262, 1304, 1345, 1357, 2454, 3208, 3526, 3794
 - proximity graphs, 2010
 - p-center problem, 1620
 - space, 204, 301, 391, 445, 1829, 1854, 2533, 2735, 2920, 3011, 3102
 - Steiner minimal tree, 2178
- Euclidean traveling salesman, 870, 1374
 - cycle, 870
 - problem, 870, 1374, 2090, 2893
- Euclidean TSP, 1014, 3380, 3791, 4117
- Euclidian
 - distance, 1676, 1777, 2445, 2465
 - edge length, 550
 - metric, 2438
- Euler, 347, 2663
 - criterion, 1703
 - digraph, 2663
 - formula, 627, 736, 1077
 - function, 3160
 - relation, 1469
- Euler tour, 1965, 3264
 - technique, 1842
- Euler trail, 2663
- Eulerian, 688, 3264
 - graph, 252, 688
- eulerian graphs, 87
- Eulerian
 - path, 689
 - proper subgraph, 688
- Eulerian trail, 1588
 - algorithm, 1588
- Euler-Maclaurin
 - constant, 347
 - formula, 347
 - summation, 347
- evaluating, 209, 479
- evaluating a
 - function, 1999, 2657
 - hash function, 391
 - polynomial, 436
- evaluating
 - algorithm, 209
 - expressions, 1097
 - functional language programs, 1310
 - functions, 350
 - polynomials, 18
- evaluation, 10, 18, 27, 36, 37, 226, 442, 1297, 2516, 3861
 - during LR parsing, 779
 - function, 1450
 - in parallel, 145
- evaluation of
 - Boolean formulas, 419
 - expressions, 398
 - fixpoint expressions, 3381
 - functions, 1041
 - polynomials, 479, 657
 - predicate terms, 258
 - quadratic forms, 692
 - relational date systems, 45
- evaluation
 - order, 1383, 1506, 1579, 3161
 - over the integers, 18
- evaluation problem, 18, 419
 - for quantified Boolean formulas, 419
 - with two literals per clause, 419
- evaluation
 - sequence, 1636
 - status, 3161
- evaluator, 397, 2707
 - for attribute grammars, 273
 - polynomial, 3846
- evasiveness, 1718, 1815
- Even, 375
- even, 519, 701
- Even and Kariv, 299, 567

- Even and Shiloach, 1573, 3623
- Even and Tarjan, 375
 - maximum flow algorithm, 510
- even
 - factor, 599
 - length, 3604
- even linear
 - grammars, 2061
 - language, 1604, 3198
- even number of ones, 274
- even order
 - graphs, 599
 - tree, 252, 599
- Even, Itai, and Shamir, 419
- Even, Pnueli, and Lempel, 1184
- event, 981, 1460, 1816, 2204, 2806, 3314, 3390
 - deadlines, 3314
 - distributions, 269
 - fairness, 3714
 - graphs, 2806
 - ordering scheme, 1816
 - set, 1233
 - structures, 2295, 3773
- Everett and Gupta, 2034
- Everett, Hazel, 3758
- everywhere operator, 3316, 3616
- evolution, 295, 2021
- evolution of
 - an information system, 2047
 - data, 1919
- evolutionary
 - aspects, 197
 - distances, 2916
 - programming, 2837
 - tree, 2719, 3590
- exact
 - algorithm, 1201, 2731, 3368, 3592, 3648
 - analysis, 63, 3492
 - arithmetic, 18, 1010, 1595, 1972
 - balancing, 1206
 - bounds, 3712
 - circle problem, 1293
 - coloring algorithm, 2087
 - complexity, 2664, 3788
 - computational geometry, 3615
 - cover by 3-sets, 478
 - covering problem, 1963
 - data, 172
 - division, 2156
 - edge coloring, 3928
 - filling model, 1274
 - inner product computation, 3248
 - learnability, 2792
- exact learning, 3486, 3941
 - algorithm, 3337
- exact
 - line problem, 864
 - primitives, 3811
 - real multiplication, 199
 - realization, 180
 - solutions, 878, 981, 2750
 - string matching, 2215
 - summation, 3248
- exact tabulation, 716
 - method, 716
- exact total coloring, 3928
- exception, 1793, 3008
 - handling mechanism, 941
- exceptional, 2835
- excess entropy, 2612
- exchange, 1060, 1142, 1633, 2064, 2247, 2390
 - algorithm, 1669
 - capacity, 4082
 - information, 1545, 1999
 - messages, 2388
- exchange of
 - information, 387
 - messages, 2388
- exchanging messages, 1369
- exciting developments, 1246
- excluded, 309, 1404, 2668
- exclusion
 - based synchronization problems, 470
 - requirements, 345
- exclusive
 - access, 300, 838
 - Or, 3044, 4055
- exclusive read
 - and exclusive write, 2151
 - exclusive write, 1582, 1884, 2873
- exclusive read exclusive write parallel
 - RAM, 2517
 - random access machine, 2575, 2825
- exclusive write model, 1990
- executability, 838
- executable, 493, 508, 546, 631
 - metalanguage, 544
 - parameter values, 3692
 - program, 950
 - subset, 1654
 - test sequence, 3692
- executing iterative code, 243
- execution
 - constraints, 185
 - cost, 1806, 2080
 - intervals, 185
 - model, 2703
 - nodes, 649
 - of a statement, 159
 - order, 2050

- execution (*cont.*)
 - ordering, 882
 - sequences, 2219, 2703
 - skew, 4089
- execution time, 104, 135, 167, 230, 255, 293, 402, 553, 611, 648, 701, 1090, 1602, 1636, 1810, 1819, 1850, 2133, 2314, 2390, 2398, 2757, 2789, 3066, 3260, 3319, 3472, 3942, 4023
 - of computation, 167
- ExHash, 863, 1037
- exhaustion, 565
 - algorithm, 565
- exhaustive
 - comparison, 336
 - computer search, 40
- exhaustive search, 76, 737, 926, 1291, 2327, 3992
 - algorithm, 3716
- $\exists\forall^2$ fragment, 4062
- existence lemma, 12
 - for canonical forms, 12
- existence of circuits, 2225
- existential, 419, 3035
 - first order formulae, 2258, 2659
 - lower bound, 2539
 - quantification, 2363
 - quantifier, 1480, 2672
 - second order logic, 3449
- existentially quantified variables, 1670
- exit
 - control structures, 464
 - statement, 931
- EXP, 3869
- expander, 2616, 2674, 2926
 - graph, 2199, 2616, 2674, 3907
- expanding graphs, 2856
- expansion, 1126, 1722, 2709, 3156
 - methods, 1526
 - of an iteration, 258
- expansive, 680
 - language, 680
- expectation, 373, 691, 914, 1448, 2055, 2874, 3637
- expectation of the
 - number of comparisons, 405
 - time complexity, 557
- expected, 157
 - access cost, 863
 - behavior, 367, 1222, 2305, 2874
 - behaviors of algorithms, 367
 - case analysis, 3210
 - complexity, 367
- expected complexity of
 - computing convex hulls, 893
 - fast search, 703
- expected
 - connectivity, 2421
 - cost, 2658, 3123, 3986, 4016
 - costs of deadlock detection, 636
 - error, 303
 - execution time, 914, 1636
 - first passage times, 1902
 - head movement, 756
- expected length, 2629
 - of a shortest path, 2629
- expected linear
 - run time property, 570
 - time, 391, 2478
- expected
 - logarithmic time, 2287
 - maximum number of edge disjoint s-t paths, 2906
 - number, 678, 718, 3044, 3465, 3682
- expected number of
 - accesses, 1048
 - block accesses, 1048
 - comparisons, 367, 706, 1024, 1451, 2254
 - data accesses, 566
 - edges, 636
 - gates, 180
 - input bits, 3589
 - maximal vectors, 1864
 - nodes, 2421
 - records examined, 1916
- expected overflow space, 203
- expected path length, 3382
 - of trees, 3382
- expected
 - performance, 622, 1123, 1724, 2049, 2230, 4064
 - read/write head movement, 756
 - running time, 328, 391, 991, 1202, 1400, 1404, 2023, 2232, 2683, 2770, 3016, 3177, 3646
 - runtime of Schnorr algorithm, 636
- expected seek
 - distance, 3265
 - time, 1771
- expected seeks, 3492
- expected storage
 - and search cost, 895
 - cost, 863
- expected time, 306, 328, 391, 503, 594, 678, 703, 757, 843, 916, 1123, 1136, 1202, 1276, 1525, 1636, 1916, 1930, 1976, 2200, 2683, 2711, 2770, 2782, 3011, 3646
 - algorithm, 1001, 1923, 3585
 - analysis, 2305
 - bound, 757
- expected time complexity, 569, 581, 825
 - of Ward method, 916
 - results, 916
- expected time
 - of short circuit evaluation, 1636
 - performance, 916

- expected
 - value, 703, 1616, 2230, 2487, 2683, 2906, 4124
 - vocabulary string, 1308
- experimental
 - data, 66, 172, 431, 432, 1714, 2247, 2629
 - evidence, 569
 - results, 63, 260, 609, 678, 825, 1287, 1806, 1817, 2314, 2559, 2634, 2904, 3340, 3410, 3462, 3592, 3606, 3863, 3984, 4078
 - running time, 1300
- expert
 - database systems, 1781
 - opinions, 2970
 - systems, 754, 1330, 1459, 1781
- experts' opinions, 3225
- explanation, 356
- explicit
 - balance information, 427
 - constructions, 4033
 - language, 2760
- exponent, 606, 1226, 1270, 2867, 2928, 3659, 3728
 - in the prime factorization, 1117
 - of matrix multiplication, 820
- exponential
 - associative memory, 2021
 - behavior, 829, 2648
 - blow up, 4113
 - complement representation, 3976
 - complexity, 981, 1152
 - computation times, 947
 - deterioration, 818
 - diameter, 1834
 - encoding scheme, 2021
 - generating functions, 4048
 - Golomb encoding, 383
 - growth, 93
 - hetero-associative memory, 2021
 - hierarchy, 1887
 - lower bound, 1152, 1552, 1925, 2040, 3088, 3281, 3464, 3569
 - mean life, 2777
 - polynomial, 2240
- exponential server, 3564
 - network, 3564
- exponential size, 2109, 3032, 3594, 3768
 - read once branching programs, 3496, 3711
- exponential source, 806
- exponential space, 1392
 - and time overheads, 1809
 - upper bounds, 2008
- exponential time, 1392, 2449, 2954
 - algorithm, 388, 798, 2552
 - classes, 4005
 - complexity, 960
 - upper bound, 741
- exponential weights, 3768
- exponentiality of regular resolution, 542
- exponentially
 - distributed random time, 1415
 - hard, 257, 3901
 - large population, 1700
- exponentially more
 - powerful, 949, 3464
 - succinct, 663
- exponentially
 - powerful, 949, 3520
 - small, 1898, 2722
- exponentiation, 694, 3021, 3719
 - with the Montgomery algorithm, 3719
- expressibility, 332, 1555
- expression, 7, 27, 1753, 4080
 - evaluation, 27, 1097, 1372, 1383, 1847, 3376
 - grammar, 1360
 - in programs, 1097
 - like languages, 1360
 - tree construction, 2101
- expressive interpretations, 1478
- expressive power, 332, 440, 1091, 1111, 1324, 1909, 1934, 2258, 3099, 3199, 3318
- expressive power of
 - 2DPDA, 2930
 - CTL combinators, 3099
 - loop, 1102
 - repeat, 1102
 - Unity, 2703
- expressiveness, 775, 1102, 1849
- EXPSPACE, 3182
- expSPACE, 880
- EXPSPACE avoiding, 3182
- exptime, 880
- exptime \neq nexptime, 880
- Exptime complete, 1417
- EXP-P/poly, 3869
- Exspace, 1341
- extendability, 3650
- extendability problem, 3650
 - in bipartite graphs, 3650
- extended, 122
 - algorithm, 1360
 - binary trees, 3980
 - Boolean model, 2647
 - context free grammar, 1331, 2862, 3611
 - data type, 1372
 - Euclid algorithm, 1010
 - Frege system, 1925
 - Horn formulas, 3063
 - LALR(k), 2675
 - language, 24, 604, 2077
 - LR(0) automaton, 2675, 2862

- extended operator precedence, 750
 - parsing algorithm, 750, 1360
 - extended
 - parallel computation, 1379
 - parsing method, 1360
 - Petri net model, 590
 - predicates, 3356
 - extended regular
 - array languages, 862
 - expression, 516, 995
 - language, 862
 - extended
 - Riemann hypothesis, 2149
 - splicing system, 3352
 - word problems, 1086, 1303
 - extendible
 - hash method, 2080
 - hashing, 603, 863, 1037, 1556, 1742, 2491, 2582, 2656, 2709
 - extending the domain of computation, 692
 - extensibility, 23
 - of a hash table, 1037
 - extendible, 23, 24, 2489
 - contractable translator system, 24
 - contractible translator, 24
 - programming languages, 23
 - extension, 24, 43, 3396
 - function, 1489
 - modularity, 3396
 - extension of
 - logic programming, 2077
 - the, 113, 589, 680
 - extension ordering, 3760
 - extensional data, 1330
 - exterior, 1741, 1789, 2454, 2508
 - face, 128
 - product, 198
 - external angle, 1741
 - external memory, 3803
 - algorithm, 3803
 - external
 - merge sort, 4125
 - nodes, 184, 850, 2866
 - observer, 1862
 - path length, 2586, 2654
 - representation, 549
 - sort procedure, 1385
 - external sorting, 432, 1177, 1182, 1385, 4125
 - algorithm, 4125
 - external
 - specifications, 326
 - stack, 72
 - storage device, 449
 - wires, 2265
 - externally, 568
 - extracting information from a file, 6
 - extraction, 6
 - of cube roots, 2888
 - Extract_Min, 2639
 - extremal
 - properties, 1846
 - sets, 2711, 3219, 3544
 - vertices, 439
 - extreme, 71
 - fixed points, 3003
 - point, 32, 552, 2274, 2454
 - extreme points
 - decision problem, 2274
 - in three dimensions, 1146
 - on the convex hull, 569
 - E-languages, 68
 - E-patterns, 3243
 - E-unification, 1543, 2031
 - E-unifier, 1531, 1543
- F**
- $f(n)$ -predictable language, 1499
 - FOL
 - DOL equivalence problem, 456
 - languages, 456
 - system, 456
 - F_p , 472
 - face, 736, 1671, 1702, 1926, 2435, 3317
 - faces and zones in arrangements, 1826
 - facet, 2725
 - facility location, 371, 3670, 4016
 - problem, 4016
 - fact, 1330
 - factor
 - 1.5-approximation algorithm, 646, 3426
 - automaton, 1990, 3772
 - code, 3772
 - critical graph, 2307
 - expression, 2342
 - monoid, 1732
 - factored expression, 1981
 - factorial, 674
 - language, 1732, 1839, 3772
 - factorial representation, 156
 - of natural numbers, 156
 - factoring, 3925
 - algorithms, 393
 - Blum integers, 3925
 - numbers, 393
 - of natural numbers, 393
 - factoring polynomials, 681, 1898, 2149
 - over finite fields, 1898, 2149
 - factoring problem, 393

- factorization, 606, 758, 1898, 2149, 3092, 3515, 3538, 3925
- factorization of
 - Hankel matrices, 2334
 - relations, 2342
 - words, 2152
- factorization problem, 3922
- factorize, 2342
 - strings, 2152
- Fadous and Forsyth, 372
- Fages and Huet, 1531
- Fagin, 528, 621, 1672, 2659
 - algorithm, 3657
- Fagin et al., 603, 1452
- Fagin, Nievergelt, Pippenger, and Strong, 717
- fail stop
 - failures, 1858
 - PRAM, 2530
- failure, 652, 754, 858, 914, 1337, 1391, 1566, 1659, 1668, 1816, 1857, 1858, 1897, 1964, 2084, 2137, 2197, 2287, 2421, 2471, 2507, 2560, 2567, 2788, 2852, 3246, 3264, 3270, 3661, 3975, 4008
 - behaviour of systems, 1662
 - detection, 4008
- failure detector, 3800, 4008
 - class, 4008
- failure equivalence, 2550, 3036
- failure equivalent, 2550
 - transformation, 2550
- failure
 - function, 265, 716, 2664, 3772
 - in computer systems, 543
 - of shared objects, 3500
- failure probability, 3030, 3686
 - model, 3030
- failure
 - rate, 2197
 - tolerant distributed synchronization algorithms, 1816
- fair
 - access, 686
 - banker algorithm, 2728
 - computations, 1678
 - derivations in EOL systems, 1124
 - executions, 3372, 3714
 - I/O automaton, 3372
 - iteration scheme, 2595
 - lossy, 4059
 - multiprocess handshakes, 1933
 - mutual exclusion, 1158
 - online scheduling, 3607
 - reconstruction, 3110
 - roulette, 2059
 - SCCS, 1678
 - fair scheduling, 973
 - algorithm, 3607
 - policies, 1933
 - fair solution, 1305
 - fairly terminating, 1124
 - fairness, 404, 430, 575, 698, 1018, 1064, 1111, 1124, 1158, 1420, 1678, 2321, 2363, 2443, 2477, 2703, 2728, 3108, 3499, 3607, 3714, 3952
 - assumption, 2458
 - constraints, 2655, 3714
 - decision problems, 575
 - hierarchies, 1018
 - fairness in
 - I/O automata, 3372
 - parallel schemas, 575
 - fairness
 - of derivations, 1124
 - property, 2477
 - sets, 3372
 - faithful
 - 1-edge fault tolerant graphs, 3467
 - interpretations, 3396
 - morphisms, 4069
 - faithfulness, 871
 - faking, 1416
 - false match, 3614
 - false termination, 1281, 1447, 1637, 1756
 - detection, 1756
 - family, 144
 - family of
 - algebraic languages, 94
 - arcs on a circle, 942
 - family of context
 - free languages, 68, 680
 - sensitive languages, 68
 - family of
 - grammars, 302, 362, 1197
 - graphs, 645, 1944, 3253, 3391, 3680, 3997, 4057
 - infinitely many equally spaced polynomials, 2130
 - interval filaments, 4057
 - languages, 94, 160, 297, 683, 1155, 1643, 2665
 - family of languages defined, 302
 - by simple precedence grammars, 362
 - family of languages generated by, 68, 302
 - context free programmed grammars, 1643
 - type i grammars, 413
 - weak precedence grammars, 362
 - family of
 - languages recognized by deterministic Turing machines, 1139
 - ω -languages, 922
 - recursively enumerable languages, 68
 - sets, 271, 510, 525, 834, 2711, 3982

- family of (*cont.*)
 - slices, 307
 - subclasses of SAT, 1664
 - subsets, 510, 2518
 - subtrees, 3703
 - term rewriting systems, 1910
- fan in two, 2770
 - analog circuits, 208, 1152, 3394
 - bounded circuits, 1152
- fan out, 2, 877, 883, 3936
 - bound, 3562
- Fan, Hongbing, 4130
- Farach et al., 3763
- Farach, Martin, 3439
- Farber and Keil, 2122
- Farey series, 385, 409
- Fariñas Del Cerro, 1587
- Farinas del Cerro and Penttonen, 2572
- Farmer theorem, 4061
- Farrell, 854
- farthest
 - neighbor, 1739, 2277
 - point Voronoi diagram, 2104
- FAS
 - algorithm, 2705
 - problem, 2705
- fast
 - accessing, 475
 - adjacency matrix scanning technique, 2125
 - algorithm, 523, 702, 746, 833, 853, 856, 918, 956, 1003, 1162, 1187, 1267, 1603, 1720, 1803, 1946, 2201, 2311, 2540, 2873, 3122, 3311, 3554, 3982, 4139
- fast algorithm for
 - finding all shortest paths, 702
 - matrix multiplication, 1603
 - the constraint satisfaction test problems, 2731
- fast algorithms, 182, 281, 283, 312, 328, 391, 715, 793, 916, 963, 1164, 1203, 1603, 2296, 2648, 2697, 2715
 - for searching a Voronoi diagram, 517
- fast
 - approximation algorithm, 2289, 3795
 - composition of sparse maps, 853
 - computation of periodic continued fractions, 1865
 - convex hull algorithm, 363
 - correlation attack, 3606, 3923
 - expected time algorithms, 517
 - exponentiation, 3719
- fast Fourier transform, 97, 1797, 2691
 - algorithm, 1797
 - digraphs, 3023
- fast
 - garbage compaction algorithm, 468
 - gossiping, 2727
- fast
 - Hough transform, 1895
 - inversion, 2334
 - Knuth-Bendix completion, 1850
 - main memory, 906
- fast matrix
 - inversion, 342
 - multiplication, 18, 694, 705, 1582, 4077
- fast
 - memory, 708, 906, 3754, 3803
 - method for interpolation, 51
 - mutual exclusion, 2573
- fast parallel
 - algorithm, 593, 1203, 1350, 1354, 2052, 2810, 3159
 - quicksort algorithm, 1701
 - thinning algorithm, 2302
- fast pattern matching, 251
 - algorithms, 1250
- fast
 - randomized Byzantine agreement, 2033
 - retrieval, 485, 717, 1045
 - reverse, 1214
 - RNS division algorithms, 2901
- fast search, 703, 3313
 - algorithm, 3716
- fast
 - set operations, 212
 - simulations, 182
 - solvers, 1170
 - sorting algorithm, 557
- fast string searching, 615
 - algorithm, 1003
- fast two-server algorithm, 3038
- fast updating, 475
 - of information, 717
- fastback backtracking, 340
- fat
 - objects, 3406
 - subdivisions, 2536
 - trees, 3992
 - triangle, 3638
- father to child direction, 986
- fault, 338, 543, 1566, 1668, 1964, 2343, 2381, 2746, 2780, 2884, 2931, 3378, 3669
 - analysis, 1964
 - contained, 3378
 - containing selfstabilization, 4034, 4039
 - containment, 3378, 4034, 4039
- fault detection, 1964
 - and correction, 2407
 - processes, 1964
- fault diagnosis, 1964, 3872
 - algorithm, 1668
- fault diameter, 2381, 2630, 2746, 2780, 3228

- fault diameter of
 - a graph, 2780
 - star graphs, 2746
- fault free, 1668, 1769, 2507
 - diameter, 2746
 - Euler tour, 3264
 - isomorphic copy, 2754
 - networks, 1566
 - node, 2287
 - processors, 1668
 - star graph, 2630
 - structure, 1964
 - subcube, 1668
- fault
 - intolerant, 543
 - of a hinge vertex, 3348
 - patterns, 2868
 - recovery, 1964
 - replacement, 2948
- fault resilient, 1566
 - algorithm, 1566
 - spanning forest constructing algorithm, 1566
- fault sources, 237
- fault tolerance, 31, 543, 1337, 1483, 1547, 1566,
 - 1600, 1668, 1857, 1897, 2132, 2212, 2220, 2226, 2287, 2310, 2333, 2343, 2351, 2381, 2407, 2414, 2446, 2507, 2530, 2567, 2580, 2602, 2630, 2746, 2754, 2780, 2799, 2807, 2837, 2838, 2848, 2849, 2852, 2868, 2869, 2875, 2884, 2931, 2943, 2948, 3026, 3097, 3209, 3252, 3264, 3270, 3274, 3336, 3367, 3378, 3475, 3500, 3580, 3605, 3653, 3675, 3686, 3701, 3717, 3736, 3747, 3752, 3761, 3780, 3800, 3861, 3872, 3883, 3885, 3897, 3950, 3971, 3974, 3975, 3997, 4034, 4086, 4114
 - by reconfiguration, 1668
 - in distributed systems, 994
 - measures, 2343
 - properties, 2414, 2746
 - techniques, 543
- fault tolerant, 1027, 1089, 1566, 2217, 2624, 2837,
 - 2884, 3097, 3467, 3885, 3950, 3997, 4114
 - access, 3885
 - basis, 4114
 - broadcasting algorithm, 3717
 - circuits, 4106
 - communication, 3580
 - computer systems, 543
 - design, 543
 - distributed computing, 1473
 - embedding, 3264
 - graphs, 3467
 - hexagonal systolic array, 2407
 - interconnection, 1617
 - measurements, 1600
 - message routing, 3691
 - multicomputer systems, 1336
 - multistage interconnection network, 3580
 - network management, 2837
 - networks, 2126
 - parallel algorithms, 2530
 - quantum basis, 4114
 - routing, 1600, 1769, 2343, 2525, 2602, 3168
 - simulation, 2212
 - system, 543
 - token ring, 3736
 - topologies, 2507
 - virtual memory, 543
- fault tolerantly, 2212
- faulty
 - calls, 2220
 - communication channels, 1547
 - edges, 3367, 3837
 - interfaces, 3669
 - links, 3367
 - node, 2197, 2287, 2630, 3367, 3378, 3837
 - processors, 797, 1128, 1483, 1668, 2033, 2868, 2875, 3274
 - shared memory, 3500
 - supercube, 2381
 - transition, 1964
 - vertices, 3367
- FB, 2676
- FC + SR, 1809
- FC language, 2342
- FCFS discipline, 2840
- FD, 481, 484, 608, 899, 996, 1094, 1218, 2786, 3973
 - graphs, 2449
- fd hinge, 2368
- FDOL
 - DOL equivalence problem, 456
 - Parikh equivalence problem, 456
- FDM, 1445
- FDMA networks, 3801
- FEAL, 2327
- feasibility, 2757, 3029, 3764
 - algorithm, 1969
 - test, 611, 4049
- feasible
 - flow, 375
 - minimum cover problem, 3826
 - region, 3375
 - schedule, 639, 868, 2628, 2757
 - solution, 76, 1165, 2994, 3472, 4016
- feasibly
 - constructive, 1925
 - scheduled, 1713
- feature, 24, 36, 244

- feature evaluation, 36
 - criteria, 36
 - measure, 36
- feature
 - extraction, 36
 - extractor, 36
- feature selection, 36, 143, 267, 2634
 - problem, 36
- feature
 - space, 143
 - strings, 3554
- feature vector, 36, 143
 - space, 36
- Feder, Tomás, 3801
- federated systems, 2923
- feed forward neural networks, 2650
- feedback, 57, 120, 374, 403, 1579, 2268
 - arc set, 2705
 - automaton, 1155
 - controlled models of automata, 1155
- feedback edge set, 403
 - problem, 403
- feedback
 - loops, 526
 - node set problem, 82
- feedback set, 374
 - problem, 374
- feedback shift register, 1093, 3465
- feedback vertex, 374, 3456
 - problem, 3456
- feedback vertex set, 403, 1586, 2947, 3341, 3456, 3712
 - problem, 403, 1586, 2947
- feedback vertices, 374
- Feige, Fiat, and Shamir, 2388
- Feijen, van Gasteren, and Gries, 2356
- Feijen, W.H.J., 3004, 3419
- Feijs, L.M.G., 3572
- Fejes-Toth, 442
- Fekete, Sándor P., 3731
- Fellows and Langston, 2433
- Fellows, Michael R., 3676
- Feng, Bao, 3526
- Fenner, Fortnow, and Kurtz, 2870
- Fernandez de la Vega and Lueker, 3643
- Ferro, E., 3501
- fetch and
 - add, 1808
 - conditional swap, 1808
 - cons, 1808
- Feuerstein, Esteban, 3732
- few sphere packing argument, 2400
- FewP, 2954, 4067
- Feynman path integral, 1796, 1902
- Feynman-Kac theorem, 1796
- FFS, 3575
- FFT, 808, 1954, 3023, 4074
 - digraphs, 3023
 - methods, 2691
- Fiadeiro, J.L., 3838, 3894
- Fiat and Naor, 3879
- Fibonacci, 685, 3258
 - algorithm, 1046
 - number, 381, 536, 598, 626, 923, 1046, 1365, 1429, 1818, 1834, 1865, 2034, 2292, 2886, 3376, 4139
- fibonacci numbers, 4139
- Fibonacci
 - numerical sequence, 685
 - sequence, 82, 381, 536, 685, 1818
 - trees, 3258
 - word, 685, 699, 3092, 3140
- Fidge and Mattern, 2204
- Fidge, C.J., 3818
- Fiduccia and Zalcstein conjecture, 472
- field, 820, 3617
 - equations, 278
- field of
 - complex numbers, 97
 - complex rational functions, 436
 - integers modulo a prime, 758
 - interest, 33
 - real numbers, 18
- FIFO, 260, 264, 3024
 - access discipline, 264
 - channels, 1150, 1911
- FIFO communication, 2814
 - delays, 2814
- FIFO
 - delivery of messages, 3024
 - message delivery, 2441, 3024
 - optimal placement, 260
 - queue operations, 958
 - queues, 803
 - serial storage, 264
 - storage, 264
- fifth generation computer systems, 1297
- fifty percent rule, 16
- filamentous organisms, 56, 940
- file access, 919
- file allocation, 2835
 - problem, 2557
- file
 - consistency, 300
 - extraction, 256
 - geometry, 3235
- file handling
 - programs, 1
 - subsystem, 1
 - system, 1
- file layout, 3235

- file management, 556, 855
 - systems, 496, 1037
- file
 - manipulating operations, 256
 - operations, 6
 - organisation, 485
- file organization, 177, 187, 203, 221, 271, 485, 525, 633, 859, 1030, 2080
 - scheme, 1030
- file
 - processing, 1, 6, 256, 678, 1497, 1556
 - protection, 957
 - records, 919, 2080
 - replication in distributed databases, 4065
 - search, 177
 - structures, 1658, 2617, 2709
 - system, 31, 1919, 2557, 3235
- filing system, 957
- fill, 3183
 - in, 852
- filler technique, 2776
- Filotti and Mayer, 1961
- filter, 945, 2005, 2679, 2692, 3606, 3894
 - functions, 3606
 - generators, 3606
- filtering, 172, 2679, 2692
 - methods, 2679
 - near duplicate web documents, 4033
- filtration, 2363
- final
 - algebra, 2924
 - object code, 495
 - state, 112, 178, 998, 999, 1298, 1306, 1585
- financial games, 3707
- Finch, 57
- find operation, 2140
- Finden and Gordon, 2719
- finding, 136
- finding a
 - blocking flow, 1780
 - leader, 1712
- finding
 - all farthest neighbors, 1739
 - bridges, 978
 - cycles, 731
 - Hamiltonian circuits, 1127, 1794, 1926, 2956
 - near neighbours, 137
 - nearest neighbors, 1916
 - paths, 1573
- finding the
 - bridges of an undirected graph, 978
 - k -th largest element, 466
- finding the maximum, 2175, 2764, 3650
 - dimensional fault free subcube, 1668
 - matching, 3273
 - number of vertices, 815
- finding the minimum
 - cardinality, 1221
 - communication complexity, 3383
 - cost, 2761
 - distance, 746
 - Hamiltonian curve, 3389, 3807
 - performance measure, 338
 - spanning tree, 2248
 - weight, 3708
- finding unifiers, 2031
- FindMax, 1790
- FindMin, 1790
- fine
 - covers, 3204
 - grained memory model, 2411
 - structure, 269, 3608
- finest
 - partition, 110
 - topology, 1991
- finger
 - search tree, 2950
 - trees, 1261
- finish node, 538
- finishing time, 1605, 2312
- finitary, 2031, 2402, 2876, 3789
 - bisimulation, 3618
 - logics, 2402
- finitary rational
 - expressions, 1067
 - languages, 1067
- finitary relation, 3618
- finite Abelian
 - group isomorphism, 1726
 - p -group, 1119
- finite
 - acyclic digraph, 3012
 - algebra, 1205
 - algebraic systems, 1603
 - Algol 68 modes, 501
 - automata theory, 403, 1614
- finite automaton, 318, 403, 463, 497, 640, 663, 857, 1039, 1104, 1179, 1324, 1607, 1614, 1678, 1719, 1990, 2086, 2145, 2262, 2268, 2466, 2549, 2671, 2675, 2862, 3195, 3204, 3233, 3307, 3568, 3656
 - on infinite trees, 1324
- finite
 - basis, 341
 - behaviors, 2281
 - buffer, 42, 111
 - canonical term rewriting system, 2001
 - codes, 1776
 - codeterministic automaton, 1104
 - commutative rings, 2631
 - complete string rewriting system, 1363

- finite (*cont.*)
 - completions, 3135
 - control, 1585
- finite difference, 74, 195, 3550
 - equation, 274, 674
 - method, 39, 74, 172
 - sieve, 3413
- finite directed graph, 579
- finite element
 - discretisation, 1348
 - method, 1396
- finite
 - elements, 1348
 - failure, 2443
- finite field, 760, 1351, 1703, 2130, 2149, 2370, 3489
 - arithmetic, 2328
 - extension, 2328
- finite fields, 758, 1703, 1898, 2149, 2328, 2463, 3840, 4001
 - $GF(p^m)$, 1703
- finite
 - function generation, 3569
 - graphs, 136, 2336
 - identification, 3632
- finite index, 232
 - restriction, 232
- finite
 - labelled partially ordered set, 554
 - language, 1981
- finite length
 - array segments, 1194
 - buffers, 420
- finite
 - Mazurkiewicz traces, 3798
 - memory, 133
- finite mode, 501
 - programs, 501
- finite model, 2876
 - property, 2876
 - theory, 2303, 3035, 3449, 3570, 3627, 3868
- finite
 - monoid, 2396
 - multitape automaton, 752
 - number of minimal models, 1555
 - orderedness, 2631
 - partial sequence of occurrences of actions, 1788
 - planar set, 32, 320
 - point set, 499, 1414, 2169
 - projective plane, 3496, 3602, 4110
 - representation, 971, 3940
 - representations of infinite state behaviours, 3911
 - reversal multicounter machines, 727
 - SAGBI bases, 4063
 - segment p -adic arithmetic, 1010, 1595
 - semi-Thue system, 1166
- finite sequences, 2505
 - of symbols, 995
- finite set, 32, 330, 531, 560, 590, 662, 673, 697, 709, 836, 1057, 1210, 1219, 1284, 1469, 1507, 1560, 1643, 2161, 2248, 2267, 2386, 2606, 3304, 3521, 3632, 3792, 3845, 3927, 3970
 - in the plane, 1414
- finite set of
 - good examples, 3632
 - line segments, 1345, 2264
 - matrices, 330
 - messages, 1009
 - places, 590
 - points in the plane, 64, 1431, 3385
 - polygons, 1236
 - rewrite rules, 514
 - rights, 1062
 - rules, 55
 - symbols, 578
 - test cases, 1598
 - test data, 414
 - vertices, 392, 2518
 - words, 801
- finite size scaling, 3689
- finite state
 - acceptors, 722
 - automaton, 188, 202, 555, 3611
 - a-transducer, 348
 - concurrent program, 1246
 - grammar, 274
 - language, 274
 - machine, 410, 971, 1607, 1684, 1734, 2283, 2733, 2750, 3639, 3730, 3806
 - representability, 3911
 - transducer, 202, 1585
 - transition systems, 2268
 - tree transducer, 1853
- finite string
 - languages, 922
 - rewriting system, 1363
- finite
 - strings of signals, 430
 - structures, 1197, 3035, 3232
 - substitutions, 683, 1643
 - test bounded memory QDL, 1102
 - Thue system, 669, 720, 1463, 1649
 - time, 52, 404, 1964, 2799
 - transducer, 386, 1213, 1776
 - transductions, 1776
- finite tree, 675
 - automation, 1853
- finite
 - turn DPDA, 1029
 - union of congruence classes, 720
 - unions, 463
 - universe, 1196

- finitely, 1890, 1909, 2984
- finitely ambiguous, 2549
 - cfi, 2537
 - distance automaton, 2549
- finitely failed Sldnf tree, 2443
- finitely generated, 1284
 - ω -languages, 1284
 - subgroups, 2303
 - submonoid, 1085
- finitely
 - often, 1018
 - oriented, 2119
 - presented groups, 1363
- finitely representable
 - nested relations, 3940
 - relations, 3940
- finitely specifiable, 1279
- finiteness
 - problem for EOL systems, 2986
 - restrictions, 71
- finitistic
 - and complete axiomatization, 1478
 - methods, 3276
 - proof rules, 1478
 - proofs, 3276
- Finkel and Bentley, 153
- fireable sequence, 67
- firewall, 31
- firing, 2806
 - condition, 67
 - rules, 67
 - sequence, 67, 129, 2153
 - squad problem, 1710
 - time, 1180, 1472
- first class, 1985, 2750
 - continuations, 1985
 - functions, 1214, 3188
- first come first served, 1816
 - service, 878
- first data entry, 264
- first fit, 1784, 4136
 - algorithm, 537, 4136
 - allocation, 1655
 - χ -bounded, 4136
 - coloring algorithm, 3450, 4136
 - increasing heuristics, 1784
 - strategy, 1131
- first four letters, 33
- first in first out, 1413, 1724
 - buffered cyclic memory, 264
- first normal form, 1487, 2576
- first order, 2510, 3523, 4133
 - algorithms, 1126
 - case, 3199
 - definable, 2057, 3199
 - dependency, 3504
 - differential equations, 287
 - dynamic logic, 1102
 - formula, 1306, 2510, 3392, 3523
 - level, 1102
 - linear recurrences, 2810
 - logic, 369, 700, 1306, 1367, 1555, 1670, 3221, 3392
 - predicate calculus, 1848
 - predicate logic, 1041
 - queries, 3392
 - sentence, 1555, 2510, 3027, 3627
 - temporal logic, 1478
 - terms, 861
 - tests, 1102
- first order theory, 3827, 4062
 - of atomic set constraints, 3827, 4062
- first order
 - tree dependencies, 3504
 - variables, 4061
- first passage time, 1902
- Fischer, 15, 119, 200
- Fischer et al., 1308, 1483, 3119, 3974
- Fischer, Lynch, and Paterson, 2132
- Fischer, M., 257
- Fischer, Paul, 2905
- Fischetti, Vincent A., 2632
- Fisher, 176, 295, 1271
- Fisher and Meyer, 15
- fitness
 - function, 2634
 - proportionate selection, 3212
- fitted diagonals method, 1445
- fitting, 2853
- five
 - color, 1945
 - vertices, 3460
- five-coloring
 - of a planar graph, 1395
 - planar graphs, 1077
- five-colouring maps, 628
- fix notation, 2134
- fixed, 27
 - alphabets, 1684
 - controller, 1611
 - cost random access machine, 199
 - degree algebraic decision tree, 1505
 - finite set of combinators, 1375
 - integers, 3304
 - length tail, 383
 - number of neighbors, 71
 - orders, 1791
 - oscillation, 63
- fixed parameter
 - algorithm, 3676
 - tractability, 3304, 3676

- fixed parameter tractable, 3304
 - algorithms, 4037
- fixed point, 928, 1585, 1837, 2071, 2454, *see also*
 - fixpoint
 - calculus, 3003
 - characterization, 2269
 - division, 755
 - equation, 1638, 1674, 1856
 - language, 1585
 - semantics, 2269
 - theorem, 782, 3003
- fixed point theory, 782
 - of recursion, 782
- fixed points, 1867, 1929
- fixed points of
 - a functional, 1286
 - endofunctors, 1674
 - increasing functions, 1929
- fixed precision, 2127
- fixed priority
 - dispatching, 3764
 - preemptive systems, 3022
 - scheduling, 3764
- fixed radius near neighbors, 301, 422, 2013
 - problem, 301
- fixed radius near neighbors search, 2235
 - algorithms, 2013
- fixed radius
 - neighbor problem, 908
 - search problem for segments, 2013
- fixed real memory space, 498
- fixed size, 1058
 - parameter space, 1895
 - rectangles, 672
- fixed sized allocation, 1655
- fixed sized blocks
 - method, 1655
 - optimization, 1655
- fixed
 - start, 2875
 - to variable encoding, 383
 - vertices, 2379
 - wireless network design, 4122
- fixpoint, 1843, 2344, *see also* fixed point
 - equations, 2344
 - logics, 2344
 - semantics, 192, 3432
- FL^{NL}, 2007
- flag, 1290
- Flajolet et al., 3078
- Flammini, Michele, 2953
- flat, 2638
 - relational model, 2072
 - relations, 2072
- Flatto, L., 3609
- Fleischer, Rudolf, 3351
- flexible
 - information systems, 2047
 - interconnection, 1617
 - transaction model, 3349
- flip, 2436
 - flop, 1709
 - networks, 1466
- floating point, 557, 2398
 - addition, 148, 158
 - arithmetic, 131, 158, 1010, 1502, 1972, 3248, 3720
 - library functions, 1126
 - machine, 793
 - numbers, 733, 3248
- Flocchini, Paola, 3493, 3549
- floor function, 757, 1159, 1376, 2280
 - evaluations, 757
- floor operation, 2156
- Flouret, M., 3617
- flow, 14, 375, 1762, 3085, 3612
 - analysis, 741, 1297, 3331
- flow chart, 8, 14, 464
 - form, 127
 - schemata, 133
- flow conservation, 1762
- flow control, 2168
 - algorithms, 2168
- flow
 - diagram, 28
 - expressions, 879
 - function, 729
 - graph, 1745, 2758, 3750
 - improvement problems, 3748
 - languages, 879, 1449
 - network, 375, 2820, 3779
- flow of control, 178
 - schemes, 995
- flow
 - of data, 1047, 1598
 - potential, 375
 - problem, 375, 3724
- flow shop, 519, 1180
- flow shop scheduling, 2382
 - problem, 2382
- flow time minimization, 2440
- flowchart, 127, 135, 966, 1019, 2585
- flowchart programs with
 - parameterless recursion, 1181
 - recursion, 1181
- flowgraph, 464, 513, 1419, 1598, 1660
 - of a program, 1598
- flowshop
 - problem, 3972
 - scheduling, 3972

- Floyd, 134, 135, 169, 343, 906, 1019, 1971, 1988
 - assertion, 192
 - assumption, 906
 - conjecture, 343
 - lemma, 343
 - method, 1019
 - model, 906
 - techniques, 135
- Floyd, R.W., 41, 569
- Floyd-Hoare semantics, 480
- fluent machine, 3137
- flush
 - primitives, 1911
 - vector time, 2710, 3329
- FO + posSTC, 2303
- Fokkink, Wan, 3521
- fold operators, 2452
- folded cube, 3967
- folding, 953, 3566
 - of the plane, 953
 - schemes, 1177
 - unfolding techniques, 1028
- folk theorem, 782, 1075
- folklore, 3300
 - nondefinition, 824
 - theorem, 3941
- follow set, 1775
- for, 130
 - almost all pro, 1253
- V-automata of Manna and Pnueli, 2655
- forbidden, 3301
 - cells, 857
 - context grammars, 232
 - induced subgraphs, 3304
 - lie pattern, 2105
 - link pairs, 3264
 - pairs, 2700
 - patterns, 2105, 3927
 - subgraph characterization, 2492
 - subgraphs, 2361, 3460
 - word, 3772
- forbidding context languages, 126
- force, 2699
- force directed
 - algorithm, 3783, 4072
 - method, 4072
- forcing, 376
- Ford, 905
- Ford and Fulkerson, 14, 510, 3724
 - network, 510
- Ford and Johnson, 40, 92
- foreign language, 61
- forest, 268, 813, 1345, 1575, 2164, 2385, 2843, 2866, 4097
 - of quadrees, 1208
 - orders, 642
- forgery
 - attack, 3956
 - attacks, 4137
- Fork, 254
- form, 131
- form equivalence, 683
 - problem, 683
- form
 - factor determination, 2076
 - of abbreviation, 23
- formal
 - analysis, 3649
 - correctness proof, 776, 1019, 3285
 - declarative software specification, 1461
 - deductions, 2060
 - definition, 193, 284, 296, 830, 1173, 1491, 2866, 3012
- formal definition of
 - inevitability, 1425
 - operating system facilities, 296
- formal derivation, 549, 2079, 3419, 3478
 - of programs, 3478
- formal
 - development, 3138
 - foundations, 3940
- formal grammar, 78
 - systems, 78
- formal grammars, 78, 2585
 - with weights, 78
- formal language, 13, 55, 58, 71, 77, 107, 126, 193, 200, 232, 242, 245, 246, 279, 313, 314, 330, 337, 357, 389, 394, 456, 482, 483, 572, 578, 644, 675, 712, 730, 752, 835, 869, 874, 899, 900, 950, 1069, 1155, 1204, 1433, 1475, 1587, 1643, 1711, 1836, 1839, 1931, 1988, 1990, 1993, 2018, 2027, 2038, 2046, 2068, 2086, 2093, 2112, 2128, 2131, 2141, 2145, 2228, 2229, 2231, 2261, 2268, 2272, 2318, 2320, 2355, 2375, 2396, 2466, 2488, 2502, 2511, 2512, 2522, 2541, 2565, 2585, 2655, 2665, 2675, 2693, 2720, 2776, 2785, 2828, 2832, 2859, 2860, 2862, 2880, 2883, 2942, 2962, 2973, 2978, 2981, 2986, 3015, 3020, 3025, 3043, 3058, 3074, 3092, 3093, 3095, 3135, 3140, 3162, 3195, 3197, 3198, 3202, 3213, 3234, 3243, 3290, 3307, 3309, 3325, 3332, 3343, 3352, 3387, 3395, 3418, 3449, 3502, 3519, 3538, 3568, 3608, 3611, 3617, 3656, 3677, 3699, 3769, 3770, 3772, 3789, 3798, 3848, 3865, 3880, 3884, 3943, 3951, 3970, 3988, 4002, 4029, 4032, 4060, 4085, 4116
- decision problem, 476
- specifications, 544
- theory, 47, 107, 232, 483, 572, 725, 1475, 2375, 2665

- formal
 - linear combinations, 155
 - logic, 891, 1313, 1665
 - logical statement, 192
 - methods, 23, 284, 787, 1059, 2317, 4070
 - model, 23, 600, 749, 754, 797, 989
 - models for picture recognition, 722
 - nontermination, 501
 - parameter of the function, 1751
 - parameters, 1817
- formal power series, 1256, 2018, 3213
 - in noncommuting variables, 1931
- formal program
 - derivation, 3545
 - design, 1402
- formal proof, 192, 588, 692, 962, 1075, 3005, 3363, 3861
 - of correctness, 1978
 - system, 1067
- formal
 - properties, 528, 951, 972
 - reasoning, 1478
 - rules, 1402
 - semantic definitions, 544
 - semantical specifications, 278
 - semantics, 544, 604, 1204, 1694, 1968, 1971, 2046, 2057, 2077, 2100, 2134, 2219, 2246, 2250, 2259, 2269, 2295, 2317, 2326, 2344, 2402, 2403, 2443, 2485, 2513, 2563, 2590, 2614, 2615, 2641, 2653, 2676, 2787, 2907, 2942, 3008, 3009, 3025, 3036, 3113, 3142, 3161, 3188, 3223, 3300, 3356, 3360, 3432, 3541, 3616, 3773, 3839, 3916, 3920, 3921, 4076
- formal series, 1656, 3789
 - on trees, 1656
- formal specification, 278, 412, 3027, 3396, 3478, 3633, 4069
- formal specification of, 278
 - syntaxes, 830
- formal syntax methods, 1059
- formal system, 284, 632, 899, 1067, 1204
 - for parallel programs, 632
 - of natural deduction, 1427
- formal termination of ALGOL programs, 501
- formal termination problem, 501
 - for programs, 501
- formal theory, 122, 169
 - of two-dimensional languages, 749
- formal
 - treatment, 192, 927, 2038
 - tree power series, 1312
- formalising cutting channels, 1914
- formalism of VAS, 129
- formalization, 294, 376, 1285, 1486, 1642, 2046, 2734
- formalization of
 - practical needs, 711
 - safety properties, 1285
- formalized, 399
 - model, 120
 - program, 294
 - theory of programs, 769
- format, 523
- formation, 34
- Formica, Anna, 3536
- formula, 1091, 1102, 1351, 1372, 1460, 1567, 1782, 2269, 2344, 2363, 2580, 2655, 2716, 2753, 2835, 3550, 4062, 4140
- formula complexity, 2121, 2353, 2781
 - of Boolean functions, 2121
- formula
 - depth, 2796
 - in clausal form, 1587
 - manipulation, 2079, 3005
 - size, 591, 877, 949, 1351, 2121, 3759
 - value problem, 1499
- formulae, 257
 - refinement, 1063
- formulation, 1028
- Fortnow and Rogers, 3962
- Fortnow et al., 2560
- Fortnow, Lance, 3908
- Fortran, 2, 132, 199, 214, 256, 431, 471, 513, 548, 773
 - compiler, 773
- Fortran IV, 238
 - programs, 132
- Fortran
 - like language, 104
 - program, 104, 513
 - subroutine, 211
- Fortune and Hopcroft, 757
- Fortune, Hopcroft, and Schmidt, 538
- Fortune, Hopcroft, and Wyllie, 2058
- forward
 - 2-inter-cube, 3604
 - branching systems, 2676
 - checking, 1809
 - diagonals, 2045
 - distance, 1699
 - flush, 1911
 - induction, 3974
 - predicate transformer, 298
- FOR-DO programs, 3216
- FOR-loop, 443
- fossil
 - collection, 3362
 - reclamation, 3362

- foundation, 453, 653, 3940
- foundations of
 - program sampling, 1391
 - semantics, 1793
- Fouquet, J.L., 3537
- four
 - color problem, 1395
 - coloring, 1945
- four Russians
 - algorithm, 894
 - bound, 540
 - method, 540
- Fourier, 507, 2136
 - analysis, 4099
 - coefficients, 3098
 - representations, 2792
- Fourier sampling, 4126
 - theorem, 4126
- Fourier
 - spectrum, 2136, 2792
 - transform, 498, 1108, 2792
- Fournier, 515, 569
- fourth normal form, 3533
- four-connected planar graph, 3542
- four-partitioning, 3542
- four-ported drives, 1591
- FP, 976, 3887
 - algebra, 976
 - system, 976
- FP^{NP} , 3887
- FPN reductions, 2229
- FPT algorithm, 4037
- FQT, 1208
 - structure, 1208
- fractal, 3428, 3628
 - geometry, 2749, 3325
 - images, 3628
- fraction, 385
- fractional
 - optima, 4065
 - part, 616, 3442
 - solution, 2533
- Fraczak, Wojciech, 3813
- fragment, 649, 2572, 2787, 3221, 3346, 3827, 4062, 4068
 - of second order logic, 3276
- Fraigniaud, 4047
- Fraigniaud and Lazard, 3345
- Fraigniaud and Peyrat, 3971
- Fraigniaud, Pierre, 3852
- frame, 399, 756, 2363, 2487, 2631, 3339
 - arrival, 2487
 - for transmission, 2487
 - problem, 139
- framework, 3155
- Francez, 2757, 2758
- Francez, Nissim, 1920, 2014
- Franciosa, Paolo G., 3457
- Frandsen, Gudmund S., 3557
- Frank, Jeremy, 3689
- Franklin, Joel, 3413, 3550
- fraternal orientation, 2361
- fraternally
 - orientable graphs, 2361
 - oriented, 2361
- Frazer and Wong, 1182
- Frederickson, 1573, 2681
- Frederickson and Rodger, 2267
- Fredman, 2468
- Fredman and Knuth, 1206
- free
 - Boolean graphs, 538
 - branching programs, 2753
 - choice nets, 129
 - commutative ring, 2031
 - edges, 4071
 - exchanges, 1633
- free form
 - content analysis, 33
 - indexing, 33
- free frame, 2259
 - over a cpo, 2259
- free from
 - deadlock, 300
 - interference, 556
- free
 - F-algebra, 875
 - grammars, 311
 - graphs, 538, 4071
 - groups, 2303
- free list, 1915, 2528
 - of nodes, 176
- free
 - logics, 1372
 - memory blocks, 16
- free monoid, 637, 640, 801, 1029, 1085, 1973, 3072
 - generation, 94
- free
 - partially commutative monoid, 1085, 1463
 - relative to a matching, 299
 - scheme, 378
- free storage, 176
 - list, 117
- free
 - store, 103
 - submonoid, 637, 801, 3387
- free tree, 164
 - isomorphism, 3932

- free
 - variables, 419, 802, 1751
 - vertices, 1315
- freedom from deadlock, 406
- freely erasable, 2091
 - opaque line, 2091
- freeness, 727, 2152
 - is decidable, 727
- freezing, 1440
 - mechanism, 1440
- Frege, 1968
 - system, 1925
- Freimer, Mitchell, and Piatko, 3646
- Freivalds, 1066, 2568, 3031
 - algorithm, 2568, 2721
 - and Chen, 2984
 - probabilistic matrix product verification
 - algorithm, 2721
- French, 61
 - English vocabulary, 61
 - flag problem, 279
- frequency
 - allocation problems, 3673
 - broadening, 1108
 - classifier, 2021
 - distribution, 52
 - information, 1771
- frequency of
 - access, 691
 - character occurrences, 1497
 - restructuring, 1663
- frequency order pagination, 260
- Friedman, 757, 1169
- Friedman and Wise, 2707
- Friedman lower bound, 757
- Friedman, D.P., 488
- Frieze and Steele, 3946
- fringe, 2254, 3382, 3410
 - balanced binary trees, 3654
 - balancing, 3654
 - of a tree, 2254, 3382
- Friš, Ivan, 3463
- frNRC, 3940
 - queries, 3940
- Frobenius
 - argument, 1957
 - function, 1957
 - problem, 1957
- front to front algorithm, 2314
- frontier, 1988
 - subtrees, 3423
 - to root, 2832
- Frougny, 720
- FSCAN rules, 63
- FSM, 2279, 2750
- Fu and Chau, 4010, 4104
- Fu, Qingxiang, 3339
- fugitive, 2275, 3277
- Fujishige and Zhang, 4082
- Fujita, Satoshi, 3077, 3785
- Fujito, Toshihiro, 3341
- Fukunaga-Koontz method, 267
- Fulkerson, 136
- full
 - abstraction, 2295
 - abstractness, 2219
 - access rights, 190
 - acyclic join dependencies, 3825
- full AFL, 94, 680, 874, 900
 - rational cones, 94
- full
 - alternation, 849
 - APL, 297
 - binary trees, 2586
 - branching time logic, 2363
 - context, 1265
 - dynamization, 533
 - generator of Alg, 680
 - inclusion dependencies, 871
 - information, 3600
 - mixed radix case, 1228
 - quotient, 3656
 - reducer program, 1870
 - refinement calculus, 2867
 - spanning trees, 704
 - table search, 222
 - visibility graph, 2417
- fully abstract, 2295, 3432
 - congruence, 2295
 - fixpoint semantics, 3432
 - semantics, 3432
- fully adaptive, 2861
- fully distributed, 1936, 2684, 3362
 - and symmetric algorithm, 1247
 - scheme, 1629
- fully
 - general recursion, 1837
 - lazy implementation, 1375
- fully polynomial, 1473, 3274
 - approximation scheme, 3748
- fully quantified formula, 1670
- fully reducible, 1999
 - functions, 1999
 - graphs, 88
- fully space constructible, 1378, 1866
 - functions, 1378
- fully
 - symmetric solution, 1366, 2944
 - utilized, 2048

- FunArg, 500
 - structure, 397
- function, 6, 66, 159, 178, 222, 223, 225, 489, 598,
 - 802, 831, 928, 949, 976, 978, 1041, 1056, 1075, 1092, 1177, 1298, 1351, 1372, 1402, 1596, 1679, 1948, 1971, 1987, 1989, 1999, 2007, 2024, 2040, 2047, 2127, 2329, 2348, 2373, 2437, 2452, 2453, 2489, 2526, 2707, 2753, 2760, 2771, 2803, 2805, 2847, 2865, 2867, 2870, 2979, 2984, 3008, 3041, 3059, 3165, 3263, 3282, 3377, 3392, 3420, 3432, 3473, 3478
 - application, 1934
 - approximation, 2650
 - bindings, 397
 - calls, 1421
 - classes, 2526, 2792, 4014
 - closure, 397
 - composition, 2268
 - computable on an anonymous torus, 3266
 - domains, 1881
 - equations, 1041
 - free databases, 2672
 - generation, 3569
- function hard
 - almost everywhere, 1707
 - for infinitely many inputs, 1707
- function
 - interpolation, 2650
 - of states, 452
 - procedures, 192
 - space, 520
 - symbol, 133, 514, 1101, 1372, 1410, 1667, 1670, 1910
 - value oracle, 3792
 - values, 2650
- functional, 195, 416, 2344
 - and sequential programming, 2079
 - behavior, 1709
 - composition, 1929
 - consistency, 1989
- functional dependencies, 481, 608, 634, 1094, 2449, 2786, 3973
 - in relational databases, 1650
 - with null values, 1021
- functional
 - dependency, 231, 372, 388, 481, 484, 523, 528, 600, 608, 625, 634, 700, 742, 871, 899, 941, 996, 1021, 1218, 1241, 1377, 1541, 1626, 1650, 1800, 2368, 2449, 3619, 3973
 - equation, 347, 1593, 1797
 - equivalence, 122
 - equivalent, 1964
 - finite transducer, 386, 1213
 - forms, 976
 - goals, 355
 - grammars, 284
- functional implementation, 958
 - of a stack, 803
- functional
 - language, 803, 1041, 1375, 1996, 2470, 2528
 - methods, 2255
 - model, 1996
 - notation, 3007
 - paradigm, 1579
- functional program, 802, 1506, 1579, 2558
 - implementation, 1506
- functional programming, 448, 802, 803, 958, 972, 976, 1099, 1214, 1310, 1343, 1375, 1402, 1543, 1579, 1751, 1915, 1985, 1996, 2255, 2329, 2348, 2366, 2391, 2452, 2464, 2470, 2528, 2552, 2558, 2607, 2707, 2907, 3007, 3115, 3142, 3161, 3223, 3302, 3441, 3916
 - language, 1358, 1751, 2452, 3007
- functional
 - programs, 802, 1402, 1506, 2129, 2255
 - segments, 1598
 - semantics, 544
 - single assignment language, 896
 - specifications, 326
 - symbols, 412
 - term, 258
 - testing, 1598
 - translation, 386, 1114
 - t-fst, 1853
 - values, 416
- functionally dependent, 899
- functionally equivalent, 12, 122, 2753, 3871
 - programs, 122
- functionless logic programs, 1987
- functor, 847, 1674, 1856
- fundamental
 - cycle set, 115
 - cycles of a graph, 115
 - operations, 2466
 - properties, 3047
 - theorem, 2842
- Furedi, Griggs, and Kleitman, 2284
- Furst et al., 2847
- Furthest neighbor, 3985
- furthest neighbor, 2517
- furthest neighbors, 2517
- fusion, 2363
 - closed, 2363
 - closure, 2363
 - theorem, 3003
- Füster-Sabater, A., 3894
- future behavior, 3362
- fuzzy clustering, 2968
 - algorithm, 2968

- fuzzy
 - data, 3999
 - grammars, 78
 - logic, 4096
 - membership, 2968
 - operators, 2647
 - Petri net, 2229
 - relational databases, 3999
- fuzzy set, 2647
 - model, 2647
- FX distribution method, 2184
- f-canonical form for, 12
- F-channel, 1911
- F-factor, 444, 646
 - of a graph, 444
- F-factors of graphs, 444
- F-free, 3229
- F-heaps, 1778
- F-magma, 794
- f-matching, 3236, 3665
- f-normal form, 12
- f-star subgraph, 245
- f-subgraph, 245

- G**
- G2I, 478
- Gabarró, Joaquim, 3817
- Gabow, 492
- Gabow and Tarjan, 902, 1052
- Gabow, Harold N., 4081
- GAC, 3672, 3859
- Gaifman et al., 1843
- Gaines, J.G., 3556
- Gál, Anna, 3496
- Galbiati, Maffioli, and Morzenti, 3422
- Gale, 1955
- Gale and Shapely algorithm, 1143
- Gale Shapley
 - algorithm, 1955
 - stable marriage algorithm, 1727
- Galil, 542, 2503
- Galil and Melhorn, 542
- Galil and Seiferas, 1232, 1371
- Gallager-Tsybakov-Mikhailov, 1276
- Gallai, 1787
- Gallai-Edmonds structure theorem, 2307
- gallery watchman problem, 1267
 - in grids, 1267
- gallery watchmen in grids, 1267
- Gallier and Raatz, 1628
- Gallo and Scutellà, 2521
- Gallo, Grigoriadis, and Tarjan, 1727
- Galois
 - adjoint, 3004
 - concept lattice, 3982
 - connected, 3782
 - connection, 3003, 3782
- Galois field, 19
 - module, 252
- Galperin and Wigderson, 3366
- Galton-Watson process, 4003
- gambling, 2059
- Gambosi, Giorgio, 3457
- game, 79, 364, 563, 612, 808, 1615, 2471, 3009, 3179, 3511
- game of
 - cards, 3096
 - perfect information, 612
- game on graphs, 3823
- game playing, 295
 - task, 364
- game
 - specific knowledge, 364
 - theory, 2039, 3224
- game tree, 79, 892, 2688, 2974, 3179
 - search, 2688
- gamma function, 347
- γ th residuosity, 3871
- Ganapathi, 779
- Ganter and Kuznetsov, 3982
- Ganzinger, H., 2905, 2924, 3025, 3140, 3331, 3332, 3351, 3353, 3359, 3360, 3381, 3396, 3453, 3512, 3517, 3521, 3618, 3622, 3632, 3633, 3648, 3689, 3695, 3697, 3715, 3748, 3753, 3760, 3770, 3788, 3793, 3827, 3828, 3901, 3902, 4022, 4087, 4112
- GAP, 1251, 1935, *see also* graph accessibility problem
- gap
 - costs, 3054
 - theorem, 1423, 3266
- gap, complexity, 2426, 3196, 3674
- GapP, 2434, 2870
- Gap^{NP}, 2870
- GapSpanP, 2870
- garbage, 103, 962
 - cells, 1257, 2607
 - collecting a heap, 244
- garbage collection, 72, 103, 114, 117, 152, 244, 264, 312, 384, 468, 671, 845, 962, 1257, 1349, 1361, 1436, 1519, 1704, 1915, 2528, 2607, 3142, 3163, 4146
 - algorithm, 114, 1436, 1915, 2528
 - cost, 103
 - model, 117
- garbage
 - collector, 117, 152, 312, 384, 803, 962, 1257, 1704, 3163
 - compaction algorithm, 468, 912
- García, Alfredo, 3389, 3807

- García-Villalba, L.J., 3894
- Garey, 184, 856
- Garey and Johnson, 429, 492, 612, 2039
- Garey, Graham, and Johnson, 1014
- Garey, Johnson, and Stockmeyer, 441
- Garey, Johnson, and Tarjan, 441
- Garg algorithm, 3667
- Garg, Naveen, 3670
- Garg, Vazirani, and Yannakakis, 2668
- Garg, Vijay K., 3595
- Garrido, Oscar, 3236, 3665
- Gärtner, Bernd, 3811
- gate, 31, 526, 605, 1152, 2225, 2238, 2620, 3032, 3189, 3226, 3394, 3768, 3847, 4114
matrix layout, 2433
- gauge theory, 1342
- Gauss, 1258, 1740
algorithm, 1740
elimination method, 1740
- Gaussian
elimination, 136, 852, 1240, 1386, 3781
transformations, 81
- Gavril, 518, 630, 728, 3703
- Gavril, Fănică, 3703
- Gazit and Miller, 2575
- GCD, 1917, 2163, 3443, 3780, 4015
- gcd, 606, 2546
- GCD
algorithm, 3443
of two polynomials, 2163
- GCWA, 1962
- GDE, 3100
- GDH assumption, 3925
- GDSAM, 2038
- GE, 1386
algorithm, 1386
- Geffert, 2752
- Gehrke, Johannes E., 3607
- Geist, Robert, 3564
- Gelenbe, 878
- Gelenbe and Pujolle, 878
- Gelfond and Lifschitz, 2269
- Gelfond Lifschitz transformation, 2839
- general
closure of a graph, 1778
linear group, 2365, 3902
position, 2274, 2417, 2956, 3385
- general program, 6
concept, 6
scheme, 978
- general purpose, 2305
deductions, 1480
processors, 2009
programming language, 544
systems, 543
- general
recursion, 2867
semaphores, 227
solution, 3308, 3387
- general sweep, 2690
boundary, 2690
- generalised
Fukunaga-Koontz method, 267
Mod classes, 3107
- generalization of
 β -reduction, 3047
Freivalds' algorithm, 2721
- generalized
binary queries, 1030
closed world assumption, 1962
complexity core, 2261
correctness, 3583
de Bruijn graphs, 2778
deadlock predicate, 1286
Delaunay triangulation, 1768
Diffie-Hellman assumption, 3925
dimension exchange, 3100
division operator, 795
dominators, 3013
harmonic numbers, 223
Hex, 3570
hypercube, 3228
inverse, 2357
Kolmogorov complexity theory, 1341
lattices, 197
matching problem, 444, 646
matrix inversion, 1502
operations, 43
pattern matching, 3824, 3938
primitives of Patil, 254
 p -cycles, 3529
ranking, 3217
Riemann hypothesis, 408
satisfiability problems, 3247
searching problems, 3638
sequential machine, 396
solution, 81
star graph, 2414, 3209
Steiner problem, 3114
syntax directed translation, 348
twisted cube, 2651, 3111, 3112
vertex rankings of trees, 3217
Voronoi diagram, 1827
word problem, 2303
- generate and test, 1557
- generated, 68, 126
- generating
2-3 trees, 2762
ability, 160

- generating an
 - exponentially distributed variate, 1574
 - infinite object by rules, 55
- generating
 - balanced parenthesis strings, 684
 - binary tree sequences, 2233
 - capacity, 160, 161
 - combinations, 1876
 - combinatorial objects, 2762
- generating function, 116, 173, 223, 674, 1797, 2598, 2891, 3078, 3271, 3550, 4116
 - for entropy, 173
- generating
 - languages, 3884
 - large random expressions, 2519
 - normal random variables, 211
 - permutations, 1997, 2360
 - polynomial orderings, 2771
- generating random
 - binary trees, 2319
 - numbers, 2856
- generating
 - set, 307, 1083, 1119
 - sorts, 4144
 - system, 1950
 - test sequences, 2279
 - trees, 2866
 - t -ary trees, 1551
- generation, 565, 684, 1049, 1339, 2045, 2049, 2435, 2538, 2553, 2640, 2646, 2675, 2749, 2772, 2861, 2881, 2883, 2965, 3512, 3569, 3645, 3669
 - algorithm, 768, 1551, 2233
 - in lexicographic order, 3822
 - method, 2883
- generation of
 - chemical structures, 451
 - compilers, 544
 - k -ary trees, 768
 - memory addresses, 2045
 - permutations, 156, 970, 3877
- generation of random graphs, 2478
 - permutations, 1606
- generative capacity, 330, 1301, 3162
 - of pure grammars, 1301
- generative device, 1788
- generative power, 78, 778
 - of direction independent grammars, 1244
- generator, 259, 680, 1020, 1557, 2093, 2130, 2303, 3923, 4063
 - algorithm, 1981
 - polynomial, 2888
- generators of
 - Alg, 680
 - an automorphism group, 421
 - CFL, 900
- generic, 2803, 3523, 3880, 3896, 4057
 - functions, 2803, 3647
 - operator, 1461
 - oracle hypothesis, 2560
 - problem, 1808
 - query, 3392
 - sets, 2560
 - state space problem, 2314
 - tools, 2390
- genetic algorithm, 2634, 2640, 3176, 3212, 3297, 3679
- genetic order, 312
 - preserving, 312
- genetic programming, 3749
- genome analysis, 3412
- Gens, George, 3795
- Gent, Ian P., 3689
- Gentzen system, 1427, 1486
- genus, 3491
 - embeddings, 3491
- geodetically connected, 3661
- geographic
 - nearest neighbor, 1923
 - neighborhood graph, 2011
- geographically distributed systems, 2168
- geography, 1210
- geology, 1906
- geometric, 522, 613, 774, 1163, 1414, 1594, 1864, 1957, 3385, 3479, 4033
 - algorithms, 672, 1146, 1380, 1789
 - applications, 2359
 - avoidance, 1044
 - configurations, 533
 - decision problems, 1355
 - distance, 1738
 - duality, 1163, 3810
 - embedding, 4095
 - graph, 2922, 3385
 - hashing functions, 522
 - inequalities, 442, 3731
 - interpretation, 801, 1210, 2674
 - intersection problems, 2071
 - intersections, 774
- geometric location
 - models, 1002
 - problem, 1620, 2260, 2784
- geometric
 - median problems, 2533
 - minimum weight matching, 4092
 - model of parallel programs, 632
 - modeling, 2043
 - object, 748, 774, 4056
 - optimization, 2248, 3731
 - packing problems, 3683
 - probe, 1612

- geometric problem, 856, 1195, 2043, 2083
 - of zigzags, 3494
- geometric
 - properties, 2043, 2570, 3561
 - search problem, 1146
 - searching, 2119, 2332
 - spanning trees, 3385
 - transformation, 953
 - transformations of the plane, 953
 - transforms, 774, 1146
 - two-server algorithms, 3038
- geometrical, 893, 1562, 1741, 2570, 3494, 4036
- geometrical complexity, 204, 327, 336, 552, 737
 - theory, 552
- geometrical
 - data, 1149
 - interpretation, 1131
 - object, 748
 - representation, 3794
- geometrically, 1163, 3602, 4110
- geometry, 328, 442, 1339, 1373, 2043, 2696, 3191
 - of similarity search, 4028
- Georges, J., 345
- Gergatsoulis, Manolis, 3498
- Gergov, Jordan, 2918
- Germain, Christian, 3431
- German, 61
- Gershgorin theorem, 841
- Geschke method of global program optimization, 293
- Geschke, Ch.M., 293
- GF(2), 252, 2130, 2568, 3768
- GF(2^m), 2888
- GF(p), 606, 1703
- GF(p^n), 758
- GF(q), 3152
- GFBCAST, 2710
- Ghose, S., 1841
- Ghosh, 187, 271, 633, 1030, 2075
- Ghosh and Abraham, 1045
- Ghosh, Sukumar, 3378
- ghost variable, 3831
- Giakoumakis, Vassilis, 3391
- Giancarlo, 3474
- Gibbs sampling, 2916
- Gihyun, Jung, 3804
- Gilbert, E.N., 3609
- Gilbert, Henri, 3835
- Gill, 767, 1066
- Ginsburg and Greibach, 1130
- Giordani, S., 3470
- Girard, 3916
 - J operator, 3916
- Girard-Reynolds polymorphic λ -calculus, 3916
- girth, 1559
- Gissi, Paolo, 3241
- Glück, Robert, 3512
- Glaister, Ian, 3343
- Glaser, H., 3749
- global
 - avalanche characteristic, 3672, 3859
 - checkpoints, 2849
 - clocks, 1191
 - combinatorial optimization, 1696
 - communication, 953
 - consistency constraints, 3493
 - constraint satisfaction, 3709
 - constraints, 2147, 3583
 - control, 1346
 - convergence, 2285
 - deadline, 185
 - deadlock states, 1150
 - dependencies, 1989
 - dependency relation, 3360
- global flush broadcast, 3329
 - primitives, 2710
- global
 - invariant, 3895
 - invariants, 3583
 - knowledge, 1566
- global memory, 1007, 2409
 - optimization, 1736
- global
 - minimum, 416, 2021, 2062
 - nondeterminism, 1933
 - optimization, 46
 - optimizing transformations, 88
 - optimum, 46, 1548
 - predicates, 3595
 - progress, 2814
 - property, 4069
 - quiescence detection, 1716
 - representation, 754
- global restrictions, 730, 869
 - on a DOL language, 730
- global serializability, 2917
- global snapshot, 1911, 2158, 2547, 3779
 - problems, 3779
- global state, 1862, 2113, 2351, 2807, 2864
 - analysis, 1150
- global
 - synchronization, 2567
 - termination, 1191, 3201
 - time, 1125
 - transactions, 2147, 3349
 - variables, 190, 237
- global virtual time, 2814, 3060
 - algorithms, 3060

- globally, 1343, 2038, 2550
 - deterministic synchronized alternating machine, 2038
 - finite term rewriting systems, 1096
 - optimal partition, 2837
 - reachable, 3921
- Glover, 3200
- gluing, 983
 - of graphs, 983
- Glushkov, V.M., 370, 898
- Glushkov, Victor M., 811
- Glushkov, Victor Mikhaylovich, 811
- GNF, 438
- Go, 3511
- goal
 - clauses, 2202
 - node, 3156
- Göbel, Manfred, 3902
- Gödel numbering, 122, 549, 670
- Gödelization, 4101
 - in the lambda calculus, 4101
- Goemans-Williamson clustering method, 3667
- Gold, 2231
- Goldberg, 1552, 2194
- Goldberg and Spencer, 2427
- Goldberg and Tarjan, 2002, 3896
- Goldberg, Plotkin, and Vaidya, 1799
 - maximal node disjoint paths algorithm, 1799
- golden ratio, 2671, 3193, 3484
- Goldmann, Mikael, 3594, 4032
- Goldreich and Krawczyk, 2388
- Goldreich, Micali, and Wigderson, 1615
- Goldreich, Oded, 3567, 3787, 3890
- Goldwasser and Micali, 1932
- Goldwasser and Sipser, 1407
- Goldwasser, Micali, and Rackoff, 1407, 2388
- Golić, J.Dj., 3606, 3881
- Golomb, 138, 383
 - code, 383
- Goltz, Ursula, 3360
- Golumbic, 852
- Golumbic and Goss, 852
- Gonnet, 1356
- Gonnet and Munro, 1274, 2103
- Gonnet, G.H., 400
- Gonzalez and Ja'Ja, 692
- Gonzalez and Soh, 868
- Gonzalez, Teofilo F., 3796
- González, A., 3150
- good
 - approximate solutions, 756, 2723
 - approximation, 391, 2813
 - coloring, 2902
 - colourings, 2902
 - k -coloring, 2902
 - strategy, 83
 - worst case bounds, 194
- Goodman and Hedetniemi, 217
- Goodrich, 2359
- Goodrich, M.T., 3317, 3374, 3377, 3433, 3439, 3443, 3506, 3507, 3508, 3511, 3515, 3516, 3558, 3561, 3636, 3638, 3654
- Gopalakrishnan, K., 3400, 3858
- Gordon, Valery, 3828
- Goss, 852
- gossip, 4047
 - networks, 4047
- gossiping, 1944, 2727, 3852, 4047
 - algorithm, 2727
 - by mail, 1944
 - problem, 2727
 - time, 2727
- Gotlieb and Kumar, 917
- GoTo
 - instruction, 931
 - problem, 1019
 - statement, 8, 29, 41, 931, 1019
- Gouda, 2351
- Gouda, Mohamed G., 2943
- Govindan, Rajeev, 3809
- Gower, 916
 - method, 916
- GP, 753
- gp, 2514
 - resolution, 2514
- GQ_n , 3111
- Grable, David A., 3433
- Grabner, Peter J., 3662
- Grabowsky, 726
- graceful
 - degradation, 1668, 3975
 - numbering, 138, 291
 - permutation, 291, 352
- gracefully
 - degrading t -tolerant implementation, 3975
 - numbered, 138
- graded, 1450
- gradient, 731
 - descent partition methods, 2837
- Graeffe, 4074
 - root squaring, 4074
- Graf, T., 3642
- Graham, 319, 380, 515, 673, 1443, 2025, 3171
 - algorithm, 64, 319
- Graham and Wang, 2786
- Graham and Yao, 1389
- Graham
 - bound, 2025

- Graham (*cont.*)
 convex hull algorithm, 1443
 method, 64
- grammar, 24, 26, 68, 78, 116, 161, 169, 218, 225, 232, 263, 284, 295, 302, 311, 330, 362, 394, 413, 438, 482, 582, 614, 644, 680, 683, 709, 720, 750, 779, 830, 847, 951, 955, 975, 989, 1078, 1105, 1229, 1311, 1312, 1331, 1360, 1500, 1526, 1711, 1722, 1775, 1987, 1988, 2061, 2141, 2228, 2318, 2375, 2512, 2522, 2585, 2675, 2717, 2772, 2862, 2880, 2883, 3054, 3162, 3519, 3848, 3865, 4029
 coverings, 2883
 family of a grammar form, 683
 form, 297, 683
 generating directed graphs, 1722
- grammar in
 Greibach normal form, 2541
 operator form, 362
- grammar
 inference, 311
 symbol, 1331, 1988, 2685
 transformation, 1331, 2675
 types, 161
 with bounded width, 1987
- grammar, two-level, 847
- grammatical, 847
 covering, 1078, 1088
 covers, 438, 614
 family, 297, 683
- grammatical inference, 1604, 2061, 2512, 3502, 3943, 4029
 methods, 3848
 problem, 1604, 2061, 2375, 2512
- grammatical
 models, 197
 protection systems, 1167
 relations, 1078
 similarity relations, 1088
 systems with creates, 1167
 unification, 847
- Grant, 744
- grant, 1062
 levels, 621
- Grant, P.W., 305
- granting privileges, 1249
- granularity, 3520
- graph, 9, 14, 15, 20, 70, 79, 87, 88, 101, 115, 128, 136, 138, 163, 167, 170, 174, 181, 217, 220, 234, 239, 240, 245, 249, 252, 255, 299, 324, 349, 353, 367, 371, 374, 390, 421, 429, 441, 444, 459, 471, 478, 492, 505, 518, 534, 538, 542, 545, 554, 564, 567, 576, 579, 583, 599, 616, 627, 628, 636, 645, 660, 668, 672, 688, 689, 701, 704, 711, 736, 743, 745, 756, 759, 764, 765, 770, 772, 781, 808, 810, 813, 815, 816, 873, 883, 932, 942, 961, 966, 978, 983, 986, 988, 1001, 1007, 1127, 1133, 1185, 1197, 1201, 1221, 1223, 1231, 1260, 1309, 1315, 1332, 1338, 1354, 1395, 1398, 1400, 1430, 1434, 1444, 1495, 1514, 1516, 1518, 1519, 1522, 1528, 1536, 1537, 1549, 1559, 1561, 1568, 1573, 1580, 1590, 1600, 1619, 1624, 1640, 1651, 1652, 1660, 1672, 1700, 1722, 1723, 1725, 1738, 1743, 1745, 1747, 1757, 1778, 1783, 1787, 1803, 1815, 1825, 1835, 1837, 1845, 1859, 1860, 1879, 1886, 1890, 1891, 1904, 1912, 1915, 1926, 1927, 1935, 1939, 1944, 1947, 1961, 1976, 1994, 2003, 2010, 2019, 2026, 2034, 2041, 2052, 2055, 2058, 2092, 2108, 2118, 2126, 2160, 2161, 2172, 2196, 2208, 2209, 2241, 2243, 2248, 2251, 2258, 2275, 2284, 2291, 2295, 2306, 2307, 2308, 2336, 2339, 2343, 2349, 2352, 2361, 2379, 2385, 2395, 2401, 2417, 2418, 2421, 2423, 2427, 2433, 2445, 2448, 2449, 2484, 2489, 2492, 2493, 2500, 2518, 2528, 2534, 2540, 2546, 2548, 2553, 2569, 2571, 2579, 2581, 2597, 2608, 2618, 2623, 2630, 2635, 2652, 2653, 2667, 2668, 2679, 2687, 2692, 2698, 2705, 2723, 2743, 2746, 2759, 2761, 2779, 2780, 2789, 2806, 2808, 2809, 2813, 2815, 2821, 2822, 2841, 2857, 2863, 2870, 2879, 2885, 2887, 2889, 2895, 2902, 2908, 2922, 2940, 2956, 2975, 2984, 2992, 3018, 3048, 3062, 3073, 3083, 3090, 3094, 3097, 3109, 3116, 3121, 3129, 3156, 3178, 3183, 3192, 3200, 3203, 3217, 3228, 3257, 3262, 3268, 3275, 3283, 3296, 3304, 3311, 3330, 3331, 3338, 3340, 3341, 3345, 3347, 3348, 3379, 3385, 3386, 3391, 3411, 3422, 3426, 3427, 3436, 3442, 3450, 3455, 3457, 3458, 3460, 3463, 3467, 3477, 3490, 3491, 3503, 3516, 3530, 3537, 3542, 3543, 3546, 3549, 3560, 3562, 3584, 3604, 3621, 3637, 3644, 3650, 3661, 3666, 3667, 3674, 3675, 3676, 3680, 3688, 3697, 3703, 3721, 3731, 3737, 3758, 3761, 3765, 3783, 3794, 3801, 3809, 3836, 3854, 3870, 3883, 3890, 3900, 3928, 3945, 3946, 3955, 3959, 3967, 3978, 3985, 3992, 3995, 3997, 4007, 4020, 4030, 4048, 4051, 4052, 4054, 4057, 4071, 4077, 4081, 4086, 4108, 4116, 4128, 4129, 4136, 4142
- 2-isomorphism, 478
- accessibility problem, 1251, 1935, *see also* GAP

- graph (*cont.*)
 - algorithm, 174, 564, 645, 731, 764, 765, 777, 781, 809, 810, 816, 905, 929, 986, 1133, 1165, 1231, 1243, 1398, 1430, 1455, 1485, 1537, 1749, 1775, 1780, 2058, 2200, 2201, 2336, 2379, 2468, 2579, 2593, 2652, 2708, 2756, 2761, 2782, 2908, 2976, 3090, 3121, 3192, 3220, 3304, 3401, 3549, 3854, 3928, 3945, 4020, 4057, 4077, 4090, 4095, 4127
 - automorphism group, 3291
 - graph bisection, 2111, 2968
 - problem, 2968
 - graph
 - characterization, 1466
 - chordality, 1672
 - classes, 1961, 3458, 3476, 3574
 - closure problem, 3268
 - closures, 1778, 3268
 - clustering problem, 3458, 3890
 - graph coloring, 69, 1001, 1077, 1184, 1430, 1496, 1723, 2037, 2336, 2340, 2534, 2555, 2808, 2902, 3446, 3765, 3978
 - problem, 1001, 2815
 - graph colouring, 1890, 2284, 2444
 - graph connectivity, 2243
 - test, 1398
 - graph
 - covering, 2350, 4121
 - cycles, 961
 - decomposition, 764, 1580
 - diameter, 3463
 - distribution, 636
 - graph drawing, 1738, 2316, 2705, 3155, 3258, 3262, 3401, 3506, 3542, 3596, 3725, 3783, 3917, 4072, 4097
 - algorithms, 1738
 - graph
 - embedding, 772, 1393, 1641, 1764, 2176, 2354, 2475, 2603, 3155, 3367, 3491, 4013
 - entropy, 2350
 - generation, 123
 - graph grammar, 770, 983, 1244, 1886, 2228
 - production, 983
 - graph isomorphism, 181, 421, 478, 491, 1407, 1646, 1961, 2879, 3727, 3738, 3890, 4010
 - algorithms, 576
 - counting problem, 421
 - problem, 9, 478, 491, 607, 1407, 2499
 - graph
 - k -connectivity, 3482
 - labelings, 3493
 - labelling, 123
 - layout, 1252, 1476
 - matching, 2625, 4123
 - minor, 1945, 3476, 3814
 - model, 2041, 2188, 2295
 - modification problems, 3304
 - modifications, 1398
 - node, 534
 - nonisomorphism, 1615
 - graph of bounded
 - degree, 1554
 - genus, 1961
 - valence, 1961
 - graph of
 - iterated line digraphs, 3530
 - maximum degree, 2336
 - multiplication, 2349
 - graph partition, 2448, 3542, 4071
 - problem, 2377, 2448, 2597
 - graph partitioning, 1495, 2377, 2401
 - algorithms, 2579
 - problems, 1495
 - graph
 - printing algorithm, 324
 - problems, 421, 986, 1603, 2012, 2161, 2308, 2656, 2663, 3159
 - processing mechanisms, 983
 - property, 1007, 1549
 - reachability, 2012, 2616
 - recognition, 518, 2623
 - reduction, 1310
 - representation, 983, 2612, 3737, 3805
 - rewrite system, 1652
 - rewriting, 4022
 - sandwich problem, 3758
 - graph search, 3737
 - problem, 2275
 - graph
 - searching problem, 2306
 - structure, 701, 1738, 3100
 - terminology, 252, 668
 - graph theoretic, 485, 518, 668, 772, 1357, 1725, 1819, 2248, 3155, 3842
 - distance, 1738
 - models of systems, 15
 - problem, 668, 704, 772
 - techniques, 445
 - graph theoretical, 105, 3470
 - framework, 3786
 - problems, 421
 - graph theory, 20, 53, 163, 252, 353, 444, 564, 583, 628, 646, 759, 870, 887, 1007, 1357, 1362, 1374, 1395, 1412, 1455, 1485, 1575, 1725, 1745, 1815, 1926, 2037, 2108, 2126, 2429, 2492, 2518, 2534, 2581, 2668, 2687, 2743, 2821, 2969, 2977, 3045, 3082, 3116, 3178, 3214, 3228, 3503, 3536, 3592, 3620, 3650, 3858, 4142
- graph transformation, 2150
 - algorithm, 2150
 - technique, 2150

- graph traversal, 1519, 2108, 2291
 - strategies, 2569
- graph
 - traverser, 2569
 - vulnerability, 887
- graphic images, 132
- graphical, 2737
 - data, 1497
 - expression, 2325
 - patchwork, 4048
 - representation, 452, 538, 2519, 2653
- graphically, 1062
 - animated, 2047
- graphics, 59, 132, 467, 522, 689, 884, 1755, 1937, 2076
 - libraries, 1919
 - package, 132
- Grasselli and Montanari, 127
- gravitational force field, 2338
- Gray and Harrison, 474
- Gray code, 247, 259, 577, 998, 1228, 2065, 3822, 3844, 3915
 - generation algorithm, 3915
 - mapping, 2148
 - order, 1228
 - ordering, 1228
 - sorting, 1228
- gray scale graphics, 59
- Gray, James W., 3532
- greatest bisimulation, 1687
- greatest common divisor, 1917, 2163, 2546, 3443, 4015
 - problem, 1917
- greatest
 - lower bound, 53
 - ω -generator, 3387
 - square free divisor, 2240
- Greco, G., 3786
- greedy, 469, 788, 886, 1431, 1879, 3167, 3265, 3361, 3455
 - algorithm, 873, 1038, 1193, 2241, 2278, 2404, 2442, 2450, 2518, 2524, 2529, 2534, 2735, 2755, 2920, 2922, 3167, 3636, 3919, 4136
- greedy algorithm for
 - partial cover, 3636
 - vertex cover, 873
- greedy
 - approach, 2054
 - binary search trees, 706
- greedy coloring, 3450, 3978
 - algorithm, 3919
- greedy
 - heuristic, 2054, 2087, 2241, 2755
 - load balancing, 2955
 - method, 1925, 2484
 - policy, 3265
 - procedure, 2404
 - spanning tree heuristic, 3244
 - trees, 788
- greedy triangulation, 469, 1193, 1431, 1768, 3244, 4097
 - algorithm, 1768
- Green, 3594
- Green, Homer, and Pruim, 3962
- Greenberg, A.G., 3609
- Greenwood, Garrison W., 3166
- Gregory, 1010
- Greibach, 1988
- Greibach and Hopcroft, 13
- Greibach
 - class of languages, 951
 - conjecture, 900
- Greibach normal form, 438, 474, 614, 1744, 2541
 - grammars, 474
- Greibach, Shi, and Simonson, 4029
- grey levels images, 4135
- grid, 2476, 3141, 3566, 4110
- grid based
 - quorum generation scheme, 4110
 - quorums, 3602
 - wiring, 2508
- grid
 - cells, 3904
 - drawing, 3561
 - embedding, 1764, 3427
 - file, 2080
 - graph, 1127, 1640
 - layout, 4012
 - like network of corridors, 1267
 - line segments, 2508
 - of minimum area, 4012
 - protocol, 2310
- grid selector
 - composition, 1056
 - functions, 1056
- grid
 - selectors, 1056
 - spacing, 172
- Gries, 186, 962
- Gries and Levin, 1429
- Gries, D., 2520, 2969, 2970, 2974, 3046, 3061, 3096, 3120, 3125, 3225, 3310, 3316, 3321, 3329, 3330, 3337, 3338, 3347, 3356, 3363, 3369, 3382, 3405, 3407, 3411, 3413, 3419, 3424, 3425, 3426, 3440, 3441, 3442, 3447, 3448, 3452, 3471, 3485, 3540, 3545, 3550, 3551, 3552, 3585, 3589, 3596, 3603, 3605, 3629, 3641, 3642, 3645, 3662, 3707, 3713, 3721, 3750, 3754, 3755, 3756, 3758, 3771, 3776, 3777, 3778, 3782, 3783, 3791, 3800, 3831, 3833, 3858, 3861, 3888, 3889, 3898, 3958

- Gries, David, 1458, 1523, 3616, 3631
- Gröbner basis, 2927
- Grolmusz, Vince, 3768
- Groselj, Chen, and Wu, 3779
- ground, 719, 2813
 - field, 2328
 - instance, 3976
 - literal, 1330
- ground local, 2649
 - semantics, 2649
- ground
 - reducibility, 3015
 - rules, 31
 - set, 4043
 - state problem, 3830
- ground term, 1101, 2068, 2648, 3760, 3976, 4061
 - rewriting, 4061
- groundness analysis, 4111
- group, 30, 259, 390, 734, 1083, 1129, 1166, 1688, 1763, 2890, 3610, 3655, 3716, 3956, 4042
 - free monoids, 1763
 - invariance theorem, 2062
 - key, 643, 734, 760
- group of
 - action causes, 1512
 - atoms, 9
 - users, 654
- group oriented
 - cryptography, 2405, 3956
 - secret sharing, 2405
- group sharing, 643, 734, 760
- group signature, 3871, 3956, 4042, 4137
 - scheme, 3871, 4042, 4137
- group
 - sublotting, 3903
 - technology, 3903
- group testing, 3203, 3763, 3775
 - problem, 3763, 3775
 - with inhibitors, 3763
- group theory, 337, 442, 1119
- grouping, 1981
 - symbol, 453
- groupoid, 30
- groups of polynomial diameter, 1083
- growing, 152
- growth, 93, 1950
 - argument on the number of additive operations, 171
 - function, 93, 1732, 1839, 1950
- growth of
 - filamentous organisms, 279
 - logical clocks, 1346
- growth type, 93
- GRP, 2372
- Grzegorzczak classes, 11
- gsm maps, 242
- GSMS algorithm, 2662
- GSMS^{neg} transformation, 2662
- GTM, 1276
- Gu, Qian-Ping, 3524, 3799
- Guaiana, G., 3798
- Guan, D.J., 3450, 3691, 3991
- guarantee of correct execution in multiprocessing, 300
- guaranteeing
 - integrity, 300
 - termination, 2033
- guard, 31, 1111, 1487, 2273, 4127
 - a star polygon, 2273
 - chord, 4127
 - diagonal, 4127
- guarded, 629, 1333
- guarded command, 604, 3770
 - language, 629
- guarded
 - iterations, 973
 - nondeterministic loops, 629
 - procedure, 753
- guarding
 - a star polygon, 2273
 - in a simple polygon, 4127
- Guessarian, Schimpf, and Gallier, 2832
- guessing, 3132, 3598
 - attacks, 3132
- guest graph, 772
- Guibas and Liang, 1175
- Guibas and Odlyzko, 1024
- Guibas and Wyatt, 1056
 - scheme, 1056
- Guijarro, David, 3766
- Guimarães, Katia, 3615
- Guinand, Frédéric, 3319
- Guochuan, Zhang, 3461
- Gupta, 525
- Gupta and Srinivasan, 3231
- Gupta, Arobinda, 3378
- Gupta, Dipankar, 3835
- Gupta, G., 3816
- Gupta, Lee, and Wong, 2762
- Gupta, Prosenjit, 3638, 3857
- Gurari and Ibarra, 1068
- Gurari and Sudborough, 2548
- Gurevich and Shelah, 1404
- Gurevich, Yuri, 3757
- Gurla, Himabindu, 2830
- Guruswami, Venkatesan, 3842
- Gusfield, Landau, and Schieber, 2919
- Güting, 2119

- Guyot et al., 2620
 GVD method, 2853
 GVT, 2814, 3060, 3362
 algorithms, 3060
 GWPC(2), 2303
 g-adic numbers, 1595
 G-bolt free hookup graphs, 1961
 g-gate, 1152
 g-inverse, 1502
 G-mixed graph, 4057
 G-order, 312
 G-ordered binary tree, 312
 g-subgraph, 245
 G-transformation, 293
- H**
- H layout, 592
 H system, 3352
 $H(n)$ stack bounded $2npda(k)$, 814
 Ha, Jae-Cheol, 3719
 Ha, Soonhoi, 3742
 Haalman, E., 3563
 Habermann, 86, 1050
 algorithm, 1050
 Hack, 129, 357, 584, 1392
 Hadamard, 4114
 transform, 498
 Haddon and Waite, 152
 Hadwiger, Debrunner, and Klee, 1863
 Hagerup, 1766
 Hagiwara, Hiroshi, 2928
 Hahn, 264
 Hainz, Reinhard, 3892
 Hajós
 calculus, 3088
 constructions, 3088
 Haken, 1925
 Haken, Armin and Steve Cook, 3464
 Hakimi, S. Louis, 3584
 Halava, Vesa, 3494
 Haldar and Subramanian, 1756
 Hales and Hallgren Fourier sampling theorem, 4126
 half balanced binary
 search trees, 920
 tree, 920, 2422
 half
 integer solution, 1338
 integral optimal solution, 1338
 plane, 593, 3722
 tone images, 59
 halfobject technique, 1171
 halfplanar range
 query, 1304
 search, 1304
 halfspace learning, 2915
 Halin graph, 1522, 3771
 Hall, 510
 Halstead, 453
 halting, 276
 problem, 95, 1687
 state, 752
 halver, 3907
 network, 3907
 halving method, 1471
 ham sandwich, 2337
 cuts, 2146
 problem, 2146
 Hambrusch, S.E., 3739, 3740, 3741, 3742, 3743, 3745, 3796, 3809, 3847, 3857, 4081, 4084, 4130
 Hamilton
 cycle, 1362, 1404, 3414
 cycles in random graphs, 1404
 path, 704, 1058
 Hamiltonian, 217, 252, 1404, 3675
 2-sep chordal graphs, 870, 1374, 1412, 1926, 2499, 2643, 2651, 2956, 3604, 3997, 4013
 Hamiltonian circuit, 942, 1127, 1288, 1794, 1822, 2003, 2643, 2956, 3200, 3264, 3689, 3726
 Latin square, 3726
 problem, 770, 942, 1127, 1197, 1794, 1822, 1926
 Hamiltonian completion number, 217, 3214
 of a tree, 217
 Hamiltonian completion problem, 217
 Hamiltonian connected, 3997
 graph, 3997
 Hamiltonian curve, 3389
 Hamiltonian cycle, 217, 441, 1224, 1412, 1522, 2010, 2507, 2651, 2903, 2966, 3112, 3257, 3436, 3604, 3675, 3731, 3736, 3837, 3926, 4013, 4142
 in a graph, 441
 problem, 441, 3668, 4142
 Hamiltonian
 decomposable, 3481
 decomposition, 3481
 graph, 87, 1374, 1412, 2507, 2757, 2758, 4052
 Hamiltonian path, 485, 743, 1822, 2003, 2608, 2643, 3214, 3365, 3463, 3688, 3855
 problem, 743, 1822, 1828, 2687
 Hamiltonian
 ring structure, 1247
 subclass, 2010
 Hammer, 216
 Hammer and Nguyen, 216
 Hamming
 balls, 3872
 distance, 1943, 4109

- Hamming (*cont.*)
 graphs, 3100, 3560
 weight, 3969
- handle, 26
- handling
 of application files, 1
 parallel assignment instructions, 82
- handprinted character recognition, 36
- handshake, 1933, 3831
 communication, 1298
 fairness, 1933
 register, 3831
- Hangul, 1418
- Hankel
 forms, 2334
 matrices, 2334
 matrix, 2334
- Hansen, 312
- Hansen and Jaumard, 2716, 3079
- Hanus, Michael, 3753
- haploid binary fixed length genetic algorithm, 3212
- happened before relation, 2849
- Harary, 87, 163, 205, 441, 518, 668, 819, 1549, 3790
- Harary and Nash-Williams, 252
- Harary, Frank, 3790
- Harbane, Rabah, 3529, 3530
- hard
 combinatorial optimization problems, 2330
 core, 3323
 number theoretic problems, 1973
 problem, 252, 770, 1341, 2753, 4005
 problems in language theory, 1973
- hard real time, 3501
 environment, 3501
- hard set, 3438
 of formulae, 257
- hard to compute, 436, 1930, 3515
 for all but finitely many inputs, 1707
 infinitely often, 1707
- hardcopy computer output, 59
- Härder, 790
- hardest, 740
 context free language, 740
 language, 740
 optimization problems, 4117
- hardness, 740, 1341, 1542, 3458, 3715, 3730
- hardness of
 approximation, 3842
 one-way functions, 1542
- hardware, 31
 address translation, 708
 and software verification, 4083
 architectures, 1482
 complexity, 4107
 controlled links, 1617
 equipment, 142
 errors, 652
 garbage collection, 312
 implementation, 1954, 3639
 lexical scanner, 1558
 library, 1954
 model, 1730
 realization, 1558
 redundancy, 543, 2407
 support for recursive control, 1494
- Harel, 1306, 1478, 2950
- Harel, D., 502
- Harel, David, 782
- Harikumar, S., 3278
- Harju, Tero, 3494
- harmonic, 4100
 algorithm, 4100
 analysis, 3355, 3819, 3939
 equation, 1207
 numbers, 223
- harmony theory, 4142
- Harms, Janelle J., 3849
- Harper, Robert, 3223
- Harrison, 761, 1744
 terminology, 640
- Hartman algorithm, 2888
- Hartmanis, 1887, 2954
- Hartmanis and Stearns, 1707, 3782
- Hartmanis and Yesha, 2645
- Hartmanis et al., 2560
- hash
 address, 1112, 1142
 addresses, 2127
 addressing, 1736
 area, 177
 based, 1804
- hash based join, 3151
 algorithm, 1730
- hash
 based method, 2041
 buckets, 1037
- hash coding, 212, 265, 1142
 method, 222
- hash function, 194, 222, 244, 373, 531, 1037, 1274, 2080, 2127, 2478, 2921, 3132, 3587, 3614, 4096
- hash join, 2737
 algorithm, 1730
- hash
 methods, 1112
 search, 1558
 table, 244, 251, 503, 603, 717, 721, 1037, 1142, 1196, 1257, 1714, 1750, 2080, 2094, 2576, 3899

- hashing, 137, 177, 212, 251, 265, 317, 373, 391, 401, 603, 708, 717, 721, 863, 1037, 1112, 1274, 1658, 1714, 1717, 1750, 2000, 2478, 2491, 2582, 2709, 2921, 4109
 - algorithm, 251, 373, 1274
 - functions, 522, 1529, 1658
 - matrix, 373
 - method, 212
 - of an interval, 1717
 - performance, 2127
 - problem, 2811
 - process, 251
 - scheme, 1750, 2491
 - sequence, 373
 - technique, 194, 265, 757, 1714, 1717, 1958, 2582
- Haskell, 2707
 - overloading, 2937
- Hasse diagram, 466, 2644
- Hassin and Tamir, 2992
- Hassin, Refael, 2941, 3555, 3774
- Hastad, 1452
 - main lemma, 1452
- Håstad, 2995
 - switching lemma, 3594
- Håstad, Johan, 3787
- Hasunuma, Toru, 3442
- Hatcher and Quinn, 3201
 - method, 3201
- Hausdorff, 1991
 - distance, 965, 1699, 2162, 2177, 3603
 - metric, 1699
 - set distance, 2177
 - topology, 1991
- Havas, George, 3388
- Havel, Ivan, 3463
- hazard, 3176
 - free minimization, 2931
- Hazari and Zedan, 1447
- HB tree, 206, 926
- hB tree, 2080
- HCB_tree, 1663
- HCLS, 3726
- head
 - crossing, 63
 - evaluation, 1592
 - motion seek times, 63
 - movement, 1556, 2373
 - normal form, 1592
 - of line, 2840
 - strictness, 2348
 - to head jumps, 1039
- healthiness conditions, 3356
- heap, 174, 244, 317, 901, 1012, 1142, 1227, 1435, 1436, 1464, 1534, 1790, 1915, 2053, 2103, 2143, 2528, 2644, 2678, 2680, 2732, 2836, 2891, 3142, 3163, 3410, 3889, 4146
 - construction algorithm, 2678, 2732
 - creation algorithm, 2836
 - operations, 3484
 - order, 1227
- heap ordered
 - deque, 2967
 - forest, 2891
 - tree, 2891, *see also* HOT
- heap shape property, 2678
- heap sort, 784, 842, 901, 1356, 2053, 2247
 - algorithm, 2053
- Heaviside function, 2325
- heavy interprocess communication demand, 2055
- heavy load, 3609
 - assumption, 2055
- Hecht and Ullman, 545, 1745
- Hedetniemi, 505
- Hegner, 1402
- Hegner and Horspool, 1010
- height, 164
 - balance distribution, 2254
- height balanced
 - binary tree, 365
 - tree, 365, 427, 521, 926
- height
 - compressed B_tree, 1663
 - function, 1930
 - minimization algorithm, 2508
 - of a node, 164
- Held and Karp, 2016
- Held-Karp
 - 1-trees, 2016
 - TSP bound, 2016
- Hell and Nešetřil, 2284
- Heller, 1255, 2722
- Heller, D.E., 844
- Helleseth, Tor, 3706
- Helly 2-acyclic family of subtrees, 3703
- help bits, 2040
- Hemaspaandra et al., 3705
- Hemaspaandra, Edith, 3674
- Hemaspaandra, L., 3705, 3708
- Hemaspaandra, L.A., 3067, 3069, 3224, 3283, 3294, 3343, 3364, 3366, 3438, 3446, 3458, 3461, 3469, 3567, 3569, 3570, 3571, 3594, 3624, 3631, 3670, 3673, 3698, 3757, 3759, 3790, 3816, 3819, 3823, 3824, 3842, 3843, 3851, 3868, 3869, 3885, 3886, 3887, 3908, 4014, 4032, 4118
- Hemenway, 990
 - alternative mean, 990
- hemisphere, 411
 - problem, 411

- Hénaux, Florian, 3783
- Henderson, 307
- Henderson and Levy, 750, 1360
- Henderson and Zalcstein, 307
- Hennie-Stearns construction, 90
- Henno, 831
- Hensel, 1010
 - codes, 1010, 1595
 - effective p -adic lifting, 1584
- Henzinger, Monika, 3338
- Herbrand
 - base, 2269
 - universe, 847
- hereditary, 3129
 - family, 4057
 - property, 3304
- Herlihy, 1808
- Herman, Michael W., 3225
- Hermite canonical form, 1726
- Hermitian matrix, 529
- Hermo, Montserrat, 3534
- Hernández Barrera, Antonio, 3375
- Hernández, H.J., 3150
- Herrmann, Philippe, 3699
- Hershberger and Suri, 2784
- Hertrampf, Ulrich, 4118
- Hesselink, Wim H., 3831
- Hessian matrix, 1731
- heterogeneous, 4098
 - character, 1418
 - input/output, 264
 - multicast, 3597
 - multimedia multicast, 3597
 - objects, 763
 - processors, 546
- heterogenous multimedia, 3597
- hetero-associative memories, 2021
- Heuer, 98
- Heuer, H., 98
- heuristic
 - algorithm, 194, 537, 631, 648, 868, 1090, 1201, 1812, 2197, 2723, 3592, 4083, 4098
 - approach, 1204, 1243
 - depth first iterative deepening algorithm, 2553
 - estimates, 1690
 - evaluation functions, 1690
- heuristic for
 - building search tries, 194
 - choosing priorities, 3314
 - database application, 718
 - multiprocessor scheduling, 2025
- heuristic
 - guidance, 3005
 - makespan, 2440
 - method, 560, 1084, 1243, 2519, 2557
 - programming, 1406
- heuristic search, 239, 364, 1940, 2314, 2553, 3156
 - algorithms, 1690
 - strategy, 45, 2314
- heuristic
 - strategy, 3678
 - techniques, 631
 - value, 399
- heuristic logical methods, 442
- heuristically guided
 - algorithms, 130
 - search, 130
- heuristics, 45, 194, 504, 527, 560, 631, 649, 687, 691, 959, 961, 991, 1014, 1024, 1090, 1142, 1184, 1197, 1243, 1431, 1453, 1492, 1514, 1690, 1743, 1749, 1784, 1819, 1848, 1890, 1940, 1952, 2041, 2087, 2254, 2372, 2392, 2618, 2705, 2723, 2789, 3005, 3018, 3094, 3171, 3244, 3280, 3341, 3461, 3664, 3912, 3928, 3972, 4040, 4122
- Hevner, 1084
- Hevner and Yao, 1084
- Hex problem, 3570
- hexagonal, 3141
 - arrays, 1490, 2407
 - cells, 3801
 - grid, 3141
 - systolic array, 2407, 2673
 - three-layer channel routing, 3141
- hexagonal unit network, 1195
 - in the plane, 1195
- Heyd, B., 3873
- Hichart, 3734
- hidden, 1992, 2546
- hidden line elimination, 1992, 3417
 - problem, 1992, 3417
- hidden surface, 3722
 - removal, 3722
- hiding, 1934, 2294
- hierachical level, 196
- hierarchic
 - clustering algorithms, 916
 - structure, 975
- hierarchical, 735, 2161, 2376, 2479, 3852
 - address space, 556
 - algebraic types, 620
 - algorithm, 2161
 - autorisation, 237
 - bit vector compression, 790
- hierarchical broadcast, 4047
 - networks, 3852, 4047
- hierarchical classification tree, 20
- hierarchical clustering, 295, 929
 - algorithm, 764
- hierarchical
 - complexities, 2161
 - coroutines, 1138

- hierarchical data
 - model, 1259
 - structure, 1421
- hierarchical
 - decomposition, 929
 - gossip network, 4047
 - graph model, 2161
 - graphs, 2161
 - grid algorithm, 2310
 - image structures, 1421
 - interconnection networks, 2479
 - linear gossip network, 4047
- hierarchical memory, 498, 3744, 3803
 - structures, 261
- hierarchical
 - MLP method, 3342
 - model, 2161
 - nested relations, 2072
 - operating system, 44
 - organization, 333
 - quorum, 2823
- hierarchical quorum consensus, 2310, 2823
 - algorithm, 2823
- hierarchical
 - relations, 3848
 - structure, 621, 735, 2414
- hierarchical systems, 735
 - of equations, 3381
- hierarchical versions, 2161
- hierarchically, 33
 - organized, 333
 - structured, 118, 643
- hierarchy, 11, 228, 261, 333, 348, 551, 593, 621, 767, 862, 916, 967, 1033, 1283, 1390, 1433, 1575, 1672, 1688, 1707, 1735, 1866, 2072, 2206, 2252, 2479, 2521, 2760, 3162, 3259, 3677, 3705, 3743, 3911, 4004, 4046
- *-hierarchy, 2027
- ⊗-hierarchy, 2027
- hierarchy of
 - array languages, 210, 551
 - asynchronous components, 735
 - complexity classes, 1657
 - components, 735
 - fairness postulates, 1018
 - language families, 1130
 - languages, 3865
 - memories, 906
 - nested relations, 2072
 - primitives, 1808
 - program schemes, 3990
 - programmed context free languages, 161
 - two-dimensional array languages, 862
 - vertex partitions, 764
- hierarchy
 - result, 1130
 - theorems, 2760
- high bandwidth architectures, 4078
- high degree of
 - overlap, 654
 - parallelism, 1126, 1632
- high
 - density graphs, 668
 - dimensional structures, 4028
- high level
 - decomposition, 1126
 - description, 773
 - descriptions of programs, 773
- high level language, 321, 1028, 1200, 1418, 1494, 1956, 3776
 - program, 1169, 1418
- high level
 - microprogramming languages, 106
 - nets, 2320
 - nonprocedural query languages, 1063
 - programming language, 501, 1012, 1440, 2733
 - system programming language, 189
- high
 - occurrence of long edges, 1252
 - order distribution, 3504
- high performance, 2407, 2745, 3741, 4089
 - computing, 2710, 3127, 4132
 - parallel linear algebra, 4132
- high
 - priority token holding time, 3501
 - probability, 1924, 2286, 2388, 2463, 2566, 2792, 2922, 3270, 3274, 3585, 3777, 3803, 4034
 - reliability, 2197
 - resolution images, 3342
 - security systems, 543
- HIGH sets, 3182
- high speed large capacity switches, 2724
- Higham, Lisa, 3328, 3900
- higher
 - dimensional spaces, 422
 - dimensions, 281, 517, 569, 748, 2922, 3483, 3888, 4123
 - language, 28
- higher level, 43, 1742, 3921
 - class, 1575
 - languages, 135
 - of abstraction, 4039
 - specification, 2210
 - synchronising, 1176
- higher moments, 796, 1222
- higher order
 - derivatives, 334
 - differentiation, 334
 - functional languages, 3142
 - functions, 1579, 1751, 2707

- higher order (*cont.*)
 - of parallelism, 1807
 - relations, 216
- higher
 - programming languages, 29
 - recursion theory, 1283
 - types, 2867
- highest
 - inefficiency, 539
 - level selection rule, 3896
 - ranking letters, 33
- highly
 - irregular, 3817
 - parallel, 566
 - reliable node processors, 2197
 - unpredictable pseudorandom sequences, 2505
- highway, 2710, 3329
- Higman, 2068
- Hilbert, 1521
 - curve, 3497
 - k-d trees, 1521
 - space, 4099
 - style, 3006
 - tenth problem, 1802, 3827
- hill climbing, 2432
 - methods, 2062
 - strategy, 2432
- hinge, 2368
 - free graph, 3661
 - vertex, 3348, 3661
 - vertices, 3348, 3661
- Hirata, Kouichi, 3632, 3730
- Hirata, Tomio, 3298
- Hirose, Shouichi, 3522
- Hirschberg, 1766, 2916
 - algorithm, 2916
- histogram, 211, 2313, 3151
 - equalization, 3151
- history, 258
 - of a computation, 258
 - sensitive string, 1418
 - variables, 2210
- Hitotumatu and Noshita, 970
- hitting time, 3900
- HLisp, 251
- HNR, 2072
- Ho, Chin-Wen, 3661, 3870
- Ho, Jan-Ming, 3562
- Ho, Kim Myoung, 3462, 3690
- Ho, Leung and Wei, 3066
- Ho, Ting-Yem, 3348
- Hoare, 80, 117, 134, 196, 227, 235, 404, 508, 735, 858, 928, 1399, 1402, 1492, 1971
- Hoare and Jifeng He, 1399
- Hoare and Wirth, 191
- Hoare axiom system, 2057
- Hoare communicating sequential
 - processes, 928, 1971, 2317
 - programs, 1298
- Hoare
 - CSP, 928
 - find algorithm, 3185
 - interpretation algorithm, 235
 - logic, 846, 1019, 1372, 1492, 2297, 3424, 3778
 - minimization, 117
 - model, 508
 - standard rules, 846
 - system, 1478
 - triples, 1019, 1909
- Hoare, C.A.R., 42, 80, 191
- Hoare-licemantics, 629
- Hochbaum, 873
- Hochbaum and Shmoys, 1760
- HOF, 2891
- Höfgen, Klaus-Uwe, 2905
- Hoffman, Mehlhorn, Rosenstiehl, and Tarjan, 1984
- Hofmeister, Thomas, 3311
- Hofri, 3265
 - conjecture, 3265
 - greedy policy, 3265
- Hofstadter G-sequence, 3484
- hole, 884, 1267, 2239, 3229
- Hollander, 1169
- Holsztyński, Włodzimierz, 3363
- Holt, 67
- Holt, R.C., 568
- Holzer, M., 3865
- hom
 - contracting, 1856
 - contractiveness, 1674
- home
 - address, 177
 - vertex, 731
- homeomorphic, 1528, 2058, 2161
 - embedding, 2771
- homeomorphism, 2828
- homogeneous, 2482
 - and heterogeneous processors, 546
 - difference equations, 598
 - linear Diophantine equations, 341
 - planar Poisson point process, 1400
 - polynomial, 591
 - processor, 546, 1453
 - program, 591
 - recurrence relation, 2292
 - routing algorithms, 2482
- homogeneous set, 3758
 - sandwich problem, 3758
- homogeneous
 - system of processors, 2133
 - tree data structure, 1126

- homomorphic, 834
 - image, 162, 945
 - images of transition graphs, 162
- homomorphism, 94, 313, 386, 399, 474, 483, 766, 794, 982, 1076, 1078, 1114, 1585, 1642, 1753, 2219, 2284, 2292, 2452, 2854, 2867, 3418, 3430
- homomorphism equivalence, 386, 1088
 - problem, 1114
- homomorphism
 - on a free monoid, 572
 - property, 2854
 - theorem, 834
 - tree transducers, 2736
- homomorphisms of transition graphs, 162
- homophonic DES, 3751
- honest, 2595, 3821, 3871
 - function, 1891
 - iteration schemes, 2595
- honesty, 2595
- honeycomb, 4013
 - tori, 4013
 - torus, 4013
- Honeyman, 771
- Hong and Rosenberg, 2548
- Hong, Shen, 3350, 3425
- Hood and Melville, 958
- Hoogerwoord, 2255
- hook in a data structure, 1751
- Hooper, 2081
- hop
 - connections, 3780
 - size, 3780
- Hopcroft, 3233
 - algorithm, 3233
- Hopcroft and Karp, 567, 810
 - algorithm, 510
- Hopcroft and Tarjan, 518
 - planar recognition algorithm, 518
- Hopcroft and Ullman, 1753
- Hopcroft and Wong, 1961
- Hopcroft data structure, 3233
- Hopcroft, Paul, and Valiant, 182
- Hopcroft-Tarjan, 518
- Hopfield, 3591
 - neural network, 3591
- horizontal
 - array of automata, 71
 - bounds on propagation, 1249
 - decomposition, 941
 - microprograms, 1090
 - segments, 1052, 2508
 - tracks, 2054, 3141
 - wire segments, 2054
- Horn, 1010, 2202, 2572
 - clause, 1187, 1330, 1664, 2521
- Horn clause logic, 1289, 1543
 - programming, 847
- Horn
 - clauses with equality, 2202
 - completion, 2202
 - component, 2495
 - expressions, 4055
 - formula, 411, 1459, 1628, 2056, 2495, 2572, 2716, 3063, 3829
 - function, 2495
 - logic programs, 1962
 - problem, 2392
 - programs, 1962
 - renaming, 3079
 - SAT, 1664
 - satisfiability, 2716
 - sentence, 1017, 1322, 2753
 - set, 1187, 1733, 3079
- Horner
 - rule, 1429
 - scheme, 1429
- Horn, Gwoboa, 3659
- Hornlog, 1628
- Horowitz, 51
- Horowitz and Sahni, 947, 1216
- Horowitz, E., 51
- Horton algorithm, 3048
- Horton-Strahler number, 2951, 3180, 3863
- host, 328, 749, 772, 1668, 2748, 2885, 3566
 - array, 989
 - computer, 1445
 - graph, 772, 2548
 - multiprocessor architecture, 1954
 - satellite system, 2748
- hostile environment, 45
- HOT, 2891, *see also* heap ordered tree
- hot
 - potato principle, 1047
 - spots, 3137
- Hough transform, 1895
- Howard, Paul G., 3342
- Howden, 355
- Hower, Walter, 3133, 3709, 3762
- HP algorithm, 2003
- HPF language, 3741
- HQC, 2823
- Hromkovič, 2038
- Hsieh, Tsu-Miin, 3751
- Hsieh, Yung-Cheng, 3751
- Hsu, 1757
- Hsu and Huang selfstabilizing algorithm, 2802
- Hsu et al., 2150, 2741
- Hsu, F.R., 3490

- Hsu, Jenq-Muh, 3103
Hsu, Lih-Hsing, 3467, 3675, 3736
Hsu, W.-L., 2003
Hsu-Du algorithm, 1428
HU, 545
Hu and Hwang, 2909
Hu bound, 185
Hu, Chi-Ming, 3906
Hu, T.C., 3776
Huang, 1813, 2799
 algorithm, 2799
Huang, Chung-Ming, 3103
Huang, Shing-Tsaan, 3336, 3701
Huang, Shou-Hsuan S., 3566
Huei Lu, Erl, 3838
Huet, 3157
Huet and Lévy, 1101, 2676
Huet and Oppen, 2771
Huet-Lévy theory of neededness, 3753
Huffman, 382, 1009
 algorithm, 1009, 1497, 1574
 code, 1009, 1497, 2586, 3454, 3639, 3876
 coding, 382, 2121, 3342, 3806
 decoders, 3639, 3806
Huffman decoding, 3454, 3806
 algorithm, 3454, 3639, 3876
Huffman
 encoding, 2747
 tree, 2586, 2886, 3454, 3876
Hui and Martel, 3315
Hui, Lucas Chi Kwong, 3315
Huits, 432
hull, 328, 499
 algorithm, 328
Hull characterization of finitely specifiable ID
 families, 1279
hull
 edge, 1328
 finding, 328
 tree, 1488
human
 behavior, 45
 experts, 3363
 factors, 3004
 knowledge, 2046
 long term memory, 45
 lung, 3863
Hume and Sunday, 2855
Hung, Chun-Nan, 3675
hungry philosopher, 345
Hunt, 516
Hunt and Szymanski, 1261
Hunt method, 516
Hunt, Galen C., 3410
Hunt-Szymanski
 algorithm, 1569
 strategy, 1261
Huq Azad Khan, Mozammel, 3528
Hur and Chon, 2180
Hussein Abdel-Wahab, 3607
Hutchinson
 distance, 2276, 2374
 metric, 2276
Hüttel, H. and C. Stirling, 2403
hv-convex polyominoes, 3904
Hwang, Kyu Choi, 3151
Hwang, Shin-Jia, 3548
Hwang, Tzonelih, 3681, 3871
hybrid
 algorithm, 905, 3115
 data models, 1259
 hash algorithm, 1730
 join, 1804
 of quicksort, 784
 reference counting algorithm, 1257
 sorting algorithm, 570
hybridsort, 570, 1801
 algorithm, 1801
hypercomplex coefficients, 2460
hypercube, 1393, 1533, 1538, 1605, 1668, 1730,
 1740, 1834, 1896, 1938, 1944, 1969, 1979,
 2034, 2065, 2123, 2126, 2143, 2155, 2168,
 2176, 2197, 2218, 2220, 2312, 2315, 2359,
 2381, 2390, 2410, 2475, 2580, 2583, 2599,
 2603, 2642, 2651, 2699, 2746, 2783, 2810,
 2861, 2875, 2884, 2914, 2922, 2989, 3007,
 3026, 3051, 3077, 3111, 3112, 3296, 3361,
 3367, 3463, 3560, 3604, 3671, 3717, 3752,
 3812, 3837, 3872, 3914, 3939, 3967, 3971,
 4011, 4023, 4054
 algorithms, 2599
 based multiprocessor systems, 3872
 communications, 2642
 computations, 2599
 computer, 2359
 dimension, 2197
 edges, 2603
 embedding, 1393
 mapping method, 2065
 multiprocessor, 1538, 1668, 2148
 network, 2155, 2580, 2592, 2783, 2810
 parallel task systems, 4023
 permutations, 3361
 routing, 1979
 structure, 3967
 system, 1605, 1668, 1969
 topology, 2126
 with dynamic faults, 3971

- hypercube with faulty nodes and links, 3837
 - hypercubic architectures, 3007
 - hyperdisc, 2289
 - hyperedge, 2579, 3796
 - of rank, 2565
 - hyperedge replacement, 2565
 - grammars, 2565
 - hypergeometric series, 304
 - hypergraph, 1672, 2368, 2427, 2518, 2565, 2579, 3286, 3433
 - acyclicity, 1672
 - transformation technique, 2716
 - hypermesh, 2123
 - hyperplane, 1002, 1057, 2912, 3011, 3989
 - arrangements, 3989
 - hyperrectangle, 2289
 - hyperring, 3296
 - hypersphere, 1141, 1854, 3368
 - hyperspherical neighbourhoods, 3368
 - hypertext, 3423
 - hypothesis, 70, 3887, 3941
 - P, 70
 - hypothetical
 - databases, 897
 - reasoning, 2077
 - hysterical B-trees, 687
 - h-ary tree, 2211
 - H-COL, 2284
 - h*-colourable, 3697
 - subgraph problem, 3697
 - H*-colouring, 2284
 - of a graph, 2284
 - problem, 2284
 - H-heaps, 2680
 - H-matching, 2809
 - H-space, 2853
 - H-tree, 206, 1254
 - layout, 1254
 - h-trees, 2211
- I**
- i.i.d. random numbers, 3609
 - I/O, *see also* input output; IO
 - and CPU optimal algorithm, 2569
 - I/O automation, 3372
 - model, 3372
 - I/O
 - automaton, 3372
 - bandwidth, 1445
 - behavior of functional programs with feedback, 1579
 - commands, 1487
 - complexity, 2108, 2291, 2569
 - cost, 2489
 - devices, 2628
 - guard problem, 1420
 - guards, 1487
 - optimal recognition, 2569
 - path, 1591
 - ports, 592, 1454
 - processing time, 1663
 - repetitive command, 1487
 - subsystems, 1591
 - transfer time, 1663
 - Ianov scheme, 538
 - Ibaraki and Katoh, 1573
 - Ibaraki, Toshihide, 3792
 - Ibarra, 476
 - Ibarra, Jiang, and Ravikumar, 1836
 - Ibarra, Louis, 3487
 - Ibarra, Oscar H., 1523
 - IBM
 - 360/370 systems, 211
 - 370/168 computer, 431
 - 3380 J or K DASD, 1591
 - RP3, 3137
 - SP2, 3749
 - SWARD, 708
 - System/38, 708
 - IC, 2245
 - card, 2712
 - edges, 3604
 - layout, 2245
 - Icking and Klein, 3862
 - ICL
 - 1907 computer system, 142
 - 2900 series, 1176
 - iconic indexing, 2242
 - ID based
 - cryptosystems, 2496
 - key distribution, 2496
 - multisignature protocols, 3922
 - system, 3922
 - ID family, 1279
 - IDA*, 2382, 2553
 - search, 2553
 - IDA*_CR, 2382
 - IDA*_CRAM, 2382
 - IDA*_CRM, 2382
 - IDB, 2672
 - ideal, 2699
 - fluid, 22
 - information retrieval system, 2218
 - idempotent monoids, 1763
 - identical parallel machines, 2910, 3903
 - identifiable, 797, 3929
 - identification, 5, 64, 484
 - in the limit, 2231, 3502, 3943, 4029
 - numbers, 138

- identification of
 - automata, 19
 - equivalent structures, 355
 - grammars, 2669
 - linear automata, 19
 - parallel micro-operations, 106
 - polygons, 467
 - recursive functions, 2497
 - reductions in parsing, 302, 362
 - sets of domains, 231
 - the CR property, 485
- identification problem, 19, 669
- identifier, 244, 343, 462, 480, 548, 1224, 1831, 2042, 2313, 3328, 3644
 - associations, 244
- identifying, 2576, 2632, 2825, 2857, 3845
 - documents, 10
 - objects, 1612
 - queries, 10
- identity, 265, 304, 1987, 2799, 3695, 3819, 4042
 - assignment, 133, 2799
 - function, 1585
 - orientation, 3790
 - permutation, 697
 - problem, 386
- IDL, 1264, 1499, *see also* input driven language
- Ido, Nobuhiko, 3953
- IEH, 2491, 3604
 - graphs, 3604
- IFS, 3628
- IF-statement, 104
- IF-THEN-ELSE-FI alternations, 258
- Igarashi et al., 134
- Igarashi, Yoshihide, 3526, 3883
- Ikeda, K., 2191, 2461, 2928, 3103, 3109, 3133, 3146, 3151, 3297, 3298, 3309, 3320, 3323, 3324, 3327, 3348, 3349, 3357, 3408, 3434, 3435, 3456, 3462, 3466, 3504, 3637
- Ikeda, Katsuo, 3522
- Ilie, Lucian, 3494
- ill conditioned problems, 3248
- ILLIAC IV, 593
- illumination of polygons, 3164
- image, 2181, 3888
 - algorithm, 1699
 - analysis, 963, 3427
- image data, 498
 - structures, 1208
- image database, 2242, 3614
 - management, 1954
 - systems, 2242
- image
 - encoding, 1421
 - encryption method, 3428
 - generation, 2749
 - pattern analysis, 1895
 - processing, 593, 672, 841, 1149, 1421, 1474, 2148, 2177, 2186, 2407, 2465, 2696, 2873, 3089, 3298, 3511, 3603
 - sequence, 2136
 - space, 1895
 - template matching, 2148
- imaginary part, 2136
- Imai, Hideki, 3840
- Imase and Itoh, 2778
- IMB HDAM, 818
- immediate
 - error detection property, 457, 690
 - operand, 624
 - predecessors, 585
- Immerman, 1866
 - logical characterization, 2303
- Immerman-Szelepcsényi theorem, 2206
- immortality problem, 2081
- immune, 1341, 2327, 3929
 - sets, 1255
- immunity, 1255, 1341, 2327, 3206
 - properties, 1255
- immutability, 1776
- immutability of a
 - code, 1776
 - language, 1776
- immutability of regular codes, 1776
- impact region, 1535
- imperative, 2907, 3115
 - co, 1092
 - languages, 1297, 3405
 - programming language, 1297, 2266
 - programs, 1306, 3478
 - set union problem, 1092
 - specifications, 3478
- implementation, 17, 46, 105, 316, 368, 470, 1755, 3303, 3633
 - details, 986, 1299, 1383, 1956, 4006
 - language, 975
- implementation of a
 - linked list, 157
 - programming language, 256
- implementation of
 - ASE, 273
 - communication primitives, 1295
 - constants, 462
 - coroutines, 189
 - deques with heap order, 1227
 - dictionaries, 206
 - functional languages, 1494, 1652, 2707
- implementation of Lisp, 103
 - like languages, 962
- implementation of
 - multiple stacks, 157
 - mutual inclusion, 1263

- implementation of (*cont.*)
 - P and V, 686
 - parallel assignments, 82
 - programming languages, 2707
 - Prolog in Lisp, 1299
 - string operations, 157
 - systems of processes, 470
- implementation of the
 - DO statement, 1736
 - Knuth-Morris-Pratt algorithm, 737
- implementation techniques, 213, 367, 2329
 - of HCB_trees, 1663
- implemented data structure, 105
- implementing
 - backtrack algorithms, 434
 - dictionaries, 206
 - indivisible operations, 698
 - LR(k) tables, 747
 - multiplication, 2139
 - process, 316
 - Prolog in Lisp, 1299
 - queues, 803
- implication, 384, 795, 921, 934, 1330, 1459, 2046, 2776
- implicational
 - dependency, 1279
 - paradox problem, 2046
 - paradoxes, 2046
- implicit
 - conversions, 262
 - data structure, 1045, 1658
 - polynomial representation, 3471
 - predicate, 2249
 - Runge-Kutta method, 287
- impossibility
 - proof, 2132
 - result, 1483, 2702, 3559
- impossible path, 997
- imprecise computation, 3804
- impredictivity, 3916
- Imrich, Wilfried, 3560
- in degree, 2806, 2926, 3386
- in place
 - algorithm, 638, 3918
 - random list permutations, 3954
- in place sorting, 3918
 - method, 1356
- in situ
 - distributive sort, 1300
 - evaluability property, 1506
 - evaluation order, 1506
 - inversion, 1314
 - merging, 1016
- in the past query, 1327
- inaccessible, 799
 - set, 1302
- inaccuracy, 2438
- Inagaki, Hiroshi, 3086
- inapplicable value, 2249
- inbreeding, 147
- Incerpi and Sedgewick, 1594, 1957
- incidence
 - matrices, 2395
 - matrix, 2395, 2815, 3658
 - relation, 1163
- incident edges, 2243
- inclusion, 94, 652, 712, 1067, 1263, 1643, 2420, 2424, 2655, 2659, 3999
 - and exclusion algorithm, 2687
 - between expressions, 3827, 4062
 - degree, 3999
 - dependency, 871, 3973, *see also* IND
 - diagram, 200
 - exclusion formula, 2371
- inclusion of
 - DOL in MULTI-RESET, 712
 - relations, 1567
- inclusion problem, 619
 - for deterministic multitape automata, 619
- inclusion relations, 2776
- inclusive, 1101
- incomparability, 200
- incomparable, 395, 571, 1643, 3502
 - processes, 1342
- incomplete, 1157, 2015, 2877, 4011, 4049
 - case of E-unification, 1543
 - definition of evaluation order, 1383
 - hypercube, 4011
- incomplete information, 486, 1021, 1237, 3199
 - in databases, 486
- incompletely specified switching functions, 2931
- incompleteness, 1157, 1169, 1639
 - phenomena, 122
- incompressible infinite strings, 3767
- inconsistency, 1962, 3363
 - algorithms, 3363
 - analysis, 3225
 - checking, 3937
 - propagation, 3937
- inconsistent, 1867, 2132
 - choices, 1809
 - values, 744
- incorrect
 - a priori information, 49
 - programs, 715
 - sorting program, 715
- incorrectness, 2622
- increasing
 - functions, 1929
 - subsequence, 3694
- increment sequence, 1957

- incremental, 2717, 3123, 3162
 - algorithm, 1179, 3123, 3191, 3340, 3457
 - constraint deletion, 3123
- incremental convex
 - arrangement of plates, 2912
 - arrangements, 2912
 - hull algorithm, 1072
- incremental
 - diagram, 1179
 - indexing, 2305
 - LL(1) parsing algorithm, 2717
 - maintenance, 3457
 - multipass evaluation, 1844
 - parser, 2717
 - pattern matching algorithm, 1558
 - query evaluation, 3523
 - reconstruction method, 2097
 - restructuring, 1658
- incremental simple multipass
 - attribute evaluation, 1844
 - evaluator, 1844
- incremental
 - string matching, 1179
 - view maintenance, 3523
- incrementally extensible hypercubes, 3604
- IND, 3973, *see also* inclusion dependency
- indefinite
 - blocking, 568
 - fuzzy triples, 4096
 - logic program, 1962
 - object labeling, 4096
- indegree, 128, 441, 1660, 3158
- independence, 343, 1313, 2872
 - assumptions, 4103
- independence number, 163, 1787
 - of triangle free graphs, 3311
- independence
 - results, 1134, 1313
 - system, 1203
- independent, 24
- independent and
 - exponentially distributed random variables, 2629
 - identically distributed, 1784
- independent
 - chords, 1530, 2331
 - coin tossings, 1905
 - dominating set, 1561, 2067, 2118
- independent domination
 - number, 3125
 - problem, 2740
- independent jobs, 519, 560, 868, 1605, 1969, 2312
 - with release times, 1938
- independent
 - keys, 503
 - procedures, 46
- independent random
 - events, 264
 - link failures, 2421
 - variables, 2872
 - vectors, 1136
- independent
 - read only processes, 35
 - recovery, 2084
 - reference model, 260, 2114
- independent set, 299, 583, 743, 1536, 1554, 1561, 1757, 2028, 2483, 2493, 3083, 3311, 3379
 - of vertices, 299
- independent set problem, 2605, 3842
 - on a graph, 2493
- independent sets, 1536, 2782, 2815, 3311, 3455
 - in trees, 1554
- independent
 - sorting of sublists, 728
 - spanning trees, 2429, 3883
 - task, 185, 1406, 1453, 2362
 - vertices, 1395, 3379
- independently accessible disks, 1597, 2557
- indeterminate, 1164, 1644
- indeterministic automaton, 275
- index, 1063, 1658, 2080, 3058
 - component, 2080
 - construction, 925
 - file in dynamic hashing, 1574
 - management, 1460
- index of, 786
 - a procedure, 5
 - cyclicity, 2546
 - positive programmed formal languages, 3058
- index
 - register allocation, 1049
 - searching, 855
- index sequential
 - access method, 203
 - file, 1238
- index
 - structure, 2996
 - structures in databases, 687
 - terms, 10, 917
 - tree, 717, 1663
- indexed, 218, 1718
 - combinators, 1343
 - extendible hashing, 2491
 - languages, 144, 200, 242
 - operand, 624
- indexes, 790, 1063, 1140, 2041
 - on the joining attributes, 2041
- indexing, 33, 708, 1179, 1658, 2497, 3601
 - conjunctions of linear constraints, 3601
 - information, 203

- indexing (*cont.*)
 - procedure, 324
 - processes, 10
 - scheme, 1893
 - techniques, 687, 1861
- indifference graphs, 3194, 3928
- indirect
 - addressing, 1169
 - binary cube networks, 1466
 - lexical analyzer, 2198
- indirection
 - graph, 1652
 - node, 1652
 - reduction, 1652
- individual
 - associations, 1598
 - starvation, 42, 300, 404, 406, 1158, 1280
- indivisibility of operations on local memories, 838
- indivisible operations, 698, 838
- INDPA, 740
- induced, 376
 - P_4 , 3537
 - path, 2239
 - subgraph, 87, 645, 1787, 1904, 2028, 2299, 2448, 3203, 3673, 4077
- induction, 25, 178, 448, 954, 1381, 1411, 1788, 1820, 1995, 2231, 2615
 - hypothesis, 3974
 - method, 2015
 - on data structure, 954
 - process, 2231
- inductive, 178
 - arguments, 463
 - assertions, 192
 - data types, 2452, 2867
 - hypothesis, 178
 - inference, 1381, 2231, 2497, 2669, 2984, 3075, 3293, 4115
 - learning, 3848
 - logic programming, 3632
 - proofs, 1995
 - types, 2867
- inductively defined, 3092
- inductively sequential, 3753
 - term rewriting systems, 3753
- industrial environments, 560
- inear processor algorithm, 1648
- inefficient programs, 1
- inelasticity of storage, 157
- inequality, 442, 540, 848, 1686, 1905, 2560, 2813, 2993, 3551, 3936, 4005, 4030, 4044
 - queries, 2854
- inequation, 2938
- inevitability, 1425, 2458
 - in concurrent systems, 1425
- inevitable, 1425
 - power dissipation, 2430
 - sets, 1425
- inexact computations, 2438
- inexpressible in PDL, 1091
- inferable from positive samples, 4029
- inference, 426, 984, 2731, 3363, 3679
 - algorithm, 2061, 3943
 - controls, 993
 - degree, 2669
- inference from positive
 - and negative data, 2375
 - data, 2375
- inference
 - problem, 2061, 2731
 - rule, 460, 528, 1021, 1289, 1962, 2060, 2514, 2672
 - system, 799
- inferencing, 2514
- inferring
 - linear single tree languages, 4029
 - uniquely terminating regular languages, 3502
- infinitary
 - language, 1067, 1213
 - logics, 3407
 - normalizing strategies, 3793
- infinitary rational
 - language, 1213
 - relation, 1213
- infinitary
 - rules, 1785
 - tree languages, 982
- infinite, 55, 493
 - background structure, 3392
 - behavior, 2281
 - behaviour, 1104
 - binary sequences, 3534
 - board, 364
 - capacity channels, 2055
 - class, 2677, 2705
 - complement, 1106
 - computation, 894, 1102, 3353, 3432
 - counter, 691
 - cube connected cycles, 867
 - cycle, 112
 - data structures, 1041, 1985
 - depth, 55
 - domain, 3521, 4056
 - duration calls, 3193
 - family of truth definitions, 1019
 - fields, 4074
- infinite hierarchy, 1577, 2027, 3162, 3908
 - of language families, 1643
- infinite
 - irreducible sequences, 337
 - labeled trees, 55

- infinite (*cont.*)
 - length, 55
 - lists, 1995
 - Lyndon word, 2828
 - network, 867
 - number, 832, 1211, 2675
- infinite number of
 - minimal models, 1555
 - requests, 1713
 - users, 1276
- infinite
 - object, 55
 - orderedness, 2631
 - overtaking, 406
 - polynomial time hierarchy, 3908
- infinite precision, 1010
 - integer arithmetic, 1010
 - multiplications, 199
 - rational arithmetic, 1010
 - real arithmetic, 613
- infinite product, 267
- infinite regular
 - language, 1686
 - set, 680
- infinite
 - runs, 2033
 - sequences, 514, 2676
- infinite sequences of
 - consecutive ε -moves, 539
 - symbols, 55
- infinite
 - set, 257, 2860, 3521
 - sets of equations, 3521
 - Σ -trees, 982
- infinite square free
 - coGFL, 1106
 - complement, 1106
 - sequence, 3072
- infinite state
 - nondeterministic ω -automaton, 1798
 - process, 470, 3911
 - systems, 3911
- infinite
 - strings, 2086
 - subset, 55
 - tapes, 188
 - trees, 55, 848, 1324, 2017
 - unions, 361
 - universally hard set, 257
- infinite word, 655, 1104, 1189, 1213, 1325, 1423, 1644, 2093, 2501, 2828, 2860, 3092, 3093, 3197, 3387, 3395, 3538
 - language, 1325
- infinitely, 1070, 3518
 - many square free words, 1211
- infinitely often, 1018, 1576, 1707
 - bound, 1576
- infinitely powerful
 - prover, 1615
 - verifier, 2827
- infinitesimal scale, 3568
- infinitistic methods, 3276
- infinity, 128, 3128
- ∞ -cube, 259
- ∞ -enabled, 67
- ∞ -fairness, 1018
- ∞ -variety, 3197
- infix
 - codes, 3538
 - traversal, 2246
- information, 6, 31, 36, 3630, 3833
 - analysis, 10
 - based complexity, 1666
 - compression, 57
- information content, 754, 1316, 1626, 2612, 3255, 3833
 - of redundant judgments, 3833
- information
 - density, 3182
 - dependence, 1481
 - destination, 2405
 - digits, 325
 - dissemination, 2652, 2875, 3077
 - field, 278
 - flow, 31, 534, 792, 1098
 - hierarchy, 1565
 - measures, 1952
 - per unit cost, 1952
 - processing, 33, 278, 1149, 3019, 3568
 - rate, 3551, 3821, 3948
- information retrieval, 14, 20, 61, 137, 177, 187, 194, 197, 217, 271, 324, 437, 447, 477, 485, 509, 633, 738, 917, 1581, 1861, 2139, 2218, 2242, 2249, 2647, 2811, 2996, 3011, 3029, 3101, 3122, 3255, 3310, 3435, 3639, 3858, 3958, 3996, 4033, 4089, 4096, 4098, 4119
 - system, 221, 633, 839, 2647
- information
 - sciences, 163
 - scientist, 85
 - set, 370
 - source, 790
 - space, 1919
 - storage, 53, 2866
 - stream, 42, 676
 - streams sharing a finite buffer, 111, 676
 - system, 6, 256, 278, 286, 325, 437, 621, 738, 851, 1738, 1830, 2047
 - systems environments, 256
- information theoretic, 180, 2612
 - arguments, 1252

- information theoretic (*cont.*)
 - balance, 179
 - heuristic, 1952
 - lower bound, 315, 3775
 - measures, 2612
 - proof, 715
- information
 - theoretical inequalities, 3551
 - theory, 53, 173, 382, 405, 637, 812, 1952, 2271, 2388, 2612, 2881, 2958, 3136, 3230, 3514, 3568, 4089
 - transfer, 610
- Ingólfssdóttir, Anna, 3618
- inherent complexity, 2572
- inherently, 3832
- inherently context sensitive, 2261
 - language, 2261
- inherently
 - intractable, 523
 - linear, 1754
 - sequential, 1132, 1203, 1678, 2538, 3756
- inheritance, 2066, 3750
 - conflicts, 3536
 - flow model, 3750
 - hierarchies, 3536
 - networks, 2649
 - process, 3536
 - relationships, 3750
- inherited
 - attributes, 1311, 1318, 2326
 - dependencies, 941
 - planar embedding, 736
- inhibitor, 3763
 - arcs, 590
- inhomogeneity of the p-m-degrees, 1209
- init, 640, 922
- initial, 159
- initial algebra
 - methods, 501
 - semantics, 775
 - specification, 775
- initial
 - algebras, 2867
 - choice, 36
 - colouring, 1890
 - conditions, 49, 2321, 2606
 - configuration, 1029
 - failures, 1858
 - letter counts, 33
 - model, 3944
 - ordering, 1228
 - palindromes, 2503
 - production, 65
 - scan, 1300
 - segment, 1209, 1283, 2105
 - sigma algebras, 945
 - specification, 2255
 - star, 1722
 - state, 49, 178, 410, 579, 940, 1103, 1298, 1306, 1507, 1585, 1609, 1980, 2210, 2567, 2671, 2750, 3084
 - values, 2158
 - variables, 134
- initialization
 - failures, 2567
 - of memory areas, 1683
- initialized memory, 2530
- initializing local search procedures, 2237
- initiation times, 185
- initiator, 1725, 3148
- injective, 794
 - cellular automaton, 2430
- injectivity, 794, 2631, 2736
- inkdot, 2473, 2752
- inlet, 2724
 - outlet permutations, 2724
- inlining, 1817
- inner cylinder boundaries, 63
- inner product, 253, 786, 1502, 3248, 3594, 3768
 - step processor, 953
- inner triangulation, 2010
 - of a simple polygon, 2841
- innermost, 2676
- inorder, 73, 96, 969, 1290, 2151
 - predecessor, 1290
 - preorder sequences, 969
 - spanning tree, 2580
 - successor, 1290
 - traversal, 424, 1290, 1623, 1913, 2151, 2393, 2394
- Inoue et al., 2752
- Inoue, K., 4002
- INPDA, *see also* iterative nondeterministic pushdown automaton
- input, 19, 67, 390
 - arcs, 67, 1964
 - arrays, 571
 - buffers, 1385
 - clause, 1299, 1809
 - data, 324, 557, 617, 1005, 1239, 1329, 2438, 2605
 - deduction, 1017, 1289
 - domain, 3246, 3509
 - driven language, 1264, 1499, *see also* IDL
 - elements, 346
 - graph, 1202, 2540, 2608, 2843, 2887, 2959, 2975, 3543, 3661, 3673, 3836, 3890
 - input head, 675, 814, 894, 909, 999, 1103, 2776
 - inversions, 2859
- input
 - length of textual data, 1497
 - nodes, 745

- input output, 3485, *see also* I/O; IO
 - behavior, 1313
 - measurements, 19
 - model, 19
 - modeling, 19
 - observations, 19
 - relation, 1329
 - relationship analysis, 1329
 - schedule, 977
 - specifications for programs, 787
- input
 - parameters, 753
 - refutation, 1017
 - repetition, 1316
- input sequence, 1903, 2234, 2236, 2322
 - of integers, 3890
- input
 - size, 1316, 2564, 2805, 3730, 3965
 - specification, 178
 - string, 348, 1261, 2198, 2551, 3346, 3459
 - symbol, 973, 1308, 1499
 - tape, 663, 752, 2473
 - variables, 314, 719, 1598, 2865, 2985, 3165, 3206
 - vertices, 808
 - wire, 3559
 - word, 539, 740, 894, 909, 1291, 1952
- input/output
 - behavior, 280
 - requests, 63
 - specifications, 178
- inscribable graph, 1901
- inscribed, 2075
- insecure, 3659, 3956
 - environments, 1416
- insecurity of set controls, 993
- insensitive measure, 917
- insert, 1790, 2080, 2639
- insert/delete, 3369
 - operation, 3369
- inserting, 925, 926, 1460, 1465, 2836, 2912
 - arcs, 13
 - new arcs, 13
- insertion, 206, 264, 365, 427, 533, 655, 661, 679, 687, 859, 920, 958, 1290, 1569, 1573, 1658, 1974, 2023, 2094, 2263, 2267, 2573, 2816, 2836, 3301, 3315, 3410, 3447, 3457, 3557, 3817
- insertion algorithm, 925, 1321
 - for B-trees, 925
- insertion
 - algorithms, 365
 - and deletion time, 1387
 - cost, 1308
 - in a database, 523
 - merge sorting, 329
 - of edges, 1573
 - operation, 157, 958
 - order, 3158
 - requests, 264
 - safeness, 921
 - sort, 329, 431, 557, 559, 796, 842, 1222, 1300, 1465, 1594, 1957, 2096, 2471
- insertion/deletion, 3410
- inside outside algorithm, 3994
- instability, 195, 641, 1902
 - transients, 1796
- instance, 763, 836
 - independent query, 1849
 - of SAT, 1268
- instantiation, 2613
- instruction, 88
 - execution times, 2455
 - grammar, 1144
 - level parallelism, 3803
 - sequences, 609
 - set, 931, 3847
- integer, 97, 291, 3128
 - approximation, 2280
 - arithmetic, 1917
- integer division, 285, 393, 755, 936, 1353, 1931, 2280, 2419, 2526
 - with remainder, 2167
- integer
 - element uniqueness problem, 2384
 - grid, 2280
 - input matrix, 1692
 - linear program, 1253
- integer linear programming, 1049, 2448
 - problems, 2448
- integer matrices, 1582, 3593
 - over a ring, 2575
- integer matrix multiplication, 1603
 - problems, 1603
- integer
 - multiplication, 2918
 - numbers, 657
 - operations, 1818
 - overflow, 1036
 - part, 1563
 - partitions, 3968
 - polynomials, 1353
 - preconditioning, 436
 - prefix summation, 3172
- integer programming, 76, 1159, 2731, 4065
 - problem, 1159
- integer
 - remainder, 1353
 - sequence, 768, 1151, 2233

- integer (*cont.*)
 - solution equations, 984
 - sorting, 1414, 1525, 1766, 2036, 2322, 2409, 2699
 - valued coordinates, 2280
 - weights, 1338
- integral, 140, 527, 1338, 2746, 3748, 4065
 - divisors, 1117
 - equation, 140, 195
 - flow property, 1783
 - flows, 1783
 - lattice, 3734
 - part of the real number, 2271
 - power, 1880
 - scale, 3938
 - solution, 1783, 2448, 2533
- integrality
 - constraint, 1783
 - ratio, 4095
- integrated, 2245, 3937
 - circuit testing, 3639
 - circuits, 3543
 - functional language, 1402
 - hardware/software design, 543
 - optimal strategies, 1735
- integrating, 39
 - boundary problems, 39
 - functions, 1989
- integration, 39, 586, 1817
 - formulas, 287
 - methods, 1207
 - of distributed databases, 996
- integrity, 2147
 - aspects, 2147
 - constraints, 634, 787, 834, 996, 1459, 2523, 3973
 - of data, 325, 693
 - preserving, 2147
- intel 486 processor, 3517
- Intel development system, 1200
- intelligent
 - backtrack, 1557
 - backtracking, 647, 1557, 1767, 1809
 - behavior, 2231
 - controller, 59
 - search, 76
- intensional
 - constraints, 1330
 - databases, 2672
- intensity deviations, 49
- inter
 - file links, 1140
 - operation parallelism, 2737
 - process communication, 368, 2431
 - processor communication, 631, 1668
 - protocol interleaving attacks, 3906
- interacting
 - modules, 546
 - processes, 235, 693, 995, 1439
- interaction, 99, 279, 1831, 1833
- interaction among
 - concurrent processes, 404
 - modules, 493
- interaction between
 - FDs and IND, 3973
 - instructions, 470
 - parallel instructions, 470
 - user and allocator, 612
- interaction
 - in developmental systems, 279
 - of information systems, 2047
 - pattern among modules, 493
- interactionless
 - cellular development, 940
 - L systems, 940
- interactive, 1950
 - computing, 3755
 - consistency, 797
 - implementation, 309
 - information retrieval, 10
 - jobs, 806
 - programs, 1579
- interactive proof, 1407, 2388, 2988, 2993, 3259, 3787
 - system, 3299, 3787
- interactive
 - protocol, 1615
 - resource constrained scheduling, 2037
 - system, 10, 132, 1128, 1579, 1950
 - zero knowledge proofs, 2388
- interarrival time process, 878
- interchange, 2360, 3412
- interchange lemma, 828
 - for context free languages, 828
- interchange tree transformation, 822
- intercommunication, 568
- interconnected, 1725, 2055, 2834, 2913
- interconnecting, 2245, 3864
 - processors, 1089, 2222
 - several processors, 1617
- interconnection, 138, 592, 1242, 1883, 2176, 2245, 2459, 2507, 2561, 2746
 - diagrams, 2653
 - graph, 493, 668
 - hardware, 2746
- interconnection network, 659, 815, 1186, 1596, 1855, 1967, 2168, 2176, 2197, 2222, 2475, 2479, 2482, 2571, 2602, 2745, 2746, 2780, 2810, 2848, 2913, 2914, 2989, 3023, 3042, 3097, 3100, 3127, 3168, 3228, 3251, 3264, 3291, 3367, 3383, 3414, 3427, 3442, 3445,
 - 1855, 1967, 2168, 2176, 2197, 2222, 2475, 2479, 2482, 2571, 2602, 2745, 2746, 2780, 2810, 2848, 2913, 2914, 2989, 3023, 3042, 3097, 3100, 3127, 3168, 3228, 3251, 3264, 3291, 3367, 3383, 3414, 3427, 3442, 3445,

- interconnection network (*cont.*), 3463, 3479, 3524, 3529, 3530, 3539, 3540, 3580, 3604, 3680, 3726, 3727, 3738, 3745, 3799, 3832, 3837, 3897, 3914, 3967, 3998, 4011, 4012, 4013, 4027, 4047, 4054, 4104, 4121
 - of processors, 759
- interconnection
 - of processor elements, 1445
 - pattern, 1242, 2653, 2699
 - scheme, 2599
 - structure, 2697
 - topology, 2414
- interdistance, 1685
- interface, 59, 495, 1297, 1679, 2628, 2644, 3669, 4132
 - equation, 3784
- interference, 188, 553, 556, 2135, 2150, 3801
 - detection, 2359
 - rules, 528
- interior
 - angle, 380
 - disjoint, 2912
 - face, 2010
 - node, 1375
 - point, 328, 3731, 4127
 - structures, 1267
- interleaved, 1915, 1956, 2528, 2881
- interleaved memory
 - bandwidth problem, 141
 - systems, 141
- interleaving, 1151, 3700, 3885, 3906
 - model, 430
 - of operations, 1807
 - semantics, 1589, 2402
 - set temporal logic, 2458
 - versus true concurrency, 2402
- Interlisp garbage collector, 384
- interlock
 - graph, 1803
 - relation, 1803
- interlocking
 - set, 1803
 - sets, 1803
- intermediate, 27
 - language, 1144
 - mapping function, 21
 - storage, 1389
- intermediate value, 424
 - theorem, 424
- intermittent, 2471
 - assertion method, 954
- intermittent assertions, 460
 - method, 460
 - technique, 460
- intermittent faults, 1769
- intermodule communication pattern, 1819
- internal
 - actions, 2550
 - chord, 4127
 - diagonal, 4127
 - medicine, 2634
 - merge sorting, 617
 - node, 53, 184, 579, 704, 706, 718, 768, 850, 1930, 2375, 2386, 2512, 2866, 3917
- internal path
 - balance, 2254
 - length, 2422, 2891
- internal
 - sorting, 329, 617
 - state, 752
- internal S-stability, 586
 - of rosenbrock methods, 586
- internalization, 3396
- internet, 2998
- interpage
 - pointers, 21
 - points, 21
- interpoint distance, 550
- interpolating
 - arbitrary sets of data, 37
 - curve, 66
 - polynomial, 37, 97
 - values of two-argument functions, 1193, 1431
- interpolation, 37, 51, 74, 282, 350, 1123, 1491, 2179, 2193, 2305, 2516, 2952, 3098, 3396, 4069
 - binary search, 1123
 - by binary segmentation, 1353
 - jump, 1491
 - merge, 2305
- interpolation search, 282, 303, 559, 566, 703, 1123, 1491
 - trees, 1491
- interpolation sequential search, 1123
 - algorithm, 282
- interpolation step, 1491
- interpolation, Craig-Robinson, 3396
- interpret, 2650
- interpretation, 12, 185, 258, 741, 1372, 2008, 2707, 2771, 3396
 - algebra, 2219
 - grammars, 683
 - mechanism, 297, 683
- interpretation of
 - algorithms, 135
 - nondeterministic algorithms, 135
- interpreted language, 1200
- interpreter, 243, 244, 501, 544, 773, 1069, 1214, 1299, 1557, 1628, 1919, 1922, 2707
- interpreting temporal logics, 2458

- interpretive implementation, 544
- interprocedural analysis, 1817
 - algorithms, 1817
- interprocedural data flow
 - analysis, 1817
 - information, 1817
- interprocedural
 - interactions, 1817
 - optimization, 1817
- interprocess, 2196
 - communication, 693, 1191, 1816, 1833, 2055, 2065
- interprocessor communication, 777, 1386, 1819, 2218, 2315, 2701
 - costs, 546
 - delay, 1406, 2025
 - time, 1819
- interprocessor messages, 1382, 3024
- interruption, 2050
- intersecting, 774, 1057, 1171, 1345, 1431, 2264, 2904, 4056
 - convex polygons, 3452
 - intervals on the real line, 1619
 - line segments, 1882, 2332
 - no obstacles, 2083
 - Sperner systems, 2869
 - straight lines, 2280
- intersection, 160, 644, 673, 748, 774, 898, 1173, 1277, 1394, 1401, 1545, 1631, 2003, 2075, 2076, 2086, 2091, 2119, 2135, 2280, 2355, 2466, 2518, 2526, 2792, 2835, 2996, 3452, 3599, 3857, 3892
- intersection between
 - convex polygons, 3857
 - line segments, 2359
- intersection
 - computations, 2076
 - counting problems, 785
 - digraph, 3023
 - equation, 2076
 - free polygons, 380
 - graph, 672, 841, 942, 1127, 1221, 1288, 1518, 1822, 2779, 3703, 4057
- intersection graph of
 - convex objects, 672
 - squares, 841
 - subtrees, 3703
- intersection graph problems, 672
- intersection graphs, 136, 672, 1288, 1794, 2361, 2779, 3194, 3703, 3794, 4057
 - of filaments, 4057
- intersection
 - model, 1493, 1859, 1879, 2779
 - number, 3385
- intersection of
 - convex objects in the plane, 1631
 - orthogonal objects, 748
 - polygons, 1896, 1977
 - programs, 1091
 - pushdowns and queues, 1277
 - two Abelian groups, 1129
- intersection
 - operation, 2996
 - points, 1984, 2956
 - problem for two DOS systems, 572
 - problems, 2071
 - property, 742
- intersection searching, 774, 1171, 3638
 - problem, 2119
- intersection
 - selection problems, 3601
 - types, 2552
 - with regular languages, 160
- intertasking activity, 2612
- intertwining, 3617
 - of minimal models, 3617
- interval, 88, 229, 1717
 - analysis, 229
 - based temporal logic, 1480, 1824
 - B-tree, 2996
 - dag, 642
 - filament graph, 4057
- interval graph, 136, 672, 942, 1127, 1221, 1275, 1288, 1518, 1561, 1619, 1758, 1859, 1947, 1961, 1994, 2003, 2087, 2275, 2413, 2474, 2494, 2499, 2581, 2714, 2756, 2766, 3121, 3169, 3181, 3194, 3214, 3347, 3411, 3456, 3543, 3661, 3713, 3858, 3928, 4057
 - generalizations, 1288
- interval graph recognition, 1947
 - algorithm, 1947
- interval
 - heap, 2836
 - model, 942, 1127, 2413
 - narrowing, 4078
 - on the real line, 1803, 1859
 - order, 642, 2500
- interval representation, 1947, 2474
 - of a tree, 3214
- interval
 - searching algorithms, 1276
 - semiwords, 3108
- interval sparsity, 1082
 - of Boolean matrices, 1082
- interval
 - temporal logic, 2304
 - tree, 748, 1082, 3642
 - valuation problem, 1368
- intractability, 911, 1925, 2049

- intractability of
 - approximation results, 3299
 - graph clustering, 3458
 - resolution, 1925
 - the embedding problem, 1490
- intractable, 898, 1204, 1267, 1392, 1771, 2161, 2275, 2388, 2649, 2753, 3564, 3576
 - problem, 942, 1209, 1576
- intra-object
 - dependencies, 3934
 - parallelism, 3934
- intra-operation parallelism, 2737
- intree, 3319
- intricate geometrical shape, 711
- intrinsic
 - characterization, 463
 - complexity of learning, 4115
- introduction of new operations, 3633
- intuitionism, 1204
- intuitionistic, 1204
 - formula, 1204, 1278
 - logic, 1204
 - propositional calculus, 1278
- invalidating dangling references, 1440
- invariance, 1411, 1820, 2015, 2157, 2297
 - argument, 2086
 - of space, 1702
 - proofs, 2015
 - property, 1411
 - relations, 157
- invariance theorem, 1820, 3767
 - for loops, 1820
- invariance thesis, 1702
- invariant, 381, 462, 467, 671, 1004, 1286, 1411, 1716, 1726, 1770, 1971, 2015, 2247, 2297, 3013, 3583, 3831, 4133
- invariant assertion, 178
 - method, 954
- invariant
 - optimal assignment, 4133
 - property, 462, 625
 - relation, 1004
 - ring, 4063
 - transformation, 1188
- invariant under
 - affine transformations, 428, 467
 - stuttering, 1285
- invasive, 3635
- invention, 2572
- inverse, 669, 1170, 1368, 1484, 1692, 4100
 - Ackermann function, 1826, 2795, 3860
 - homomorphism, 160
 - line graph, 252
 - matrix, 1502
 - morphic equivalence, 1076
 - morphism, 1076
 - nonerasing morphisms, 1572
- inverse of
 - a matrix, 1692
 - band matrices, 1170
- inverse
 - permutation, 272
 - polynomial expansion factor, 1700
 - problem, 250, 442
 - range searching problem, 774
 - relations, 1480
- inversion, 807, 901, 1222, 1314, 2236, 2334, 2619, 4074
- inversion of a
 - permutation, 807
 - recursive tree traversal, 2246
- inversion of
 - monic power series, 4074
 - Toeplitz and Hankel matrices, 2334
- inversion
 - tables, 807
 - transform, 517
 - vectors, 1997
- inversional metrics, 416
- inverted, 2246
 - file organization, 187, 221
 - files, 187, 221, 790
 - sequential random sampling, 3954
 - tree, 244, 1231
- invertible, 2988
- inverting, 573, 697, 1584, 2193, 4074
 - a permutation, 697
 - an order n matrix, 623
- invisible, 1679, 3690
 - steps, 2295
- invocation, 1981
- involution, 1824
- IO, *see also* input output; I/O
 - bound, 1385
- IO complexity, 1576, 1887
 - class, 1576, 1887
 - theory, 1576
- IO
 - sequence, 2283
 - time and space bounds, 1576
- IP, 2081, 2993
- IP = PSPACE, 2560
- IPCFAG, 749
- IPCFAI, 749
 - recognizers, 749
- IPV ^{ω} , 1925
- IP[k], 1407
- IP[Q], 1407
- irreducibility, 88
- irreducible, 1999, 2130
 - ESP, 2130

- irreducible (*cont.*)
 - functions, 1999
 - matrices, 2546
 - polynomial, 606, 758, 1898, 2130, 2370
 - polynomials over $GF(p)$, 606
 - tree, 252
 - words, 1468
- irreducible sequences, 337
- irredundance, 3713
- irredundant, 2495, 3037
 - form, 3037
 - prime disjunctive normal forms, 2495
 - set, 3713
- irreflexive transitive relation, 2068
- irregular problems, 3741
- irregularity, 1973, 4086
- irregularly shaped region, 672
- irrelevant interference, 2985
- irreversible k -dimensional CA, 2430
- IRS
 - expansive language, 680
 - language, 680
- Irving, 2635
- ISAM, 203
- Isarithmic control, 2168
- Isbell zigzag theorem, 3494
- Ishizaka, Hiroki, 3884
- Ising
 - model, 3935
 - spin glasses, 3830
- ISIS, 2710
- islands model, 3749
- ISO, 3906, 9798
- isogonal affine transformations, 467
- isolated
 - node, 217, 1126
 - set, 370
 - vertex, 1398
- isomer, 123
- isometric, 862, 4119
- isometric array
 - grammar, 749, 989, 1244
 - languages, 749, 862
- isometric context free array
 - grammars, 749
 - languages, 749
- isometric
 - grammars, 749
 - languages, 862
 - parallel context free array grammars, 749
- isometrical embeddings, 3786
- isometry, 428, 2438
- isomorphic, 125, 181, 421, 478, 554, 1209, 1279, 1687, 1840, 1961, 1991, 2215, 2301, 2412, 2489, 2713, 2841, 2870, 2879, 2880, 3160, 3356, 3738, 4010
 - chordal rings, 3160, 3241
 - combinatoric system, 1504
 - copies, 1242
 - problem, 226
 - subtrees, 1347
- isomorphism, 9, 181, 226, 421, 478, 574, 1646, 1961, 2412, 2489, 2499, 2729, 3160, 3727, 3932, 4080
 - algorithm, 9
 - classes, 1652
 - closure, 3245
- isomorphism complete, 607, 1961
 - graph classes, 1961
 - problems, 1961
- isomorphism
 - completeness, 491
 - conjecture, 2560
 - equivalence classes, 3932
 - invariant, 3392
 - map, 421
- isomorphism of
 - expressions, 4080
 - latin squares, 574
 - Steiner triple systems, 2412
- isomorphism problem, 1961, 2499, 3245
- isomorphism problem for
 - 2-sep chordal graphs, 2499
 - planar graphs, 9
- isomorphism testing, 2412
- isomorphism testing of
 - k -trees, 1961
 - trees, 1961
- isooriented rectangles, 1992
- isoperimetric problem, 1846, 3971
 - in graphs, 3971
- isothetic
 - cutting lines, 2535
 - hyperrectangles in d -dimensional space, 2071
 - line segments, 1171, 2535
 - rectangles, 2535
- isotonic array
 - grammars, 551, 989
 - languages, 210
- isotopy between latin squares, 574
- Isozaki, Hideki, 3735
- iso-oriented rectangles, 3417
- Israeli, Amos, 3653
- ist processing system, 117
- isthmus, 14
- ISTL, 2458
- Istrate, Gabriel, 3519
- ISWIM, 397
- Itai, 2058
- Itai and Rodeh, 2799
- Itai and Shiloach, 729

- item, 10
 - iterable factors, 3204
 - iterated, 3363
 - bucket sort, 1766
 - fixed point semantics, 2692
 - function system, 3325, 3628
 - Horner algorithm, 97
 - instructions, 268
 - integer product, 2419
 - line digraphs, 3530
 - logarithm, 2388
 - morphism, 655, 1189
 - product, 2419
 - shuffle, 2355
 - substitutions, 193
 - transactions, 1023
 - iteration, 178, 243, 258, 287, 381, 460, 732, 2060, 2981, 3216
 - grammars, 193, 201
 - lemma, 1325
 - scheme, 2595
 - iteration theorem, 1744
 - for DCFL, 1744
 - iterative
 - algorithm, 536, 545, 827, 998, 1265, 1937, 2221, 2292, 2398, 3363, 3501
 - and recursive algorithm, 626
 - application, 1532
 - characterizations, 3216
 - code, 243
 - constructions, 8
 - control structures, 192
 - data flow analysis algorithm, 545
 - iterative deepening
 - A*, 2382
 - multiobjective A, 3278
 - search, 2382
 - iterative
 - drawing algorithm, 4072
 - function, 2315
 - method, 48, 81, 2824
 - multiply additions, 3429
 - nondeterministic pushdown automaton, 740, *see also* INDPA
 - pipelined array architecture, 1502
 - pipelining, 1502
 - probabilistic decoding, 3606, 3923
 - procedures, 2043
 - process, 243, 979, 1287
 - program, 577
 - scheme, 81
 - solution, 888
 - substitution, 193
 - tree array, 1734
 - iteratively coloring, 3978
 - iterator, 1981
 - ith policy defini, 934
 - Ito, A., 4002
 - Ito, Hiro, 3737
 - Ito, Masayuki, 3429
 - Itoga, 1335, 1955
 - Itoh and Sakurai, 2388
 - Ivković, Zoran, 3369, 3552
 - Iwama, K., 3840, 3841, 3955, 4018, 4019, 4038
 - Iwano, Kazuo, 3637
 - Iwasaki, Yukihiro, 3883
 - Iwata, Akira, 3899
 - Iyengar, S.S., 3679
 - Iyengar, Vikram, 3639
 - Izbicki, 67
 - IZKP, 2388
 - IZKPs of knowledge, 2388
 - I-serializability, 3583
 - i*-th smallest element, 346
 - i*-triangulated graphs, 3919
- J**
- Jackson and Martin, 3551
 - Jacob, 464, 2317
 - model, 2317
 - Jacob, Jeremy, 3190
 - Jacobi symbol, 408, 1703
 - Jacobian, 586, 587
 - Jacobson, 3790
 - Jagadish, H.V., 3497
 - JáJá, Joseph, 3065
 - Jamison and Olariu, 3391
 - Jan, Jinn-Ke, 3428
 - Janardan, Ravi, 3638, 3857
 - Janssen et al., 3510
 - Janssen, A.J.E.M., 2432
 - Jantke, 2497
 - Jantzen, 1363
 - Japan, 1418, 3086, 3205
 - Jard et al., 3982
 - Jarominek, Stefan, 3236
 - Jarvis, 319, 515
 - Java, 4132
 - based API, 4131
 - Java based networking, 4131
 - application programming interface, 4131
 - Java
 - interface, 4132
 - multithreaded programming, 3895
 - Jazayeri, 273
 - JCL, 296
 - JD, 608
 - jd, 1026
 - Jeffay, Kevin, 3607
 - Jégou, Philippe, 3503, 3510

- Jenner, Birgit, 3069
 Jensen, K., 3839
 Jerrum and Sinclair, 1700
 Jha, Pranava K., 3125
 Jianwen, Su, 3238
 Jichiang, Tsai, 3861
 Jingmin and Kaicheng, 1932
 Jingmin and Kaiching scheme, 1932
 Jitter, 4131
 job, 530, 560, 806, 868, 1384, 1605, 1812, 2185, 2385, 2440, 2628, 2745, 2831, 3070, 3269, 3461, 3610, 3828
 characteristics, 142
 completions, 1317
 deadlines, 3610
 processing times, 2440, 3070
 scheduling, 2032
 shop problems, 1180
 shops, 519
 job with
 deadlines, 2032
 release, 519
 Jodrá, Pedro, 3807
 jog, 2054
 jogger problem, 731
 Johannsen, Jan, 3759
 John, 1229, 3811
 Johnson, 309, 1957
 algorithm, 1812
 Johnson and Venkatesan, 1153
 join, 256, 553, 600, 832, 839, 1140, 1763, 1804, 1907, 2041, 2576, 2737, 3146, 3571
 algorithm, 1140, 1730, 1804
 join attribute, 1140
 values, 1804
 join consistent, 523, 771
 database state, 771
 join
 dependencies, 608, 700, 3619
 dependency, 742, 996, 1026, 1618, 2368
 during merge, 1140
 in relational databases, 600
 of relations, 600, 1730
 operation, 649, 1140, 1730, 1804, 2041, 2291
 processing, 1730
 joining attributes, 2041
 joint probability distribution, 806
 Jonassen-Knuth methods, 2157
 Jones, 1399, 2272
 Jones and Madsen, 1318
 Jones, Julie, 3344
 Jong, In Lim, 3672
 Jonsson, P., 3569, 3843
 Jordan, 1740
 algorithm, 1740
 Jordan curve, 1984, 2956
 arrangement graph, 2956
 Jordan
 elimination method, 1740
 sorting problem, 1984
 Jørgensen, Kristian, 3331
 Josephson chip, 703
 Joshi and Yokomori, 951
 Joshi dependence measure, 143
 Joshi, Levy, and Takahashi, 951
 Jouannaud and Kirchner, 2031
 Jouannaud and Lescanne, 1489
 journal file, 652
 Jovanović and Danilović, 1840
 JPL STAR, 543
 JR, 742, 3609
 Jr, 3609
*j*th smallest element, 2825
 judgement inconsistency, 2970
 Jukna, Stasys, 3901
 Julia, 3387
 Julia, S., 3387
 Jullien, G.A., 3728
 jump, 1039, 1793, 2500, 3465
 back on the input tape, 1103
 complexity, 3465
 instruction, 931
 interpolation search trees, 1491
 jump number, 2500
 problem, 2500
 jump searching, 855
 algorithm, 1296
 jump
 size, 1491
 solutions, 1796
 junctivity properties, 1909
 Jung, 3031
 Jung, Je Son, 3672
 Jurdziński, Marcin, 3823
 Justin, J., 3538
 Jutla, Knapp, and Rao, 2321
 Juurlink, Ben H.H., 3326
 juxtaposition, 1981
- K**
*k*1ETOL
 language, 1643
 systems, 1643, 2720
*k*1TOL
 languages, 1643
 system, 1643
*K*_{1,3}, 87
*K*_{1,3} free, 3421
 graph, 932
*K*_{3,3}, 2058

- K_4 , 1528, 4077
 free graphs, 4077
 K_5 , 736, 2058
 minor free graph, 1945
 K_m , 3680, 3850
 K_n , 11, 1749, 3680, 3790, 3850
 $K_{r,r}$ free graphs, 2668
 Kabadi, S.N., 3625, 3771
 Kacker, Raghu, 3065
 Kagaris et al., 3724
 Kaijung, Chang, 3700
 Kaikoura tree theorems, 2719
 Kaivola, Roope, 3043
 Kajiwara, Yuka, 3883
 Kalé, 2613
 heuristic, 2613
 value ordering heuristic, 2613
 Kaldewaij and Schoenmakers, 3484
 Kalman filter, 49
 Kalyanasundaran, B. and G. Schnitger, 2925
 Kam, 473
 Kamakoti, V., 3642
 Kameda, Tsunehiko, 3710
 Kanchi, Saroja P., 3491
 Kanellakis, P.C. and A.A. Shvartsman, 2212
 Kanevsky, Arkady, 3491
 Kang and Ault, 1835
 Kang, Hee-Joong, 3504
 Kann, Viggo, 3294, 3673
 Kant, Goos, 3506
 Kanta, M., 3608
 Kantabutra, 1374, 1412
 Kanth, K.V. Ravi, 3820
 Kao, 2504
 Kao, Ming-Yang, 3049
 κ -connected
 graph, 1600
 network, 1600
 Kapur and Krishnamoorthy, 1955
 Kapur and Narendran, 1166
 Karchmer and Wigderson, 2024, 2353, 3242
 Karger, 3637
 Karger et al., 3446
 Karger randomized algorithm, 3637
 Karger, David, 3446
 Karger, Klein, and Tarjan, 3802
 Karger, Motwani, and Sudan, 3446
 Karger-Klein-Tarjan algorithm for minimum spanning trees, 3802
 Karhunen-Loeve expansion, 267
 Karmarkar, 1287
 algorithm, 1192, 1287
 Karneath map, 2098
 Karp, 144, 271, 612, 1014, 1209, 1958, 2160
 Karp and Cook, 353
 Karp and Held, 1165
 Karp and Miller, 584, 1035, 1392
 Karp and Raghavan, 2195
 Karp and Wigderson algorithm, 1199
 Karp definition of NP completeness, 809
 Karp et al., 2160
 Karp, Motwani, and Raghavan, 2277
 Karp, Upfal, and Wigderson, 2286
 Karpovsky, Mark G., 3872
 Karp-Rabin string matching algorithm, 1958
 Karzanov, 375
 algorithm, 375
 Kasai, 927
 Kasai and Miller, 927
 Kassel, Helen, 3657
 Katoh, Naoki, 3637
 Katsura, Masashi, 3453
 Katz and Perry, 2351
 Kautz, 3023, 3529
 digraph, 3023
 graphs, 3023, 3442
 network, 3529
 kd
 tree, 791
 trie, 791
 Kedem, Klara, 3663
 Keil, 1518, 3208
 algorithm, 1518
 Keller, 554
 Kellerer et al., 3461
 Kellerer, Hans, 3687
 Kelley, 1699
 Kelsen, 3220
 Kelter, 1456
 Kennedy, 545
 kernel, 490, 1111, 1267, 1382, 1722, 2009, 2894, 3495, 3862, 4037
 item, 2768
 language, 604
 kernel of a
 matrix, 472
 star shaped polygon, 1267
 kernel
 process scheduler, 1176
 search problem, 3862
 Kerr, 199
 Kessler, Michael J., 45
 key, 187, 194, 244, 372, 427, 432, 473, 566, 615, 687, 691, 717, 721, 825, 939, 1037, 1123, 1142, 1274, 1529, 1532, 1714, 1952, 2080, 2094, 2096, 2230, 2254, 2637
 key agreement
 problem, 3634
 protocol, 2991

- key
 - comparison, 303, 3930
 - dependencies, 608
- key distribution, 405, 734, 885, 895, 1145, 2447, 2496, 2712, 2991, 3532, 3906
 - protocol, 885, 3906
 - scheme, 2496, 3230
- key exchange, 885, 2997, 3925
 - protocol, 3925
- KEY field, 721
- key
 - field, 427
 - of a record, 1045
 - order, 1037
 - oriented system, 654
 - search method, 1321
 - searches, 1045
 - searching, 1321
 - space, 503, 718
- key value, 447, 557, 706, 850, 855, 2455, 2891
 - distributions, 358
 - pair, 139
- keychain, 721
- keyed one-way hash functions, 3132
- keyholder, 957
- keyless
 - cryptography, 885, 1145
 - cryptosystem, 1145
- keystream
 - generators, 3881
 - sequence, 3606, 3923
- keyword, 957
- Khachian algorithm, 1192
- Khodak, 812
- Khrapchenko theorem, 2121
- Khuller algorithm, 3482
- Khuller and Mitchell, 2166
- Khuller et al., 3482
- Khuller, S., 3268
- Khuller, Samir, 4084
- Kieburz, 945
- Kikuno, Tohru, 3953
- Kim, 901
- Kim et al., 3871
- Kim, Cheeha, 3597
- Kim, Do-Hyung, 2461, 3611
- Kim, Heung-Taek, 3690
- Kim, Jin H., 3504
- Kim, Jin-Soo, 3742
- Kim, Jong-Hyun, 3292
- Kim, Kawon, 3504
- Kim, Kwangjo, 3473
- Kim, Park, and Won, 4042
- Kim, Seongyeol, 3726
- Kim, Seung-Hoon, 3597
- Kim, Sung Kwon, 3596, 4026
- Kim, Sung-Ho, 3725
- Kim, Taegeun, 3804
- Kimbrel and Sinha, 2721
- kinded infinite trees, 3157
- kinding, 3157
- Kindler, Ekkart, 3096, 3499, 3952
- kinematic equation, 1667
- kinematics, 1667
- King and Collmeyer, 300
- King and Rook against King, 364
- King linear time sequential algorithm, 3516
- King, Gow-Hsing, 3440
- King, Valerie, 3516
- KIO construction, 3879
- Kirkman, 2412
- Kirousis and Papadimitriou, 2433
- Kirsh, 989
- Kitsios, Nectarios, 3417, 3444
- Klavžar, Sandi, 3560
- Klawe, 2856
 - conjecture, 2856
- Klawe et al., 1961
- Klawe, Comeil, and Proskurowski, 1961
- Klee, 1267
- Kleene, 3770
 - algebra, 3951
 - closure, 389, 922
 - star, 2355
 - theorem, 1312, 3789
 - three-valued logic, 3770
- Kleijn and Rozenberg, 778
- Klein, 1961
- Klein, Plotkin, and Rao, 2668
- Klein, Sulamita, 3758
- Klenk, Kevin S., 3402
- Klimov, Andrei, 3512
- Kloks, T., 3421
- Kloks, Ton, 3836, 3854
- Klunder, 237
- KMOV scheme, 2995
- KMP, 290, 2671
- kmp, 1024
- KMP
 - algorithm, 290, 451, 737, 1024
 - linear time pattern matching algorithm, 576
- Knapik, Teodor, 3656
- knapsack, 924, 1657, 3527, 4043
 - capacities, 4043
- knapsack problem, 612, 938, 1002, 1180, 1253, 2606, 3069, 3795, 4065
 - with divisible item sizes, 3527
- knapsack
 - system, 938
 - trapdoor scheme, 1932
- Knill et al., 4114

- knock knee, 2135
knot, 1725
 of idle processes, 1725
knowledge, 67
 acquisition, 2970, 3225
 base, 754, 1861
 based inferencing abilities, 1041
 bases, 1459, 1781, 2495
 engineering, 2046
 operators, 1417
knowledge representation, 754, 769, 2229, 3390
 systems, 769
known duration tasks, 3540
Knuth, 16, 35, 54, 62, 85, 96, 99, 102, 152, 158, 175,
 177, 184, 211, 226, 247, 285, 321, 373, 466,
 547, 576, 609, 638, 685, 691, 728, 737, 747,
 860, 901, 926, 1216, 1222, 1300, 1347, 1426,
 1465, 1526, 2509, 2656
 algorithm, 62, 1347
Knuth and Moore, 892
Knuth Bendix procedure, 2068
Knuth
 book, 109, 2763
 computations, 926
 estimation technique, 1347
 tree estimator, 1347
 variant, 1465
Knuth, D.E., 41, 148, 844
Knuth, Don, 721
Knuth, Morris, and Pratt, 1024, 1250, 2503
 string matching algorithm, 699, 716, 2664, 3631
Knuth, Morris, & Pratt algorithm, 1698
Knuth-Bendix, 875
 completion algorithm, 875, 1639, 1850
Knuth-Morris-Pratt
 algorithm, 290, 547, 737, 1024
 string matching algorithm, 699, 716, 2664, 3631
Ko, 1894
 theorem, 3469
Ko, Ming-Tat, 3562
Kobayashi, 878, 3534
 complexity, 3534
Kobayashi, Yuji, 3453
Köbler, Schöning, and Torán, 2870
Kocberber, Seyit, 3435
Kochol', 1948
Kochol, Martin, 1948
Koczkodaj, Waldemar W., 2970, 3225, 3363
Kohli, R., R. Krishnamurti, and P. Mirchandani,
 3280
Koiran, Pascal, 3525
Kolaitis and Papadimitriou, 2510
 question, 2510
Kolaitis and Thakur, 2258, 2659
Kolaitis and Vardi, 3276
Kolakoski sequence, 2973
Kollias, 919
Kolmogorov complexity, 1156, 1168, 1232, 1341,
 1622, 1868, 2335, 2399, 2611, 2621, 2704,
 2925, 3232, 3518, 3534, 3627, 3766, 3767,
 4031
 law, 3232
Kolmogorov data complexity, 3627
Kolmogorov-Uspenskii machine, 1702
Kolountzakis and Kutulakos, 2873
Komlós et al., 3351
Komolós and Szemerédi, 939
Komonogorov, 3401
Konana, Prabhudev, 3578
König, 444
 property in graphs, 630
Koplowitz and Jouppi, 380, 515
Korea, 1418, 2191
Korean characters, 1418
Korel, 1598
Korel and Laski, 1654
Korf, R.E., 2382
Kornerup, Jacob, 3441
Korsh and Lipschutz, 3915
Korsh, James F., 3688
Korte and Mohring, 1947
Kosaraju, 464
Kosub, Sven, 4014
Kott, L., 3319, 3564, 3593, 3647
Kou, 271, 525, 633
Kou, Markowsky, and Berman, 2172
 algorithm, 1537
Kovalyov and Shafransky, 3610
Kovalyov, Mikhail Y., 3610
Kowalik and Osborne, 46
Kowalski, 1017, 1289
Kowalski and Kuehner, 799
Kozen, 898
Kozen and Schwartzbach, 2552
Kraft-McMillan
 characteristic inequality, 3014
 inequality, 3014
Krahn, Tobias, 4130
Krajčček, J., 3759
Král, 50
Král, J., 50
Kranakis et al. conjecture, 3855
Kranakis, Evangelos, 3723, 3733
Kratochvíl et al., 4052
Kratsch, Dieter, 3458, 3574, 3854
Krause and Waack, 3281
KRC, 1092, 1214
Kreinovich, Vladik, 3757
Kriauciukas, 1722

- Kripke
 complete, 1091
 models, 1417
 structure, 1478, 2876
 style semantics, 1204
 Krishnamachari, Bagirath R., 3279
 Krishnamoorthy, Mukkai, 3405
 Krishnamurthy, Rao, and Subramanian, 1010
 Krivelevich, Michael, 3765
 Krob, D., 3608
 Krogdahl, 1323
 Krohn-Rhodes theorem, 3798
 Kronecker power, 952
 Kronecker product, 3467, 3814
 of graphs, 3814
 Krumke, S.O., 3748
 Krumke, Sven O., 3715
 Kruskal algorithm, 2248
 Kruskal et al., 2822
 Kruszewski, Paul, 3863
*k*th
 alternation level, 1109
 element queries, 1761
 largest element, 1685, 2175, 2990
 power freeness, 1070
*k*th smallest
 element, 1042, 1087, 1273, 1685, 3987
 item, 1113, 3987
*k*th-order
 dependency, 3504
 nonlinear filter, 3894
 ku^2 LETOL, 3074
 Kubiak, Wieslaw, 3488, 3828
 Kubicka et al., 2719
 Kučera, Luděk, 944, 3573
 Kucherov, Gregory, 3015
 Kühn, Ulrich, 3853
 Kulasinghe, Priyalal, 2989
 Kulasinghe, Priyalal D., 3475
 kulETOL systems, 3074
 Kulkarni, Sandeep S., 3605
 Kulkarni, Santosh, 3310
 Kumar, 432
 Kumar and Lin, 1767
 Kumar, Devendra, 3485
 Kumar, S. Ravi, 3539
 Kumar, Shashi, 3278
 Kung, 97, 283, 953, 1445, 2699
 algorithm, 97
 Kung and Leiserson, 1051, 1352
 hex connected processor array, 953
 Kung deque, 1257
 Kung et al., 1257
 Kung-Leiserson, 601
 Kuo, 3209
 Kuo, Sy-Yen, 3861
 Kuo, Yu-Chen, 3336
 Kuratowski theorem, 736
 Kurosawa, Kaoru, 3323, 3324, 3434
 Kuroyanagi, Susumu, 3899
 Kurtz, 2560
 Kurtz, Mahaney, and Royer, 2560
 Kushilevitz and Mansour, 2792
 Kushilevitz, Eyal, 3486
 Kwai, Ding-Ming, 3832
 Kwast method, 3692
 Kwiatkowska, Marta, 3714
 KWIC index, 324
 Kwong, 927
k-acyclic families of subtrees, 3703
k-ary, 3443
 butterfly graph, 3442
k-ary hypercube, 1967
 network, 1967
k-ary *n*-cube, 2684, 3445
 interconnection networks, 3445
 networks, 2684
k-ary tree
 generation algorithms, 3915
 representations, 2965
 sequences, 2965
k-ary trees, 768, 2965, 3688, 3915
k-belts, 3374
k-capacity channel, 2055
k-center problem, 2661, 3670
k-chain problem, 1791
k-clique problem, 2353
k-closure of a graph, 1362
k-colorable, 1334
 graphs, 3561
 subgraphs, 1334
k-coloring, 2902
 for planar graphs, 1395
 of an oriented graph, 2902
k-colourable, 1890
k-compaction problem, 3963
k-competitive
 algorithm, 2117, 2171
 online algorithm, 2171
k-connected
 graph, 2565, 3524
 hyperedge replacement languages, 2565
 triangulation, 1926
k-connectivity, 3169, 3482
k-coterie, 2791, 3336
k-cyclic graphs, 4102
k-*d* tree, 447, 678, 718, 825, 850, 1291, 1521, 2080
k-decomposable, 205
 digraph, 205
 graph, 205

- k -decomposition, 3785
 - k -differences problem, 3143
 - k -dimensional binary search tree, 850
 - K -dimensional Euclidean Voronoi diagram, 517
 - k -dimensional
 - packing, 3105
 - tree, 718
 - trie, 791
 - k -distribution, 907
 - k -edge connectivity, 3737
 - k -enabled, 67
 - k -extendable, 3650
 - k -fairness, 1018
 - K -firing sequences, 67
 - k -flat, 2638
 - k -fold
 - bitonic sort, 1177
 - clique transversal problem, 3697
 - k -forest, 2164
 - k -GC, 3661
 - k -geodetically connected, 3661
 - k -gons, 3170
 - k -head
 - finite automaton, 1232
 - k -head one-way deterministic finite
 - automation, 1371
 - automaton, 1232
 - k -head two-way pushdown automaton, 2776
 - k -hulls, 3374
 - k -independent set problem, 2474
 - k -isomorphism, 478
 - of graphs, 478
 - k -iterated, 3842
 - K -iteration
 - grammar, 193, 201
 - languages, 201
 - k - k routing, 2450
 - k -level
 - graphs, 583
 - uncapacitated facility location problem, 4016
 - k -levels, 3374
 - k -limited
 - ED0L systems, 3332
 - ETOL systems, 1643, 2720
 - TOL systems, 1643
 - k -median, 4058
 - problem, 4058
 - k -mortal set of matrices, 3593
 - k -MST problem, 3667
 - k -mutual exclusion, 3336, 3785
 - algorithm, 2791
 - problem, 3785
 - K -M-P string matching, 3631
 - k -nearest neighbor query, 3867
 - processing cost, 3867
 - k -neighborhood chordal, 3703
 - k -node connectivity, 3737
 - k -pairwise disjoint paths, 3799
 - k -parse, 1197
 - k -partition problem, 3472
 - k -path free dominating sets in graphs, 809
 - k -paths problem, 887
 - k -polygon graphs, 3574
 - k -resiliency, 2838
 - k -resilient, 2838
 - k -restricted ETOL systems, 778
 - k -selection problem, 1706
 - k -sensitive everywhere function, 1608
 - k -server
 - conjecture, 3261, 4066
 - problem, 2117, 2171, 4066
 - K -server problem, 2216
 - k -sets, 3374
 - K - Σ -automaton, 1256
 - k -sorters, 1880
 - k -state algorithm, 1369
 - k -Steiner distance hereditary, 3129
 - k -subsets, 2166
 - k -subtree, 969
 - k -tape Turing machine, 1581
 - k -tree, 969, 1221, 1961
 - k -violation linear programming, 2945
 - k -way
 - forest, 2866
 - tree, 2718, 2866
- L**
- L, 1657, 3268
 - \oplus L, 2070
 - L form, 297, 683
 - L language, 361, 869, 2665
 - L system, 160, 232, 279, 297, 361, 572, 778, 1475, 1643, 1950, 2665
 - $L(1GDSAFA) = L_{DCS}$, 2038
 - $L(1SAFA) = L(2SAFA) = L_{CS}$, 2038
 - $L(2GDSAFA) = L_{DCS}$, 2038
 - $L(2-DA)$, 571
 - $L(2-DOTA)$, 571
 - $L(2-NA)$, 571
 - $L(2-OTA)$, 571
 - $L(ETOL) \subsetneq L(k1ETOL) \subset L(11ETOL)$, 1643
 - $L(k1ETOL)$, 1643
 - $L(k1TOL)$, 1643
 - L_∞ metrics, 517
 - L_∞ , 4123
 - distance, 689
 - interdistances, 1685
 - metric, 422, 2227
 - L^∞ norm, 3590

- L_1
 - metric, 517, 968, 2227, 3038
 - nearest neighbor, 968
 - norm, 2872
 - traveling salesman problem, 1014
 - TSP, 1014
- L^1 norm, 3590
- L_2
 - distance, 689
 - traveling salesman problem, 1014
- L_p
 - metric, 1923
 - point distance, 2177
- L_{TOP} , 2007
- label, 128
 - calculations, 1837
 - computations, 1837
 - construct, 397
 - invariants, 1019
 - operator, 397
 - structure, 397
- labeled, 538, 600
- labeled connected
 - chordal graph, 1747
 - graphs, 4048
- labeled
 - directed acyclic graph, 538
 - graph, 508
 - nodes, 671
 - ordered tree, 295
 - tree, 671, 2335, 2397, 2832, 2891
 - trees comparison, 1930
- labeling, 424, 1575, 2616, 3217, 3549, 3592,
 - see also* labelling
 - a balanced binary tree, 424
- labeling a rectilinear, 3860
 - map, 3683, 3860
- labeling
 - algorithm, 819, 1185
 - function, 983
 - hierarchies, 1575
 - of the edges, 2616
 - problem, 3860
 - spanning trees, 3592
 - technique, 3850
- labelled, 13
 - binary trees, 2503
 - directed graph, 13
 - graph, 3012
 - marked graph, 554
 - networks, 4121
 - poset, 554
 - preordered Kripke structures, 2876
- labelled transition system, 1687, 2459, 2550
 - with divergence, 3618
- labelled
 - trees, 822, 2519, 2887
 - undirected graphs, 9
 - vertices, 772
- labelling, 554, 772, 3477, 3644, *see also* labeling
- labelling of
 - graph nodes, 3477
 - vertices, 128
- labyrinth, 857
- ladder, 1779, 1826
- Ladner, 526, 832, 1209
- Ladner and Lynch, 1390, 2882
- Ladner
 - main theorem, 832
 - result, 1209
- Ladner-Lynch, 1390
- lag, 2081
 - system, 2081
- Lagergren, Jens, 3294, 3673
- Lagrange
 - interpolating polynomial, 2405, 3145
 - multipliers, 224
- lagrangian, 74
- Laguerre geometry, 841
- Lahav (Haddad), Shlomo, 2941
- Lai and Sahni, 1272
- Laih et al., 2958
- Laih, Chi-Sung, 3514
- Lakhal, J., 3650
- Lakshmanan, Ravikumar, and Ganesan, 2471
- LAL, 862
- Lalgudi, Kumar N., 3576
- LALR, 1308
 - parser, 2862
- LALR(1), 1775
 - algorithm, 1775
 - lookahead set, 1144
 - lookahead sets, 1775
 - lookaheads, 1775
 - parse tables, 1144
 - parser state, 2198
 - parsing algorithm, 3095
 - properties, 1144
- LALR(k), 747, 2862
 - parser generation, 2675, 2862
- Lam, Nguyen Huong, 3135
- Lam, T.W., 3474
- lambda abstraction, 1375
- lambda calculus, 802, 1099, 1375, 1592, 1665, 2366, 2464, 3047, 3302, 4101
 - expressions, 1375
- lambda
 - expression, 1099, 1375, 4101
 - term, 3983
- λ , 330
- $\lambda_{\beta'}$ — A λ -calculus, 3047

- λ -calculus, 928, 1793, 1934, 2615, 3047, 3983
- λ -cycles, 3284
- λ -expression, 500, 802
- λ -free, 144
- Λ -free catenation closure, 160
- λ -free context free
 - grammars, 413
 - programmed languages, 144
- Λ -free homomorphism, 160
- λ -free unconditional transfer context free
 - programmed grammar, 144
- λ -term, 2552
 - in normal form, 2552
- lambda-node, 1375
- Lambert, Timothy, 3531
- Lamma, Evelina, 3303
- Lampert, 1305, 1816, 1858, 2204
- Lampert and Owicki, 962
- Lampert
 - clocks, 2204
 - fast mutual exclusion algorithm, 2573
 - logical time, 1125, 2204
 - regular register, 1621
- Lan, Yu-Feng, 3876
- Landau, Gad M., 2632, 3824
- Landsbergen, 1229
- Landweber, 1067
- Landweber and Robertson, 584, 726, 1392
- Landweber et al., 1209
- Landwehr et al., 1144
- Lang, 659
- Langer and Shum, 919
- Langmuir, Irving, 22
- Langston, Michael A., 3809
- language, 3, 5, 23, 24, 26, 34, 47, 61, 68, 94, 107, 112, 113, 126, 132, 144, 169, 190, 200, 232, 237, 256, 262, 263, 289, 307, 311, 321, 343, 376, 378, 394, 397, 399, 411, 413, 430, 438, 440, 453, 457, 460, 463, 465, 480, 482, 495, 535, 539, 544, 548, 571, 572, 620, 640, 644, 653, 658, 663, 680, 683, 710, 712, 730, 739, 740, 749, 753, 763, 773, 786, 795, 804, 814, 832, 869, 874, 894, 900, 910, 928, 931, 940, 948, 951, 975, 999, 1012, 1022, 1028, 1029, 1032, 1034, 1041, 1066, 1068, 1076, 1106, 1130, 1155, 1194, 1204, 1244, 1297, 1299, 1312, 1341, 1360, 1383, 1402, 1407, 1417, 1418, 1423, 1440, 1499, 1550, 1553, 1567, 1576, 1577, 1585, 1615, 1622, 1643, 1644, 1670, 1678, 1707, 1732, 1744, 1776, 1802, 1836, 1838, 1839, 1856, 1866, 1886, 1956, 1981, 1988, 1989, 1996, 2027, 2060, 2061, 2063, 2086, 2093, 2112, 2120, 2145, 2170, 2180, 2231, 2342, 2344, 2348, 2375, 2388, 2466, 2503, 2511, 2522, 2544, 2563, 2585, 2655, 2733, 2734, 2752, 2760, 2776, 2827, 2867, 2880, 2930, 2963, 3008, 3009, 3126, 3162, 3188, 3198, 3221, 3366, 3571, 3588, 3656, 3705, 3772, 3789, 3920, 3940, 4029, 4132
 - accepted, 1277
- language accepted by
 - nondeterministic machines, 1277
 - one-way one-turn nondeterministic auxiliary counter machines, 1657
- language
 - accepted in deterministic polynomial time, 411
 - analysis, 10
 - approximation, 1838
 - are accepted by OCA in real time, 1710
 - based editor, 2717
 - classes, 3162, 3366
 - compiler, 106
 - construct, 82, 196, 896, 1807
 - constructs of coordinator, 1807
 - defined by rational functions, 1585
 - defining device, 1585
 - definition, 480, 544
 - equations, 361
 - facilities for backtracking, 340
 - families accepted by chains of m DPDT, 1130
 - family, 144, 161, 297, 1643, 2497
- language for
 - applicative multiprogramming, 928
 - distributed programs, 1833
 - document generation, 59
 - modular programming, 1200
- language from NPDA(k), 739
- language generated by a
 - DOL system, 107
 - DTOL system, 361
 - grammar, 126, 2585
 - TOL system, 47, 77
- language
 - generated by shuffle expressions, 1449, 1577
 - homomorphisms, 3418
 - identification, 2669
 - in NP, 1894, 2827
- language inclusion, 2655
 - problem, 2655
- language independent methods, 582
- language of
 - annotated programs, 1019
 - exponential size, 1981
 - infinite words, 1213
 - propositional formulae, 430
 - sentential forms, 680
 - strings, 2170
- language
 - operations, 160
 - over a unary alphabet, 1388, 2665

- language
 - paradigms, 2707
 - processing, 61
 - processors, 84, 955, 1558, 1831, 1922, 2329, 2717, 3142, 3161
- language recognition, 740
 - problem, 108, 1891
- language recognized by
 - 1acmp(k, i), 1139
 - 1-MFA, 2063
 - 2acmp(k, i), 1139
 - logspace unbounded error probabilistic Turing machines, 3031
 - loopfree 2npda, 894
- language
 - semantics, 2733
 - theoretic properties, 1130
 - theory, 2503, 3608
- language with
 - exceptions, 3008
 - goto statements, 1019
 - mixed scoping, 500
- language without star, 874
- languages generated by
 - a family of L systems, 297
 - free grammars, 311
 - LL(1) grammars, 1754
 - propagating K -iteration grammars, 201
 - random context grammars, 232
 - tree adjoining grammars, 3162
- languages recognized by
 - automata, 3031
 - one-turn one-way pushdown automata with one input head, 1065
 - pushdown automata, 739
- languages recognized by two-way
 - deterministic pushdown automata, 909
 - nondeterministic pushdown automata, 740
- Lankford, 2771
- Laplace equations, 195
- Laplace matrix, 1212
 - of a graph, 266, 1212
- Laplace operator, 266
- large
 - AI programs, 1477
 - block schema, 980
 - classes of functions, 531
 - databases, 1663, 2491
 - deviations, 1902
 - graphs, 815, 1395, 3783
 - holes, 2239
 - index node, 1663
 - integer arithmetic, 1667
- large memory
 - computations, 3744
 - organizations, 3744
- large moduli residue arithmetic, 2309
- large network, 1971, 3597
 - complexity, 1015
- large
 - number of values, 18
 - parallelism, 145
- large scale
 - distributed systems, 3532
 - graphs, 3805
 - integration, 157
- large
 - size, 527, 884
 - sparse system of linear equations, 504
 - transients, 1796
 - virtual memory, 1915, 2528
- largest clique, 163, 349
 - of a graph, 349
 - size, 645
- largest
 - elements, 3907
 - prime divisor, 2149
 - relative overlap, 2332
 - running times, 539
- Larmore, Lawrence L., 3558
- Larsen, Kim S., 3677
- Larson, 717, 1750
- Las Vegas, 2683
 - algorithm, 2683, 3059
 - complexity, 1695
 - RNC algorithm, 2286
 - type PRAM algorithm, 3439
- Laski, 1654
- Laski and Korel ordered data context criterion, 1598
- last
 - call optimization, 1299
 - result linear component, 980
- latency, 203, 2044, 3743, 3744, 4129, 4131
 - of a vertex, 4129
- latency of data access, *see also* LDA
 - model, 3743
- Latin square, 3125, 3726
- latin squares, 574, 3125
- Latteux and Leguy, 951
- lattice, 125, 1209, 1450, 1930, 2395, 3431, 3961, 3982, 4041
- lattice
 - of binary trees, 1450
 - ordered semigroup, 78
 - path, 175
 - structure, 1450, 1930
- lattice theoretic
 - measures, 1930
 - results, 1930

- lattice
 - theory, 125, 3316
 - vectors, 3468
- Laugerotte, E., 3617
- Lautemann, 2722
- Lavault, Christian, 3443
- Lavín, Víctor, 3766
- Lawler, 130
- Lawler and Martel, 868
- lawn tennis tournaments, 860
- Lawrie, 659
- laws of
 - commutativity and associativity, 1636
 - programming, 1498
 - propositional logic, 2787
- Lawson, 1991
 - topology, 1991
- Lax, 2867
- layer type, 190
- layered witness graph, 3642
- layering, 2351
 - of a program, 2458
- laying out a multigrid network, 4012
- layout, 592, 659, 988, 1005, 1252, 1254, 1405, 1476, 1490, 1684, 1738, 1912, 1975, 2054, 2208, 2245, 2385, 2620, 2623, 3141, 3155, 3734, 3756, 3812, 3832, 4012, 4072
 - algorithm, 1684
 - components, 1405
 - design process, 3141
 - for the shuffle exchange network, 659
 - of files, 3235
 - problem, 1886, 3155, 3734, 3756
- lazily evaluating functional languages, 1579
- lazy, 2470, 3115
 - dynamic programming, 2470
- lazy evaluation, 624, 896, 1041, 1372, 1579, 1592, 1985, 2470
 - scheme, 896
- lazy
 - functional language, 3115
 - languages, 3161
 - mark scan, 2528
 - moves, 2171
 - randomized incremental construction, 3582
 - reduction mechanism, 1041
 - update, 3053
 - variable renumbering, 1665
 - z-buffer, 3115
- LBA problem, 246
- LBFS, 1354
- LC, 1806
 - branch and bound algorithm, 1806
- LC(1) attributed grammars, 3025
- LCA problem, 2871
- LCF ML, 3188
- LCFL, 1065
- LCS, 315, 576, 1175, 2916, 3459
 - problem, 315
- LCSAJ, 238
- LCSS, 2916
- LDA, 3743, *see also* latency of data access
 - model, 3743
- Le Doux and Parker, 2449
- Le Lann, 1609, 1816
- Le Verge, Hervé, 3905
- Lê, Ngoc-Minh, 3599
- leader, 1712, 1858, 2421, 2767, 2799
- leader election, 1858, 2187, 2421, 2767, 3059, 3378
 - problem, 3119
 - protocol, 1858, 3378
- leader finding, 1564, 1712
- leads to, 1909, 2321, 2787
 - properties, 2787
 - relation, 1909
- leadsto properties, 2703
- leaf, 717, 718, 799, 849, 921, 1575, 2080, 2603, 2719, 3014, 3366
 - cells, 733
- leaf language, 3366
 - classes, 3366, 3571
- leaf
 - node, 1009, 1375, 3917
 - pages, 603
- leaf size, 849
 - bounded computations, 849
- leakage in a gas burner, 2304
- LEAP, 251
- learnability, 2497, 2792, 3333, 3766
 - of monotone $k\mu$ -DNF formulae, 2953
 - results, 2792
 - theory, 2518
- learnable, 2497, 2753, 3489
 - in polynomial time, 2406, 3941
- learner, 3834
- learning, 239, 754, 2792, 2984, 3165, 3486, 3489, 3567, 3685, 3766, 3775
 - activity, 239
 - algorithm, 2062, 2792, 3337, 3567
 - Boolean function, 3775
 - by example, 2439
 - conjunctions with noise, 3834
 - convex bodies, 2439
 - DNF expressions, 2792
 - framework, 2792
- learning from
 - good examples, 3632
 - positive examples, 3856
 - queries, 2131

- learning
 - halfspaces, 2915
 - multivariate polynomials, 3489
 - nearly monotone k-term DNF, 3766
 - structure, 3012
 - theoretic characterization of classes of recursive functions, 3075
 - theory, 2131, 2669, 2753, 2984, 3448
 - unions, 4056
 - width two branching programs, 3685
- least
 - circular shift algorithm, 576
 - common multiple, 639, 868, 3559
- least cost
 - branch and bound algorithm, 1806
 - error repair, 1308
 - insertion string, 1308
 - path algorithm, 2251
 - paths, 2251, 3805
- least
 - distance hyperplane, 1002
 - element, 268
 - executed criterion, 2477
 - expected cost of access, 2114
- least fixed point, 399, 1638, 1837, 2692
 - theorems, 782
- least
 - fixpoint semantics, 3432
 - Herbrand model, 2269
- least median of squares, 3585
 - regression, 3585
- least
 - move distances, 3431
 - recently used, 2291
 - square generalized solution, 81
 - squares criterion, 1502
 - upper bound, 1929, 4049
 - weight subsequence problem, 1906
- Lebesgue measure, 2424
- Lecroq, Thierry, 3459, 3579
- Lee, 439, 2410
- Lee and Preparata, 439, 490, 517, 2142, 2384
 - algorithm, 2142
- Lee and Wong, 517
- Lee, Dong-Tsan, 3390
- Lee, Gyung-Ok, 3611, 4018
- Lee, Jae-Ha, 3862
- Lee, Juhnyoung, 3578
- Lee, Ju-Hong, 3867
- Lee, Kyung Oh, 3841
- Lee, Myung-Joon, 2191
- Lee, Nam-Yih, 3871
- Lee, R.C.T., 2939, 3490, 3668
- Lee, Sangjin, 3473
- Lee, Sang-Goo, 4019
- Lee, Shiun-Wei, 3103
- Lee, T.D., 3117
- Lee, Wei-Bin, 3587
- Lefmann, Hanno, 3311
- left
 - center of a language, 1070
 - commutativity, 1028
 - context, 2768
 - factor, 637, 1189, 1325
 - hand sides, 983, 1800, 2676
- left linear, 2366
 - algebraic rewriting, 2366
 - constructor system, 2676
 - grammar, 2880
- left parse, 438, 474
- left part
 - of a production, 284
 - theorem, 1744
- left regular grammar, 474
- left rotation, 1504, 1930
 - transformation, 1930
- left son, 935, 1216, 1290
- left subtree, 96, 176, 365, 447, 788
 - weight, 788
- left
 - Szilar language, 960, 1114, 1301, 2512
 - threads, 1290
- left to right, 1383
 - cover, 474
 - flow, 953
 - greedy approach, 2054
 - left endpoint ordering, 2003
 - maximum, 223
 - order, 733
 - ordering, 935
 - traversals, 273
- left weight, 935
- leftist
 - 2-3 trees, 3980
 - heap, 2263
 - trees, 1426, 3980
- leftmost
 - derivation, 413, 438
 - derivations, 674, 2061, 2512
- leftmost one
 - computation, 2696, 2830
 - problem, 2696
- leftmost restricted
 - matrix grammars, 68
 - random context grammars, 68
- leftmost restriction, 68
- leg, 1722
- legal
 - configuration, 4086
 - move, 998
 - node ordering, 3737

- legal path, 997
 - problems, 997
- legal program structure, 975
- legality assertion, 480
- Legendre symbol, 1703
- Lehmer congruential generator, 907
- Leighton, 1095
- Leighton and Micali, 2991
 - protocol, 2991
- Leighton and Rao balanced separator procedure, 2820
- Leighton et al., 2416
- Leiserson systolic model, 1445
- Leiss, 1249, 2466
- Lempel, 562
- Lempel, Seroussi, and Winograd, 2370
- Lengauer, 2161, 4141
- Lengauer and Tarjan, 585
- Lengauer, T., 1292, 3107, 3229, 3311, 3325, 3326, 3339, 3340, 3341, 3389, 3392, 3394, 3417, 3418, 3421, 3444, 3460, 3470, 3527, 3568, 3612, 3621, 3635, 3640, 3643, 3674, 3711, 3720, 3746, 3781, 3795, 3807, 3808, 3865, 3896, 3904
- length, 5, 175, 459
 - constrained heaviest path problem, 3866
 - ensemble, 3014
 - function, 1828
 - limited code extensions, 3708
- length of a
 - longest path, 1828
 - shortest path, 505, 815, 816, 3985
- length of the longest
 - cycle, 3048
 - edge, 1254
 - string, 112
- length of
 - the word chain, 1959
 - word chains, 1462, 1959
- length
 - preserving rule, 1649
 - reducing rules, 1649
- length sets, 107
 - of DOL languages, 107
- lengths of words, 107
- Lenhart and Liotta, 4097
- Lenstra, 635
- Lenstra, H.W., Jr., 1159
- Lenstra, Jr., 635
- Lent and Mahmoud, 3185
- Leonardi, Stefano, 3732
- \leq_m^p -hard set, 3071
- less than operator, 3930
- letrec, 397
- letter to letter homomorphism, 1032
- Leu, Shing-Jiuan, 3592
- Leung, 1234
- Leung, H., 3150
- Lev algorithm, 1199
- Levcopolous, 2950
- Levcopolous and Overmars, 2950
- Levcopolous, Christos, 3237
- level, 43, 165, 3810
 - compressed trie, 2654
 - index system, 2928
 - linked search tree, 1984
- level of
 - abstraction, 3921
 - confidence, 46
 - granularity, 333
- levelling
 - plan, 564
 - terrain trees, 564
- Levenshtein distance, 1943
- Leverrier method, 342
- Levi lemma, 794
- Levialdi, 2186
- Levialdi, Stefano, 3755
- Levin, 3134, 3567
- Levitin, Lev B., 3872
- Levner, Eugene, 3795
- Levy, 263, 750
- Lewenstein, Moshe, 3824
- Lewenstein, Noa, 3824
- Lewis, 1187, 3504
- Lewis, Hartmanis, and Stearns, 246
- Lex, 2198
- lex first blocking flow, 1762
- LexAGen, 2198
- LexBFS, 3919
- lexical address coding, 1968
- lexical addressing
 - algorithm, 1968
 - techniques, 1968
- lexical ambiguity, 1922
 - in a tree adjoining grammar, 1922
- lexical
 - analyser, 202
 - analysis, 202, 2198
- lexical analyzer, 202, 2198
 - generator, 2198
- lexical
 - atoms, 202
 - conflict detection, 2198
 - conflicts, 2198
 - order, 3968
 - scan, 1558
 - scanner, 1558
 - scanning algorithm, 1558
 - scoping, 397

- lexicographic, 2762
 - breadth first search, 1354, 3082, 3194, 3919
 - combination of linear functions, 506
 - order, 768, 974, 1162, 1468, 1536, 1997, 2762, 3092, 3219
 - ordering, 974, 1162
- lexicographic path ordering, 2437
 - constraints, 2666
- lexicographic
 - relation, 506
 - semicommutations, 1468
- lexicographical, 684, 970
 - metrics, 416
 - order, 684, 970, 1228, 3217
 - permutations, 970
- lexicographically, 969, 1162, 2068, 3844
 - ascending order, 1876
- lexicographically first, 1873
 - maximal 3-cycle free edge induced subgraph problem, 1528
 - topological order problem, 1873
- lexicographically
 - greatest string, 3844
 - least circular substrings, 576
- lexicographically minimal
 - maximal path, 1332
 - strings, 3988
- lexicographically ordered tuples, 1162
- lexing algorithm of Hillis et al., 1754
- lexicographic order, 576
- lexicographically least circular shift, 576
- LFBD, 1094
- LFF parsing, 3346
- LFSR, 3465
- LFT, 3736
- Li, 1371
- Li and Yesha, 1608
- Li, Jin, 3739
- Liang, 2481
- Liang, Y. Daniel, 3411
- Liao, Kuo-Hong, 3505
- Liapunov stability analysis, 2021
- Liaw, Bern-Cherng, 2939
- Liberatore, Vincenzo, 3754
- library
 - of two-dimensional texts, 3474
 - retrieval system, 197
- Lie product, 198
- Liebl, Petr, 3463
- Lien, 1094
- life
 - sciences, 147
 - time function, 310
- Lifschitz, 1555
- light
 - cycles, 3010, 3081
 - intensities in graphics modeling, 2846
- likelihood, 179, 2607
 - of rollbacks, 3462
- Lim, Andrew, 3320
- Lim, Kyungshik, 3597
- limit, 43
 - closure, 2363
 - of the speed up, 777
 - theorem, 77
- limitation, 742, 2062, 2650, 2954, 3260, 3465, 3755, 3940, 4078
- limited
 - 0L systems, 3332
 - compacting, 933
 - ETOL systems, 2720
 - length queueing theory, 57
 - memory, 3472
 - recursion, 11
 - storage, 546
- limiting
 - probabilities, 285
 - resource, 527
- Lin, 2046
 - entailment logic, 2046
- Lin, C.H., C.C. Chang, and R.C.T. Lee, 3175
- Lin, Chun-Yuan, 3736
- Lin, G.-H. and G. Xue, 4122
- Lin, Guo-Hui, 3864
- Lin, Min-Sheng, 3620
- Lin, Yen-Chun, 3415
- Linardis, P., 3664
- LINC, 8, 38
- Lindenmayer, 47, 56, 93, 279, 313
 - families, 241
 - grammars, 314
 - languages, 200
 - systems, 93, 161, 456, 572
 - type formal language, 161
- Lindenmayer, A., 313
- Lindstrom, 176
 - algorithm, 176
 - scanning, 2689
- Lindström quantifiers, 3627
- line arrangements, 1562
- line digraph, 819, 3023, 3264, 3442, 3530
 - interconnection networks, 3264
 - operation, 3442
- line
 - graph, 87, 252, 518, 1495, 2743, 3214, 3264
 - intersection searching problem, 774
 - of action, 3511
 - probe, 1612
 - segment, 350, 748, 774, 1121, 1171, 1267, 1380, 1387, 1394, 1431, 1469, 1863, 1882, 1992,

- line segment (*cont.*), 2083, 2135, 2264, 2332, 2408, 2417, 2527, 2893, 3039, 3317, 3380, 3602, 3646, 3683, 3693, 3723, 3794, 3860, 3878, 4127
- line segment intersection, 748
 - searching problem, 1171
- line
 - separation, 3646
 - sliding over the plane, 1612
 - stabber, 1863
 - stabbing, 1863
 - transversal, 1863
- linear
 - additive term, 602
 - algebra, 377, 1726, 2367, 2745, 2872, 3680
 - algebraic equations, 81, 287
 - algebras, 472
 - linear algorithm, 217, 346, 573, 813, 854, 1050, 1127, 1190, 1221, 1309, 1518, 1638, 1859, 1892, 1994, 2019, 2256, 2337, 2474, 2486, 2503, 2546, 2889, 3079, 3612, 3919
 - for finding the convex hull, 512
 - linear algorithms, 505, 518, 1002, 1926, 2740, 3391
 - for edge coloring trees, 492
 - linear amortized time algorithms, 2716
 - linear and
 - bilinear arithmetic algorithms, 719
 - discrete time, 1478
 - linear
 - applicative solution, 1092
 - approximation, 3206, 3507
 - arithmetic constraints, 3123
 - arrangements, 187, 633
 - linear array, 1734, 1876, 1942, 1997, 2644, 3459
 - language, 862
 - of processors, 3193, 3415
 - linear arrays, 2407, 4011
 - of automata, 47, 56
 - linear
 - associative memory, 2021
 - automata theory, 19
 - automaton, 19
 - linear binary
 - search tree, 1658
 - space, 3078
 - trie, 1658
 - linear
 - blocks, 82
 - boundary problem, 39
 - linear cellular
 - array, 1734
 - automaton, 2631, 3466, 3718
 - linear
 - code sequence and Jump triple, 238
 - codes, 2370, 2568, 3901, 3961
 - linear complexity, 2505, 2609, 2716, 3285, 3465, 3706, 3894, 4001, 4075
 - profile, 3465, 4075
 - linear
 - congruence equations, 2367
 - congruences, 3175
 - constraints, 3123
 - linear context free
 - grammars, 56
 - languages, 640, 1065, 1277, 1640
 - linear
 - convergence, 2824
 - cost model, 4047
 - linear decision tree, 613, 673
 - model, 673, 1052
 - linear
 - dependence, 334
 - deterioration, 818
 - difference equation, 1429
 - Diophantine equations, 341
 - equation, 1386, 2193
 - equations in dimension two, 1240
 - error correcting codes, 3961
 - linear expected
 - case time complexity, 552
 - run time, 570
 - linear expected time, 240, 328, 840, 959, 1534, 3334
 - algorithm, 1400
 - linear extension, 1038, 1365, 2500, 3546, 3621
 - linear families, 271
 - of subsets, 271
 - linear
 - finite automaton, 19
 - form, 445, 1164, 1190, 4088
 - function, 407, 730, 869, 1956
 - functional, 2945
 - functions, 2387, 2856, 3070, 3851
 - gates, 4088
 - grammar, 202, 960, 2061
 - graph languages, 1886
 - linear hashing, 1658
 - schemes, 1658
 - linear
 - homogeneous difference equation, 598
 - inequalities, 385, 3815
 - integer program, 2815
 - iterative array, 1734
 - language, 94, 3943
 - layout, 2385
 - list, 249, 475, 823, 1142, 2114, 2195, 3315, 3398
 - logic, 2458, 3390
 - lower bounds, 1152
 - mapping, 1516
 - median finding algorithm, 165
 - medium, 756

- linear (*cont.*)
 - memories, 1477
 - model, 3585
 - multiple choice knapsack problem, 1002
 - optimization, 2253
- linear order, 312, 2087, 3928
 - among lists, 312
- linear
 - ordering, 114, 640, 3116, 3392
 - organization, 525
 - partitions, 2169
 - pattern matching, 1230
 - permutation, 2410
 - pipelines, 2256, 2364
 - precedence functions, 225
 - prime number sieve, 3344
 - probing, 1112, 1142
 - processor array, 2515
- linear program, 258, 519, 1219, 1938, 2016, 3698, 4044
 - relaxation, 2533
- linear programming, 328, 385, 409, 411, 519, 639, 660, 981, 1002, 1192, 1219, 1287, 1359, 1783, 2004, 2124, 2369, 2383, 2533, 2915, 2945, 3062, 3177, 3698
 - algorithm, 2745, 2915
- linear programming problem, 1192, 2124, 2369, 3062, 3796
 - with integral coefficients, 3815
- linear
 - programming relaxation, 4016
 - programs, 289, 2016
 - propositional temporal logic, 4140
 - recognition algorithm, 3391
- linear recurrence, 820, 844, 1429, 1865, 2810
 - computation, 820
 - relation, 626, 3933
- linear
 - recurring sequence, 3606
 - recursion, 458, 2418
- linear recursive
 - algorithm, 458
 - schemata, 741
- linear regression, 4098
- linear resolution, 799, 1330
 - with selection function, 799
- linear search, 1004, 1142, 1633, 2305
 - heuristics, 1633
 - theorem, 178
 - tree, 552, 613
- linear
 - separability, 1192
 - sequences, 275, 522
- linear sequential
 - machine, 19
 - time, 2633
- linear
 - set, 3
 - single tree languages, 4029
 - size constant depth polylog threshold circuits, 2225
 - skewing scheme, 524
- linear space, 268, 1304, 2056, 2945, 3746, 3931, 4141
 - computation, 4141
 - index structures, 3820
 - solutions, 2071
 - translation, 802
- linear
 - speed up, 2704
 - speedup, 2455, 3227
- linear storage, 2050, 2334, 2536
 - device, 756, 2050
 - media, 271
 - organization, 221
- linear storage space, 324
 - algorithm, 324
- linear
 - strategy, 1587
 - superconcentrators, 745
 - symmetries, 2365
- linear systems, 1270, 1584
 - of equations, 1584
- linear systolic algorithms, 3480
- linear systolic array, 1175, 2256, 2639, 3459
 - architecture, 3459
- linear temporal logic, 2787
- linear time, 90, 114, 182, 276, 353, 419, 519, 675, 689, 736, 845, 893, 999, 1052, 1100, 1175, 1179, 1214, 1243, 1250, 1322, 1371, 1438, 1455, 1464, 1519, 1625, 1641, 1664, 1685, 1699, 1713, 1801, 1869, 1913, 1937, 1939, 1947, 2036, 2054, 2061, 2063, 2087, 2146, 2177, 2215, 2221, 2301, 2343, 2426, 2503, 2598, 2664, 2689, 2716, 2726, 2729, 2753, 2863, 2930, 2940, 2967, 3049, 3062, 3079, 3162, 3194, 3253, 3262, 3431, 3456, 3476, 3547, 3645, 3648, 3714, 3737, 3815, 3878, 3919, 3932, 3938, 4070, 4079
 - algorithm, 114, 354, 419, 512, 576, 642, 800, 819, 854, 893, 965, 1016, 1020, 1077, 1127, 1198, 1364, 1471, 1559, 1628, 1641, 1739, 1777, 1828, 1906, 1939, 2010, 2058, 2074, 2276, 2319, 2337, 2341, 2377, 2379, 2426, 2435, 2469, 2484, 2499, 2623, 2716, 2743, 2766, 2835, 2889, 2908, 2930, 2977, 3080, 3083, 3121, 3194, 3253, 3320, 3330, 3348, 3452, 3456, 3491, 3537, 3542, 3547, 3729, 3771, 3781, 3790, 3985
- linear time algorithm for finding
 - all feedback vertices, 374
 - the domination number, 371

- linear time algorithms, 689, 1077, 2074, 2087, 2278, 2341, 2499, 2503, 3295, 3506, 3542, 3796
- linear time algorithms for
 - finding a maximum matching, 3200
 - graph search, 3737
- linear time
 - and space, 2503, 3560
 - approximation algorithms, 689
 - bound, 1984
 - complexity algorithm, 493
 - heuristic, 2591
 - implementation, 2596
 - isomorphism algorithm, 2499
 - Jordan sorting, 1984
 - many one reduction, 3574
 - minimal memory algorithm, 2177
 - optimization algorithms, 1743
 - preprocessing, 1219
 - processor product, 2961
- linear time recognition, 3121
 - algorithm for interval dags, 642
- linear time
 - reducible, 1603, 3779
 - reduction, 1322
 - sequential algorithm, 2394, 2779
 - simulation, 276, 836, 2930
 - solution, 1739
 - solvability, 3737
 - specifications, 3714
 - temporal logic, 2363, 2572
 - transformation, 3815
 - unit resolution algorithm, 1628
- linear
 - transform, 1170
 - transformation, 390, 531, 4113
 - traversal, 244
 - unambiguous cfl, 2537
 - worst case complexity result, 1220
- linearity, 2681, 3881
- linearization, 3058, 3497
- linearly, 586, 907, 1895, 2623, 2824, 3183, 3567, 3660, 3775, 3807
 - bounded, 4136
 - independent, 1190
 - linked list, 244
- linearly ordered, 405, 2380
 - set, 1518
 - subsets, 405
- linearly organized memories, 1494
- Lingas, 1431
- Lingas and Smith, 2426
- Lingas, Andrzej, 3236, 3237, 3665
- Linguist, 45
- linguistic, 7, 583, 951, 1480, 1922
- link capacity, 3597
 - constraint, 3597
- link
 - failure, 2421, 2507, 3264
 - field, 114, 177
 - length, 3855
 - path, 2075, 3117
 - redundant linear array, 2868
 - structures, 671
- linkage, 3308, 3587
 - editors, 1919
 - updating, 229
- linked form of data representation, 99
- linked list, 721, 803, 858, 972, 1300, 1443, 2151, 2480, 2573, 2576, 2769, 3954
 - ranking problem, 2151
- linked structures, 671, 1385
- linking, 1385, 1749
 - structure, 972
- lint, 1383
- Liotta, Giuseppe, 3506
- Lipschutz, Seymour, 3688
- Lipski, 633, 744
- Lipski and Marek, 633
- Lipski and Preparata, 3200
- Lipton, 307, 470, 628, 1392, 1478
- Lipton and Miller, 628
- Lipton and Park, 1936
- Lipton and Sedgewick, 977
- Lipton and Tarjan, 454, 517, 1442
 - algorithm, 1442
- Lipton and Tuttle, 183
- Lipton et al., 307
- Lipton invariance theorem, 307
- Lipton, Richard J., 3283
- Lipton-Tarjan separator algorithm, 1752
- Liśkiewicz and Reischuk, 2752
- Liskov and Wing, 3113
- lisometric array languages, 989
- Lisp, 243, 244, 312, 321, 384, 397, 496, 500, 549, 714, 896, 1257, 1299, 1418, 1704
 - 1.5, 312
- Lisp based
 - high level language machine, 896
 - machine, 896
- Lisp
 - evaluation procedures, 1494
 - evaluator, 2707
 - function, 284, 321
 - implementations, 506
 - language, 496
- Lisp like
 - environment, 1361
 - language, 896

- Lisp
 - list access streams, 1477
 - machine, 896
 - objects, 496
 - program, 506, 1477, 1655
 - programming, 2391
 - recursive data structures, 1494
 - systems, 500
- Lisp type
 - data base system, 496
 - data bases, 496
 - garbage collection marking, 72
- list, 100, 443, 972, 1297, 1477
 - compacting algorithms, 261
 - forming operations, 284
 - insertion sort, 1222
- list manipulation, 1477
 - problem, 549
- list
 - memory, 114
 - permutations, 2480
- list processing, 6, 114, 117, 152, 339, 468, 549, 845, 1214, 1220, 1223, 1477, 1494
 - environment, 114
 - operations, 114
 - program, 549
 - schemes, 312
 - system, 312, 1257
- list programming problem, 549
- list ranking, 1899, 2296
 - problem, 1847, 1899
- list
 - representation, 549
 - reversal, 958
 - schedule, 527, 648, 1812
- list scheduling, 504, 527, 595, 2133
 - algorithm, 4024
 - of UET task systems with 0-1 resources, 648
- list searching, 823, 2971
 - algorithm, 823
- list structure, 384
 - marking algorithm, 72
 - representation, 242
- list
 - structured data, 72
 - structures, 72, 114, 312, 896
- list update, 2946, 3187, 3622
 - problem, 2195, 2829, 3187, 3398, 3622
 - strategy, 2946
- list variables, 114
- listing
 - algorithms, 3877
 - subtrees, 969
- literal, 419, 548, 561, 799, 1268, 1330, 1552, 1659, 2420, 2957, 3280
 - in a logic formula, 1552
 - ordering, 1767
 - selection function, 799
 - shuffle, 3357
- literature, 152
- Litovsky et al., 3477
- Litovsky, I., 3387
- Litow, B., 3727
- Litwin, 717
- Litzler, L., 3650
- Liu, 609, 1049
- Liu and Layland, 868, 4049
 - schedulability test, 4049
- Liu, Hongfei, 3566
- Liu, Tzong-Jye, 3701
- Liu, Zhaohui, 3903
- live
 - analysis, 1817
 - and bounded marked Petri nets, 1472
 - data, 3163
 - I/O automaton, 3372
 - ω -regular language, 2086
 - quorum, 3686
 - variable analysis, 545
- liveness, 1173, 1265, 1909, 2029, 2086, 2281, 2321, 2456, 2700, 2794, 3372, 3418, 3952
 - commitments, 2817
 - problem, 129
 - property, 962, 1173, 1361, 2029, 2086, 2210, 2281, 2282, 2456, 2700, 3418
- LL
 - parsers, 1311
 - regular grammars, 168
- LL(1)
 - grammar, 1311
 - grammars, 154, 690
 - parsers, 457, 1311
- LL(1) parsing, 1308
 - algorithm, 2717
- LL(k), 457
 - grammars, 835
 - language, 168
 - parsing, 457
- LL1 parsers, 277
- Lloyd, 1431, 2443
- Lloyd, E.L., 595
- Lloyd, Errol L., 3369, 3552
- LLR
 - grammar, 168
 - language, 168
 - production, 168
 - rule, 168
- LLRI deduction, 1289
- LLS(k) grammar, 168
- LM Prolog, 1297
- LMS, 3585
 - regression, 3585

- LMT skeleton, 3892
 - algorithm, 3892
- load
 - and store instructions, 289
 - balance, 3100
- load balancing, 2006, 2684, 2929, 2955, 3100, 3540
 - problem, 2955
- load
 - conditions, 280, 326
 - imbalance, 1591
- load levelling, 546
 - constraint, 546
- load sharing, 2006
- Löbbing, 3370
- Löbbing, Martin, 3781
- local
 - access to data, 3684
 - address, 933
 - adjustment, 2853
 - and global trial inconsistency, 3363
 - application, 851
- local area
 - computer networks, 2192
 - networks, 3780, 4131
- local
 - authentication mechanism, 1416
 - balance, 2254
 - balancing, 2254
 - broadcast network, 1966, 2835
 - buffering, 2783
 - catenativity, 869
 - changes, 3370
 - communication, 698, 1089, 1430
 - compaction, 1090
 - computation, 2199, 3477, 3853
 - condition, 2725
 - connection pattern, 735
 - consistency constraint, 1697
 - constraints, 2105, 3583
- local data
 - base system, 553
 - processing, 1084
 - structure, 2838
- local
 - DBMS, 3349
 - density, 522
 - dependencies, 1989
 - extrema, 2062
 - identifiers, 4121
 - information, 1712, 3026
 - integrity constraints, 2147
 - invariants, 3583
 - map, 2631, 3466, 3718
 - mark scan, 1915, 2528
- local memory, 759, 838, 1668, 2148, 2850
 - locations, 2742
- local
 - microcode compaction, 1090
 - node, 2571
 - overflow, 387
 - range join algorithm, 2933
 - recording, 1439
 - restrictions, 730
 - restructuring, 1930
 - rotations, 2254
 - rules, 3817
 - search, 2994
- local search, 1357, 1696, 2237, 3052, 3370
 - algorithms, 1696
 - approximation techniques, 3247
 - heuristic, 2442
 - problems, 2994
- local
 - semantics, 1512, 2649
 - theories of inheritance, 2649
 - transactions, 562
 - variables, 1677, 2446, 2628
- local/global balancing, 2254
- locality, 229, 2649
 - of reference, 687
 - principle, 260
 - transition behaviour, 310
- localization of
 - a fault, 1654
 - data, 553
- locally, 1308
 - balanced search trees, 2254
 - cate, 279
- locally catenative, 279, 313, 869
 - developmental systems, 279
 - DOL language, 869
 - formula, 279, 313
 - L systems, 279
 - OL system, 279
- locally
 - catentative developmental system, 279
 - connected, 953
- locally least cost error repair, 1308
 - scheme, 1308
- locally least cost
 - insertion string, 1308
 - LR error repair, 1308
- locally
 - minimal triangulations, 3892
 - one to one transformation, 445
- locally optimal
 - partitions, 2837
 - reduction, 2693
 - solutions, 2994

- locating objects, 1612
- location, 187, 462, 480, 503
 - in a network, 371
 - of facilities, 1859, 3289
 - problem, 1620, 2911, 3174
 - secrecy, 3655
- lock, 687, 805, 1708, 2728
 - free queue, 2742
 - granularity, 333
 - modes, 300
- locking, 687, 1326
 - mechanism, 687
 - overhead, 1742
 - protocol, 1708, 1742
 - protocols for B-trees, 687
 - the directory, 1742
- lockout, 430, 1446
- locus method, 422
- Loescher, Bernd, 3449
- log
 - depth circuit, 1499
 - space bounded Turing machine, 1006
- logarithm, 616, 1956
- logarithmic advice, 3144
- logarithmic algorithm, 1046, 2292
 - for exponentiation, 1429
- logarithmic cost, 407, 1726
 - criterion, 1956
 - measure, 407
- logarithmic
 - derivative, 347
 - deterministic sample, 2633
 - evaluation, 2292
 - query time, 2182
- logarithmic space, 246, 2769
 - bound, 4118
- logarithmic space bounded
 - computation, 1935
 - Turing machines, 2070
- logarithmic space
 - bounds, 1390
 - complexity classes, 1613, 2616
 - measure, 1702
 - reductions, 1251
- logarithmic
 - time, 268, 1046, 1464, 1754, 2292, 3482
 - word size, 2950
- logbounded rudimentary reductions, 2272
- logcomplete, 1109
- logic, 216, 440, 442, 1041, 1283, 1408, 1478, 2046, 2219, 2344, 2458, 2572, 2876, 3006, 3050, 3087, 3316, 3407, 3570, 3616, 3627, 3633, 3893, 4069
 - assertions, 2219
 - circuits, 751
 - databases, 1459
 - design, 208, 751
 - formula, 1552
 - function, 2325, 2865
 - gates, 2045
 - grammars, 1367
 - implications, 1459
 - inference machine, 1306
 - languages, 1751
- logic of
 - initially and next, 3893
 - knowledge, 1417
 - programming, 632, 1402
 - programs, 440, 946, 1181, 1246, 2344, 3990
- logic program, 847, 1017, 2255, 2510
 - formulations, 1809
 - semantics, 2839
- logic programming, 847, 958, 1017, 1041, 1278, 1459, 1543, 1628, 1659, 1781, 1870, 1962, 1989, 2077, 2202, 2255, 2269, 2431, 2513, 2585, 2589, 2679, 2839, 3303, 3318, 3521, 3778
 - languages, 1297, 1494
 - memory management, 2140
 - systems, 847
- logic
 - programs, 1017, 1306, 1543, 1659, 1809, 2255, 2293, 2679, 2880, 2957
 - puzzle, 1370
 - puzzles, 1370
 - simulation, 3044
 - termal equivalence, 534
 - theories, 2077
- logical
 - address space, 31, 817
 - characterization of NP, 2659
- logical characterizations, 3570
 - of polynomial space, 3570
- logical clock, 1346, 2204, 3818
- logical closure, 216, 4145
 - of a set of binary relations, 216
- logical
 - communication channel topologies, 1617
 - completeness, 846
 - conditions, 370
 - connectives, 286, 658
 - consequence, 871
 - data structure, 772, 3447
- logical database, 484, 1330
 - design, 484
- logical databases, 1330
- logical definability, 3232
 - of optimization problems, 2659

- logical
 - design, 142, 484
 - expressions, 192
 - formalism, 2649
 - formula, 1229, 2510
 - formulae, 2060
 - formulas, 555, 1229, 4062
 - framework, 4069
 - grid structures, 1897
 - implication, 1241, 1330, 2523, 3973
 - independence, 440
 - inference, 2731
- logical meaning, 2046
- of programs, 192
- logical
 - properties, 448
 - reductions, 3570
 - relations, 216, 2510
 - ring, 1816, 2944
 - solver, 3815
 - specifications, 3027, 3396, 3633
 - speed, 1346
 - structure, 1134, 1897, 2310
 - synthesis process, 2729
 - system, 1492
 - time, 1125, 1346, 2204, 2441
 - translation, 1229, 1367
 - variable, 369, 958, 1751
 - wires, 1971
- logically
 - complete annotated programs, 1019
 - immaterial, 43
- logico semantic
 - formula, 1367
 - representation, 1367
- loglan, 1655
- LOGSNP complete, 3856
- logspace, 1613, 2616
 - bounded alternation hierarchy, 1390
- logspace complete, 1613, 1657, 2597, 2616, 3031
 - for P, 1586, 1762, 2124, 2383
 - problem, 1586, 3031
- logspace
 - hard, 411
 - MOD classes, 4118
 - PCA, 593
 - reducibility, 411
- logspace reducible, 1657, 2597, 3031
 - to, 411
- logspace
 - reduction, 1507, 2124, 2303
 - transformations, 1778
- logtime reductions, 1647
- Lohman and Muckstadt, 652
- Lomet, 1440
- Long, 1877
- long
 - ear decomposition, 3945
 - edges, 1252
- Long et al., 3381
- long term
 - behaviour, 2546
 - memory networks, 45
- longest branch, 206
- longest common
 - ascending subsequence, 2002
 - prefix, 640
- longest common subsequence, 315, 1100, 1261, 1307, 1428, 1569, 2023, 3459, 4141
 - problem, 315, 1175, 1428, 2916, 3459
- longest
 - decreasing subsequence, 175
 - detour, 3761
- longest diagonal, 1970
 - of a simple polygon, 1970
 - problem, 1970
- longest distances, 2594
- longest fragment first, 3346
 - parsing algorithm, 3346
- longest generation sequence, 222
- longest guard
 - chord, 4127
 - diagonal, 4127
- longest Hamiltonian
 - cycle problem, 3668
 - path problem, 3668
- longest
 - increasing subsequence, 1100
 - least cost path, 2251
- LONGEST PATH, 3926
- longest path, 1745, 2789, 3301, 3382, 3926
 - outerplanar graph algorithm, 1828
 - problem, 1828, 3301
- longest
 - prefix, 2664
 - processing time heuristic, 3687
 - queue, 2006
 - (s, t)-paths, 1828
 - segment, 2013
 - stuttering subsequence problem, 1471
 - substring, 2855
 - suffix, 2345
 - traveling salesperson problem, 3668
 - upsequence, 1151
 - wire, 1254
- Longpré, Luc, 3757
- look ahead, 1331
- lookahead, 277, 338, 348, 366, 457, 2829, 3346
 - length transformation, 1526
 - policy, 338
 - sets, 1775
 - strategy, 261

- lookahead symbols, 747
- lookback state, 1331
- lookup, 721, 3899
 - dictionaries, 3310
 - frequencies, 2164
 - operation, 1717
 - table, 1595, 2309, 2846, 3728, 3898
- loop, 178, 192, 539, 609, 645, 772, 931, 1820, 2284, 3013, 3128, 3201, 3727, 3780
 - architecture, 2168
 - cleaning, 980
 - control, 443
 - correctness rule, 3009
 - exit, 2207
- loop free
 - 2npda, 894, 1062
 - Bachman diagrams, 1094
 - form, 112, 539
 - programs, 192, 414
 - two-way pushdown automaton, 894
- loop
 - invariants, 1004, 1223, 1492, 3013
 - network, 3691, 3780, 3950
 - order, 498
 - program, 11, 1441
 - structure, 2168
 - termination, 1635
 - unravelling, 178
- looping, 2
 - configuration, 112, 1144
 - deterministic two-way pushdown automata, 2776
 - LR parsers, 1500
 - problems, 1144
 - property, 1096
 - vs. repeating, 1102
- loopless
 - algorithm, 2233
 - generating algorithms, 3822
- loopless generation, 2965, 3688, 3822, 3915
 - algorithm, 3915
 - of k-ary trees, 3688
- loopless graph, 1845, 2284
- loosely connected processes, 470
- loosely coupled, 735
 - asynchronous concurrent communicating systems, 928
 - components, 735
 - environment, 1966
 - multiprocessor, 1382
 - processors, 1369
- Lopez-Escobar, 1785
- Lorin, 901
- loss of
 - peak precision, 1108
 - token, 1964
- loss probability, 52
- lossless, 600, 1025
 - database decompositions, 1025
 - decomposition, 834
- lossless join, 996, 1025, 1618
 - property, 600, 2449
- losslessness testing algorithm, 600
- lossy join, 600
- LOTOS, 2294, 2459, 2550, 2653
 - specifications, 2459
- Loui, Michael C., 1627
- Lovász, 392, 1927, 2379
 - local lemma, 3513
- Loveland, 799, 3534
 - complexity, 3534
- low
 - amplitude noise component, 172
 - complexity operations, 1010
- low congestion routing, 4065
 - in networks, 4065
- low density, 3406
 - circuitless graphs, 1220
 - environment, 3406
 - graphs, 1220
- low discrepancy sets, 4033
- low exponent
 - attack, 2995
 - RSA, 2995
- low level
 - complexity classes, 11
 - data structure, 532
- low
 - polynomial time, 4020
 - shop problem, 1812
- Low, Chor-Ping, 3826
- lower and upper bounds, 1235, 1450, 1549, 2400, 2408, 2477, 3473, 3506
- lower bound, 69, 76, 185, 328, 354, 436, 479, 537, 542, 552, 589, 592, 597, 602, 605, 613, 628, 656, 673, 715, 797, 807, 831, 841, 893, 901, 906, 942, 1007, 1011, 1015, 1030, 1043, 1051, 1052, 1095, 1135, 1164, 1168, 1183, 1201, 1203, 1226, 1252, 1269, 1270, 1355, 1396, 1414, 1424, 1431, 1450, 1454, 1469, 1479, 1505, 1517, 1545, 1552, 1564, 1569, 1695, 1706, 1712, 1718, 1790, 1791, 1821, 1847, 1863, 1893, 1917, 1925, 1928, 1952, 2003, 2011, 2020, 2034, 2040, 2051, 2101, 2103, 2107, 2111, 2121, 2165, 2175, 2188, 2221, 2274, 2350, 2353, 2370, 2378, 2400, 2426, 2466, 2471, 2481, 2487, 2498, 2542, 2587, 2635, 2658, 2664, 2673, 2694, 2699, 2732, 2796, 2819, 2831, 2843, 2845, 2856, 2859, 2878, 2885, 2910, 2921, 2925, 2934, 2952, 2971, 3011, 3037, 3100, 3167, 3193,

- lower bound (*cont.*), 3202, 3239, 3252, 3281, 3343, 3377, 3443, 3464, 3508, 3524, 3540, 3553, 3558, 3559, 3581, 3594, 3600, 3622, 3653, 3666, 3674, 3704, 3759, 3763, 3768, 3830, 3845, 3855, 3859, 3939, 3947, 3970, 3974, 3975, 3986, 4001, 4012, 4024, 4066, 4092, 4095, 4099
 - analysis, 1552, 4099
 - formula, 542
 - results, 757, 977
 - technique, 3343
 - theorem of Ben-Or, 2952
 - theory, 757, 3600
 - time complexity, 1846
- lower bounds, 185, 315, 472, 537, 563, 589, 719, 777, 1043, 1134, 1152, 1159, 1164, 1168, 1183, 1203, 1232, 1269, 1316, 1323, 1355, 1371, 1452, 1684, 1691, 1706, 1846, 1863, 1868, 1878, 1925, 2016, 2040, 2095, 2121, 2156, 2190, 2208, 2350, 2400, 2408, 2436, 2454, 2481, 2539, 2587, 2600, 2619, 2658, 2664, 2694, 2704, 2730, 2750, 2752, 2850, 2859, 2925, 2980, 2987, 3088, 3136, 3189, 3193, 3222, 3239, 3281, 3377, 3434, 3509, 3511, 3553, 3594, 3598, 3622, 3666, 3667, 3672, 3759, 3855, 3901, 3947, 3948, 4088, 4091, 4092, 4095, 4099
 - for sorting, 1893, 2123
 - of computations, 1134
 - to AT^2 , 1269
- lower
 - complexity bounds, 399
 - envelope, 1671, 2251, 3191
 - envelopes of parabolas, 3191
 - interface, 2279
 - level specification, 2210, 2282
 - tester, 2279
 - time bounds, 1159
- lowerbound, 552
- lowest common ancestor, 1435, 2296, 2863, 2871
- Löwner-John ellipsoid, 3811
- lowness, 1542
- Lozano, Antoni, 3366
- LP formulation, 1783
- LP free, 3062
 - approximation algorithm, 3062
- LP problem, 1783
- lp2afa(l), 2145
- lp2nfa(l), 2145
- lpo, 2648
- LPO constraint solving methods, 2666
- LPT, 1453
 - rule, 3171
- LR, 378, 582, 1311
 - AG, 1318
 - LR attributed, 1311
 - grammar, 1311, 1318, 2326
 - LR(l) grammars, 1311
 - property, 1318
 - LR automaton, 2326
 - LR based
 - error repair, 2768
 - implementation, 2685
 - locally least cost insertion string, 1308
 - parsing, 1308, 2768
 - syntax error repair, 2768
 - LR
 - error repair, 1308
 - grammar, 1331
 - LR parser, 779, 1311, 1331, 1500, 1838, 2329, 4018
 - technique, 1331
 - LR parsing, 779, 1318, 1838, 2326, 2329, 2675, 2768, 2883, 4018
 - method, 1331
 - LR state, 1318, 1838, 2675
 - LR(0)
 - automaton, 1775, 2675
 - parsing methods, 1144
 - LR(0)/SLR(1) grammars, 955
 - LR(1)
 - grammar, 1311
 - languages, 1744
 - parsing algorithm, 3095
 - LR(k), 1105, 3162
 - context free grammar, 2141, 2675
 - coupled context free grammars, 3162
 - grammar, 65, 747, 835, 1526, 1744, 2141, 2191, 2318
 - grammars, 3611
 - languages, 168
 - LR(k) parser, 1105, 1526, 2141, 2318, 2693
 - control, 1526
 - optimization, 1526
 - LR(k)
 - reduced parsers, 2318
 - tables, 2318
 - lr0 grammar, 955
 - lr1 grammar, 955
 - LRU, 260, 2291
 - algorithm, 890
 - stack, 338, 890, 3053
 - LRU stack model, 890
 - of program behavior, 890
- LSD, 21
- LSI, 1364
 - technology, 592
- LSM, 1445
- lt equivalence, 534
- LTL, 4140
 - circuits, 4140
 - formula, 4140

- LTM, 45
 network, 45
 LTUR, 1628
 LU decomposition, 1445
 Lu, Erl-Huei, 2983
 Lu, Hongjun, 3146
 Lu, Mi, 3346
 Lubanov, 949
 Lubiw and Sleumer, 2841
 Lubiw, Anna, 3694
 Luby NC algorithm, 3154
 LUC, 3933
 cryptosystem, 3933
 digital signature scheme, 3933
 system, 3021
 Lucas
 function, 3021
 numbers, 1818, 4139
 problem, 3021
 Lucas, Salvador, 3753, 3793
 Luccio and Preparata, 525, 1030
 Luccio, F., 681
 Luccio, Fabrizio, 3600
 Luccio, Flaminia L., 3712
 Luce, Guillaume, 3459
 Lucifer, 2327
 Lueker and Booth, 1961
 Luke, Edward A., 3739
 Luks, 1961
 Lum, 1048
 lumped disk seek time, 3101
 Lund and Yanakakis, 2755
 Lund, Carsten, 3558
 LUSH resolution, 799
 LUST resolution, 799
 Lutz conjecture, 4050
 LWG, 3642
 LWPP, 2954
 Lynch and Tuttle, 3372
 Lyndon word, 576, 1973, 2828
 Lyon, Gordon, 3065
 Lysne, Olav, 2924
 l-apex, 3476
 graph, 3476
 L-attributed, 1311
 grammar, 1311, 1318
 LL(1) grammars, 1311
 L-automata of Kurshan, 2655
 l-conservative Petri nets, 2253
 L-consistency, 1989
 L-function, 408
 L-infinity interdistance selection, 1685
 L-languages, 47, 56
 l-parse, 438
 L-shaped corridor, 3322
 L-stability, 287, 587
 L-stable method, 287, 446, 587
 L-system, 47, 93, 107, 193, 201, 292, 313, 1124, 3519
 l-system of distinct representatives, 510
 L-value, 462

M
m out of *n* nets, 86
 (*m*, 0)-method, 26
 (*m*, *n*) merging problems, 405
 (*m*, *n*)-concentrator, 745
 (*m*, *n*)-grid, 2169
 (*m*, *n*)-grids in the plane, 2169
 M.E. algorithms, 2840
 M.I.S., 621
 M/G/1 priority queue, 1384
 Ma, 3794
 Ma, Yuan, 3540
 Maass, 2856
 MAC parameters, 3501
 Mace, 3695
 machine
 architectures, 1176
 behaviour, 112, 1067
 coding, 29
 deadlines, 3610
 decomposition, 1481
 design, 29
 failures, 2084
 independent, 296
 language, 211, 1169
 machine learning, 1381, 2669, 2984, 3252
 theory, 2406
 machine
 model, 1376, 1390, 1702, 1942, 3509
 orientation, 1200
 produced lists, 33
 selfreproduction, 75
 structure, 29
 verification, 294
 machine, mixed type, 71
 machinery, 356
 Maclaurin, 347
 macro, 23
 macro property, 501
 of programs, 501
 macro system, 237, 773
 Madanlal, M.S., 3347
 Maekawa, 1725, 3602, 4110
 grid, 3602
 \sqrt{n} algorithm, 2310
 Maes, 3554
 Maggiolo-Schettini, 669

- Maggs, Bruce M., 3745
 magic rule rewriting, 2418
 technique, 2418
 magic semi-join, 1870
 magic sets
 method, 2418, 2662
 transformation, 2662
 magic squares, 444
 magma, 794
 magmoïde, 794
 magnetic bubble
 memory, 573, 602
 storage, 157
 Magó, 733
 Mahajan, Meena, 3107
 Mahaney
 result, 1894
 theorem, 3525
 Mahler, 1595
 Mahmoud, Hosam M., 3654
 mai max heap, 1790
 Main and Lorentz, 699
 main memory, 543, 708, 1037, 1049, 1724, 1730,
 1735, 2080, 2489, 2582, 3803, 4090
 access, 718
 buffer, 1140, 1804, 2041
 buffer size, 2188
 databases, 2582
 Main, Bucher, and Haussler problem, 1189
 maintaining
 a directed acyclic graph, 961
 consistency, 1786
 equivalence relations, 861
 maintenance, 44, 496, 1419, 2733, 3750
 maintenance of a
 Lisp type data base, 496
 tournament tree, 617
 Maio et al., 2313
 majority, 2349, 2694
 colour, 3557
 function, 1015, 1452
 gate, 3032
 information, 3557
 quantifiers, 2153
 vote technique, 3323
 voting, 2310
 Majster-Cederbaum, Mila, 3773
 Majster-Cederbaum, Mila E., 3353
 makespan, 2025, 2440, 2831, 3416, 3461, 3660
 optimality criterion, 3227
 problem, 3660
 makespan scheduling, 3269
 problem, 3070, 3269
 Mäkinen, 1746, 2074, 2215, 2301, 2341, 3943
 algorithm, 2301
 solution, 2301
 Mäkinen, Erkki, 3502
 Makki, S.A.M., 3388
 Makowsky and Pnueli, 3570
 Makris, Christos, 3444, 3746
 Malcolm, 2452
 male optimal stable solution, 1955
 Malhotra, Vishv M., 3310
 malicious
 attacker, 3956
 server, 3659
 Malik et al., 3425
 Mallat algorithm, 2592
 malleable, 3912
 mallest axis parallel rectangle, 3663
 Malvestuto, F.M., 3825
 Man, Fai Lau, 3408
 Manacher, 550, 2503
 Manacher and Zobrist, 550, 1193, 1431
 management, 6
 of replicated data, 2310
 systems, 6, 3963
 managing
 memory, 1717
 replicated data, 2823, 4138
 Manasse et al., 3398
 Manber and Myers, 2106
 Măndoiu, Ion I., 3708
 Mandrioli, D., 150
 Manhattan
 channel routing, 2539
 distance, 2761, 3167
 graph, 2761
 metric, 1699, 2245, 3696, 4079
 mode, 1975
 model, 2539
 Manhattan path, 1052, 2135
 algorithm, 1052
 Manhattan street network, 3832
 manifest, 462
 manipulation, 60
 of data structures, 60, 99, 1482, 1571
 Manku, Gurmeet Singh, 3330
 Manna, 134, 460, 826, 1306
 Manna and Ness, 2771
 Manna and Pnueli, 460
 Manna and Waldinger, 460
 logic of intermittent assertions, 1019
 Manna result, 1306
 Manolopoulos, Y., 3664
 Manolopoulos, Yannis, 3492
 Manos, H., 3907
 Mans, B., 3727
 Mans, Bernard, 3549

- Mansour, 3098
Mansour, Schieber, and Tiwari, 2156
Mansour, Yishay, 3581, 3834
manual translation, 61
Manuel, Paul D., 3697
manufacturing, 2777
 faults, 2054
 systems, 2806
many
 discs problem, 1044
 face complexity, 2912
 many relation, 181
 moving bodies problem, 1044
many one
 complete set, 2645
 completeness, 3366
 reducibility, 1209, 1891
 reducible, 2739
many sorted language, 3027
map
 colouring, 627, 628
 grammar, 1244
map labeling, 2952, 3683, 3860
 problem, 2952, 3683
MAPA, 3813, *see also* multi action process algebra
mapping, 12, 1259
Marek, 633
Marek and Pawlak, 187
Marchetti-Spaccamela Alberto, 3340, 3732
Margolus, 2430
 neighborhood, 2430
Margulis, 390
mark and sweep collectors, 1704
mark scan, 1915, 2528, 2607
 algorithm, 1915, 2528
 garbage collection algorithm, 1915, 2528
 process, 1915
marked graph, 67, 129, 554, 981, 1180, 2806, 3139
marker, 157, 3992
marking, 72, 114, 590, 1223, 1519, 3059
 algorithm, 312, 618, 741, 1519
 finite rooted binary directed graphs, 1223
 of list structures, 114
Markov, 3377
Markov chain, 756, 1024, 1548, 1700, 1902, 2111,
 2488, 2546, 2564, 2806, 2813
 model, 1024
 simulation method, 1700
 theory, 1024
Markov
 model, 3042
 models, 142, 3944
 transition diagram, 756
marriage problem, 816
marriage, stable, 1727
Marr-Poggio algorithm, 3615
Martel, Charles U., 3315
Martel, Park, and Subramoniam, 2244
Martin and Rem, 2292
Martin, Alain J., 1160
Martin, Henk, 3468
Martin, Johannes J., 912
Martinelli, Fabio, 3784
martingale, 3875
 techniques, 303
Martin-Löf, 2611
 random, 2611
Masek, 3941
massive memory, 1436
massively parallel, 3427
 algorithm, 3094
 architectures, 2606
 dictionaries, 3817
 machine, 4078
 processors, 3744
MAST, 3153, *see also* maximal agreement subtree
 of k trees, 3153
master grammar, 683
master key, 643, 734, 760, 1811, 2958
 space, 2958
master
 slave model, 3935
 slaves relation, 1933
Mastrobuoni, Vincenzo, 3546, 3621
Masuyama, Shigeru, 3543
Matamala, Martín, 3525
matching, 181, 234, 245, 299, 444, 510, 567, 646,
 660, 689, 705, 810, 854, 959, 991, 1185,
 1201, 1250, 1315, 1338, 1955, 2111, 2125,
 2160, 2211, 2227, 2242, 2307, 2503, 2531,
 2599, 2625, 2920, 3054, 3109, 3379, 3537,
 3553, 3650, 3808, 3824, 3924, 3938, 4103,
 4128
 algorithm, 1250, 2227
 diagram, 2028
 in a graph, 567
 lower bound, 2929
 nuts and bolts, 3351
 of maximum cardinality, 567, 810, 1315
 pair, 1888
 matching problem, 689, 816, 1338, 1986, 2160,
 2227, 2670, 3729, 3938
 on Euclidean space, 2920
 matching problems, 444
 with side constraints, 1845
matching
 property, 649, 1140
 relational structures, 181
 upper and lower bounds, 3613
 with bonds, 1845

- matchings in graphs, 646
- material implication, 2046
- materialized view, 4019
- mathematical, 142, 278, 1642, 2563, 2909
 - algorithms, 214
 - analysis, 153, 347
 - concepts, 625
 - difficulties, 2037
 - fields, 442
 - foundations, 1642
 - framework, 572
 - geodesics, 337
 - interest, 353
 - interpretation, 2204
 - intuition, 1258
 - investigations in meteorology, 22
 - language, 830
 - logic, 871, 1279, 1330, 1372, 2046
 - methods, 1411, 3152
- mathematical model, 332, 809, 1067
 - for routing problems, 711
- mathematical model of
 - a, 142
 - communicating processes, 1298
 - reconfigurability, 1971
- mathematical models, 188, 275, 313, 989
 - for developmental systems, 279
- mathematical
 - morphology, 1394
 - notation, 1996
 - point of view, 232, 1726
 - process, 979
 - programming, 1819, 2395
 - projection, 1612
 - proof, 1128, 1486
- mathematical properties, 232, 256
 - of computer programs, 294
- mathematical
 - reasoning, 1427, 2563
 - results, 442, 1197
 - semantics, 544
 - set theory, 644
 - techniques, 2881
 - theories, 2008
- mathematical theory of
 - computation, 125
 - L systems, 572
- mathematical treatment, 455
- mathematically predictable models, 142
- mathematics, 454, 644, 965, 1286, 1995, 3263
 - of MetaSoft'88, 1642
- Matijasevič, 414
- Matijasevitch, Yuri, 1802
- Matoušek, 2945
- Matousek and Thomas, 1961
- matrices over finite fields, 2070
- matrices with
 - constant gap, 3196
 - polynomial entries, 694
 - sorted rows and columns, 1087
- matrix, 15, 20, 4088
 - algebra, 1126
 - analysis, 3409
 - arithmetic, 199
- matrix closure, 1603
 - problems, 1603
- matrix
 - computation, 1445, 2407, 3850
 - eigenvalues, 783
 - grammar, 68, 330, 413
 - grammars of finite index, 330
- matrix inversion, 1502, 1692, 2193
 - algorithm, 342
- matrix
 - inverter, 1502
 - language, 68, 413, 2112, 3943, 3988
 - method, 923
- matrix multiplication, 15, 136, 214, 215, 351, 377, 398, 450, 454, 540, 601, 616, 626, 641, 702, 713, 719, 723, 724, 789, 833, 918, 936, 952, 953, 1011, 1051, 1082, 1164, 1271, 1445, 1603, 2183, 2575, 2673, 3218, 3301
 - algorithm, 2834
 - complexity, 540
 - problem, 398, 1164, 1603
- matrix
 - multiplications, 2564
 - operation, 616, 1135, 1703
 - processing, 2623
- matrix product, 351, 398, 2721
 - verification, 2721
- matrix
 - rank computation, 3781
 - rigidity, 3641
- matrix searching, 3298
 - algorithm, 1739
- matrix symmetrizability, 491
 - problem, 607
- matrix
 - theory, 3593, 3680
 - * vector multiplication, 1352
 - transposability problem, 607
 - transposition, 1581
 - triangularisation, 2044
- matrix vector
 - multiplication, 1954
 - product, 1502
- matroid, 121, 308, 2161, 2518, 2813, 2992, 3010
 - bases, 2813
 - intersection problem, 130

- matroid (*cont.*)
 - optimization problems, 1203
 - oracle algorithm, 2813
 - partition, 887
 - problem, 1203, 2813
 - theory, 130
- Matsushita, Teresa A., 1627
- Mattson et al., 366
- Matula and Kornerup, 1010
- Matula, D. and C. Gregory, 1595
- Mauceri, 812
- Mavronicolas, Marios, 3559
- max, 640
 - clique problem, 2258, 2659
- max flow min cut, 1783
 - property, 1783
 - theorem, 1783
- max flow
 - min multicut ratio, 2668
 - problem, 1762, 3896
- max
 - gap problem, 1355
 - k -cut problem, 3673
 - not all equal Sat, 3698
 - NP, 2258
- Max operators, 2647
- max
 - ordering property, 2678
 - prefix problem, 1903
 - set splitting, 3698
- MAX SNP, 2258
- MAX SNP complete, 2088, 2809
 - problems, 2088
- MAX SNP completeness results, 2258
- MAX SNP hard, 1823, 2088, 2797, 2935
 - problem, 2088, 2809
- MAX TSP, 4124
- MAX Π , 2659
- MAX2SAT problem, 3648
- MAXCLIQUE, 1891
- maxima of a set of vectors, 1864
- maximal
 - antichains, 3982
 - bipartite set problem, 2299
 - bridge connected subgraphs, 101
 - cardinality, 3878
 - clique, 181, 1624, 3697
 - common subgraph, 181
 - connected subgraph, 101
 - constraint satisfaction, 4142
- maximal cut, 865
 - problem, 865
- maximal
 - degree, 4086
 - directed paths, 335
 - distance, 621, 1490
 - dynamic flow, 3724
- maximal edge
 - induced subgraph, 2299
 - length, 1254
- maximal
 - element, 1245, 1630
 - elements problem, 1245, 1511
 - even factor, 599
 - extension function, 1489
 - f -matchings, 3236
 - ideals, 2631
 - independent set, 1203, 1430, 1536, 1554, 2118, 2299, 2340, 2427, 2782, 2808, 3091, 3154, 3286
 - inference degrees, 2669
 - interlocking sets, 1803
 - internally stable set, 69
 - isomorphic, 181
 - layers, 3374
- maximal length, 904
 - linear shift register sequences, 2881
- maximal match, 181
- maximal matching, 1199, 1202, 2299, 2340, 2446, 2802, 2961, 3154, 3220, 4128
 - in a graph, 2961, 3220
- maximal model generation, 4055
- maximal models, 4055
 - of a Boolean expression, 4055
- maximal
 - node disjoint paths, 1799
 - number of ε -moves, 539
 - odd factor, 599
- maximal outerplanar, 518
 - graph, 518, 2499, 3262
- maximal path length of trees, 3382
- maximal path problem, 1332
 - in planar graphs, 1332
- maximal paths, 1799, 2339
- maximal points, 2267
 - for an n -point subset, 2189
- maximal set, 1193, 1431, 1965, 2339
- maximal subgraph, 87
 - problem, 1528, 2299
- maximal subset of vertices, 2299
- maximal tree cover, 2299
 - problem, 2299, 2415
- maximal unilaterally connected subgraphs, 335
- maximal vector, 552, 594, 1505
 - determination, 552
- maximal vertex induced subgraph, 2299
- maximality problems, 2969
- maximally arc connected, 4027
 - digraphs, 4027

- maximally balanced
 - connected partition problem, 3422
 - spanning tree problem, 3422
- maximally path reconstructable grammar, 218
- maximization, 3860
 - problem, 1891, 2659, 3860
- maximize, 2628, 2668, 2869, 3422, 3584, 3591, 3597, 3751, 4133
- maximizing, 2657, 2941, 3679
- maximum, 27, 46
 - 1-packing of T-cuts, 2286
 - 2-chain edge packing problem, 1842
 - 3-dimensional matching, 2088
 - acyclic subgraph problem, 2892
- maximum agreement subtree, 2719, 3153, *see also*
 - MAST
 - problem, 2719
- maximum alignment, 1100
 - of terminals, 1100
- maximum area
 - and maximum perimeter k -gon problems, 1846
 - k -gon problem, 1846
- maximum
 - axis aligned rectangle, 2905
 - balance, 3422
 - bipartite matching, 705
 - bounded H-matching, 2809
 - broadcast time, 2209
- maximum cardinality, 705, 816, 2408, 2448, 2719, 3612
 - breadth first search, 3295
- maximum cardinality clique, 2408
 - problem, 2408
- maximum cardinality
 - depth first search, 3295
 - matching, 2125
 - partition, 1619
 - search, 1354
- maximum clique, 136, 429, 645, 942, 1493, 1891, 1951, 2028, 2408, 2500, 3794, 4057
 - number, 3090
 - problem, 2392, 2408, 2500, 3503
- maximum
 - completion time, 519, 4024
 - coordinate metric, 422
 - coverage problem, 3913
- maximum covering
 - by 3-sets, 2088
 - of a graph by triangles, 2088
- maximum cut problem, 2377
- maximum degree, 492, 704, 815, 873, 1430, 1522, 2133, 2335, 2340, 2377, 2401, 2493, 2534, 2705, 2719, 3090, 3094, 3311, 3928
 - 3 graphs, 704, 2401
 - of parallelism, 2133
- maximum
 - δ -separated matching, 816
 - distance, 621, 2450, 2548, 2603, 2623, 3174, 3507, 3670
- maximum distance discharge, 2194
 - algorithm, 2173
- maximum
 - edge length, 1254, 1282, 1434, 1734
 - efficiency, 217
- maximum finding, 2929, 3399
 - algorithm, 3399
 - on rings, 3328
 - problem, 3328
- maximum flow, 375, 729, 2173, 2194, 2248, 2428, 3748, 3949
 - algorithm, 2002, 2173
 - in a network, 375, 3896
 - minimum cut in a graph, 851
 - problems, 2173
- maximum
 - f-matching, 3665
 - f-star subgraph, 245
 - f-subgraph, 245
 - genus, 1398
 - height, 589
 - h -colourable subgraph problem, 3697
- maximum independent set, 429, 942, 1100, 1442, 1620, 1879, 2028, 2278, 2331, 3094, 3379, 3455, 3674, 3978, 4057
 - problem, 1620, 2493, 3094, 3674
- maximum induced
 - forest, 1334
 - subgraph problems, 3476
 - tree, 1334
- maximum
 - internal matchings in graphs, 2307
 - k -colorable subgraph problem, 1334
 - latency TSP, 4124
 - leaf spanning tree, 704
 - leaves spanning tree problem, 2935
- maximum length, 315, 448, 1882, 2586, 3346
 - of an ascending subsequence, 448
- maximum load, 3540
- maximum matching, 299, 567, 705, 810, 1315, 2581, 2670, 3200, 3273, 3379, 3537, 3665, 3826
 - in a graph, 810
 - problem, 660, 816, 2670
- maximum matchings, 567, 1315
 - in bipartite graphs, 510
- maximum neighbor, 3928
- maximum neighborhood
 - elimination order, 3928
 - ordering, 3928

- maximum
 - network flow problem, 3779
 - norm, 689, 2872
- maximum number of
 - edges, 671, 2290, 2743, 2877
 - elements, 2498
 - leaves, 704, 2935
 - spanning trees, 3680
 - vertices and edges, 1398
- maximum
 - packing of 3-edge paths, 3555
 - path length, 1847, 2101
 - perimeter k -gon problem, 1846
 - reliability path, 2421
- maximum satisfiability, 1459
 - problem, 1459
- maximum service radius, 3562
- maximum set
 - of independent chords, 2331
 - packing, 3555
- maximum
 - similar subpicture, 4119
 - sized clique, 1493
 - splitting of k -sets, 3294
 - stable set problem, 3460
- maximum traveling salesman, 3774, 4124
 - problem, 3774, 4124
- maximum
 - two-independent set problem, 2306
 - vertex degree, 2892, 3159
 - vertical distance, 1328
 - weight 2-independent set problem, 2474
- maximum weight clique, 2483, 4057
 - algorithm, 1757
 - problem, 1757
- maximum weight independent
 - set problem, 2474, 2483, 2605
 - sets, 4057
- maximum weight matching, 1845
- maximum weight stable set, 1787
 - problem, 1787
- maximum weight triangulation, 3917
- maximum weighted
 - 2-colorable subgraph problem, 3456
 - 2-independent set problem, 3456
- maximum weighted clique, 1900, 2408
 - problem, 2408
- maximum weighted
 - compatible matching, 2628
 - independent set, 1900
- maximum weighted tardiness, 2032
 - problem, 1772, 2032
- maximum width rectangle, 3683
- MAXNP, 2659
 - hardness, 2659
- MAXNP \subset MAX Π , 2659
 - MAXNP \subset RMAX(2), 2659
 - MAXNP1 \subset RMAX(1), 2659
- MAXSAT problem, 3648
- Mayr, 726
- maze, 857
- Mazurkiewicz trace
 - systems, 2458
 - theory, 3360
- Mazurkiewicz traces, 3798
- Mazurkiewicz, Antoni, 3477
- Mazzone, S., 681
- MBT problem, 2652
- MCBFS, 3295
- MCC²s, 2101
- McCabe, 513
- McCallum and Avis, 1389
- McCarthy, 2510, 2707
- McCarthy and McKay, 491
- McCarthy array expression, 658
- McColl, 435, 831
- McCreight, 1435
- McCulloch-Pitts neural net, 3198
- McCune, William, 3695
- MCDFS, 3295
- McGee, 6
- McGill University, 256
- McIver, Annabelle, 3356
- McKellar, Steven, 4053
- McKinzie, Wiley R., 45
- McNaughton, 188, 1067
- MCNF, 3779
 - problem, 3779
- MCP, 1058
- MCS, 1354, 2742
 - contention free lock, 2742
- MCTP, 1180
 - for PN, 1180
- McVitie and Wilson, 881, 992
- McVitie-Wilson algorithm, 1955
- MDD, 2194
- ME algorithm, 3728
- mean, 3654
 - deviation, 821
 - error, 180
- mean flow time, 2440, 3488
 - problem, 3488
- mean
 - page fault rate, 260
 - payoff games, 3823
 - seek time, 886, 3254
- mean value, 2487
 - analysis, 2487
- mean weighted
 - execution time loss, 1359
 - flow time, 1918

- meaning of
 - an execution, 159
 - programs, 928, 1492, 2269, 2707
- measurable in EXP, 3869
- measure 0, 143, 3438, 4050
- measure of
 - complexity, 393, 605, 3627
 - penetration, 4006
 - performance, 449
 - presortedness, 1885, 1903, 2234, 2236
 - security of statistical databases, 1302
 - sortedness of a list, 901
 - vulnerability, 887
- measure preserving correspondence, 2258
- measured data, 66
- measurement, 36, 384, 1063, 3750
 - inaccuracies, 3615
 - space, 143
- measuring, 1283
 - process, 3888
- mechanic evaluation, 1097
- mechanical, 689
 - devices, 3235
 - logic, 861
 - plotter, 689
 - program verification, 1492
 - proof, 506
- mechanical theorem
 - prover, 506
 - proving, 861
- mechanical transformation, 26
- mechanism, 5, 707, 1243, 1919, 2218
- mechanized
 - gameplaying, 79
 - proofs, 3873
- median, 250, 431, 466, 581, 916, 1042, 1113, 1273, 1300, 2533, 2825, 3250, 3696, 4058, 4079
 - calculation, 431
 - finding algorithm, 165
 - method, 916
- median of a
 - discrete, 3696
 - finite ordered point set, 3483
- median of
 - three selection, 784
 - weighted discrete points, 4079
- median
 - point, 2804
 - problem, 2533, 2804
 - residual, 3585
 - selection, 109, 466
 - sort, 1344
 - value, 678
- medical sciences, 147
- medium, 485, 3893
 - medium access, 3501
 - control parameters, 3501
 - meet over all paths problem, 741
 - meeting time, 3900
 - Megiddo, 1002, 1192, 1685
 - algorithm, 1192
 - multidimensional search technique, 3056
 - parametric searching technique, 2657
 - Megill, Norman, 3695
 - Mehlhorn, 901, 1196, 1264, 2172
 - Mehlhorn algorithm, 901, 1264
 - for bracket languages, 1264
 - Mehlhorn and Tsakalidis, 1491
 - Mehlhorn estimate, 2183
 - Mehlhorn, K., 1064, 1148, 1282
 - Mehlhorn, Kurt, 3720, 3896
 - Meijer, 682
 - Meijer and Akl, 1801
 - MEIS, 2299
 - problem, 2299
 - Meisters, 856
 - Melançon, Guy, 3395
 - meld, 3240, 3484
 - meldable priority queues, 3240
 - Melkman, Avraham A., 3386
 - Mellin transform, 2811
 - Mellin-Perron formula, 3662
 - Mello, Paola, 3303
 - Mellor-Crummey and Scott, 2742
 - member
 - queries, 1761
 - query, 661
 - membership, 481, 786, 2153, 2262
 - oracle, 2669, 2813
 - membership problem, 481, 1507, 1763
 - for TOL systems, 1475
 - of dependencies in relational databases, 481
 - membership
 - query, 656, 1974, 2131, 2792, 3489, 3766, 4056
 - question, 144
 - MEMBERSHIP test, 212
 - membership testing, 1763
 - memo function, 1704
 - memoization, 3631
 - memory, 1, 35, 52, 60, 127, 177, 251, 258, 264, 338, 366, 420, 495, 527, 530, 543, 546, 593, 602, 609, 708, 711, 721, 733, 817, 838, 890, 906, 933, 1031, 1049, 1309, 1497, 1768, 1816, 1876, 2194, 2309, 2382, 2411, 2509, 2530, 2610, 2688, 2772, 2824, 2865, 3024, 3454, 3564, 3635, 3743, 3744, 3876, 3931, 3944
 - memory access
 - costs, 566
 - restrictions, 777
 - time, 1250

- memory
 - accesses, 251, 2411
 - address, 1717, 2045
- memory allocation, 114, 229, 387
 - problem, 1031
- memory
 - and time requirements, 530
 - arbiter, 1060
 - area, 35, 2509
 - bandwidth, 3744
 - blocks, 1012
 - capacity, 338, 3029
 - cell, 933, 986, 1131, 1596, 2408, 2610, 3159, 3301
 - chip, 573
 - collisions, 2006
 - configurations, 338
 - conflicts, 1855
- memory constrained, 3472
- module allocation problem, 3472
- memory
 - constraint, 4125
 - core, 52
 - cycles, 2646
 - efficient, 3876, 3992
 - hierarchy, 3743, 3744
 - interval, 387
 - location, 176, 230, 480, 759, 1133, 1177, 1231, 1315, 1350, 1354, 1455, 1942, 2216, 3137, 3653
 - management, 817, 890, 933, 1717, 2528, 2623
 - model, 602
 - modules, 1596, 1855, 1954, 2045, 3042
 - performance analysis, 141
 - productivity, 224
 - requirements, 59, 1090
 - resources, 1182
 - size, 338, 1997, 3876
 - space, 280, 324, 1606, 1607, 2092, 3313, 3876
- memory state, 258, 338, 366
 - transitions, 366
- memory
 - storage capacities, 2021
 - structure, 602
- memory system, 543, 602, 2045, 3743
 - design, 3744
- memory to memory swap, 1808
- memoryless, 790
 - combiners, 3606
- Menger theorem, 392
- Mereghetti, Carlo, 2982
- merge, 102, 256, 1438
 - cycles, 1385
- merge insertion, 40, 92
 - method of sorting, 40
 - sorting method, 92
- merge
 - logic, 1385
 - order, 1385, 3415
 - phase, 1385
- merge sort, 102, 329, 617, 1182
 - algorithm, 329, 617
- merge sorting, 329, 557, 617, 1074, 3415
 - algorithm, 1074
- mergeable heaps, 2680
- mergeable priority
 - queue operations, 2680
 - queues, 3484
- mergesort, 901, 1903, 2064, 2747, 3918
 - algorithms, 2064
- merging, 90, 91, 312, 405, 565, 617, 728, 956, 1016, 1084, 1177, 1296, 1385, 1817, 1884, 2064, 2115, 2198, 2305, 2420, 2455, 2693, 2825, 3415, 3918, 4098
 - algorithm, 240, 405, 638, 956, 1225, 1296, 2064, 2305, 3415
 - in parallel, 2825
 - method of sorting, 91
 - networks, 1880
- merging of
 - linear lists, 1261
 - two ordered lists, 1365
- merging
 - operation, 2514
 - problem, 405
 - rule, 2420
 - schemes, 728
 - sorted sequences, 90
 - stages, 1177
 - subblocks, 2064
 - two sequences of records, 91
- merging two sorted
 - arrays, 2825
 - blocks, 2064
 - sequences, 1884
- merging
 - two subproblems, 1206
 - vectors, 638
 - with constraints, 1365
- Merkle and Hellman, 1932
- Merkle-Hellman
 - cryptosystems, 938
 - public key schemes, 924
- Merlin, 1964
- Mero, 3156
- Merrett and Otoo, 839
- Merritt, Michael, 3500
- Mesa, 883
- mesh, 1177, 1245, 1896, 1942, 2168, 2186, 2435, 2587, 2696, 2699, 2701, 2830, 2834, 2873, 3211, 3467, 3566, 3712, 3979, 4054
 - architecture, 2701

- mesh (*cont.*)
 - computers, 1896, 2727, 2933
 - connected, 1177, 1508, 1847, 1893, 2450, 2699
- mesh connected array, 2699
 - of processors, 2699
- mesh connected
 - computer, 1508, 1847, 2101, 2450, 2587, 3979
 - model, 1893
 - parallel computer, 1177, 1245
 - processor array, 1893, 1895
- mesh
 - multicomputers, 4038
 - networks, 2592
- mesh of
 - n processors, 1245
 - processors, 1245, 1583, 2186
- mesh of trees, 1051, 1596, 2475, 2783, 3111
 - algorithms, 2475
 - network, 2475
- mesh
 - permutation routing, 2450
 - sort, 2123
 - system, 2701
- mesh with
 - buses, 2587
 - multiple broadcasting, 3211
- message, 505, 562, 579, 643, 653, 681, 760, 913, 1165, 1191, 1224, 1382, 1403, 1439, 1545, 1566, 1632, 1639, 1712, 1716, 1725, 1816, 1825, 1847, 1911, 1944, 1999, 2048, 2084, 2101, 2132, 2165, 2388, 2477, 2547, 2584, 2663, 2710, 2730, 2840, 2875, 3024, 3026, 3042, 3059, 3136, 3148, 3266, 3388, 3477, 3522, 3549, 3609, 3644, 3732, 3733, 3950, 4035, 4121
 - authentication code, 3681
- message based
 - algorithm, 1756
 - systems, 579
- message communication, 1247
- message complexity, 1224, 1403, 1566, 1978, 1999, 2187, 2584, 2730, 2791, 2823, 2864, 3266, 3328, 3354, 3549, 3787
 - of the set intersection problem, 1545
- message
 - corruption, 3669
 - delivery, 2547
 - dissemination, 2209, 2875
 - distortions, 188
 - driven, 1712
 - efficient, 1403
 - exchanges, 1734, 2323, 3142
 - linkage, 3308, 3587
 - loss, 1547, 3669
 - overtaking, 3818
- message passing, 693, 1382, 1617, 1668, 1816, 2218, 2479, 3742, 3965
 - computers, 2168
 - mechanism, 693
 - multiprocessors, 2168, 2684
 - programs, 3024
 - subsystem, 1382
 - system, 1319
- message recovery, 3587
- message routing, 1357, 1967, 3950
 - algorithm, 3691, 3950
- message
 - sequence numbering, 2257
 - terminating algorithms, 3059
 - transmission, 508, 913
- Messeguer, Xavier, 3817
- metablock, 4048
 - enumeration, 4048
- metacircular Lisp evaluator, 2707
- metacomputation, 3512
- metalanguage, 544
- metalevel, 2269
- metalinguistic languages, 3195
- metalinguistic encoding, 4101
- metalogical
 - character, 2734
 - property, 4069
- metamathematical theorems, 1035
- metaphor, 3018
- MetaSoft, 1642
- metastability, 1796
- metastable state, 1796
- meteorology, 22
- method, 17, 27, 116, 134
 - for interpolation, 37
- method of
 - analytic tableau, 2420
 - finite differences, 74
 - optimization, 46
 - regularization, 81
 - synthesis, 49
- method selection, 3647
- methodological, 2029
 - ideas, 1642
 - point of view, 2029, 2281, 2282
 - question, 1639
- methodology, 355, 2733
 - of science, 1381, 2669, 2984
 - with a mathematical basis, 355
- Métivier, Yves, 3814
- metric, 219, 416, 959, 1014, 1699, 1731, 1930, 2177, 2612, 2922, 3409
 - field, 2177, 3603
 - for traces, 1991
 - graph, 3155
 - property, 917

- metric space, 317, 1450, 1674, 1699, 1991, 2216, 2288, 2533, 3038, 3210, 3261, 3353, 3368
 - structure, 1991
- metric
 - structure, 416
 - topology, 1674, 1856
 - trees, 2288
- metrizable, 1991
- metrization, 416
 - technique, 416
- Metropolis algorithm, 2111
- Meyer, 15
- Meyer and Ritchie, 11
- Meyer and Stockmeyer, 767, 967
- Meyer auf der Heide, Friedhelm, 3509
- Meyer, R., 3798
- MF rule, 1633
- mial coefficients b , 37
- Michael, Maged M., 3410
- Micheneau, C., 3481
- Michie, 364
- microcode level, 106
- microcomputer
 - hardware, 2127
 - system, 738, 1497
- microinstruction word organizations, 106
- microoperation, 127
- microprocessor, 624, 1027, 1336
- microprogram, 106, 609, 1090
 - generation, 1049
 - optimization, 1090
 - register allocation, 1049
- microprogrammable
 - computer, 609, 1090
 - system, 1049
- microprogrammed control, 127
- microprogramming, 106, 127, 131, 158, 609, 1090
- Microsoft Winsock 2 API, 4131
- microword bit dimension, 127
- micro-instructions, 1090
- Middeldorp, 3793
- Middeldorp, Aart, 3753
- Middeldorp, Ohsaki, and Zantema, 3760
- middle
 - mode of acceptance, 1550
 - space bounded alternating Turing machines, 3202
- Mignosi, F., 3772
- migration, 2955, 3749
- Mihail, Kaklamanis, and Rao, 3539
- Milan Polytechnic, 496
- military
 - applications, 3888
 - communication networks, 3591
- Miller, 505, 574, 628, 927, 2412, 2504
 - algorithm, 2412
- Miller and Reif, 1961
- Miller and Stout, 1810
- Miller primality
 - criterion, 408, 635
 - test, 408
- Miller, J.C.P., 844
- Miller, Mirka, 3697
- Miller, Russ, 1977
- Miller, W.C., 3728
- Milner, 294, 520, 928, 1399, 1971
 - agents, 966
 - basic CCS, 2981
 - calculus of communicating systems, 928
- Milner, Robin, 3036
- MIMD, 2030, 2450, 2587
 - computer, 1296
 - machines, 950
- MIMD parallel
 - computers, 1047, 1089
 - processor, 1089
- MIMD
 - program, 3201
 - systems, 2176
- MIN, 338, 366, 586
- min, 640
- min + matrix product, 2183
- min + product, 2183
- MIN algorithm, 338
- min cut linear arrangement, 2548
- MIN entropy, 4089
- min max
 - problems, 308
 - spanning arborescence, 308
- min max spanning tree, 308
 - problem, 308
- min max tree, 788
- MIN operator, 2647
- min
 - transitive closure, 4094
 - transitivity, 4094
 - wise independent permutations, 4033
- (MIN, +)-multiplication, 724
- (MIN, +) product, 616
- Minato, Shin-ichi, 3735
- MinD computation, 1149
- Ming-Tsan, Juan, 3348
- minima, 3807
- minimal
 - 1-DNF, 27, 3856
 - algorithm, 998
 - area, 659
 - automaton, 3772
 - candidates, 1261

- minimal change
 - algorithm, 1058
 - property, 1058
- minimal
 - changes, 1997
 - charge algorithm, 1058
 - comparison sorting, 92
- minimal cost, 723
 - solutions, 1690
- minimal covering, 388, 634
- minimal cycle time, 1180
 - problem, 981, 1180
- minimal
 - depth, 145
 - deterministic automaton, 2671
 - dominating set, 2028
 - Eulerian graphs, 688
 - factor automaton, 1990
 - fault patterns, 2868
 - forbidden words, 3772
 - Herbrand model, 1962, 2513
 - imperfect graphs, 1904
 - imperfection, 1904
 - information flow, 1269
 - key, 2637
 - lateness, 2624
- minimal length, 1030
 - increasing subsequences, 3877
 - nonpreemptive schedule, 504
 - schedule, 504
- minimal
 - magic sets, 2418
 - matching, 3729
 - model, 1555, 2513, 3617
- minimal number of
 - edges, 3257
 - multiplications, 198, 657, 692
- minimal
 - opaque forest, 1673
 - pairs, 2169
 - path computations, 268
- minimal perfect hash
 - functions, 2478
 - tables, 3899
- minimal perfect hashing, 3899
 - scheme, 1529
- minimal
 - performance measure, 366
 - polynomial, 3706
 - predicate, 1555
 - process algebra, 2981
 - programs, 2984
 - recurrence, 4106
 - SD, 3493
 - sense of direction, 3493, 3644
 - separator, 3836
 - set, 159, 1805, 2868
- minimal set of
 - edges, 3436
 - nodes, 2196
 - primitive relations, 1824
 - values, 82
- minimal
 - size of a square free morphism, 915
 - solutions, 341
- minimal spanning
 - forest, *see also* MST
 - forests, 813
- minimal spanning tree, 759, 813, 916, *see also* MST
 - problems, 759
- minimal
 - storage representations, 772
 - suffix automaton, 1990
 - trees, 2178
 - vertex nested polygon problem, 1860
 - visibility graphs, 2091, 2622
 - weak sense of direction, 3644
 - weighted path length, 53
 - with respect to set inclusion, 3386
 - word chain, 1686, 2501
 - words, 1468
- minimally encoded control, 106
- minimax
 - equations, 249
 - linear fit, 1328
 - procedure, 892
 - rule, 79
- minimax search, 2974
 - methods, 2688
- minimax value, 892
 - of a game tree, 892
- minimise overall cost, 104
- minimization, 890, 2245, 2495, 2753, 2854, 3171, 3233, 3472, 3617, 3730
 - method, 416
- minimization of
 - conjunctive queries, 2854
 - demand paging, 890
 - functionals, 416
 - OBDD, 2729
 - page faults, 890
 - resource consumption, 1812
 - running costs of modules, 546
 - switching functions, 583
 - the execution time of a query, 553
- minimization of word
 - and bit dimensions, 1090
 - dimension, 1090
- minimization
 - problem, 718, 1038, 2395, 3171
 - procedure, 2931

- minimization transformation, 1526
- minimize
 - a functional, 416
 - accumulators, 27
 - congestion, 3796
 - set up costs, 560
 - the number of paths, 429
- minimizing, 221, 271
 - computation time, 145
 - congestion cost, 2548
 - cost, 103
 - dilation, 2548
 - mean weighted execution time loss, 1359
 - n-state finite automata, 3233
 - schedule length, 1027
 - search cost, 1321
- minimizing the
 - expected total computing time, 405
 - number of page pulls, 366
- minimum
 - abort set, 2196, 3882
 - access time, 187
 - additional storage, 102
 - area upward drawing, 3258
 - average working storage, 27
- minimum broadcast
 - graphs, 3852
 - time, 2652
- minimum cardinality, 810, 1994, 2705
 - connected dominating set, 3181
- minimum cardinality dominating set, 1040, 1518
 - problem, 1900
- minimum cardinality
 - feedback set, 374
 - of a dominating set, 170
 - Steiner set, 3181
 - total dominating set, 1221, 1275, 1518, 3574
 - T-join, 2286
- minimum
 - circle cover problem, 1821
 - clique cover, 1879, 2278, 3267
- minimum coloring, 645, 1184, 1624
 - problem, 2714
- minimum comparison, 109
 - merging and sorting, 1884
 - selection, 860
- minimum consistent acyclic DFA, 3730
- minimum cost, 295, 371, 756, 1569, 2843
 - cycle in a graph, 2372
 - edge, 165
- minimum cost flow, 2428, 3748
 - problem, 1780
- minimum cost
 - levelling plan, 564
 - maximum flow, 2428
 - path, 731, 765, 2270
 - paths in graphs, 2270
 - recovery, 236, 903
 - sequence of edit operations, 295
- minimum cost spanning
 - pseudoforest, 1559
 - tree, 1508
- minimum cost
 - subgraph, 2723
 - traveling salesman tour, 2300
 - tree mapping, 671
- minimum cover, 810, 1000, 1218, 1377, 1963, 3636
 - in a graph, 810
 - of functional dependencies, 1218
- minimum cover problem, 1000, 3826
 - problem, 1963
- minimum covering by cliques, 429, 942
- minimum cut, 425, 729, 1153, 1727, 2579, 3338, 3637, 3949
 - problems, 3637
- minimum degree, 2377, 2484, 3442, 3926, 4108
 - greedy algorithm, 3455, 3674
- minimum
 - DFA, 2466
 - diameter, 3000
- minimum diameter spanning tree, 3000
 - of a graph, 3000
- minimum distance, 219, 746, 1149, 3801
 - constraint, 2385
 - routing, 2884
- minimum dominating set, 371, 1879
 - problems, 2278
- minimum eccentricity, 1835
- minimum edge
 - coloring, 492
 - dominating set, 3192
 - sum coloring problem, 4102
- minimum
 - entropy, 3556
 - Euclidean distance, 1149
 - feedback arc set, 2705
- minimum feedback vertex set, 1586, 2196, 3712
 - problem, 2196
- minimum
 - fill problem, 1514
 - finishing time schedule, 1605
 - fullness factor, 1073
 - graph coloring problem, 2815
- minimum height
 - decision tree, 2051
 - elimination tree, 3183
- minimum
 - incremental distance, 3590
 - independent dominating set, 2118

- minimum (*cont.*)
 - label spanning tree problem, 3715
 - labeling spanning tree, 3592
 - latency problem, 4129
- minimum length, 1431, 3926
 - executable test sequence, 3692
 - schedules, 648
 - scheduling problem, 868
- minimum
 - matching problem, 2920
 - maximal independence number, 2635
 - multicut and maximum flow ratio, 2668
- minimum nested
 - nonconvex polygon, 2075
 - polygon, 2075
- minimum node covering, 299
- minimum node disjoint path
 - cover, 942
 - covering, 429
- minimum number of
 - edges, 392, 2507, 3467, 3790, 3852
 - leaves, 704, 1537
 - multiplications, 155
 - nodes covering the edges, 1787
 - page pulls, 366
 - processors, 185
 - queens, 170
 - vertices, 1860, 2075
- minimum
 - order, 492
 - outdegree, 4047
- minimum queen cover, 1437
 - problem, 1437
- minimum
 - q-Steiner forest problem, 2843
 - range cut, 3637
 - redundancy codes, 1009, 1497
 - satisfiability problem, 3280
- minimum set of
 - primitive relations, 1480
 - vertices, 1586
- minimum size, 88
 - of a vertex cover, 478
- minimum spanning
 - arborescence, 308
 - forests, 2161
 - pseudoforest, 1559
- minimum spanning tree, 165, 174, 308, 317, 471, 765, 968, 1228, 1231, 1260, 1292, 1508, 1544, 1554, 1559, 2016, 2248, 2540, 2556, 2577, 2741, 2891, 2922, 3516, 3526, 3667, 3802, 3946, 4020
 - heuristic, 3244
 - of a graph, 3516
 - problem, 174, 308, 765, 2556, 2577, 3178
- minimum storage, 102, 638
 - merging algorithm, 638
 - sorting algorithm, 102
 - utilization, 925
- minimum
 - subgraph, 765
 - sum coloring problem, 3978
- minimum total
 - cost, 731
 - distance, 1014
 - edge cost, 765
 - jogs layout, 2054
 - undesirability, 731
- minimum
 - transmission time, 3724
 - transmitting delay, 2913
 - $u \rightarrow v$ cut, 425
- minimum vertex cover, 1442, 3280, 3676, 3826
 - problem, 3280
- minimum
 - vertex distance, 987
 - weakly cooperative guards problem, 2939
- minimum weight, 689, 1374, 1431, 1768, 1787, 2947, 3010, 3592
 - balanced separator problem, 2820
 - connected dominating set, 2352
 - cycles, 3010
 - dominating set, 2122
 - drawing, 4097
 - feedback vertex set problem, 2947
 - matching, 959, 2102, 4092
- minimum weight perfect matching, 689, 2102, 4092
 - in a graph, 2286
 - problem, 1201, 2286
- minimum weight
 - spanning tree problem, 4020
 - Steiner subset, 2352
 - subset, 2423
 - tree, 2698
- minimum weight triangulation, 1193, 1374, 1431, 2380, 3208, 3244, 3262, 3892, 4097
 - heuristics, 3244
- minimum weight vertex cover, 1787, 3062
 - problem, 1787, 3062
- minimum weighted
 - 1-tree, 2016, 3456
 - dominating set, 1900
 - Euclidean matching, 991
 - latency problem, 4129
 - maximal irredundant set, 3713
 - spanning tree, 1260
- minimum weighted total dominating set, 1900
 - problems, 1900
- minimum weighted vertex cover problem, 3018
- minimum width, 3756
 - tree layout, 3756

- minimumload levelling plan, 564
- Minker, 1962
- Minkowski, 1394
 - metric, 317, 1014
 - sum, 3731
- Minkowskian geometry, 3359
- MinMaxHeap, 1464
- minor, 3476
- Minoux, 2716
- MINSAT problem, 3280
- Minsky and Papert, 2062, 2325
- minterm, 3528
 - normal form, 2325
- Mints, G., 1409
- MINVC problem, 3280
- MIP, 3299
- MIPS R10000 machine, 3803
- miracle, 1498
- Miranda, 1358, 1996
- mirror, 1230, 3967
 - image, 1688
 - reflection, 2691
- MIS
 - algorithm, 2782
 - problem, 3455
- mismatche, 1872, 2715
- mismatching, 1872
- misoperation, 4
- Misra and Chandy, 1157
 - proof systems, 1157
- Misra, Jayadev, 2324, 3007, 3033
- MISS
 - intersection graphs, 69
 - of a graph, 69
- Missikoff, Michele, 3536
- missing
 - information, 1626
 - value, 286, 744
- Mitchell, 505
- Mitchell, J. Roger, 3595
- Mitrana, Victor, 3640
- Mittal, Ravi, 3279
- Mitzenmacher, Michael, 3622
- mixed, 500
- mixed boundary
 - conditions, 89
 - problems, 89
- mixed
 - graph, 4057
 - networks, 3564
 - scoping, 500
 - strategy, 955, 2522
 - transitivity, 528
- mixture, 2777, 3622
 - distribution, 2777
- mixture of
 - a true distribution and a noise distribution, 3834
 - densities, 211
 - mark scan and reference counting, 1915, 2528
 - two COUNTER algorithms, 3622
- Miyadera, Youzou, 3734
- Mizuno, Masaaki, 3437, 3747, 3895
- ML
 - PRS, 3152
 - type system, 3222
- MM problem, 2299
- MMCC, 2123
- Mo, Jiancheng, 3414
- Mo, Park Sung, 3473
- mobile, 2216
 - cellular radio systems, 2444
 - communication, 2712
 - guard, 4127
 - networks, 3655
 - robot, 2853, 3862
- Möbius function, 1117
- *MOD, 753
- MOD 2 gate, 3768
- mod
 - 2^j arithmetics, 38
 - classes, 3107
 - m arithmetic, 2309
- MOD m gates, 3768
- MOD₃ counting function, 2024
- MOD₅, 2024
- MOD₆
 - circuits of depth two, 3281
 - gate, 3281
- MOD₁₁, 2024
- MOD_kP, 3144
- MOD_kP/log, 3144
- mod_p gates, 2040
- MOD_n^k, 3377
- modal, 2572, 3087
 - clauses, 3087
 - connectives, 440
 - deduction, 1204
 - functions, 2268
- modal logic, 769, 1204, 1417, 1587, 2219, 2363, 2402, 2572, 3221, 3316, 3616
 - S5, 2572, 3616
- modal
 - mu-calculus, 3043
 - μ -calculus model checking, 3823
 - operators, 1204
- modal system, 769, 1204
 - S4, 1587
- modality, 2344, 3893
- mode, 17
 - handling, 17
 - of acceptance, 1550

- mode representation, 17
- model, 1, 2, 45, 57, 119, 934, 966, 990, 1996
 - checker, 1638
- model checking, 2510, 2655, 3381, 3880, 4083, 4140
 - for circumscription, 2510
 - problem, 2510
- model for
 - concurrent processes, 995
 - parallel computation, 2101
 - VLSI, 953
- model independence, 834
- model of a
 - database, 231
 - page on demand system, 280
- model of
 - algebraic types, 620
 - computation, 167, 199, 255, 777, 927, 986, 1043, 1045, 1101, 1133, 1199, 1203, 1231, 1350, 2070, 2156, 2280, 2409, 2411, 3195, 3671
 - concurrent systems, 3002
 - Kam and Ullman, 473
- model of parallel
 - computation, 593, 777, 792, 1433, 1640, 1722, 2083, 2409, 2411, 2697, 3964
 - computing, 430, 3964
- model of
 - program behaviour, 229
 - reconfiguration, 1971, 2317
 - the type free λ -calculus, 125
- model theoretically, 700
- model theory, 95, 2046, 2077, 3392
 - for program schemas, 95
 - of the predicate calculus, 95
- modeling, 919, 1964, 2562, 2733, 2737, 2923, 3101, 3564, 3863
 - B-tree insertion activity, 1460
 - hypergraphs, 2579
 - NUMA architectures, 3564
 - time of operations, 981
- modelling, 522, 590, 2047, 2302, 2550, 3162, 3360
 - causality, 3360
 - computer systems, 520
 - concurrent behaviour, 1991
 - discrete dynamic systems, 1535
 - of feasible computing, 1485
 - operation times, 1180
 - sequential composition, 3353
 - systems, 1971
- models of
 - processes, 966
 - programs, 966
- modern programming languages, 443, 1311, 2528
- modification of Paton algorithm, 115
- modified
 - data manipulator networks, 1466
 - edit distance problem, 1906
 - Fourier spectrum, 2136
 - Petri net, 2047
- Modula 2, 883, 1807, 2198
 - problem, 2198
 - syntax, 2198
- modular, 1450, 2183, 3017, 3728
 - addition, 2584
 - algorithm, 2163
- modular arithmetic, 2183, 2309, 3719, 3780
 - operations, 3548
- modular
 - computations, 3076
 - decomposition, 3391, 3537
 - exponentiation, 3728
 - gates, 3032
 - inverse, 2167
- modular multiplication, 938, 2901, 3719, 3728, 4009
 - algorithm, 4009
- modular
 - program, 493, 546
 - programming, 1200
 - proofs, 3407
 - property, 1910
- modular reduction, 1910
 - relation, 1910
- modular
 - structure, 3027
 - sum, 2584
- modular synthesis, 1515
 - of VLSI systems, 1515
- modular term rewriting system, 1910
- modular tree
 - transducer, 2078
 - transductions, 2078
- modularity, 213, 837, 1490, 1910, 2219, 2733, 2773, 3017, 3396, 4022
 - of compilers, 2733
- modularization
 - property, 3027, 4069
 - techniques, 1642
- modularization theorem, 3027, 4069
 - for logical specifications, 3396
- module, 6, 493, 524, 546, 582, 620, 631, 672, 1506, 1596, 1679, 1819, 1910, 2069, 2078, 2733, 2748, 3409, 3472
- module allocation, 1819
 - problem, 3472
- module assignment, 493, 546, 1819
 - problem, 546, 1806

- module
 - hierarchies, 237
 - in a data processing system, 6
 - interaction, 493
 - specifications, 120
- modules in concurrent programs, 190
- moduli, 3835, 4036, 4107
 - set, 4107
- modulo
 - a composite, 3925
 - adder, 3898
 - classes, 3144
 - functions, 3165
 - m function, 3165
- modulo p
 - adders, 19
 - scalar multipliers, 19
- modulo the empty word, 201
- modulus division, 755
- Moffat, Alistair, 3806
- Molchanov, 98
- Molchanov, N., 98
- molecular
 - biology, 1906
 - graphics, 301, 422, 908
 - graphs, 9
 - modeling, 3155
 - structure, 9
- molecule, 9
- Molloy, 2806
- Molter, U., 3603
- Molter, Ursula, 2374
- Molter, Ursula M., 3729
- Molva, R., 3655
- moment, 1222
- monadic
 - 1-modular tree transducers, 720, 2078
 - Church-Rosser systems, 720
 - output, 4060
- monadic program, 501
 - schemata, 133
- monadic
 - quantifiers, 3035
 - recursion scheme, 378
 - second order logic, 1886, 3035
 - string rewriting systems, 4085
 - \sum_1^1 , 3035
 - tree, 2078
- MONADS II, 708
- Monge
 - arrays, 2300
 - matrix, 3791, 3807
 - path decomposable tridimensional arrays, 3807
- monic random polynomial, 606
- Monien, 246, 664
- Monien and Sudborough, 664
- monitor, 227, 235, 237, 1176, 1807
 - definition, 235
 - implementation, 235
 - like structure, 1807
- Monma and Wei, 1822
- monoid, 1085, 1166, 1763, 3608
 - of factors of a language, 1732
 - presentation, 1363
- monomial, 2702, 3333, 3403, 3834
- monomorphic characterization, 1881
- monomorphism, 1656
- monotone, 526, 677, 1530, 2344, 2706, 3333, 3464, 3520, 4023
 - arithmetic circuits, 2796
 - basis, 877, 1015
- monotone Boolean, 3464
 - circuits, 3335, 3464
 - function, 323, 435, 949, 3335
- monotone circuit, 323, 1814, 1948, 2353, 3242, 3335, 3759
 - complexity, 1948
 - depth, 2796
- monotone
 - clique, 2353
 - complexity, 3242, 3335
 - concave polygonal chains, 2877
 - contact networks, 2845
 - depth of Boolean functions, 877
 - DNF formulas, 2753
- monotone formula, 323
 - size, 877
- monotone
 - function, 435, 831, 1015, 2596, 4120
 - graph property, 1718
 - matrix searching, 1923
 - network complexity, 1015
 - nondecreasing, 677
 - nonincreasing, 677
 - parts, 1530
 - planar circuit value problem, 526
 - polygon, 677, 1530, 2426, 2706
 - polynomials, 3520
 - projections, 949
- monotone real
 - circuit depth, 3759
 - circuits, 3464, 3759
 - formulas, 3759
- monotone
 - sequence of arcs, 677
 - width two branching programs, 3685
- monotonic, 1489, 1909, 2016, 3242, 3534
 - abstract property, 2348
- monotonic array
 - grammars, 210, 228
 - languages, 210

- monotonic
 - map, 2348
 - nondecreasing, 1206
 - patterns, 818
 - polynomials, 2771
 - p-projection equivalent, 3242
 - scheduling, 2713
- monotonically, 1328
- monotonicity, 677, 826, 850, 1372, 2344, 2706, 2835, 3768
- monotonicity property, 826, 850, 2016
 - of k - d trees, 850
- mono-unary algebra, 1205
- MONSTR, 3404
- Montague, 1229
 - grammar, 1229
 - intensional logic, 1367
- Montaña, J.L., 3767
- Montanari, 3510
- Monte Carlo, 1141
 - algorithms, 2116
 - estimation, 793
 - experiments, 689
- Monte Carlo inversion, 46
 - of data, 46
- Monte Carlo
 - method, 46, 211, 416, 2916, 3225
 - randomized algorithm, 2286
 - study, 2777, 3225
- Montgomery algorithm, 3719
- Moon, Sang-Jae, 3719
- Moore, 668
 - machine, 2268
- Moore-Penrose generalized inverse, 1502
- mops, 2499
- Moran, S., 724
- More, 786
- Moret, Bernard M.E., 3855
- Morgan, 2452
- Morgan, C., 3397, 3404, 3495, 3505, 3548, 3556, 3577, 3623, 3628, 3649, 3651, 3717, 3764, 3784, 3837, 3874
- Morgan, Carroll, 3356
- Morita and Harao, 2430
- Morita and Ueno, 2430
- Moriya, Tetsuo, 3357
- morphic equivalence, 1076
- morphism, 361, 780, 1076, 1572, 1973, 2501, 3072, 3213, 3357, 3640
 - in a category, 780
- morphogenesis, 197
- Morii, M. and M. Kasahara, 2609
- Morris, 177, 547, 576, 737, 1158, 1266, 1280, 1290, 1446
 - algorithm, 1266
 - starvation free solution, 1266
- Morris, J.H., Jr., V.R. Pratt, and D.E. Knuth, 265
- Morris, Joseph M., 3478
- Morris/Morgan/Gardiner, 1941
- Morse, 655
 - sequence, 655
- mortal pair of matrices, 3593
- MOS memory devices, 817
- mosaic, 2636
- Mosca, Raffaele, 3460
- Moses, 12
- most critical edge, 3761
- most general, 57, 752
 - E-unifiers, 1531
 - unifier, 3157, 3521
- most
 - privileged security class, 1532
 - recent property, 501
 - recently used, 2291
- most vital
 - edge, 2248, 2741, 3425
 - edges problem, 2556
- motion
 - coordination, 1044
 - estimation, 2136
 - in the plane, 1044
- motion of a
 - disk head, 63
 - particle in a stream, 22
- motion planning, 1044, 1599, 1779, 1826, 2142, 2744, 3131, 3406, 3731
- Motzkin, 858
 - algorithm, 858
- mountainous terrain, 564
- move to front, 1633, 1724, 2195, 2829, 2971
 - heuristic, 691
 - rule, 1633
- movement, 564, 845, 1267, 2053, 2476
- moving
 - head disk, 1771
 - many nonconvex bodies, 1044
 - non-systems oriented software, 1169
 - obstacles, 2142, 2853
 - operating system software, 1169
 - parallel obstacles, 2142
 - point of view, 3693
 - problem, 1387
- MP algorithm, 3315
- MPA_0^* , 2981
- MPI, 3749
- MPP, 3744
- MPS, 1954
- MRecSSS*, 2688
- MRFS, 2749
- MRU, 2291

- ms precedence
 - grammars, 955
 - parser, 955
- MSBB, 2090
- MSF, 813, *see also* minimal spanning forest
- MSSP, 4043
- MST, 165, 317, 759, 813, 1544, 1777, 2741, 2922, 3667, 4122, *see also* minimal spanning tree
 - algorithm, 165, 1544
 - heuristic, 4122
 - number, 4122
 - problem, 3667
 - spanning points, 4122
 - update algorithm, 1544
- MT, 1596
 - nodes, 1596
 - roots, 1596
- MTC, 2299
- MTF strategy, 2971
- μ -branching programs, 2753
- μ -calculus, 2321, 2344, 3293
- μ -formulas, 2344
- μ -notation, 2134
- Mühlbacher, 646
- Mühlbacher and Steinparz, 646
- Mühlbacher, Steinparz, and Tinhofer, 646
- Muller, 188, 2655
- Müller, 726, 1517
- Muller and Preparata, 208, 1226
- Muller and Schupp, 2017
- Muller automaton, 2655
- Müller, Haiko, 3836, 3854
- Mulmuley, 2359
- multi action process algebra, *see also* MAPA
- multibase algebraic system, 370
- multibit encryption and decryption, 1932
- multibound, 3419
- multibucket
 - data leaves, 2080
 - leaf, 2080
 - leaves, 2080
- multibus, 3042
 - multiprocessor systems, 3042
- multicache
 - coherence protocol, 1874
 - system, 1874
- multicast, 3716
 - group, 3716
 - protocols, 4053
 - tree, 3077
- multicasting, 887, 3716
- multichannel
 - access protocol, 2048
 - capacity, 2048
 - priority protocol, 2048
- multiclass customers, 806
- multicommodity flow, 1783, 2416
 - demands, 2820
 - network design problem, 2820
 - problem, 1783, 2416, 2668, 2820
 - trees, 2820
- multicomputer, 668, 2479, 2780, 2861, 3965
 - interconnection environment, 3780
- multiconnected, 1267
- multiconnection network, 2724
- multicounter machine, 727, 1068, 1139
- multidatabase, 2147, 3349
 - consistency, 2147
 - systems, 2917, 2923, 3349
- multidestination paths, 2724
- multidimensional, 615, 748, 807, 2836, 3867
 - access methods, 3447
 - algorithms, 748
 - arrays, 1956
 - binary search tree, 678, 718, 850
 - closest pair problems, 1501
 - cumulative distribution functions, 807
- multidimensional data, 1521
 - space, 3867
- multidimensional
 - file structures, 3447
 - grids, 3855
 - index, 3867
 - indexing structures, 3497
 - interdistance selection problem, 1685
 - memories, 1956
 - mesh, 2123, 2697
- multidimensional mesh connected, 1893
 - computers, 2123
 - processors, 2123
- multidimensional
 - mesh structures, 2123
 - meshes, 2123
 - nonuniformity, 907
 - online bin packing, 2726
- multidimensional problems, 301
 - on a grid, 1511
- multidimensional reconfigurable mesh, 2697
- multidimensional search, 281, 1521
 - problem, 1192
- multidimensional searching, 422, 774, 908, 1146
 - problem, 281
- multidimensional
 - space, 301, 2289
 - tensors, 719
 - tries, 791
- multidirectory hashing technique, 2582
- multidisk file design, 1110, 1597, 2557
- multidisk partial match, 2557
 - file design, 1597, 2557

- Multifit, 1453
- multifunction coarsest set partition, 2389
- multigraph, 3808
- multigrid network, 4012
- multihead, 1039
 - automaton, 1139, 1371, 1433, 2063, 2962
 - disk, 886
 - finite automaton, 4004
 - one-way finite automaton, 2063
 - pushdown automaton, 113
- multihop packet radio network, 3591
- multikey, 678
 - file organizations, 2080
 - hashing, 2184
 - records, 850
 - searches, 678
 - searching, 678, 1291, 1916, 1952
- multilayer
 - data structures, 2638
 - networks, 2062
- multilevel index, 790
- multilevel indexed sequential
 - files, 855
 - search, 855
- multilevel
 - memory hierarchy, 3740
 - representations, 2865
 - secure databases, 3690
 - statistical computation, 3430
 - transactions, 3690
- multilinear identity, 2116
- multilingual
 - information retrieval, 61
 - thesaurus, 61
- multimedia, 2710, 3029, 3841, 4098
 - applications, 3029
 - databases, 3867, 4098
 - multicast, 3597
 - server, 3841
 - storage system design, 3101
 - systems, 3657
- multimicroprocessor systems, 1027
- multimodal logics, 2344
- multimodality, 1777
- multimode Golomb code, 383
- multinode
 - broadcast, 2642
 - broadcasting, 3445
- multiobjective
 - optimization, 809, 3156
 - search, 3278
- multipaging, 3754
- multipart hierarchies, 1575
- multiparty, 1833
 - interactions, 1833, 1920, 2014
- multipass
 - compilers, 1130
 - online tessellation acceptor, 571
- multipattern matching, 3970
 - problem, 3970
- multipeg tower of Hanoi problem, 2805
- multiple access, 556
 - broadcast network, 2929
 - network, 2929
 - to a tree, 333, 360
- multiple
 - active layers, 1161
 - adjacencies, 627, 628
- multiple alphabets, 1418
 - in a single text, 1418
- multiple
 - arcs, 590, 2593
 - assignment, 3305
 - attribute consecutive retrieval, 221
- multiple choice knapsack, 1002
 - problem, 3795
- multiple classes of users, 3152
- multiple communication, 562, 681
 - problem, 562
- multiple
 - complexity objective, 1123
 - computer structures, 668
 - constraints, 3874
 - coroutine systems, 196
 - coroutines, 196
 - cut methods, 1316
 - cuts, 1316
 - database users, 1326
 - decisions, 3504
 - edges, 252, 645, 2284, 2336, 2956
 - failure, 1659, 2293
 - file interaction, 2835
 - goals, 3327
 - headed clauses, 2431
 - heuristics, 1690, 1841
- multiple instruction
 - multiple data stream, 1089
 - threads, 3305
- multiple
 - layer layout, 1161
 - level exit statements, 2207
 - lines, 163
 - metrics, 3629
 - modulus arithmetic, 1595
 - mutual exclusion, 2852, 3437
 - occurrences, 221
 - ownership, 300
 - processors, 639, 1617, 2362, 2455, 2737
 - p -adic arithmetic, 1595
 - query processing, 3146

- multiple (*cont.*)
 - quickselect, 3185
 - recursive rule Datalog programs, 1843
 - reference bit, 2646
 - relations, 369, 2737
 - routing procedure, 2155
 - search problem, 3288
- multiple stack, 2090
 - branch and bound, 2090
 - data structure, 2090
- multiple stacks, 2509
 - manipulation, 2509
- multiple
 - subset sum problem, 4043
 - to single layer transformation, 1161
 - tokens, 590
 - total stable models, 3318
 - value, 230
 - versions, 3462
 - vertex dominator, 3013, 3331
- multiplexed optical networks, 3539
- multiplexer generator, 3923
- multiplication, 15, 215, 359, 393, 432, 436, 472, 694, 1240, 2214, 2238, 2526, 2620, 2835
- multiplication of
 - Boolean matrices, 616
 - polynomials, 2370
- multiplication of two
 - 2×2 matrices, 1271
 - $n \times n$ matrices, 342, 777
- multiplication operator, 199, 1603
- multiplicative, 479, 3430
- multiplicative complexity, 472, 713, 2370
 - of algebras, 472
- multiplicative
 - congruential generators, 38
 - constant, 354, 515, 2987
 - factor, 1254, 4128
 - methods, 3429
 - metrics, 3874
- multiplicity, 1212, 3076, 3959
 - of an edge, 1212
 - one, 1276
- multiplier, 1352
- multiply
 - add type arithmetic, 2076
 - addition, 3429
 - twisted hypercube, 2989
- multiplying
 - 2×2 matrices, 450, 1051, 1188, 1634, 3306
 - 5×5 matrices, 351, 1271
 - matrices, 601, 2673
 - $n \times n$ matrices, 2183
 - sparse matrices, 918
 - two $n \times n$ matrices, 601
- multiport, 3965
 - message passing systems, 3965
- multiprefix
 - operations, 3847
 - scan operations, 3847
- multiproblem solving, 754
- multiprocess handshake, 1933
- multiprocessing, 185, 410, 896
 - environment, 300, 1126, 1290
 - system, 35, 1239
- multiprocessor, 1003, 1382, 1538, 1668, 2006, 2123, 2455, 2548, 3042, 3044, 3142, 3292, 3564, 3726, 3744, 3872
 - automaton, 1433
 - computers, 3463
- multiprocessor computing, 145
 - system, 504
- multiprocessor
 - coordination problems, 2042
 - design, 1382
 - environment, 288, 402, 1290, 1954
- multiprocessor interconnection, 2848
 - network, 2848
- multiprocessor
 - machines, 2746
 - message passing, 1382
- multiprocessor scheduling, 288, 1453, 1602, 1760, 2926
 - problem, 1760
- multiprocessor
 - system, 255, 326, 838, 868, 1266, 1406, 1695, 1769, 1874, 1954, 2006, 2955
 - task systems, 2624
 - tasks, 2624
- multiprogrammed multiprocessor system, 3227
- multiprogramming, 27, 44, 142, 280, 310, 928, 1075, 1280, 3419
 - level, 1075
 - system, 142
- multipushdown machine, 1068, 1139
- multiquery, 3146
- multireader regular registers, 1858
- multirecord buckets, 1750
- multirelation databases, 771
- multireset languages, 712
- multiresource
 - malleable task scheduling, 3912
 - systems, 3912
- multiring architecture, 3279
- multisecret set schemes, 4091
- multisegment virtual memory, 933
- multiselection, 2825
- multisender, 3681
 - environment, 3681
- multiserialization, 1023

- multiserver computer processing buffering system, 57
- multiset, 826, 1489, 1928, 2223, 2360, 2825, 3014, 3199, 4033
- multiset of
 - edges, 392
 - elements, 1194
- multiset
 - operations, 2223
 - ordering, 826, 1489
 - property, 3760
- multiset sorting, 3777
 - problem, 3439
- multisignature, 3922
- multistack method, 3877
- multistage
 - interconnection network, 1466, 1769, 3580
 - network, 2525
- multistar
 - graph, 3680, 3850
 - related graph, 3680, 3850
- multistart methods, 1696
- multisubsequence searching, 4087
- multisymbol majority vote, 3323
- multitape
 - algorithm, 90
 - alternating machines, 1625
 - automaton, 619, 752
 - Turing machine, 411, 1156, 1168, 3534
- multitasking environment, 2197
- multiterm query, 3435
- multiterminal
 - channel routing problem, 3141
 - nets, 1975
- multitolerant
 - barrier synchronization, 3605
 - program, 3605
- multitype resource systems, 1050
- multivalued algorithm, 994
- multivalued Byzantine agreement, 994
 - algorithm, 994
- multivalued consensus, 4059
 - problem, 4059
- multivalued
 - dependencies, 481, 523, 608, 700, 1026, 1094
 - dependency, 481, 528, 742, 996, 1026, 1241, 3619
 - domain, 994
 - logic, 435, 831
 - MIN, 338
- multivariate, 2463, 3471, 3489
 - generating functions, 4048
 - polynomial, 18, 591, 2463, 3489
 - polynomials in parallel, 651
- multiway, 3405
- multiway cut, 4095
 - problem, 4095
- multiway
 - merge, 3918
 - radix search, 3405
- multiway tree, 1913, 2891
 - structure, 3447
- multiwriter variable, 2451
- multi-access system, 553
- multi-action process algebra, 3813
- multi-attribute organizations, 2080
- multi-inkdot nondeterministic Turing machines, 2752
- multi-input and multi-output linear finite automaton, 19
- multi-join, 2737
 - optimization problem, 2737
 - queries, 2737
- Multi-Maren multiprocessor, 1003
- multi-object auctions, 4103
- multi-reset, 712
- multi-user
 - conflict, 2048
 - models, 621
- MUMD shared memory architectures, 3201
- Munich Algol 68 implementation, 17
- Munro and Suwanda, 656
- Munson data file, 36
- Mussio, Piero, 3630
- mutable
 - abstract data types, 1506
 - modules, 1506
- mutation, 582, 3212
- mutational grammar, 582
- Mutex, 3499
- Muthukrishnan, S., 3439
- mutual, 36, 1191, 1263
 - authentication, 2997
 - drift, 1346
 - drifts, 1346
- mutual exclusion, 43, 235, 404, 406, 555, 568, 575, 667, 676, 686, 698, 1023, 1060, 1158, 1180, 1266, 1280, 1305, 1446, 1617, 1635, 1715, 1786, 1816, 1862, 2005, 2323, 2354, 2477, 2742, 2791, 2838, 2840, 2852, 3270, 3499, 3602, 3686, 4086, 4110
 - algorithm, 1737, 2573, 2838, 2852, 3166
 - among write transactions, 556
 - problem, 406, 667, 946, 1023, 1060, 1120, 1158, 1266, 1280, 1305, 1446, 1609, 2005, 2042, 2204, 2477
 - protocol, 2351
- mutual
 - inclusion, 1263
 - information, 36
 - recursion, 397
 - search, 3986

- mutually, 255
 - adjacent, 136, 645
 - edge disjoint spanning trees, 887
 - mutually exclusive, 33, 430, 754
 - access, 686, 1807
 - execution, 1807
 - mutually
 - independent processes, 1126
 - obscuring defectives, 3775
 - mutually recursive
 - function systems, 2749
 - specifications, 995
 - MVD, 481, 608, 996, 1094
 - mvds, 1026
 - MVIS, 2299
 - MWT, 2380, 3892
 - subgraphs, 3892
 - Myhill LBA-problem, 246
 - Myoupo, Jean Frédéric, 2364, 3459, 3480
 - Myrvold, Wendy, 3850
 - m -ary search tree, 1451
 - m -center problem, 3562
 - m -combinations, 1876
 - m -contour, 2267
 - m -cover, 3929
 - m -free
 - DOL language, 730, 948
 - language, 948
 - word, 948
 - M -grammar, 1229
 - m -machine scheduling, 2831
 - problem, 2831
 - M -pitfall protocol, 1708
 - M -PRAM, 2411
 - m -reducible in polynomial time, 832
 - M -sequence, 907
 - m -sequence, 2881
 - m -sequences, 2881, 3894
- N**
- N nonattacking queens problem, 1940
 - N queens, 1940
 - n queens, 1258, 2358
 - N queens problem, 434, 970, 2613
 - n queens problem, 1432
 - $N + k$ -closure problem, 3268
 - $n \times n$ chessboard, 1437
 - $N \times N$ matrices multiplication, 2673
 - $(n \times n)$ matrices, 15
 - (n, k) -arrangement graph, 3738
 - (n, k) -star graph, 3209
 - N.T.S
 - grammar, 709
 - language, 709
 - languages, 709
 - $(n^2 - 1)$ -puzzle, 3167
 - Nadot and Vaysseix, 147
 - Nagamochi, Hiroshi, 3792
 - Nagavamsi, P., 3713
 - Nagumo, Hideo, 3346
 - naive reverse, 1214
 - Nakano, Shin-ichi, 3542
 - Nakata and Sassa, 2675
 - Nakayama, Shin-ichi, 3543
 - nal bin packing problem, 589
 - name servers, 3686
 - <name> algorithm, *see also* algorithm of <name>
 - naming, 708
 - a data structure, 1482
 - construct, 3677
 - Nanni, Umberto, 3340, 3457
 - Naor and Naor, 2568
 - Naor and Reingold, 3925
 - Naor and Shamir, 4135
 - Naor et al., 1624
 - Nardelli, Enrico, 3546, 3621, 3761
 - narrow banded matrices, 214
 - narrowing algorithm, 4078
 - Nash, Jonathan, 3741
 - Nash-Williams, 887
 - Nassif, Nayla, 3427
 - Nassimi and Sahni, 659
 - Natali, A., 360
 - native asynchronous transfer mode, 4131
 - Natschläger, 3333
 - Natschläger, Thomas, 3403
 - natural
 - coding, 1968
 - complexity measure, 849, 2466
 - computational complexity measures, 670
 - cycletrees, 3436
 - deduction, 1427, 1486, 1567
 - domains, 945
 - extension, 2528, 2662, 2791
 - formalization, 95
 - generalization, 444, 646, 850, 1264, 2664
 - natural join, 608
 - query, 742
 - natural language, 61, 120, 284, 1059, 1427, 3162
 - sentence, 1229
 - natural model, 3938
 - natural number, 393, 436, 657, 1139, 1279, 1630, 2169, 3968
 - computation, 159
 - theory, 632
 - natural
 - order embedding, 2783
 - selection, 1182
 - semantics, 632, 1021
 - transformations, 780

- NAUR, 134
 Nawrocki, Jerzy R., 3678
 Nayak, A., 4045
 Nayak, Amiya, 3241
 NC, 1354, 1379, 1395, 1484, 1528, 1722, 1726,
 1961, 2243, 2252, 2383, 2419, 2428, 2492,
 2625, 3154, 3433
 NC algorithm, 1203, 1332, 1945, 1961, 2052, 2299,
 2427, 3154, 3267, 3286, 3301, 3425
 for k -tree isomorphism, 1961
 NC
 reducibility, 1689
 reducible, 1689, 2339
 reduction, 1689
 $NC \subseteq C^2$, 1390
 $NC \subseteq P$, 1390
 NC^0 , 1484
 circuits, 1484
 NC^1 , 1499, 1647, 1836, 1983, 2007, 2167, 2769,
 2847
 complete, 2769
 reducibility, 2419
 reducible, 1931, 2070
 reductions, 2070
 NC^2 , 1528, 1726, 1983, 2007
 algorithm, 1726
 $(NC^{(2)}, P)$ effective entropy, 2112
 NC^i , 1722
 NCE, 2228
 NDTM, 832
 NE, 1887
 $NE \neq E$, 1887
 near
 convex, 3892
 neighbor problem, 301, 908
 near neighbor searching, 422
 problem, 422
 near neighbors, 422
 search problem, 2235
 near one pass packet routing schemes, 2525
 near optimal
 decision trees, 207
 solution, 560, 1014, 2789
 speedup, 2173
 nearer server rule, 3492
 nearest lattice vector, 3468
 problem, 3468
 nearest neighbor, 137, 354, 391, 439, 490, 678, 825,
 968, 1291, 1916
 algorithm, 422
 problem, 517, 1923, 2277
 query, 825, 1761, 3867
 retrievals, 1916
 searches, 678, 825
 searching, 678, 679
 nearest neighbors, 301, 391, 490, 678, 1916, 2277,
 3174
 nearest neighbors in
 discrete space, 1291
 k -dimensional space, 1916
 nearest neighbour search, 3210
 nearest neighbour searching, 1387
 algorithm, 3210
 nearest
 neighbour technique, 20
 neighbours, 219, 916, 1400, 3210
 region neighbours, 1400
 vertex, 1533
 vertices, 1533
 nearly minimal
 identification of functions, 3929
 programs, 2984
 nearly
 minimum hypothesis, 1381
 optimal sorting algorithms, 2123
 perfect hypergraph packing, 3433
 needed reduction, 3793
 neededness, 3753, 3793
 Needham, 3186
 Needham-Schroeder public key authentication
 protocol, 3186
 Neg gates, 1152
 negated ground atom, 1962
 negation, 419, 949, 1962, 1986, 1989, 2024, 2513,
 2677, 3226, 3520, 3766, 4076
 as failure rule, 2443
 NEGATION gates, 3377
 negation limited, 3377
 circuit complexity, 3377
 negation limited circuits, 3377
 computing symmetric functions, 3377
 negation resolved, 2443
 negative
 arcs, 905
 conclusions, 2269
 cost cycles, 2251
 negative cycle, 905, 2311
 problem, 2311
 negative
 data, 2231, 2375
 edge, 2790
 information, 1962
 literal, 2443
 samples, 3763
 weight vertices, 2423
 negligible, 300
 delay, 797
 loss of information, 52
 neighbor, 1730, 2384, 2517, 2799, 2873, 2875,
 3177, 3928, *see also* neighbour
 searching, 422

- neighborhood, 3348
- neighborhood chordal, 3703
 - graph, 3703
- neighborhood graph, 2011
- neighboring node, 2571
- neighbors problem, 1923
- neighbour, 345, 532, 627, 628, 1369, 1609, 1635, 1712, 1927, 2113, 2652, 2699, *see also* neighbor
 - sort, 1296
- neighbourhood, 1457, 1949, 2643, 3368
 - graph, 1400
- neighbouring, 1065, 1635, 3419
 - relationship, 345
- Neilsen, Mitchell N., 3437
- neonatal medicine, 2634
- Nepomniaschy, V.A., 3891
- NEPTUNE MIMD system, 1296
- nested, 3677, 3940
 - algorithms, 1140
 - * operators, 2027
 - ⊗ operator, 1577
- nested between
 - P and Q, 2075
 - two polygons, 1860
- nested
 - coding, 1107
 - databases, 1849, 2072
- nested dissection, 1514
 - order, 1514
- nested
 - fixpoint expressions, 3381
 - fixpoints, 3381
 - join, 1140
 - levels of back referencing, 3677
- nested loop, 1730, 1804, 2538
 - algorithm, 2291
- nested loop join, 2041
 - method, 1730
- nested
 - loop model, 1659
 - monitor calls, 1807
 - nonconvex polygon, 2075
 - objects, 3199
 - options, 1126
 - polygon, 2075
 - procedure, 5
 - procedures, 931
 - relation, 1849, 2072
- nested relational
 - calculi, 2803
 - calculus, 2803, 3940
 - model, 2072
- nested relations, 2072, 3199
- nested transactions, 2842
- Nesterenko, Mikhail, 3747
- nesting, 11
- nesting of
 - loops, 11
 - shuffle closure, 1449
- nesting property, 642
- nestling tree, 272
- net, 129, 476, 711, 1018, 1180, 1803, 2320, 2469, 2508, 2539, 2578
 - of states and transitions, 452
 - representation, 452
 - theory, 981
 - topology, 3198
- Netto, 1258
- network, 14, 19, 167, 309, 410, 505, 579, 867, 877, 883, 913, 1047, 1075, 1089, 1157, 1201, 1321, 1337, 1346, 1357, 1402, 1466, 1566, 1651, 1738, 1762, 1823, 1859, 1897, 1911, 1942, 1949, 1971, 2084, 2168, 2209, 2248, 2257, 2298, 2343, 2381, 2395, 2421, 2475, 2482, 2556, 2599, 2602, 2627, 2649, 2650, 2668, 2699, 2724, 2742, 2746, 2754, 2783, 2820, 2826, 2837, 2843, 2845, 2856, 2869, 2875, 2913, 2929, 2931, 2944, 3001, 3084, 3097, 3111, 3112, 3137, 3174, 3215, 3274, 3289, 3348, 3383, 3388, 3425, 3442, 3493, 3559, 3564, 3580, 3602, 3629, 3644, 3679, 3720, 3724, 3726, 3736, 3832, 3907, 3950, 3971, 4047, 4104, 4110
 - architectures, 815
 - availability, 2869
 - bandwidth, 3749
 - based multimedia applications, 4131
 - chips, 3137
 - cost, 2561, 2835
 - data model, 1259
 - database models, 1094
 - decomposition theorem, 2668
 - delay, 3260
 - design, 2248, 2820, 3866
 - designer, 2248
- network flow, 121, 510, 843, 903, 1359, 1727, 1780, 2173, 2416, 2820, 2891, 3720, 3779, 4082
 - algorithm, 493, 3720
 - problem, 903
 - theory, 245, 510
- network
 - for parallel computation, 2783
 - management, 2837
 - model, 1094, 3679
 - nodes, 2561, 3137
- network of
 - arbitrary topology, 3084
 - bounded degree, 3274

- network of communicating
 - processes, 508, 1157
 - processors, 1128
- network of
 - computers, 118
 - large numbers of processors, 1047
 - parallel working computers, 883
 - processes, 2351
 - processors, 1942, 2390, 3328
 - vehicle detectors, 52
 - workstations, 3744
- network optimization, 765
 - problems, 765
- network
 - problems, 76
 - reliability, 3289
 - routing problems, 2743
 - services, 4131
 - simulation, 2599
 - structure, 1738
 - survivability, 2790
 - theory, 14
 - topology, 883, 2381, 2507, 3152, 3388
- network, multiring, 3279
- Neuman and Stubblebin, 2999
- Neuman problem, 39
- Neumann neighbourhood, 1457
- Neuman-Stubblebine authentication protocols, 2999
- neural, 3207
 - nets, 2062, 3198
- neural network, 2021, 2062, 2110, 2237, 2330, 2432, 2601, 2650, 3094, 3207, 3368, 3591, 3783, 4142
 - model, 2330, 3094, 3368, 3591
 - problems, 2237
 - theory, 2110
- neural
 - sorting network, 2601
 - updates, 3094
- neuron, 1512, 2650, 3591
- neutral state, 579
- Neuts, 806
- Newman and Schuster, 3979
- Newton, 1971
 - direction, 1731
 - method, 287, 1731, 3581, 3625
 - polyhedra, 3535
 - polyhedron, 3535
- Newton-Raphson, 2398, 3429
 - algorithm, 2398
 - division algorithm, 2398
- nexptime, 880
- next event
 - method, 269
 - technique, 269
- next fit, 1773
 - algorithm, 1773
- next
 - operator, 3586, 4140
 - state function, 3881
 - time operator, 3586, 4140
- NFA, 2549, 3284
- nformation flow barriers, 1917
- NFT, 3736
 - double loop networks, 3736
- Ng, Joseph Kee-Yin, 4073
- nibble algorithm, 3433
- niching, 3749
- Nielsen, Franck, 3374
- Nielsen, M., 456
- Nieminen, 349
 - bound, 349
- NIFF, 2404
 - algorithm, 2404
- Nijenhuis and Wilf, 247
- Nijholt, 438
- Nikolopoulos and Rondogiannis, 3850
- Nikolopoulos, S.D., 3680
- Nikolska, Macha, 4112
- Nishihara and Ikeda, 1162
- Nishino, Tetsuro, 3377
- Nishizeki, Takao, 3542
- Nivat, 766, 1674, 1856
- Nivat, M., 3696
- NL, 1251, 1657, 2007, 2072, 3069
 - complete set, 2007
 - hard, 2007
 - hierarchy, 2206
- NL = L, 1550
- NL ≠ L, 1550
- NL*, 2007
 - (FL^{NL}), 2007
- NLC, 983
- NLOG, 1171, 1192, 1454, 1873
 - complete, 1873
- NLOGSPACE, 2597
- NlogSpace, 861
- NLRI deduction, 1289
- no
 - error logspace polynomial expected time, 2616
 - information interpretation, 1021
 - side effects implementation, 958
- NOAH, 384
- node, 7, 9, 13, 15, 35, 53, 62, 67, 76, 87, 88, 114, 127, 139, 164, 165, 176, 217, 244, 255, 273, 299, 308, 309, 312, 365, 375, 390, 397, 410, 421, 424, 427, 429, 447, 493, 504, 511, 538, 545, 553, 579, 592, 616, 618, 631, 636, 649, 671, 675, 681, 687, 705, 706, 709, 718, 736, 743, 745, 764, 788, 799, 836, 845, 850, 851,

- node (*cont.*), 872, 883, 892, 905, 921, 926, 935, 942, 953, 961, 969, 983, 988, 1001, 1040, 1084, 1121, 1167, 1216, 1231, 1243, 1260, 1275, 1290, 1309, 1332, 1357, 1375, 1455, 1476, 1490, 1504, 1512, 1519, 1538, 1551, 1566, 1573, 1610, 1619, 1640, 1652, 1660, 1663, 1668, 1688, 1702, 1713, 1715, 1722, 1730, 1734, 1746, 1753, 1787, 1816, 1825, 1832, 1840, 1869, 1891, 1967, 1971, 1976, 1999, 2007, 2016, 2065, 2088, 2090, 2108, 2122, 2126, 2151, 2164, 2168, 2176, 2196, 2197, 2199, 2211, 2215, 2220, 2233, 2241, 2243, 2251, 2287, 2296, 2301, 2319, 2322, 2343, 2382, 2386, 2421, 2422, 2445, 2446, 2448, 2449, 2487, 2503, 2519, 2546, 2553, 2556, 2571, 2580, 2593, 2598, 2599, 2603, 2627, 2630, 2642, 2651, 2652, 2654, 2663, 2678, 2688, 2727, 2745, 2746, 2754, 2757, 2758, 2759, 2780, 2783, 2789, 2800, 2809, 2810, 2826, 2837, 2843, 2852, 2857, 2863, 2866, 2869, 2884, 2886, 2890, 2891, 2929, 2951, 2965, 3012, 3026, 3044, 3097, 3111, 3137, 3156, 3168, 3180, 3209, 3258, 3289, 3296, 3306, 3348, 3383, 3414, 3419, 3425, 3446, 3447, 3477, 3501, 3523, 3524, 3549, 3591, 3604, 3623, 3670, 3682, 3688, 3716, 3724, 3726, 3727, 3733, 3734, 3736, 3752, 3756, 3761, 3780, 3799, 3801, 3808, 3812, 3832, 3837, 3863, 3971, 4094, 4104
- addition, 1816
- array, 2783
- coloring problem, 1610
- congestion, 2580
- connectivity, 2884
- node cover, 1243
 - problem, 1243
- node covering, 299, 1243
- node degree, 2016
 - constraints, 2016
- node
 - deletion, 1216
 - disjoint, 2809, 3726
- node disjoint path, 217, 429, 745, 1799, 2126, 2630, 3026, 3168, 3524, 3799
 - cover, 429
- node
 - expanded, 3156
 - expansion, 1690
 - failure, 1816, 2381, 2507
 - faults, 1600, 2884
 - labeled undirected graphs, 983
 - labels, 983
 - processors, 2197
 - ranking of trees, 1610
 - reliability, 2869
 - removal, 1816
 - node rewriting, 983
 - graph grammars, 983
 - node search
 - number, 2433
 - trees, 521
 - node
 - separator tree, 1610
 - set deletions, 3523
 - splitting, 88
 - symmetric, 3832
 - to set disjoint paths problem, 3524
 - weights, 255
 - with minimum height, 164
- Noetherian, 875, 1363, 1630
 - induction, 954, 1630
 - order, 1630
- noise, 3067, 3834, 3888
 - covariances, 49
 - model, 3834
- noise tolerant learning, 3252
 - algorithm, 3252
- noiseless
 - coding theorem, 53
 - feedback, 3179
- noiselike transforms, 188
- noisy
 - binary images, 963
 - broadcast network, 4035
 - channel, 4035
 - computation, 4035
 - environment, 4114
 - forward channels, 3179
 - images, 3888
- nonaccepting
 - configuration, 666
 - states, 112
- nonadaptive
 - membership queries, 3941
 - oracle, 3299
 - queries to an NP oracle, 3908
- nonadditive, 4103
 - nature of valuations, 4103
 - resource allocation problem, 851
- nonadjacent vertices, 350
- nonapproximability, 3569
 - results, 3843
- nonassociative, 2116
 - binary operation, 2506
 - parallel prefix computation, 2506
- nonatomic
 - operation, 1589, 1621, 1709, 1721, 2138
 - programs, 1589
- nonblocking, 2724
 - communication, 2055

- nonblocking (*cont.*)
 - interprocess communication, 2055
 - multistage interconnection network, 2724
- nonbounded
 - context, 34
 - language, 113
- nonce based mutual authentication protocol, 2999
- noncenter node, 3670
- noncentralized solutions for mutual exclusion, 3260
- nonces, 2999
- noncircular, 1867
- nonclassical
 - logics, 2572
 - notion of completeness, 1478
- nonclosure, 160
- nonclustered index, 2041
- noncommunicative ring, 713
- noncommutative, 351, 398
- noncommutative algorithm, 351, 1271
 - for multiplication, 351
- noncommutative
 - bilinear algorithm, 398
 - case, 472
 - fast algorithms, 351, 1271
 - fields, 3617
 - minimization algorithms, 3617
 - polynomials, 1188
 - ring, 215, 713
- noncommutativity, 215
- noncommuting variables, 1931
- noncompactness, 95
- noncomparable languages in NP, 832
- noncompromisable database, 473
- noncomputable sets, 2669
- nonconsecutive vertices, 136
- nonconservative algorithms, 2036
- nonconsistent equations, 81
- nonconsistent systems, 81
 - of linear algebraic equations, 81
- nonconstructive, 715
 - proof, 2987
- noncontext free, 1313
 - rules, 1229
- noncounting
 - context free parenthesized languages, 311
 - languages, 311, 463
 - regular languages, 311
- noncritical section, 568, 1280
- noncrossing
 - straight line segments, 2380
 - wires, 1100
- nondeadlocking mutually exclusive access, 686
- nondecreasing, 1075
 - functions, 526
- nondegenerate, 1374, 1412, 2841
 - Boolean function, 1007
 - Delaunay triangulation, 2841
- nondeterminacy, 579, 2266, 3478
 - within expressions, 3478
- nondeterminism, 209, 340, 663, 735, 767, 776, 849, 1039, 1139, 1229, 1390, 1402, 1550, 1657, 1866, 2257, 2549, 2703, 2876, 2985, 3432
- nondeterministic, 348, 928, 1313, 1399, 1625, 1635, 2132, 2329, 2458, 2776, 2832, 3282, 3305, 4004
 - algorithms, 135, 767
 - alternative statements, 501
 - automaton, 2210, 2776
 - case, 792
 - choice, 1934, 1991
 - complexity, 1695
 - computation, 209, 767, 880, 1503, 2206, 4004
 - concurrent read concurrent write PRAM, 1608
 - constructs, 298
 - context sensitive language, 246
 - counting Turing machine, 674
 - CRCW PRAM, 1608
 - data flow networks, 1402
 - decisions, 2038
 - device, 1585
 - exponential class of languages, 1887
 - expressions, 3478
 - feedback controlled models of automata, 1155
 - finite automaton, 1753, 2466, 2549, 3284, 3343
- nondeterministic finite state
 - acceptor, 766
 - machine, 766, 1684
- nondeterministic
 - flowchart, 135
 - function, 1402
 - generalized sequential machine, 201, 386, 476
 - grammars, 340
 - languages, 200, 3353, 3432
 - LR parser, 2329
 - machines, 1277, 1390
 - model, 1155
 - multicounter machines, 1068
 - ω -automaton, 982, 1798
 - one-way pushdown automaton, 1608
 - oracle model, 2206
 - parallel assignments, 3305
 - pda, 1499
- nondeterministic polynomial time, 209, 1887
 - machine, 1134
- nondeterministic
 - priority(1), 1608
 - procedural programming language, 1399
 - procedure, 458, 3088
 - program, 776, 1306
- nondeterministic programming, 340
 - languages, 629, 3432

- nondeterministic
 - programs, 135, 629, 1306
 - quantum polynomial time complexity class, 3962
 - recognition of context free languages, 3769
 - rewriting system, 514
 - safety specifications, 2210
 - selection, 629
- nondeterministic space, 664, 3130
 - bounds, 664
- nondeterministic space complexity, 2378
 - classes, 2038
 - of context free recognition, 2378
- nondeterministic
 - specification, 1798
 - state oriented programs, 2585
 - systems, 2295
 - TM, 1550
- nondeterministic Turing
 - acceptors, 257, 4004
 - machine, 144, 849, 1388, 1503, 1866, 2473, 2752, 2870, 2925, 4004
- nondeterministic two-dimensional
 - automaton, 318
 - online tessellation acceptors, 571
- nondeterministic two-way pushdown automaton, 2978
- nondeterministically, 1871
 - fully space constructible, 1871
- nondisconnecting, 3945
- nondistinct, 1238
 - tip values, 892
- nondominated
 - coteries, 2852
 - k -coteries, 2852, 3437
- nonemptiness, 2262
 - problem, 1993
- nonempty, 740, 948, 2152, 2636, 3792
 - groups, 760
 - intersection, 1859
 - set, 1630
 - string, 1106, 2851
 - subset, 1630
 - substring, 1106
 - triangles, 1431
 - word, 730
- nonerasing, 242, 1572
 - homomorphism, 483
 - morphisms, 1572
- nonexact (experimental) data, 172
- nonexistence of a
 - cover, 438
 - polynomial algorithm, 205
- nonextendible independent set, 2635
- nonground success patterns, 2679
- nonhalting problem of Turing machines on a blank tape, 1607
- nonhierarchical complexities, 2161
- nonhomogeneous k -d tree, 718
- nonincreasing first fit, 2404
- nonincremental, 1179, 1844
- nonindependent problems, 754
- noninteracting processes, 995
- noninteractive, 3871
- noninterference of solid objects, 522
- noninterleaving, 1991
 - semantics, 2402
- nonintersecting
 - line segments, 2083, 2091, 2417
 - straight line segments, 1431
- nonisomorphic graphs, 1212
 - with the same T-polynomial, 1212
- nonisomorphic trees, 266, 1212
- nonlinear, 287, 1956, 3606, 3894
 - algebraic equations, 287
 - differential equation, 22, 1207
 - equations, 2824
 - filter generator, 3606
 - filters, 3894
 - layered resolution deduction, 1289
 - lower bound, 597, 719, 3377
 - numerical analysis, 2334
 - patterns, 2137
 - skewing scheme, 2410
 - upper bound, 1839
- nonlinearity, 3672, 3859
 - of balanced Boolean functions, 3672
- nonlocal
 - data access, 566, 703
 - predicates, 3595
- nonlooping DPDA, 539
- nonmalicious distributions, 2915
- nonmaximal
 - directed paths, 335
 - unilaterally connected subgraphs, 335
- nonmodular operations, 4036
- nonmonadic, 2078
 - second order term languages, 4061
- nonmonotone
 - polynomial, 3520
 - projections, 949
- nonmonotonic, 1555, 2510
 - heuristics, 3156
 - reasoning, 1555, 2513, 2839
- nonnegative
 - arcs, 905
 - integer variables, 227
 - integers, 138, 304, 341, 371, 801, 936, 939, 990, 1507, 1687, 2615, 2636
 - operators, 81

- nonnegative (*cont.*)
 - real numbers, 78
 - reals, 1533
 - weights, 764, 3450
- nonnormalizing, 3916
 - term, 3916
- nonnumerical, 1286
 - algorithms, 2577
 - mathematics, 54, 334, 1109, 1665
- nonomniscient data bases, 744
- nonorthogonal retrenched subspace, 267
 - method, 267
- nonoverlapping
 - address intervals, 1717
 - convex polygons, 884
 - ears, 856
- nonparametric operation, 3916
- nonpartitionable point sets, 1057
- nonperiodic, 868
 - scheduling, 639
- nonpolygonal world, 1394
- nonpolynomial, 1152
 - time, 393
- nonpreemptable resources, 2728
- nonpreemptible resources, 418, 1050
- nonpreemptive, 1742, 2362, 3828
 - algorithm for scheduling, 868
 - DD scheduling problem, 519
 - schedule, 504, 519, 648, 2757, 3470
- nonpreemptive scheduling, 1453, 3960, 4023
 - problem, 4023
- nonprimitive recursive, 1441
 - function, 1441
- nonprincipal rational cone, 900
- nonprocedural query languages, 1063
- nonqualified
 - coalition, 3821
 - set, 3652
- nonquasiparity Berge graph, 3045
- nonquiescent cell, 75
- nonramification lemma, 2549
- nonrational AFL, 874
- nonreading machine steps, 539
- nonreconfigurable nonpreemptive scheduling
 - policies, 2133
- nonrecursive, 458, 2523
 - algorithm, 247, 458, 827, 1508, 1913
 - Datalog programs, 3150
 - discrete density function, 1616
 - formula, 141
 - procedure, 2688
 - tree traversal, 511
- nonrecursivity, 501
- nonreducible string, 7
- nonredundant
 - cover, 1377
 - covers of functional dependencies, 1377
 - FD covers, 1377
- nonregular
 - context free language, 1134
 - deterministic context free language, 2378
 - language, 879, 1068, 1550, 2859, 2982, 3202
 - tally languages, 3202
- nonrenewable resources, 519
- nonrepetition rule, 79
- nonrepetitive implementation, 1316
- nonrigid, 1205
- nonscalar
 - complexity, 1269, 4074
 - multiplication, 472, 1164, 3218
- nonselfembedding, 1096
 - term rewriting system, 1096
- nonselfprintable sets, 1622
- nonsensical values, 744
- nonsequential
 - processes, 275
 - programs, 883
 - systems, 275, 322
- nonserial dynamic programming, 1442, 1570
 - formulations of satisfiability, 1570
- nonsimilarity, 467
- nonsimple polygons, 856
- nonsingular
 - dpda, 1034
 - matrices, 1502
 - submatrices, 2334
 - Toeplitz matrices, 2334
- nonsmooth convex distance functions, 3599
- nonstandard transformations over matrices, 2073
- nonstarving strategies, 345
- nonstrict, 1372
- nonstructural subtyping, 3302
- nonsurjectivity, 2631
- nonsymmetric, 852
 - functions, 3059
- nonterminal, 13, 330, 438, 683, 778, 1301, 1331, 1988, 3162
 - bounded grammar, 218
 - nodes, 62, 799
 - separated, 720
 - separation property, 680
 - symbols, 302, 362, 474, 720, 1722
- nonterminating term rewriting system, 2085
- nontermination, 1347, 1372
- nontransitive relation, 809
- nontrivial
 - functional dependencies, 372
 - NL hierarchy, 2206

- nonuniform
 - branching programs, 1935
 - complexity class of languages accepted by polynomial size circuit families, 1341
- nonuniform data, 194
 - distributions, 3867
- nonuniform
 - distribution, 566
 - logical definitions, 3627
 - memory access, 3564
 - pseudokeys, 1037
 - query distribution, 1953
- nonuniformity, 1020
- nonunimodal region, 46
- nonunique
 - decipherability, 1251
 - precedence relations, 263
 - solution, 39
- nonweighted graph, 3612
- non-3-colorable graphs, 3088
- non-3-colourability threshold, 3651
- non-A-free graph, 4071
- non-conflict free multivalued dependency sets, 996
- non-context free, 2061
 - context sensitive languages, 2488
 - languages, 3195
- non-FIFO channel, 1150, 1911
- non-finite axiomatizability, 3951
- non-ground terms, 847
- non-Hamiltonian nondegenerate Delaunay triangulation, 1412
- non-Horn, 1962
 - logic programs, 1962, 2513
 - sentences, 1289
- non-left recursive form, 474
- non-link information, 176
- non-Markovian coupling, 1700
- non-null
 - path, 701
 - strings, 13
- non-path, 110
- non-P-invariant Petri nets, 981
- non-simply connected manifolds, 711
- non-SOS operational semantics, 3813
- non-tree edge, 1745
- non-two-phase locking protocol, 1708
- non-word local designs, 1095
- norm, 2124, 2395, 2922, 3468, 3961, 4123
 - function, 2794
- normal
 - basis, 2328
 - defaults, 2513
 - density, 211
 - distribution, 3654
 - normal form, 12, 68, 193, 438, 523, 634, 778, 1088, 1487, 1667, 1800, 1910, 2001, 2018, 2325, 2437, 2449, 2552, 2676, 2851, 2981, 3570, 3793, 3983
 - grammar, 438
 - theorem, 778, 846, 1148, 1487
 - normal forms, 12, 388, 683, 941, 1639, 1667, 1800, 1910, 2512, 2552, 2676, 3533
 - for CSP programs, 1487
 - of data base relations, 634
- normal
 - hypercube algorithms, 2599
 - modal logics, 3087
 - order evaluation, 1985
 - programs, 2269
 - random variables, 211
 - solution, 81
- normalisation, 1888
- normalization, 484, 793, 899, 1259, 1511, 2751, 3533, 3916, 4101
 - approach, 523
 - constant, 449
 - lossless relations, 2072
 - of relational databases, 484
- normalized
 - derivatives, 97
 - divide and conquer, 1511
 - numbers, 131
 - relations, 625
 - schema, 484
- normalizing
 - procedure, 484
 - strategies, 3793
- Norman, 819
- normed
 - BPA processes, 2403
 - PA processes, 4000
- north east nearest neighbors, 968
- Noshita, 1375
- not
 - all equal Sat, 3698
 - approximable in polynomial time, 3730
 - context free, 1325
 - provable in F, 1134
- \neg PARITY_n, 3377
- notation for distributed operations, 1461
- notational formalism, 1306
- notch, 1972
- notional
 - calculus, 2046
 - entailment logic, 2046
- noun phrases, 33
- NOW, 3744
- noyau, 1881

- NP, 209, 478, 767, 832, 880, 884, 911, 1081, 1134, 1209, 1294, 1390, 1615, 1622, 1887, 1891, 2039, 2606, 2645, 2954, 3118, 3134, 3282, 3438, 3567, 3674, 3887, 3913, 3962
- $NP \cup coNP$, 911
- $NP \cap coNP$, 767
- $NP \cap BPP$, 1894
- $NP \setminus P$, 880
- $NP \neq coNP$, 911, 2330, 2753
- $NP = coNP$, 2049, 2330
- algorithms, 2666
- complete, 144, 187, 207, 220, 353, 371, 374, 388, 403, 411, 419, 421, 429, 441, 469, 470, 478, 483, 492, 504, 523, 525, 537, 546, 561, 607, 612, 622, 630, 633, 646, 648, 672, 704, 736, 743, 756, 798, 809, 810, 816, 829, 832, 865, 873, 932, 942, 947, 981, 1040, 1090, 1127, 1134, 1180, 1194, 1195, 1205, 1221, 1253, 1268, 1288, 1289, 1322, 1337, 1393, 1395, 1406, 1407, 1434, 1442, 1456, 1503, 1514, 1518, 1536, 1601, 1651, 1664, 1675, 1722, 1758, 1763, 1787, 1794, 1822, 1823, 1828, 1859, 1890, 1961, 1963, 1993, 1994, 2019, 2039, 2058, 2067, 2144, 2196, 2265, 2284, 2397, 2425, 2448, 2449, 2518, 2534, 2539, 2548, 2572, 2608, 2650, 2652, 2657, 2666, 2676, 2716, 2740, 2743, 2744, 2757, 2766, 2827, 2854, 2952, 2956, 2994, 3090, 3131, 3280, 3383, 3426, 3455, 3539, 3562, 3591, 3592, 3593, 3597, 3648, 3660, 3679, 3694, 3716, 3788, 3826, 3864, 3874, 4052, 4119
- $NP \neq P$, 1887
- NP complete graph, 2635
- metric, 3809
- partitioning problems, 1495
- problems, 1947
- NP complete
- in the strong sense, 1131
- MAXSAT problem, 3648
- problem, 144, 207, 271, 349, 403, 421, 454, 478, 483, 510, 560, 704, 743, 767, 1044, 1180, 1197, 1268, 1475, 1576, 1758, 1764, 1802, 1828, 1891, 2188, 2284, 2399, 2521, 2606, 2659, 2755, 3525, 3543
- set, 911, 1134, 1209, 2565, 3887
- NP completeness, 144, 161, 411, 429, 441, 483, 608, 611, 692, 743, 745, 809, 816, 911, 997, 1040, 1131, 1205, 1288, 1289, 1336, 1406, 1434, 1456, 1459, 1560, 1602, 1651, 1758, 1764, 1794, 1822, 1918, 2049, 2067, 2242, 2395, 2425, 2565, 2652, 2956, 3716, 3748, 3874
- NP completeness of
- MCTP, 1180
- the satisfiability problem, 1782
- NP completeness
- results, 1195
- theory, 560
- NP
- completion, 688
- functions, 3282
- NP hard, 519, 527, 589, 612, 649, 672, 692, 884, 911, 1014, 1031, 1083, 1147, 1243, 1334, 1395, 1507, 1578, 1602, 1620, 1632, 1705, 1760, 1763, 1783, 1918, 2039, 2041, 2118, 2142, 2188, 2260, 2300, 2380, 2392, 2395, 2401, 2435, 2484, 2556, 2557, 2698, 2702, 2857, 2927, 3090, 3105, 3171, 3174, 3422, 3460, 3470, 3503, 3584, 3610, 3620, 3724, 3748, 3903, 3913, 3941, 3977, 3992, 4030, 4055, 4108
- graph problems, 2118
- in the strong sense, 1044, 1323, 3488, 3828
- optimization problems, 2935, 3094
- problem, 767, 1442, 1845, 1890, 2049, 2330, 2935, 3090, 3460, 3687
- sets, 3438
- to compute, 3370
- NP
- hardness, 560, 561, 1044, 1147, 1602, 1918, 2723, 3715, 3842, 4103
- intermediate, 832
- machines, 2453
- multivalued functions, 3282
- optimization problem, 1891, 2258, 2702, 3052
- oracle, 3787
- problems, 1887, 2687, 2755, 2821, 3924
- set, 1209, 2870
- $NP(A) \cap coNP(A)$, 2203
- $NP(d(n))$, 1887
- $NP^A \neq P^A$, 1134
- NP_m^P , 1209
- NP_T^P , 1209
- NP-complete, 2601
- problems, 2601
- NP/poly \cap coNP/poly, 2544
- NPDA, 739, 740
- NPDA(1), 739
- NPDA(k), 739, 1065
- NPO, 3668, 4117
- complete, 3668
- completeness, 3668
- Npo PB complete problems, 3843
- NPRIORITY(1) without ROM, 1608
- NQP, 3962
- NSPACE, 664, 1866, 1871, 3130
- NSPACE($\log \log n$) = DSPACE($\log \log n$), 1550
- NSPACE($\log n$), 1613, 2616
- NSPACE($\log n$) \neq DSPACE($\log n$), 1550
- NSPACE($\log n$) \subseteq DSPACE($\log^2 n$), 2616

- NSYMLOG, 2303
- NT
- complete problems, 646
 - consensus protocol, 2132
 - hard, 530
- Ntafos required k -tuples criterion, 1598
- nth
- degree polynomial, 97
 - Fibonacci number, 1818
- NTIME, 2882, 3118
- NTS
- expansive language, 680
 - grammars, 720, 2522
 - language, 680, 720, 2522
 - property, 2522
- NUD, 1251
- problem, 1251
- null, 1021
- clause, 1268
 - completion, 1237
 - pointers, 114
 - subtree, 176
 - value, 286, 486, 744, 1021, 1237, 2249, 2672
- NUMA, 3564
- architectures, 3564
- number of
- 1-factors, 234
 - 2-permutations, 175
 - accepting paths, 2453
 - accesses, 2006
 - accumulators, 27
 - arcs, 70, 220, 538, 1220, 1539, 1879, 2546, 2892, 3457
 - arithmetic operations, 97, 215, 381, 724, 2183, 2216
 - arithmetic steps, 393
 - number of bases, 2813
 - of a matroid, 2813
 - number of bends, 3666
 - per edge, 3725
- number of block
- accesses, 1616
 - transfers, 919
- number of
- blocks, 2160
 - b -matchings in a tree, 854
 - candidate keys, 372
 - chains, 2498
 - coin tosses, 2987
 - colours, 1184, 2534, 3068, 3450, 3543, 3638, 4136
 - colours, 1890, 3644
 - comparisons, 367, 405, 617, 1045, 1225, 1356, 1884, 2053, 2455, 2671, 2836
 - components, 205, 1210, 2866, 3500, 3865, 4048
 - connected components, 14, 1505, 2186, 3599, 4048
 - convex k -gons, 2166, 2347, 3170
 - counterfeits, 2909
 - cycles, 3010
 - data accesses, 566, 2455
 - disk blocks transferred, 919
 - divisors, 1117
 - dominated points, 1245
 - edges, 101, 121, 174, 205, 245, 478, 567, 627, 636, 642, 689, 765, 1315, 1373, 1403, 1469, 1559, 1562, 1573, 1660, 1815, 1947, 2122, 2260, 2339, 2377, 2484, 2518, 2548, 2577, 2889, 2947, 2975, 3010, 3048, 3129, 3257, 3272, 3330, 3530, 3722, 3779, 3896, 3949, 3959, 4048
 - exchanges, 156, 1222
 - execution nodes, 649
 - FIND, 597
 - functional dependencies, 231
 - grid cells, 1380
 - number of Hamiltonian
 - cycles, 2687
 - paths, 2687
 - number of
 - heads complexity classes, 4004
 - inflowing words, 52
 - input bits, 1316, 2812
 - intersections, 2135, 3857
 - number of inversions, 901, 1222, 2236
 - measure, 901
 - number of
 - leaves, 2386, 2586
 - leftist trees, 1426
 - legs, 1722
 - maximum independent sets, 1442
 - mergings with constraints, 1365
 - messages, 2323, 3388, 3733
 - MISS's, 69
 - multiple choice classes, 3795
 - multiplication steps, 215
 - neighbours, 1089
 - number of nodes, 62, 164, 205, 220, 505, 511, 538, 636, 892, 905, 1403, 1442, 1690, 1730, 1747, 1832, 1999, 2126, 2287, 2381, 2386, 2394, 2414, 2421, 2489, 2519, 2719, 2800, 2843, 2890, 2975, 3062, 3097, 3148, 3174, 3457, 3490, 3675, 3720, 3761, 3896, 3949, 3997, 4082
 - expanded, 1690
 - number of nonscalar
 - multiplication steps, 215
 - multiplications, 1164
 - number of
 - ordered pairs of vertices, 70
 - output bits, 1316, 2146

- number of page
 - accesses, 2041, 2313
 - faults, 366, 1735
 - fetches, 1063
 - pulls, 366
 - transfers, 906
- number of
 - paths, 217
 - perfect matchings, 1442
 - permutations, 1174, 1222, 2360
 - queue operations, 866
 - reachable cells, 1436
 - rectangles, 785, 2960
 - register stages, 52
 - rollbacks, 3934
 - rotations, 203, 1504, 1746, 3654
 - rounds, 2388
 - servers, 57
 - set up operations, 560
 - single precision multiplications, 3719
 - solutions, 1258, 1442, 2367, 2870
 - spanning trees, 266, 1212, 3680, 3850
 - splits and merges, 687
 - strongly connected components, 15
- number of subwords, 730, 869
 - in DOL languages, 730
- number of
 - transactions, 934
 - triangles, 3311, 3797
 - true gates, 2124
 - unilaterally connected components, 205
 - UNIONS, 597
- number of vertices, 14, 70, 101, 115, 121, 174, 371, 459, 467, 490, 518, 567, 642, 645, 668, 701, 736, 765, 815, 987, 1001, 1079, 1220, 1315, 1444, 1588, 1835, 1892, 1947, 2034, 2075, 2097, 2146, 2160, 2308, 2377, 2415, 2518, 2687, 2756, 2806, 2889, 2894, 3039, 3048, 3217, 3267, 3375, 3543, 3562, 3650, 3779, 3836, 3854, 3866, 3926, 4044, 4077, 4086
 - of a polyhedron, 4044
- number of
 - words, 730, 2478
 - work tapes, 1625
 - zeros, 274
- number representation, 1491, 2214, 2928
 - scheme, 972
- number system, 650, 972
- number theoretic, 3515
 - algorithms, 3287
 - characterization of NP, 1081
 - constants, 3515
 - cryptosystems, 4009
 - functions, 1117
 - languages, 2827
- number theory, 159, 442, 3443, 3548, 3728, 4015
- numbering, 166, 3075
 - of rooted tree vertices, 166
- numerical
 - algorithms, 238, 2834, 4078
 - analysis, 46, 98, 140, 195, 351, 841, 1396, 1902, 2240
 - computation, 18, 3248
 - computing, 2846
- numerical differentiation, 66, 172
 - of data, 172
- numerical instability, 641, 789
 - of Bini algorithm, 789
- numerical
 - integration, 806
 - iterative methods, 2043
 - mathematics, 22, 37, 39, 48, 66, 81, 89, 214, 450, 498, 711, 1126, 1902
 - methods, 74, 140, 507, 3248
 - problems, 4078
 - procedure, 195
 - results, 2487
 - robustness, 3086
 - simulations, 3368
- numerical solution, 98, 195
 - of integral equations, 195
- numerical
 - solutions of differential equations, 287
 - stability, 793, 1502
- numerically
 - robust, 2841
 - unstable, 641, 789
- nuts and bolts, 3351
- NV sequentiality, 3793
- NVNF sequentiality, 3793
- Nyberg and Rueppel, 3230, 3587
- Nyström, Sven-Olof, 3432
- NYU ultracomputer, 3137
- n -ary
 - Boolean functions, 2365
 - composition of a binary associative operator, 1946
- n -bandwidth
 - heap, 2263
 - leftist heap, 2263
- n -bayonet code, 3135
- n -bit
 - binary integers, 1917
 - integer, 2167
 - VLSI counter, 1454
- n -cliques, 3637
- n -colourable graph, 2284
- n -connected graphs, 234
- n -cube, 583, 1047, 1730, 2034, 2197, 2222, 2746, 3125, 3967
 - configuration, 1730
 - networks, 2022, 2217

- N*-dimensional, 2933
 - n*-dimensional, 2783, 3752, 4056
 - algebra, 2116
 - arrays, 1126
 - boxes, 4056
 - crossed cube, 3475
 - N*-dimensional diffusion problem, 878
 - n*-dimensional hypercube, 1834, 2220, 2651, 2861, 2884, 3296, 3752, 3837, 3971
 - N*-dimensional hypersphere, 1141
 - n*-dimensional
 - space, 281
 - star graph, 3524, 3799
 - tori, 3467
 - torus, 2684
 - N*-dimensional torus computers, 2933
 - n*-dimensional twisted cubes, 3112
 - N*-dimensional vector space, 1811
 - n*-fold composition, 1853
 - N*-free, 1038
 - ordered sets, 1038
 - n*-gon, 856, 3917
 - N*-gram method, 2660
 - N*-grammars, 161
 - N*-grams, 2660
 - n*-input prefix circuit, 3936
 - N*-lists, 2689
 - n*-node *k*-ary trees, 3688
 - n*-partitionable, 1057
 - n*-permutations, 3959
 - n*-processor algorithm, 1648
 - N*-queens problem, 2367
 - n*-queens problem, 2358
 - n*-rational program schemes, 501
 - n*-reconstructability, 218
 - n*-reconstructable grammars, 218
 - n*-ring towers of Hanoi problem, 827
 - N*-SCS problem, 2170
 - n*-star, 2222
 - n*-stencil paths, 218
 - n*-tape automaton, 619
 - N*-trees, 895, 2689
 - N*-type characterization for ETOL languages, 161
 - n*-vertex graph, 1718, 2270, 2339, 2353, 2908, 3637, 3651
 - n*-vertex *m*-edge graph, 929
 - with maximum degree Δ , 3154
 - n*-vertex planar graph, 3080
- O**
- Obana, Satoshi, 3324
 - OBDD, 2729, 3370, 3510, 3730, 3781, 4083
 - of minimal size, 2729
 - object
 - binding, 1831
 - circulation, 2315
 - code, 480, 501
 - size, 1817
 - level, 1169, 2269
 - normal forms, 1800
 - object oriented, 2047, 2733, 2848, 3647, 3750, 3921, 3935, 3940, 4132
 - databases, 3297, 3536
 - design, 3321
 - interaction, 2037
 - languages, 1831, 2066, 2180, 2528, 3647
 - metric, 3321
 - modeling, 2733
 - programming, 2180, 3921
 - queries, 3297
 - representation, 2037
 - rule based development, 2047
 - searching problems, 679
 - software, 3921
 - system, 2628
 - object
 - program, 495
 - specifications, 55
 - state, 2733
 - structurability, 1197
 - objective function, 46, 76, 546, 1548, 2124, 3177, 3422
 - value, 76
 - oblivious, 977
 - adversary, 2195
 - one-head tape unit, 1156
 - protocol, 2584
 - oblivious read once
 - branching programs, 3901
 - parity branching programs, 3901
 - oblivious
 - sequential machines, 2918
 - Turing machine, 1379
 - Obokata, Koji, 3883
 - observable, 3085
 - events, 3085
 - outcomes, 278
 - observation, 8, 197
 - observational
 - bisimulations, 2402
 - congruence, 2001
 - equivalence, 2295, 2459
 - observed data, 3585
 - observer, 1163, 1992
 - obstacle, 1044, 1121, 1262, 1267, 1546, 1705, 2083, 2142, 2509, 2737, 2936, 3272, 3722
 - avoiding path, 1599
 - edges, 1826
 - growing, 1394
 - vertices, 3272
 - obstruction, 2433

- OCA, 1710
 oator polynomial, 3846
 Occam, 1366, 1617
 razor, 1381, 3626
 OCCTI protocol, 3578
 occupancy problem, 3231
 occurrence
 graphs, 554
 histories, 554
 nets, 1788
 occurrence of a pattern, 2695, 3313
 string, 2774
 occurrence time, 52
 Ochsenschläger, Peter, 3418
 O'Connor, Luke, 2979, 3037
 oct trees, 1057
 octagonal distance, 3089
 odd
 circuits, 2894
 cycle, 809, 2284
 odd even
 reduction, 728, 1270
 sort, 3441
 odd factor, 252, 599
 ODE, 2457
 Odijk, Michiel A., 3658
 Odlyzko, Andrew, 3835
 O'Donnell, 1101
 ODPP, 338
 α -cuttings, 2912
 OFDD, 3370
 offline, 1323, 2534, 3256, 3340
 adversaries, 3315
 algorithm, 1250, 1633, 2534, 3398, 3979
 computation, 3358
 cost, 2658
 dynamic storage allocation problem, 1131
 feasibility analysis, 3022
 matching problem, 2160
 minimum, 902
 nondeterministic Turing machine, 1388
 optimum, 4136
 processing, 1328
 routing algorithm, 3799
 storage allocation algorithm, 1323
 traversal, 1588
 Turing machine, 246
 offset, 3764
 Ogata, Wakaha, 3323
 Ogdén lemma, 828
 Ogihara, 3438
 Ogihara, Mitsunori, 3046
 Ohlebusch, Enno, 3017, 4022
 Ohori, 3157
 Okada, Koji, 3434
 Okamoto and Tanaka, 2447
 one-way ID based key distribution system, 2447
 Okazaki, T., 4002
 O'Keefe and Wand, 2552
 Okuno, Hiroshi G., 3735
 Olivié, 920
 class, 920
 Olson, Clark F., 3585
 Omega, 36, 174
 network, 1466, 2525, 2724
 $\Omega(P)$ auxiliary shared memory, 2530
 ω^2 -well quasi-orderings, 4021
 ω -automaton, 982, 2655
 ω -code, 3387
 ω -context free languages, 2086
 ω -equality set of two morphisms, 1213
 ω -equivalence problem, 1213
 ω -events, 188
 ω -generators, 3387
 ω -Kleene closure, 922
 ω -language, 922, 982, 1067, 1284, 1644, 2086,
 2396, 3357, 3418
 ω -part, 3197
 ω -post correspondence problem, 1213
 ω -rational
 expressions, 1067
 languages, 1067
 ω -recognizable languages, 1067
 ω -regular
 language, 1678, 2086, 3357
 set, 2086
 ω -rigid set, 2396
 ω -rule, 1785
 ω -syntactic, 2396
 monoids, 2396
 omission failures, 3975
 on the fly algorithm selection, 1126
 on the fly garbage
 collection, 1349
 collector, 962
 one complement, 2214
 addition, 2214
 multiplication, 2214
 notation, 2214
 one
 counter theorem, 133
 dimensional transforms, 498
 edge in common, 627, 628
 pass compilers, 277
 reversal, 1625
 one to one
 bounding functions, 1272
 correspondence, 428, 684, 942, 1127, 1221,
 1518, 1832, 1859, 3351, 3980
 mapping, 3394

- one to one (*cont.*)
 - transformation, 445
 - translation, 1114
- one's-complement multiplication, 2214
- one- and two-level jump searching, 1296
- one-bit reference counting, 2646
- one-branch tree, 794
- one-car spur, 2020
- one-center problem, 2784
- one-counter
 - context free language, 640, 1189
 - language, 94, 1585
- one-dimensional
 - array of automata, 71
 - automaton, 571
- one-dimensional bin packing, 3369, 3552
 - problem, 537
- one-dimensional cellular
 - automaton, 2631
 - space, 1457
- one-dimensional
 - Euclidean p -center problem, 1620
 - graphs, 1516
- one-dimensional one-way
 - finite automaton, 578
 - reversible cellular automaton, 2430
- one-dimensional
 - partitioned cellular automaton, 2430
 - phrase-structure grammars, 989
 - set, 137
 - symmetrical cellular space, 1457
 - two-neighbor RCA, 2430
 - two-way finite automaton, 578
 - weighted Voronoi diagram, 1210
- one-dimensional bin packing algorithms, 622
- one-head tape unit, 1168
- one-headed systems, 2089
- one-letter
 - input alphabet, 1022
 - regular languages, 3951
- one-one
 - one-way functions, 2621
 - transformation, 697
- one-output Boolean functions, 1691
- one-pass
 - compilation, 376
 - packet routing schemes, 2525
 - processing techniques, 1311
- one-pebble
 - acceptor, 722
 - rectangular array acceptors, 722
- one-pebble two-way
 - alternating automaton with one head, 2145
 - nondeterministic finite automaton with one head, 2145
- one-port I/O communication, 3445
- one-resource requests, 418
- one-reversal
 - counter, 1277
 - one-counter languages, 1277
 - one-head pushdown automaton, 113
 - pushdown, 1277
- one-rule
 - semi-Thue system, 1166
 - system, 3453
- one-sided
 - Dyck language, 1647, 1836
 - error probability, 2722
 - height balanced trees, 365
- one-source node broadcasting, 3591
- one-state DPDA, 539
- one-step reduction strategy, 2676
- one-tape offline
 - TM, 1868
 - Turing machines, 1868
- one-tape Turing machine, 2925, 3364
- one-time password, 3505
- one-turn, 814
 - one-way pushdown automaton with k heads, 1065
- one-way, 1484, 1550, 2038, 3132, 3851, 3990
- one-way alternating
 - k -counter machine, 1139
 - TM, 1550
 - Turing machines, 3202
- one-way automaton, 752, 1065, 1728
- one-way cellular
 - arrays, 1710
 - automaton, 792
- one-way
 - communication, 1553, 1944
 - counter, 3990
- one-way deterministic
 - finite automaton, 663, 716, 1232
 - pushdown automaton, 1103
 - TM, 1550
- one-way finite automaton, 578, 2506
 - with k input heads, 1065
- one-way
 - function, 654, 1532, 1542, 2621, 3145, 3323, 3634
 - globally deterministic synchronized alternating finite automaton, 2038
 - hash functions, 3132, 4134
 - heads, 696
 - ID based key distribution system, 2447
- one-way input
 - heads, 739, 1232
 - tape, 1277, 1585

- one-way
 - list, 855, 1655
 - mail, 1944
 - mesh, 1553
- one-way multihead
 - automaton, 1065, 1371
 - finite automaton, 2063
 - pushdown automaton, 113, 739
- one-way multiprocessor automata languages, 1433
- one-way nondeterministic, 2832
 - finite automaton, 663
 - pushdown automaton, 740
 - TM, 1550
- one-way
 - nonerasing stack automaton, 4002
 - npda, 740
 - optimization, 2789
 - output tape, 1585
 - permutations, 1484
 - point to point communication, 1944
 - RCA, 2430
 - space complexity classes, 3851
 - Turing machine, 3851
 - two-head finite automaton, 113
- onion
 - polygonizations, 3249
 - polygons, 3249
- online, 1974, 2117, 2160, 2164, 2277, 2551, 2639, 2735, 2831, 3022, 3114, 3227, 3235, 3346, 3461, 3526, 3540, 3575, 3635, 3801, 3861, 3979, 3993
 - algorithm, 537, 541, 889, 1323, 1328, 1773, 2097, 2160, 2171, 2195, 2216, 2277, 2436, 2481, 2534, 2658, 2726, 2735, 2895, 2910, 2920, 2934, 2936, 2948, 3038, 3105, 3114, 3187, 3235, 3261, 3346, 3398, 3440, 3461, 3526, 3553, 3558, 3575, 3607, 3622, 3707, 3754, 3801, 3862, 3993, 4024, 4066, 4100
 - alternating Turing machine, 1388
 - and offline computation, 3358
- online bin packing, 537, 1773, 2436
 - algorithm, 2436, 2481
 - problems, 2436
- online
 - case, 1066
 - channel allocation, 3801
- online coloring, 4136
 - algorithm, 4136
- online computation, 889, 1371, 1573, 1797, 2063, 3523
- online computation of
 - convolutions, 1797
 - graph properties, 1573
- online
 - connectivity queries, 3623
 - construction, 1389
 - d -dimensional bin packing, 2726
 - edge coloring, 2534
 - editor, 1250
 - environment, 33
 - insertions, 2267
 - kernel search problem, 3862
 - linear time algorithm, 2551
- online load balancing, 3158
 - problem, 3540
- online matching, 2160
 - problem, 2160
- online
 - minimax linear fit, 1328
 - minimum matching problem, 2920
 - parsing, 3162
 - pattern matching algorithm, 1250
 - polynomial approximation strategy for DSA, 1323
 - problem, 3149
 - processing, 1328
 - query term expansion, 2660
- online scheduling, 2831, 3607, 4024
 - jobs, 2910, 3553
 - problem, 4024
- online
 - search, 1238, 3327
 - searching, 2300, 3807
 - shelf algorithm, 3575
 - simulation, 1156, 1168
- online spanning
 - tree problems, 2735
 - trees, 3526
- online Steiner
 - problems, 3114
 - tree, 2735
- online
 - strip packing, 3575
 - traversal, 1588
 - Turing machines, 849
 - vs. offline machines, 1388
- Onoe, 498
- OODB schema, 3536
- Ookubo, Takuya, 3541
- opaque, 1313, 1345, 2091
 - contexts, 1229
 - forest, 1345, 1673, 2264
 - lines, 2091
 - minimal forest, 1345, 2264
- opaqueness, 1134
- open addressing, 222, 1112, 1714, 1750
 - hashing, 1714
- open
 - distributed systems, 4070
 - hash methods, 1142
 - objection, 4134

- open problem, 72, 194, 218, 313, 395, 436, 542, 571, 725, 727, 828, 858, 1075, 1103, 1164, 1203, 1426, 1446, 1449, 1583, 1643, 1750, 1757, 1822, 1957, 2081, 2085, 2170, 2271, 2273, 2277, 2384, 2405, 2412, 2426, 2448, 2510, 2560, 2609, 2645, 2732, 2753, 2762, 2786, 2866, 2887, 2954, 2986, 3054, 3141, 3188, 3924, 4029, 4097
 - from Slot and van Emde Boas, 1196
 - of Brucker, 1195
- open question, 1232, 1613, 1739, 1887, 1947, 2007, 2034, 2154, 2179, 2616, 2630, 2880, 2922, 3119, 3268, 3281, 3315, 3350, 3460, 3539, 3938
- open question of
 - Akers and Krishnamurthy, 3812
 - G. Tel, 3733
- open set condition, 3325
- open shop, 519, 1180
 - scheduling, 519
- open world assumptions, 3199
- opera, 263
- operand, 453, 575, 624, 1956, 2519
 - variations, 624
- operating system, 31, 44, 80, 103, 118, 142, 227, 237, 296, 326, 498, 560, 590, 631, 957, 961, 1023, 1167, 1176, 1280, 1286, 1771, 1807, 1830, 1831, 1914, 1919, 1971, 1981, 2089, 2168, 2317, 2373, 2728, 2789, 3064, 3254, 3677, 3882
 - design, 118, 326
 - level, 1239
- operation, 6, 11, 30, 43, 119
 - coalescence, 2628
 - of sequential circuits, 4
- \oplus operation, 2270
- operation on a
 - database, 787
 - file of data, 6
- operation on
 - languages, 879
 - OBDD, 4083
- operation research, 156, 893
- operational
 - characteristics, 1
 - characterization, 278
 - models, 2295
 - point of view, 316, 549
 - precedence constraints, 288
 - research, 1614, 2731
- operational semantics, 544, 1934, 2134, 2563, 2907, 3770, 3773, 3813
 - of programming languages, 830
- operational subcubes, 2197
- operations research, 163, 3374, 3815, 4103
- operator, 169, 258, 370, 453, 640, 786, 795, 859, 900, 922, 1837, 1909, 2294, 2519, 2647, 2771, 2835, 2876, 2879, 3221
 - form, 302, 362
 - grammars, 225
 - in SAA, 370
- *-operator nested, 1449
- operator precedence, 263, 302, 750, 1360
 - algorithm, 169
 - grammar, 263, 302, 311, 362
 - languages, 302, 362
 - matrix, 225
 - parser, 263, 750
- operator precedence parsing, 1360
 - method, 169
- operator precedence
 - relation, 302, 362
 - technique, 169
- \oplus operation, 2270
- $\oplus L$, 2070
- $\oplus P$, 2109, 2954
- $\oplus P^A$, 2109
- OPSC, 2197
- OPT, 338, 366, 1735
 - algorithm, 338
- optical
 - media, 3029
 - orthogonal code, 2271
 - routing on trees, 3539
 - storage, 3029
- optima, 4065
- optimal, 5, 27, 1675, 3566
- optimal algorithm, 90, 283, 338, 602, 699, 713, 781, 987, 1042, 1079, 1100, 1163, 1210, 1438, 1509, 1666, 2011, 2051, 2075, 2103, 2159, 2340, 2393, 2478, 2486, 2498, 2540, 2546, 2673, 2699, 2808, 2825, 2851, 2864, 2911, 2932, 2939, 2971, 3039, 3057, 3068, 3105, 3179, 3319, 3516, 3531, 3849, 3912, 3985, 4011
 - for unbounded searching, 226
 - of Winograd, 1188
- optimal algorithms, 226, 260, 338, 366, 422, 987, 1084, 1095, 1230, 1501, 1899, 2073, 2498, 3220, 3567
 - for finding bridges, 978
- optimal allocation, 1323, 1819, 4103
 - of resources, 851
- optimal alphabetic
 - binary search tree, 184
 - trees, 3776
- optimal approximation, 3504
- optimal arrangement, 633
 - of pages, 1556
- optimal assignment, 493, 546, 1597, 1806, 3539, 4133

- optimal availability, 1786, 3686
 - quorum systems, 3686
- optimal average, 3551
 - case performance, 194
- optimal average information, 3551
 - rate, 3551
- optimal binary
 - decision trees, 207
 - search tree, 706, 788, 2591, 3776
- optimal
 - bound, 904, 1488, 1789, 2886
 - bridge, 3878
 - broadcasting, 3345, 3971
 - buffer size, 2041
 - b-matching problem, 4103
 - cache scheduling, 1735
 - chain partitions of trees, 166
 - checkpointing, 1439
- optimal coloring, 3450
 - of a graph, 69
- optimal
 - coterries, 2869
 - cover, 1377
 - covering, 672, 3872
 - CRCW PRAM fault tolerance, 2212
 - cyclic arrangement, 633
 - database reorganisation, 818
- optimal demand
 - paging algorithm, 260
 - prepaging algorithm, 338
- optimal
 - design, 855
 - disk system, 3149
- optimal distributed
 - algorithm, 2165, 2864
 - election, 2187
- optimal
 - distribution, 2184, 2192
 - division, 1074
- optimal domination network, 371
 - problem, 371
- optimal
 - DRDE allocation, 2835
 - dynamization, 661
 - effectiveness metric, 3739
 - embedding of hyperrings in hypercubes, 3296
 - encoding formula, 3394
- optimal estimation, 398
 - algorithm, 49
- optimal
 - flow shop schedule, 1812
 - greedy heuristic, 2087
 - height, 206
 - heuristic, 2254
 - information rate, 3948
 - IO sequence, 2283
 - k - d tree, 678
 - K -level quantizer, 1765
 - labeling, 424
- optimal layout, 4012
 - of vertices, 1738
- optimal length, 2618, 2630
 - test sequences, 2750
- optimal linear arrangement, 633
 - problem, 756
- optimal
 - lower bound, 2619, 2859, 2982
 - makespan, 2440
 - matching, 1201
 - median residual, 3585
 - merging and sorting, 1884
 - message routing, 3691, 3950
 - module assignment, 546
 - motion planning, 1826
 - multilevel indexed sequential files, 855
 - network partitioning, 2837
 - networks, 601, 883
 - node ranking of trees, 1610, 1869
- optimal nonpreemptive
 - schedules, 519
 - scheduling, 255
- optimal
 - number of comparisons, 2747
 - offline algorithm, 2216
 - online decremental connectivity, 3623
 - order, 678
 - ordering, 4020
 - packing, 530, 672, 2436
 - paginations, 260
 - paging algorithms, 366
- optimal parallel
 - 3-coloring algorithm, 2340
 - adaptive sorting algorithm, 2234
- optimal parallel algorithm, 1525, 1538, 1766, 1795, 1821, 1876, 1885, 2004, 2393, 2494, 2517, 2706, 2714, 2825, 2911, 2932, 3089, 3220, 3490, 3777, 4128
 - for maximal matching, 2961, 4128
- optimal parallel algorithms, 1879, 1944, 2340, 2413, 2706, 2808, 3091, 3671
- optimal parallel algorithms for
 - finding bridges, 978
 - merging, 2825
 - sorting presorted sequences, 2234
- optimal parallel
 - circle cover algorithm, 1795
 - computations, 2932
 - construction of heaps, 2732
 - prefix circuits, 3936
 - processor bound, 1115

- optimal parallel (*cont.*)
 - randomized renaming, 3439
 - selection, 3350
 - time bounds, 2408
 - transformations, 1753
- optimal partition, 2837
- optimal path, 2142, 3291
 - cover, 1994
- optimal
 - performance values, 1735
 - policy, 652, 886, 934, 2114
 - polyhedron partitioning, 884
 - preemptive schedules, 519
 - process assignment, 631
 - rank number of a tree, 1610
 - ranking, 1869
 - reorganisation strategy, 818
 - restructuring rule, 1633
 - rewriting strategy, 3753
 - routing, 2414, 2482, 3097, 3479
 - schedule, 288, 519, 527, 648, 1406, 3070, 3269, 3591
- optimal scheduling, 167, 185, 1632
 - algorithm, 611, 2819
 - policy, 1632
- optimal search, 1147, 2582
 - algorithm, 1666, 1851
 - strategy, 1666
- optimal simulation, 2697
 - of tree arrays by linear arrays, 1734
- optimal
 - slope selection, 2674
 - solution, 76, 546, 649, 689, 756, 890, 1146, 1583, 1787, 2174, 2286, 2401, 2404, 2498, 2533, 2705, 2892, 2945, 3408, 3792, 3796, 4016
- optimal sorting, 40
 - network problem, 1594
- optimal space, 1438
- optimal speed up, 1810, 2683, 3044
 - algorithms, 2148
 - ratio, 2148
- optimal
 - static multiway tree, 2164
 - stochastic rule, 707
 - strategy, 449, 612, 1084, 1147, 1735, 2683, 2829, 3224
 - string alignment, 3931
 - superprimitivity testing for strings, 2205
- optimal test, 904
 - sequence, 2026
- optimal time, 1163, 1438, 1645, 2684, 3799
 - algorithm, 3721
 - and space, 1913, 2223, 3642
 - bounds, 2384, 2727
- optimal total exchange, 2390
- optimal tree, 53, 207, 3776
 - correction, 671
 - editing program, 671
- optimal
 - triangulation, 469, 550
 - updating mechanism, 5
 - use of storage, 117
 - vertex ordering problem, 4020
 - worst case time complexity, 1501
- optimality, 260, 699, 707, 934, 1633, 1666, 1735, 1765, 2114, 2286, 2291, 2314, 2451, 2466, 2750, 2822, 2871, 2952, 3124, 3252, 3289, 3590, 3753, 3849
 - criterion, 2054
 - measure, 4020
 - proof, 3124
- optimally, 1844, 2215, 2603, 3244, 3289, 3379, 3504, 3812
- optimally balanced
 - data structure, 1953
 - search strategies, 1953
- optimally distributing program modules, 1806
- optimally efficient
 - parallel algorithm, 1509
 - selection algorithm, 1509
- optimally
 - fault tolerant, 2746
 - triangulating, 3244
 - weighted 1-tree, 2016
- optimisation, 262, 3201
- optimised code for coercions, 262
- optimistic
 - concurrency control time interval, 3578
 - simulation, 3060
 - synchronization, 3934
- optimization, 27, 46, 127, 230, 258, 273, 1135, 1636, 1848, 2057, 2110, 2432, 2508, 2666, 2854, 3018, 3278, 3305, 3341, 3663, 3992, 4026, 4120
 - algorithms, 273, 560, 1084, 2318
 - criteria, 560
- optimization of
 - a test suite, 3408
 - LR(k) parsers, 2693
 - programs, 2563
 - store size, 103
- optimization problem, 809, 1321, 1891, 2110, 2753, 3422, 3569, 3624
 - under constraints, 890
- optimization problems, 271, 765, 1165, 2111, 2258, 2432, 2659, 3094, 3389, 3391, 3842, 3992
 - in interval graphs, 1947
 - on circular arc graphs, 2278
- optimization strategies, 2679

- optimizer, 1063
 - generator, 2489
- optimizing, 27, 2479, 3142, 4107
 - a database structure, 941
 - ADT queries, 2489
 - compilers, 1053
 - dynamic modular logic languages, 3303
 - linear programs, 289
 - one-dimensional storage, 1556
 - program performance, 1239
 - queries, 2489
 - reference counting, 3142
 - the number of block accesses, 2188
 - transformations, 289, 293
- optimum, 860, 873, 935, 1131, 1431
 - bases, 2161
 - checkpointing interval, 934
 - colouring, 1743
 - cost, 1891, 4016
 - cover, 873
 - distribution of modules, 493
 - domination in weighted trees, 371
 - execution order, 2050
 - k - d tree, 850
 - number of update transactions, 652
 - one-dimensional binary search tree, 850
 - ordered biweighted binary trees, 935
 - solution, 1165, 1891, 2016
- optimum tree, 850
 - valuation, 424
- optimum triangulation, 469
 - of a point set, 550
- optimum watchman routes, 1578
- OP-TIM, 3163
- OR clause, 561
- or continuous, 1909
- OR gates, 1152, 2024, 3335
- or parallelism, 1306
- OR type channel, 2048
- oracle, 781, 832, 1117, 1203, 1204, 1390, 1467, 1615, 1622, 1718, 1889, 2007, 2109, 2252, 2424, 2560, 2626, 2669, 2813, 2993, 3299, 3625, 3792, 3885
 - access, 3961
 - classes, 3885
 - complexities, 2043
 - computations, 1203, 1390
 - hierarchy, 1390
 - machine, 2626
 - model, 3299
 - queries, 3282
 - reduction, 911
 - sets, 1390, 2206
 - tape, 1390
 - Turing machine, 832
- orbit, 344, 421
- Orda, Ariel, 3500
- order, 20, 88, 154
 - completion, 1991
 - dependency, 3504
- order k
 - Fibonacci numbers, 626
 - homogeneous linear recurrence relation, 626
 - recurrence relations, 536
- order of
 - a blocked process, 43
 - decreasing diameter, 577
 - demand analysis, 3161
- order of evaluation, 1383, 1506, 3115
 - of arguments, 1383
- order of execution, 167, 255
 - time, 1429
- order of
 - functions, 2325
 - magnitude, 37, 522, 2399, 4012
 - state functions, 2325
 - traversal, 96
- order
 - on multisets, 1489
 - polynomial algorithm, 3289
- order preserving, 1037
 - method, 1658
- order relation, 2270
- order statistics, 1538, 1804, 2232, 3185
 - problem, 1538, 1706
- order theoretic properties, 2648
- ordered
 - 2-3 tree, 212
 - array, 1123
 - BDD, 4083
- ordered binary
 - and functional decision diagrams, 3370
 - decision diagrams, 2729, 3510, 3735, 4083
- ordered
 - biweighted binary trees, 935
 - context free grammars, 161
 - decision diagrams, 3370
 - dictionaries, 2000
 - domains, 1991
 - grammars, 161
 - keys, 925
- ordered list, 339, 648, 703, 1016, 1225, 3947
 - of blocks, 2188
- ordered minimal perfect hash table, 2921
- ordered minimal perfect hashing
 - function, 1529
 - scheme, 1529
- ordered
 - multiset, 1489
 - pair, 215, 390, 1177, 2992

- ordered pair of
 - nodes, 723
 - nonnegative numbers, 935
 - vertices, 616
- ordered
 - rewriting, 2068
 - set, 519, 521, 974, 1050, 1630, 2082
 - sets of combinations, 974
 - subtree isomorphism, 2301
- ordered table, 212, 303
 - of combinations, 974
 - searching, 226
- ordered tree, 1832, 1840, 2074, 2215, 2296, 2301, 2871
- ordering, 110, 515, 691, 735, 826, 882, 1163, 1228, 1372, 1489, 1809, 1816, 1820, 2068, 2437, 2545, 2588, 2648, 2729, 2771, 2840, 2895, 3121, 3199, 3370, 3760, 4020, 4021
 - algorithm, 515
 - by length, 2068
 - information, 3557
 - of assignments, 2
 - on multisets, 1489
 - relation, 954, 974, 1632, 2257
 - the generators, 1020
- orderisomorphism, 294
- ordinal, 1283, 1630
 - closures, 3778
- ordinary
 - differential equations, 586, 587
 - encodings, 3588
- organic development, 279
- orientable graphs, 2361
- orientation, 134, 986, 1115, 1401, 2119, 2508, 2524, 3059, 3584, 3650, 3995
 - of K_n , 3790
 - problem, 3584
- oriented, 60
 - addressing, 60
 - balanced trees, 54
 - depth first search, 1745
 - graph, 4057
 - planar graphs, 2902
 - rings, 3378
 - tree, 164, 244
 - Voronoi diagram, 2011
- orienting, 3584
 - edges, 3790
 - graphs, 3584
- origin, 4129
- Orloff, 2372
- Orlowska, 1567
- O'Rourke et al., 1412
- Orozco, J., 3501
- orthogonal, 253, 774, 2208, 3404, 3666, 3723, 3973
 - arrays, 3400
 - graph drawing, 3401, 3666
 - hyperrectangles, 2289
 - hypersquares, 2289
 - intersection searching, 774
 - lists, 455
 - object, 748, 774, 2119
 - polynomials, 253
 - projections, 2242, 3904
 - range query, 859, 2106
 - rectangle intersection, 774
 - segment intersection search problem, 2071
 - straight line segments, 3723
- orthogonal subspace, 267
 - method, 267
- orthogonal
 - trees network, 759
 - TRS, 2676
- orthogonality, 2317, 2676
- orthogonalization, 2098
- orthogonally connected multiprocessors, 2123
- ortholattice, 3695
 - identities, 3695
- orthomodular lattices, 3695
- OS/360, 296
 - catalog management, 296
- OS/VS1, 203
- Osborn, 798, 2449
- Ostrand, Phillip A., 1309
- other agent, 3986
- OTN, 759
- Ottmann and Wood, 3817
- Otto, Martin, 3392
- out
 - degree, 2283, 2806
 - of band communication, 885
- outdegree, 128, 441, 1568, 1660, 3153, 3644
- outer face, 518
- outer layer, 1136
 - of a set of points, 1136
- outer
 - product, 198, 786
 - vector product, 1269, 1502
- outermost needed
 - rewriting, 3753
 - strategy, 3753
- outerplanar, 518, 1528
 - algorithm, 518
 - graph, 518, 1828, 3809
- outlet, 2724
- output, 19, 390, 526, 590, 719, 745
 - arcs, 67, 1964
 - behavior, 1316
 - buffer, 420, 1385
 - characteristics, 1721
 - free path, 1598

- output (*cont.*)
 input path, 1598
 nodes, 745
- output polynomial, 4055
 algorithm, 4055
 time, 4055
- output processes, 878
- output sensitive, 3992
 algorithm, 3374
 peeling, 3374
- output
 specification, 178
 terminals, 19
 vertices, 808
 wire, 3559
- outregular digraph, 3644
- outward connectivity, 392
- Ouyang and Palem, 2783
- overflow, 16, 57, 387, 863, 868, 1238, 2080, 2192, 2509
 area, 1238
 block, 203
 bucket, 2080
 handling, 203
 in hash tables, 157
 movings, 925
 technique, 925
- overhead, 24
- overlap, 585, 1721, 2135, 3453
- overlap closure, 2085
 construction, 2085
- overlap
 free words, 2785
 graph, 2483, 4057
- overlapping
 segments in storage, 187, 633, 1030
 substrings, 615
 subtrees, 114
- overlay, 3582
 of two simple polygons, 3582
- overloaded, 548, 2080
 construct, 548
- overloading, 548, 2707, 3222
 capabilities in Ada, 548
 of operators, 548
- Overmars, 1327, 2267, 3820
- Overmars and Harel, 2950
- Overmars-van Leeuwen structure, 2267
- overprint operation, 119
- Owicki and Gries, 3201, 3419
- Owicki method, 962
- Owicki-Gries logic, 1875
- P**
- P, 1622, 1726, 2243, 2626, 3118, 3134
 $\oplus P$, 2109, 2954
- $P = 2ACMPRC = 1ACMPRC$, 1139
- $P = NC$, 2428
- $P = NP$, 144, 209, 1536, 1887, 1894, 2118, 2601, 2635, 2659, 2797, 2935, 3174, 3472, 3491, 3643, 3730, 3808, 3887, 4055, 4117
- $P = ? NP$, 209
 question, 767, 1622
- $P \stackrel{?}{=} NP$ question, 1390
- $P = P^{\#}P$, 2179, 2453
- $P \neq NP$, 207, 798, 832, 1209, 1615, 1887, 1890, 1891, 2753, 3525, 3634, 3842
- $P \neq PSPACE$, 2993
- $P \subseteq NP$, 1390
- $P \subseteq NP(A)$, 1390
- P and
 NP, 1134, 1887
 V operations, 686, 1158, 1176
- P complete, 411, 1203, 1332, 1778, 2124, 2243, 2355, 2383, 2389, 2428, 3268
 problems, 2124
- P
 completeness, 1332, 1484, 1778, 2243, 3268
 hard to compute, 1484
 immunity, 1894
 NP problem, 1894
 operation, 1158, 1446
 Turing equivalence, 1294
 uniformity, 2167
- P versus NP, 1134
 question, 2560
- $P(k, l)$ language, 160
- $\#P$, 674, 2179, 2434, 2453, 2526, 2870, 3550
- $\#P$ complete, 1442, 2887, 2894
 problems, 2894
- $\#P$
 completeness, 2887
 hard problem, 2813
- p-measure, 0, 3438
- \mathcal{P}'' -language, 535
- $P(A) = NP(A)$, 1390
- $P(B) \neq NP(B)$, 1390
- $P(d(n))$, 1887
- $P(d(n)) \neq NP(d(n))$, 1887
- $P(d(n)) = NP(d(n))$, 1887
- $P\Sigma$ -EAA, 749
- (p, q) -dpda, 696
- P/\log , 3144
- $P/poly$, 1341, 3071, 3869
- P_1 -help $(NP \cap coNP)$, 3469
- P_1 -help $(UP \cap coUP) = UP \cap coUP$, 3469
- P_2/C_{max} , 3461
- P_4
 laden graphs, 3391
 lite graphs, 3391
 tidy graphs, 3537

- P_5 , 3460
 - free graphs, 3460
- $P_{P\text{-comp}}$, 3134
- P^{NP} , 3674
 - upper bound, 3674
- PA, 395
- $\oplus P^A$, 2109
- PAC, 3567
 - learnability, 2792
 - learnable, 2439, 3337, 3685
- PAC learning, 2224, 3067, 3252, 3489, 3567, 3626, 3685, 3834, 4031, 4056
 - algorithm, 3337, 3489
- PAC model, 2406, 2792, 3252
- PAC + MQ algorithm, 4056
- Pacas-Skewes, 1964
- Pacault, 110
- Pacault's algorithm, 110
- Pachl, Jan, 2520
- packed decimal
 - keys, 1037
 - numbers, 1037
- packet, 1276, 1730, 2199, 2642, 2686, 2701, 3591, 3609, 3726
 - delivery process, 3609
 - radio network, 3152, 3591
- packet routing, 3979
 - algorithms, 2561
- packet store rewriting, 3404
- packet switched, 2686
 - d -cube, 2914
 - multiplexer, 2686
- packet
 - switchers, 1596
 - switching network, 3591
 - transit times, 3609
- packing, 530, 672, 1031, 1448, 2436, 3105, 3552, 4065
 - algorithms, 622, 3105
 - and covering problems, 672
 - in two dimensions, 530
 - items, 1448
 - problem, 2392, 3105, 4065
 - rectangles, 530
 - strategy, 1448
- PACS, 4031
 - model, 4031
- pad, 3169
 - sorted, 3169
- Padé
 - approximants, 2334
 - tables, 2334
- paddable languages, 3144
- padded list, 503
- Padró, Carles, 3529, 3530, 3821
- page
 - arrangements, 1556
 - connectivity graph, 2041
- page fault, 21, 280, 338, 366, 1397
 - count, 366
- page
 - faulting, 1397
 - faults, 310, 338, 366
 - fetches, 1735
 - management schemes, 338
- page on demand
 - policy, 280
 - system, 280
- page pull, 338, 366
 - count, 338
- page
 - reaccess, 2041
 - reference strings, 260
- page replacement, 3577
 - algorithm, 890, 3577
- page
 - swaps, 498
 - trace, 338
 - transfer, 906
 - utilization, 925
- paged
 - computer systems, 280
 - segmentation, 933
- paged virtual memory, 229
 - system, 338, 366
- pagenumber, 3116
- pager, 747
- pagination, 229, 260
 - procedures, 229
- paging, 21, 142, 229, 280, 366, 498, 890, 1397, 3754, 4066
 - algorithm, 260, 338, 366, 3754
 - behaviour, 260
 - environment, 498, 1397, 2108, 2291
 - mechanism, 21
 - performance, 229
 - problem, 3754
 - rate, 310
 - scheme, 21
 - strategy, 1735
- Pagli, Linda, 3600
- pair
 - algebra, 3782
 - index, 848, 2017
- pair of
 - languages, 61
 - nodes, 1309
 - nonadjacent vertices, 1778
 - vertices, 101, 505, 2708, 2871, 2966, 3529, 3530, 3576, 3949
 - words, 640

- paired
 - sequential lists, 387
 - stacks, 2816
- pairing
 - heaps, 2558
 - problems, 881
- pairwise
 - adjacent vertices, 1904
- pairwise balanced
 - combinatorial designs, 2848
 - design, 2848
- pairwise compare and interchange operations, 1177
- pairwise comparison, 3225, 3363, 3833
 - matrices, 3833
- pairwise
 - disjoint sets, 271, 1910
 - incompatible objects, 69
 - independence, 3993
 - intersection property, 742
- palindrome, 2503, 3140
 - left factor, 685
 - of even length, 2503
- palindrome recognition, 182
 - algorithms, 182
- palindrome words, 685
- palindromic subtrees, 2503
- Pallo, 3822, 3915
 - representation, 3822
- Pallo, Jean, 3431
- Palmer, 338
- palstar, 2503
- Pan
 - bound, 540
 - technique, 540
- Panaite, Petrișor, 3361
- pancake interconnection networks, 2602
- Panconesi and Ranjan, 2258, 2659
- Panconesi, Alessandro, 3294, 3673
- pancyclic graph, 4052
- pancyclicity, 4052
- Pandey, A., 1841
- Pang, Chaoyi, 3523
- Panigrahy, Rina, 3539
- Papadimitriou, 1456, 1826, 3588
- Papadimitriou and Silverberg, 1826
- Papadimitriou and Yannakakis, 642, 1823, 2258, 2377, 2659
- Papadimitriou-Silverberg algorithm, 1826
- Papaefthymiou, Marios C., 3576
- parabola, 3191
- paradigm, 808, 1622, 2113, 2231, 2531, 2563, 2570, 2874, 3840
- paradox free logic systems, 2046
- parallel 2-3 tree, 807, 2194
- parallel access, 3674
 - to NP, 3674
- parallel
 - accessing mechanism, 251
 - algebraic circuit complexity, 1006
- parallel algorithm, 251, 623, 820, 905, 1042, 1113, 1133, 1143, 1153, 1199, 1202, 1203, 1273, 1315, 1332, 1350, 1361, 1386, 1396, 1404, 1430, 1488, 1509, 1540, 1554, 1582, 1583, 1586, 1590, 1648, 1683, 1692, 1701, 1726, 1729, 1762, 1766, 1780, 1799, 1810, 1821, 1842, 1876, 1899, 1951, 1990, 1997, 2022, 2083, 2152, 2215, 2217, 2270, 2322, 2340, 2357, 2359, 2394, 2415, 2467, 2468, 2486, 2494, 2517, 2575, 2577, 2597, 2605, 2714, 2725, 2808, 2812, 2825, 2873, 2911, 2933, 2961, 2969, 3007, 3018, 3089, 3106, 3147, 3159, 3178, 3184, 3203, 3215, 3220, 3350, 3482, 3490, 3516, 3543, 3702, 3756, 3963, 4128
 - design, 2871
- parallel algorithm for
 - dominators, 1350
 - eliminating cycles, 1965
 - finding the closest pair of points, 593
- parallel algorithm for maximal
 - cliques, 1624
 - matching, 1199
- parallel algorithms, 623, 759, 1154, 1203, 1231, 1395, 1404, 1430, 1488, 1539, 1554, 1624, 1668, 1722, 1726, 1810, 1876, 1878, 1879, 1896, 1900, 1903, 1942, 1944, 1945, 1947, 1951, 1961, 1965, 1983, 1990, 2004, 2009, 2024, 2036, 2042, 2044, 2052, 2083, 2094, 2101, 2102, 2115, 2123, 2130, 2143, 2151, 2152, 2153, 2155, 2163, 2167, 2173, 2181, 2186, 2193, 2194, 2197, 2199, 2212, 2217, 2222, 2234, 2238, 2243, 2244, 2256, 2263, 2270, 2286, 2296, 2299, 2302, 2308, 2315, 2322, 2328, 2340, 2357, 2359, 2362, 2389, 2390, 2393, 2394, 2408, 2409, 2410, 2411, 2412, 2413, 2415, 2427, 2450, 2455, 2465, 2467, 2475, 2486, 2490, 2492, 2494, 2506, 2516, 2517, 2530, 2537, 2575, 2577, 2587, 2592, 2597, 2603, 2605, 2610, 2620, 2624, 2625, 2634, 2678, 2686, 2695, 2696, 2697, 2699, 2706, 2714, 2725, 2727, 2732, 2746, 2769, 2793, 2795, 2796, 2808, 2812, 2814, 2822, 2825, 2834, 2850, 2871, 2873, 2874, 2911, 2929, 2932, 2961, 2964, 2969, 2971, 2990, 3007, 3018, 3033, 3040, 3044, 3076, 3106, 3147, 3154, 3159, 3169, 3172, 3178, 3203, 3211, 3215, 3220, 3236, 3237, 3286, 3288, 3292, 3296, 3301, 3319, 3326, 3342, 3350, 3399, 3414, 3415, 3425, 3427, 3441, 3443, 3459, 3480, 3482, 3490, 3500, 3516, 3543, 3573, 3600, 3665, 3671, 3739, 3747,

- parallel algorithms (*cont.*), 3756, 3817, 3847, 3927, 3936, 3964, 3965, 3987, 4071, 4078, 4128, 4142
- parallel algorithms for
 - addition and multiplication, 2620
 - exponentiation, 2328
 - merging, 2825
 - traversing trees, 2151
- parallel
 - application analysis, 3739
 - approximability, 2124
 - architecture, 1445, 1466, 1740, 1810, 1847, 1983, 2101, 2218, 3459, 4013
- parallel arithmetic
 - algorithms, 1692
 - computing, 3443
- parallel assignment, 82, 3305
 - instructions, 82
- parallel asynchronous
 - algorithm, 2186
 - connected components, 2186
- parallel
 - banyan, 2724
 - batched planar point location, 1883
 - behavior projections, 950
 - Boolean operations, 2218
 - branch and bound algorithm, 1272
 - bucket sort, 1525
 - cardinality stack, 2194
- parallel circle cover
 - algorithms, 1539
 - minimization algorithm, 1805
- parallel
 - circuits, 1680
 - classifier, 2634
 - clique tree constructing algorithm, 1747
 - coloring of planar graphs, 1395
 - combination, 995
- parallel comparison tree, 1878
 - model, 2732
- parallel complexity, 777, 1007, 1083, 1762, 2153, 2243, 2339, 2389, 2964, 3172, 3268, 3665
- parallel complexity of computing, 623
 - a maximal set of disjoint paths, 2339
- parallel complexity of
 - finding a blocking flow, 1762
 - graph properties, 1007
 - matching on general graphs, 2961
 - maximal matching on bipartite graphs, 2961
- parallel composition, 275, 1929, 2060, 2294, 2295
 - of two cyclic programs, 1263
 - operator, 1788
- parallel compounds, 604
- parallel computation, 145, 208, 259, 591, 593, 751, 777, 849, 867, 883, 927, 944, 964, 973, 978, 986, 1095, 1115, 1132, 1203, 1242, 1272, 1354, 1376, 1396, 1433, 1484, 1499, 1508, 1522, 1603, 1608, 1640, 1847, 1883, 1893, 2173, 2250, 2270, 2599, 2985, 3111, 3220, 3480, 3529, 3743, 3796
 - model, 2320, 2806, 3326
 - of the edit distance, 1640
 - thesis, 964
- parallel computational
 - complexity, 1353, 2562
 - geometry, 1583
 - models, 1821
- parallel computations, 1153, 1722, 2252, 3376, 3935
- parallel computer, 214, 867, 1047, 1177, 1539, 1730, 1900, 2222, 2562, 2699, 2793
 - structure, 1293
 - systems, 2362, 2624
- parallel computing, 864, 1632, 1651, 1683, 1780, 2065, 3060
 - time, 1747
- parallel
 - conditional, 2366
 - conflict free access, 2045
 - connectivity algorithms, 3945
 - construction, 1990, 3203
 - context free grammars, 2181
 - Cramér rule, 1386
- parallel data
 - paths, 106
 - structure, 1488
- parallel database, 4089
 - systems, 2737
- parallel
 - depth first traversals, 2151
 - dictionaries, 3817
 - dynamics of positive automata networks, 2432
 - edges, 136, 299
 - evaluation, 145, 208, 896, 1372, 1692, 2293, 2538, 2957
- parallel execution, 896, 1445, 1730
 - time, 3423
- parallel
 - garbage collection, 1257
 - generation of memory addresses, 2045
 - grammars, 749, 1244
 - graph algorithm, 1115, 2492
 - hashing algorithms, 251
 - hierarchical cellular array processor, 963
 - hybridsort, 1801
 - implementation, 379, 1348, 1740, 1896, 2173, 3749
 - integer sorting, 2036
- parallel interval
 - graph recognition, 1947
 - narrowing, 4078

- parallel
 - iterated bucket sort, 1766
 - iteration, 995
 - join algorithm, 3151
 - jump searching algorithm, 1296
- parallel linear algebra, 4132
 - library, 4132
 - package, 4132
- parallel
 - list update problem, 2971
 - lossless image compression, 3342
- parallel machine, 1242, 1315, 1896, 1942, 2036, 2465, 3610, 3743
 - problems, 1180
- parallel machine scheduling, 3610
 - problem, 3461
- parallel
 - makeheap, 2678
 - map, 2631, 3466, 3718
 - matching, 2194
 - matrix computation, 1445
 - maximum matching algorithm, 1315
 - median algorithm, 1113
- parallel memory, 524
 - access, 2410
 - modules, 524
 - system, 2045
- parallel
 - merge process, 728
 - mergesort, 2455
- parallel merging, 728, 956, 1296, 1884
 - algorithm, 728, 2825
- parallel
 - model, 1353, 3741, 4151
 - models of computation, 1371
 - moves, 2532, 2604
 - multiple search, 2115
 - multisection, 783
 - NC algorithm, 2779
 - neighbour sort, 1296
- parallel numerical
 - algorithms, 1445
 - applications, 4132
- parallel
 - operations, 43, 950, 1257, 2123
 - operators, 2653
- parallel parsing, 1754
 - algorithm, 3292
- parallel
 - polynomial division, 1154, 1353
 - potential, 728
- parallel prefix
 - algorithm, 2413, 3965
 - computation, 2506
- parallel priority queues, 2263
- parallel problem, 430
 - description, 368
- parallel processes, 44, 86, 404, 766, 1200
- parallel processing, 43, 45, 71, 106, 127, 159, 214, 259, 477, 526, 653, 659, 733, 735, 783, 792, 896, 943, 950, 963, 966, 1007, 1090, 1126, 1177, 1191, 1200, 1245, 1286, 1293, 1354, 1361, 1455, 1539, 1595, 1596, 1617, 1624, 1663, 1668, 1699, 1747, 1769, 1795, 1810, 1821, 1831, 1880, 1895, 1899, 1900, 1954, 1979, 2025, 2126, 2168, 2184, 2197, 2218, 2256, 2362, 2390, 2409, 2431, 2482, 2515, 2525, 2538, 2583, 2599, 2601, 2606, 2610, 2624, 2673, 2684, 2724, 2737, 2738, 2742, 2743, 2745, 2779, 2783, 2789, 2793, 2810, 2834, 2861, 2868, 2885, 2913, 2933, 3026, 3044, 3065, 3068, 3070, 3111, 3183, 3201, 3227, 3239, 3362, 3367, 3425, 3427, 3442, 3445, 3470, 3480, 3559, 3565, 3605, 3740, 3742, 3743, 3780, 3812, 3898, 3914, 3934, 3935, 3959, 3979, 4036, 4038, 4089, 4107, 4108, 4132
 - architectures, 1126
 - environment, 2610
 - language, 45
 - of HCB_trees, 1663
- parallel processor, 639, 807, 905, 950, 1126, 1257, 1855, 2045, 3433, 3488, 3565
 - interconnection schemata, 659
- parallel product, 1678
- parallel program, 604, 632
 - schemata, 357
- parallel programming, 237, 259, 3935
 - language, 1617
 - paradigm, 3935
 - primitives, 43
- parallel
 - programs, 604, 632, 1176, 1632, 3007, 3419
 - projection, 2638
 - p-adic computation, 1595
 - queries, 3705
- parallel queries to
 - an oracle, 3705
 - NP, 3887
- parallel quicksort algorithm, 3700
- parallel RAM, 1007, 1152, 1525
 - algorithm, 1648
- parallel random
 - access machine, 1133, 1231, 1350, 1522, 1540, 1608, 1689, 1722, 1753, 1942, 1986, 2181, 2409, 2411, 2697, 2873, 3509, 3955
 - permutation generation, 3803
- parallel recognition, 2537, 3040
 - algorithms, 4071

- parallel
 - reference counting algorithm, 1257
 - residual algorithm, 3443
- parallel rewriting, 572, 778, 1643, 1950, 3074
 - systems, 572
- parallel
 - routing algorithm, 3726
 - scanning, 1663
 - search, 1165
 - searching, 1663
 - selection, 1042, 1538
 - Σ -erasing array acceptors, 749
 - simulation, 2814, 3934
 - slicing algorithm, 3215
 - solution of linear equations, 1386
 - sort algorithms, 728
- parallel sorting, 1801, 1884, 2036, 2793
 - algorithm, 2455
- parallel
 - speedup, 1203
 - stacking, 666
 - strong orientation, 986
 - synchronous algorithm, 2186
- parallel system, 368, 379, 555
 - problem, 430
 - schema, 555
- parallel systems, 368, 379, 1617
 - behavior, 555
- parallel task
 - detection algorithms, 106
 - system, 2362, 2624, 4023
- parallel
 - tasks, 106, 2133, 3227
 - thinning algorithm, 2302
- parallel time, 526, 986, 1006, 1113, 1132, 1847, 1924, 2036, 2101, 2193, 2263, 2503, 2633, 2789, 2871, 3284, 4128
 - bounded reducibility, 2252
 - bounds, 3600
 - complexity, 1353, 1395
 - on a SIMDAG, 526
- parallel
 - trace driven simulation, 2686
 - transmissions, 1084
- parallel tree
 - contraction, 3376
 - difference algorithm, 3423
- parallel
 - uniform hashing, 2094
 - update, 1231
 - user programs, 1176
- parallel, bulk synchronous, 4078
- parallel/distributed architectures, 3749
- parallel/sequential array automaton, 71
- parallelism, 232, 256, 568, 590, 667, 693, 777, 883, 896, 950, 992, 1012, 1060, 1126, 1332, 1386, 1404, 1586, 1632, 1831, 1909, 2133, 2390, 2402, 2538, 2737, 3319
- parallelizability, 905
- parallelizable, 2193
 - lexicographically first maximal edge induced subgraph problem, 1528
 - tasks, 3912
- parallelization, 1753, 2359, 2412, 2486, 2592, 3342, 3516
- parallelize, 1753, 2359
- parallelized, 3433
- parameter, 22
 - estimates, 1502
 - estimation, 2009
- parameter of
 - a graph, 3214
 - program components, 190
- parameter
 - space, 1895
 - values, 2049
- parameterized, 1607, 2774
 - algebraic types, 620
 - algorithms, 4037
- parameterized complexity, 3624, 4037
 - theory, 3624
- parameterized
 - matching, 2774
 - pattern matching, 2774
 - problem, 4037
 - recurrent systems, 3905
 - string matching, 2774
 - triangle inequality, 4030
- parameterless functions, 548
- parametric, 2481, 2657, 2690
 - form, 284
 - network flows, 1727
 - optimization, 1727
 - polymorphism, 3916
 - search, 1685, 2232, 2784, 3016, 3056, 3507
- parametric searching, 2674
 - technique of Megiddo, 2674
- parametric stable marriage, 1727
- parametricity, 3916
- parametrized recurrent systems, 2749
- paramodulation, 2648
- PARBS, 2697, 3127
- Pardo, Luis M., 3767
- parent, 176
 - pool, 1717
- parentheses, 684, 1981, 3162, 3431, 3844
- parentheses matching, 2322
 - problem, 2322
- parentheses strings, 3431, 3844

- parenthesis, 684, 3844
 - language, 680, 2522
 - string, 684
- parenthesized languages, 311
- Pareto optimum, 809
- Parfenoff, I., 3537
- Parhami, Behrooz, 2901, 3812, 3832
- Parikh, 440, 1417
- Parikh bounded
 - languages, 951
 - property, 951
- Parikh
 - boundedness, 951
 - mapping, 3
 - theorem, 356
- parity, 1452, 1608, 2109, 3377, 3594
- parity
 - acceptance, 2070
 - accepting mode, 3901
 - branching programs, 3901
 - checks, 3606, 3923
 - detection, 2833
 - function, 1152, 2040, 2121, 2325
 - games, 3823
 - gates, 3594
 - like languages, 3046
 - OBDD, 3781, 3901
 - ordered binary decision diagrams, 3781
 - sequence, 1106
 - tests, 2764
- \neg PARITY_n, 3377
- Parity_n function, 3377
- Park, 973, 1399
- Park et al., 3871
- Park, Choonsik, 3859
- Park, Kunsoo, 3577
- Parker, 659
- Parlati, Giuseppe, 3382
- Parlog, 1306
- Parnas, 86, 254
- Parnas, Michal, 3834
- parsable, 457
- parse, 26, 910, 1197
 - natural languages, 2329
 - of a substring, 910
 - sets, 989
 - stack, 26
 - tree, 273, 548, 1264, 1988, 2670, 2717, 3537
 - trees with arcs, 218
- parsed program, 582
- parser, 26, 263, 384, 457, 495, 582, 690, 747, 750, 779, 822, 975, 1105, 1299, 1308, 1331, 1360, 1526, 2329, 2585, 2675, 2693, 2862, 2883
 - deadlock, 582
 - generating systems, 2883
 - transformation, 2883
- parsimonious, 3386
 - complete sets, 3386
- parsing, 112, 169, 302, 362, 438, 457, 539, 582, 690, 750, 779, 835, 910, 975, 1144, 1197, 1229, 1311, 1331, 1360, 1367, 1500, 1754, 1922, 1988, 2318, 2675, 2717, 2768, 3292, 3346, 3994
 - algorithm, 910, 1229, 1360, 3162
 - conflicts, 779
 - efficiency, 1331
 - framework, 683
 - methods, 2733
- parsing of
 - context free languages, 1722
 - montague grammar, 1229
 - natural language, 3162
- parsing
 - process, 495, 582
 - programming languages, 302, 362
 - step, 1229
 - tables, 457, 747, 2318
 - technique, 457, 750, 2522
- Parthasarathy, Srinivasan, 3410
- partial attributed tree transducers, 4060
- partial commutation, 3234
 - relations, 3234
- partial
 - commutativity, 1463
 - computation principle, 258
- partial correctness, 776, 846, 962, 1833, 1875
 - assertions, 1833
 - of programs, 1875
 - programming logics, 1875
 - proofs of CSP programs, 1833
- partial
 - cover, 3636
 - deadlock, 1286
 - deduction, 3498
 - diagram, 1937
 - differential equations, 74, 140, 195
 - evaluation, 1698, 2137, 3435, 3512
 - evaluator, 2137
 - filtering, 1809
- partial function, 348, 1853, 2685, 3050, 3616
 - of trees, 348
- partial
 - information, 3199
 - k-trees, 1961
- partial match, 194, 718
 - query, 447, 718, 1045, 1110, 1597, 2184, 2557
- partial match retrieval, 194, 718, 1045
 - of multidimensional data, 1574
- partial match searching, 194
- partial matching, 1861
 - query, 791
- partial modular tree transducer, 2078

- partial monadic 2-modular tree
 - transducer, 2078
 - transformation, 2078
- partial
 - Occam razor, 3626
 - operations, 1372
- partial order, 288, 402, 648, 656, 1372, 1425, 1565, 1632, 1791, 1929, 1949, 2204, 2458, 2876, 3085, 3219, 3831, 3982
 - heuristic search, 3156
 - logic, 2458, 3880
 - properties, 2458
 - search, 3156
 - semantics, 1991, 3108, 3499
 - structures, 2458
 - temporal logic, 2458, 2876
- partial
 - ordering, 110, 114, 128, 466, 504, 656, 782, 1209, 1820, 1949, 2133, 2189
 - orders, 642, 656, 3432, 3880
 - products, 3248
 - realization problem, 2334
 - recursive functions, 122, 159, 535, 670
 - sequence, 275
 - specification, 1021
 - stack algorithms, 808
 - stacking, 1809
- partial sum, 2065
 - problem, 2065
- partial
 - sums problem, 3014
 - types, 2464, 2552
 - values, 486
 - words, 3108
- partiality, 1788
- partially balanced trees, 1233
- partially commutative
 - free monoid, 1211
 - monoids, 2153
- partially
 - completed product, 120
 - consistent hypothesis, 3626
 - damaged communications network, 1357
- partially decidable, 1096
 - set of axioms, 1639
- partially
 - dynamic graph algorithms, 3301
 - interpreted computation, 1487
- partially ordered, 1688, 2876
 - Kripke structures, 2876
 - set, 197, 294, 1425, 1630, 2204, 2498, 2849, 3546, 3621
- partially
 - reducible, 1999
 - solvable, 1607
- partially sorted, 901
 - outputs, 180
- partially
 - specified queries, 825
 - visible, 1755
- partition, 247, 471, 1337
 - algorithm, 947, 2455
- partition analysis, 1666
 - of a communication network, 1666
- partition of
 - n , 3968
 - vertices, 110
- partition on graphs, 699
- partition problem, 530, 947, 2389, 2448, 2606, 3171
 - of circle graphs, 2448
- partition
 - testing, 1391, 3246
 - trinity, 1481
 - value, 850
 - with minimum entropy, 3556
- partitionable
 - cutsets, 1904
 - graphs, 2052
- partitioned
 - database, 2150
 - encryption, 1473
 - into groups, 20
 - secret sharing, 1473
- partitioning, 69, 699, 1370, 1804, 2455, 3131, 3514, 4057
 - algorithm, 431, 991, 2377
 - into interlocking sets, 1803
 - 1-apex graphs, 3476
 - multiple chain like tasks, 2748
- partitioning of
 - graphs, 1560
 - relations, 3151
- partitioning
 - problems, 1963
 - process, 431
 - sort, 431
 - technique, 699, 2455
- partitions of feature space, 179
- party graph, 234
- Pascal, 191, 465, 480, 505, 644, 653, 858, 1012, 1297, 1383, 1418, 1558, 1571, 1655, 1996
 - like records, 1655
- passing
 - of pointers as parameters, 480
 - procedures as parameters, 5
- passivation, 1535
 - of actions, 1535
- passive
 - node, 1512
 - processes, 1447
- password, 3132

- password authentication, 3145
 - schemes, 3145
- password
 - guessing, 2844
 - security, 2844
 - table, 3145
- patchwork, 4048
- Paterson, 436
- Paterson and Stockmeyer, 479
- Paterson and Wegman, 861
- Paterson and Yao, 2535
- Paterson, Ruzzo, and Snyder, 1254
- Paterson-Stockmeyer, 436
- path, 7, 15, 101, 110, 121, 128, 139, 147, 164, 166, 218, 229, 314, 375, 459, 538, 542, 564, 567, 616, 642, 668, 701, 723, 729, 731, 743, 746, 809, 836, 889, 921, 935, 997, 1009, 1063, 1137, 1216, 1290, 1332, 1398, 1550, 1557, 1573, 1591, 1598, 1599, 1610, 1660, 1745, 1779, 1834, 1835, 1869, 1912, 2003, 2034, 2058, 2142, 2243, 2251, 2316, 2363, 2421, 2517, 2537, 2548, 2580, 2602, 2603, 2627, 2630, 2648, 2649, 2701, 2738, 2743, 2783, 2853, 2861, 2886, 2911, 2940, 2957, 2966, 3014, 3083, 3109, 3128, 3147, 3156, 3272, 3284, 3385, 3413, 3458, 3460, 3524, 3559, 3576, 3602, 3693, 3724, 3726, 3750, 3780, 3866, 3874, 3945, 3985, 4129
 - algebra, 2270
 - analysis, 178, 3161
- path based
 - depth first search, 4081
 - theories, 2649
- path
 - bisimulation, 2614
 - compression, 765, 1737
 - computations, 1837
 - costs, 731
- path cover, 854, 1994
 - of a graph, 1994
- path
 - coverage criteria, 1598
 - covering, 1994
 - covers, 854
 - decomposition, 3253
 - edge, 1252
 - ensemble, 3014
- path equivalence, 3284
 - problem, 3284
- path
 - equivalent, 3284
 - expression, 379, 575, 1067, 1176, 1807
- path finding
 - in robotics, 1394
 - problem, 1508, 3874
- path for AND parallel execution, 2957
- path integral, 1796, 1902
 - calculations, 1902
 - evaluation, 1902
 - methods, 1796
- path length, 164, 1912, 2311, 2422, 3382, 3780, 3799, 4058
 - of a tree, 3382
- path
 - matching, 3955
 - networks, 309
- path of
 - a robot, 2142
 - bounded length, 2251
- path of length
 - at most k , 459
 - k , 70
- path of nodes, 1216
- path partition, 2977
 - problem, 2977
- path
 - planning, 2142, 2853
 - predicates, 3297
 - problem, 1332, 3926
 - quantification, 2363
 - queries, 3402
 - reversal, 1737, 2558
 - separators, 2504
 - system, 836
 - testing problem, 1355
 - to node covering number, 217
 - tree, 1601
 - width, 2433, 3450
- pathmax, 3156
 - property, 3156
- paths embedded in trees, 459
- paths in a
 - graph, 2251, 2966
 - host graph, 772
- pathwidth, 3253, 3809
- pathwidth of
 - a graph, 3253
 - outerplanar graphs, 3809
- Patil, 86
 - cigarette smokers' problem, 254
- Paton algorithm, 115
- Patrou, B., 3387
- patt, 4060
- pattern, 36, 179, 267, 738, 763, 862, 1258, 1490, 1950, 2105, 2341, 2559, 2633, 3216, 3243, 3368, 3427, 3463, 3579, 3824, 3935, 3970
 - analysis, 1954
 - class, 36, 267
 - classification, 267
 - classifiers, 328

- pattern (*cont.*)
 - compiler, 2137
 - discovery, 179
 - driven reduction, 1041
 - matcher, 1698, 2137
- pattern matching, 204, 276, 321, 327, 615, 1008, 1250, 1943, 1982, 2137, 2162, 2215, 2341, 2531, 2566, 2664, 2695, 2715, 2774, 2855, 3015, 3054, 3057, 3474, 3480, 3487, 3631, 3694, 3824, 3938
- pattern matching algorithm, 276, 321, 1024, 1250, 1558, 2531, 2855
 - of Knuth, Morris, and Pratt, 451
- pattern matching
 - in strings, 1698
 - machine, 1008
 - paradigm, 2774
 - problem, 276, 1840, 3487
 - program, 2137
 - with swaps, 3824
- pattern
 - occurrence, 3271
 - of instructions, 950
 - preprocessing, 2664
- pattern recognition, 20, 36, 143, 204, 267, 290, 336, 395, 423, 467, 498, 571, 593, 841, 884, 1854, 1895, 1930, 1982, 2021, 2162, 2288, 2465, 2634, 2777, 2873, 3368, 3374, 3888
 - system, 267
- pattern representation, 242
 - space, 267
- pattern
 - representations of families of languages, 242
 - sample, 36
 - searching, 2660
 - size, 3938
 - string, 265, 2531, 2664, 2715, 3143, 3824
 - vectors, 267
- Patterson, 794
- Paul, M., 944
- Paul, Wolfgang J., 3517
- Paulson, 3649
- Păun, Gheorghe, 3352, 3755
- paw free graphs, 1580
- Pawagi and Ramakrishnan, 1544
- Pawagi, Shaunak R., 1458
- Payet, Étienne, 3656
- payoff games, 3823
- PB, 3843
- pc
 - matrix, 3363
 - method, 3363
- PCA, 593, 864, 1293, 2430
- PCB routing, 2265
- PCP, 695, 2665, 3299
 - PCP(9), 695
 - PCP(10), 695
 - PCP(k), 695
 - PCP(l), 695
 - PCR, 1386
 - algorithm, 1386
 - PCS, 2194
 - pd list, 112
 - PDOL languages, 2665
 - PD2L system, 93
 - PDA, 1499
 - without ε -moves, 1499
 - PDL, 1091, 1102
 - operators, 1091
 - with data constants, 1091
 - PDLC, 1417
 - PDP, 11, 624
 - PE, 896, 1177, 1997
 - bipartite graphs, 852
 - index function, 1177
 - indexing, 1177
 - peak, 27, 2136
 - intervals, 269
 - load, 146
 - precision, 1108
 - processing load, 1122
 - Peano arithmetic, 846
 - Pearson and Vazirani, 2299
 - pebble, 563, 585, 722, 808, 857, 1581, 2145, 2262
 - acceptors, 722
 - pebble game, 563, 585, 808
 - on graphs, 585
 - pebble number, 722
 - pebbled, 563, 585, 808
 - vertex, 563
 - pebbling, 585
 - strategy, 585
 - Pedreschi, Dino, 3778
 - Pedrotti, A., 2946
 - peephole optimization, 624, 1383
 - Pelagatti and Schreiber, 839
 - Pelc, Andrzej, 3733
 - Peled and Pnueli, 2458
 - Peled and Wilke, 4140
 - Peled, Doron, 3586, 3880
 - Peled et al., 4140
 - Peleg and Upfal, 2199
 - Pell equation, 2031
 - pendant vertex, 2643
 - penetration measures, 4006
 - Peng, Shietung, 3168, 3524, 3799
 - pentagon, 442
 - per stage flow problem, 375
 - perceived mean, 990
 - percentile, 250
 - point, 2455

- perception based configuration design, 990
- perceptron, 2062
- percolation, 3511
- perfect, 1904, 1927, 2448, 2821, 2827, 2958, 3229
- perfect domination, 2019, 2740
 - problems, 2740
- perfect
 - dynamic threshold scheme, 2958
 - edge, 3104
- perfect elimination, 852
 - bipartite graph, 852
 - graphs, 136
 - orderings, 3295
 - scheme, 136, 1624, 1747, 3082
- perfect graph, 1580, 1752, 1904, 1927, 2448, 2766, 2821, 3040, 3045, 3421, 3758, 4071, 4136
 - families, 2766
- perfect hash function, 1196, 2350, 2478, 2921
- perfect hashing, 1196, 2350, 2921, 3447, 3899
 - function, 1529
- perfect internal
 - matching, 2307
 - matchings in graphs, 2307
- perfect linear complexity profile, 4075
- perfect matching, 245, 252, 444, 932, 1442, 1689, 2102, 3650, 3924, 4092
 - in a graph, 252
- perfect
 - matrices, 2448
 - packing problem, 3433
 - planar graph, 1752
- perfect power, 3287
 - testing, 3287
- perfect randomization, 1037
 - method, 1037
- perfect
 - secrecy, 2958
 - secret sharing scheme, 3434
- perfect shuffle, 1186, 1942, 4130
 - network, 759
 - permutation, 4130
- perfect stable, 932
 - in a graph, 932
- perfect
 - staircase profile, 2609
- perfect zero knowledge, 2827
 - interactive proof, 3890
 - proofs, 2827
- perfect zero knowledgeness, 2827
- perfection, 2554, 2821
- performance, 10, 1003, 1527, 4131
 - analysis, 863, 1122, 1750, 1796, 2054, 2080, 2302, 2582, 3223, 3744
 - bottlenecks, 1653
 - bound, 527, 2265, 3564
 - degradation, 2861
 - demands, 2737
 - performance evaluation, 326, 914, 981, 1180, 1276, 1472, 1558, 2025, 2080, 2089, 2108, 2111, 2188, 2247, 2291, 2359, 2373, 2479, 2487, 2701, 2806, 2811, 2868, 2970, 3030, 3042, 3065, 3149, 3254, 3363, 3492, 3517, 3564, 3739, 3741, 3744, 3764, 4073, 4131
 - measure, 981
 - of concurrent systems, 1180, 2806
 - tools, 326
- performance
 - gain, 2160
 - guarantee, 873, 1184, 2016, 2555, 2820, 3094, 3174, 3280, 3715, 3913, 4030
 - indices, 2840
 - measure, 2111, 2806
 - measurement, 10, 498, 557, 707, 738, 818, 990, 1954
 - measures, 338, 366, 914, 1075, 2487
 - modeling, 1591, 1796, 1902
 - models, 2479
 - monitoring, 1679, 3744
- performance of
 - algorithms, 906
 - an access path, 1048
 - branch and bound algorithms, 1272
 - hash tables, 2094
- performance
 - ratio, 537, 873, 2436, 2543, 3470, 3698, 4064
 - requirements, 120, 2846
- performing, 15
- Peri and Shiloach, 2058
- perimeter, 550, 856, 2146, 3663
 - polygon, 2075
- period, 639, 868, 2551, 2795, 3314, 3678, 3764, 3894
 - in strings, 1568
 - length, 1950
- period of a
 - random number generator, 38
 - string, 2205
- periodic, 611, 868, 1108, 1713, 1950, 3022, 3613
 - bimodal function, 1666
 - computations, 868
 - continued fraction, 1865
 - distributed system, 3613
 - dumping, 652
 - external signals, 611
 - function, 2240
 - job problem, 868
 - model, 3613
 - occurrences, 2554, 2632
 - predetermined manner, 2142
 - real time tasks, 611

- periodic scheduling, 639
- problem, 639
- periodic
 - sequence, 265, 611
 - signals, 1108
 - skewing schemes, 524
 - static reorganization, 1556
 - string division, 1950
 - subsequence, 265
- periodic task, 1713, 3607
 - sets, 4049
- periodically inspected buffer, 420
- periodicity, 265
 - number, 265
- periodicity of
 - strings, 2919
 - words, 685
- peripheral CPU interfacing, 264
- Perl, Itai, and Avni, 303
- Perleberg, Chris H., 3334
- Perlis and Thornton, 1290
- permanent, 674, 936, 1700, 2463, 2796, 3550
 - faults, 1769
 - formula, 3550
- permanent of
 - a matrix, 3550
 - matrices, 2434
- permanent
 - transition fault, 1964
 - value problem, 2434
- permitting context grammars, 232
- permutability of firing sequences, 129
- permutable, 1732
- permutation, 156, 175, 178, 272, 291, 344, 352, 390, 416, 421, 565, 573, 602, 659, 697, 715, 756, 757, 768, 807, 828, 906, 969, 970, 1083, 1174, 1194, 1222, 1258, 1484, 1594, 1872, 1979, 1997, 2002, 2028, 2334, 2356, 2360, 2410, 2412, 2562, 2590, 2598, 2605, 2630, 2699, 2914, 3092, 3256, 3361, 3412, 3487, 3694, 3877, 3927, 3959, 3979, 4033, 4130
 - algorithm, 573, 602, 1724
 - based parallel range join algorithm, 2933
 - capability, 2914
 - containing string, 828
 - flow shop problem, 1812
 - free word, 1189
 - functionals, 416
 - graph, 1100, 1184, 1221, 2028, 2122, 2352, 2448, 2483, 2605, 2765, 2947, 3147, 3178, 3181, 3267, 3273, 3347, 3348, 3411, 3490, 3543, 3547, 3574, 4136
 - group, 1083, 1763, 4063
 - in a bubble memory, 602
 - inversions, 807
 - matrices, 491, 607
 - matrix, 607
 - network, 659
- permutation of
 - bounded degree, 1083
 - concurrent actions, 1991
 - jobs, 1812
 - keys, 1222
 - records, 602
- permutation
 - packet routing problem, 3256
 - realization, 3959
- permutation routing, 2450, 2562, 2587, 2783, 3979
 - problem, 2450, 2587
- permutations generating functions, 223
- permuting, 3, 906, 2562
 - information, 906
- Perotti, Cristina, 3106
- perpendicular, 1163
- perpetual revolution, 602
- Perrin, 801
- Persiano, Giuseppe, 3382, 3890
- persistence, 584, 1919, 3444, 3746
 - of a vector addition system, 584
- persistency, 726
- persistent information space, 1919
 - architecture, 1919
- persistent
 - net, 726
 - Petri nets, 726, 1472
 - search tree, 3322
 - vector addition systems, 584
- perspective view, 3693
- PERT diagrams, 2316
- perturbation, 2446, 3981
 - problem, 2992
 - techniques, 1055
- pes, 1376
- Petersen, 444
- Petersen, H., 2962, 3041
- Peterson, 303, 1305, 2005
 - algorithm, 2005
 - mutual exclusion algorithm, 2005
- Petit, A., 3798
- Petreschi, R., 665
- Petreschi, Rossella, 3173, 3479
- Petri net, 86, 129, 254, 275, 476, 584, 590, 726, 1180, 1215, 1392, 1411, 1425, 1512, 1788, 1964, 2047, 2154, 2229, 2369, 2578, 3384, 3839
- Petri net language, 476, 1215, 3204
 - problems, 476
- Petri net
 - model, 590, 1392
 - modeling, 4138
 - token, 590

- Petri nets, 67, 86, 129, 275, 307, 357, 368, 590, 726, 966, 981, 1018, 1180, 1392, 1738, 1964, 2047, 2153, 2253, 2295, 2320, 2369, 2578, 2806, 3108, 3499, 3952
 models, 1964
- Peyton-Jones, 1092
- PFL, 879
- PFO, 976
- PG-TIM, 3163
- PH, 2040, 2722
- $PH \neq PSPACE$, 2203
- $PH \subseteq BP \cdot C=P$, 2722
- $PH \subseteq RP \cdot C=P$, 2722
- $PH \subseteq ZP \cdot C=P$, 2722
- Ph step, 2094
- phase
 change, 1191
 clock, 3701
 shifts, 3923
 synchronization, 2158, 2324, 3419
- phase transition
 behaviour, 229
 threshold, 3651
- phase transitions, 3689
- Philips Electrológica, 237
- Phillips, Jeffrey Mark, 3771
- philosopher, 2351
- philosophical point of view, 75
- phrase, 340
 delimiters, 33
 marker, 218
- phrase structure
 form, 13, 68
 grammars, 989
 languages, 989
- phrase structures, 340
- phylogenetic trees, 3153
- physical, 2861, 2875, 3018
- physical address, 933
 spaces, 708
- physical
 arrival time, 2840
 clock, 2944
 contact, 2245
 data base, 919
 database design, 1048, 2835
 design of database organizations, 1048
 interconnections, 1617
 medium, 278
 memory, 708, 1436
 pages, 21
 parallel devices, 943
 process, 1802, 1890
 sciences, 66
 storage size minimization, 1655
 systems, 188
 wires, 1971
- physics, 140, 195, 1971, 2240
 experiments, 762
- $(\pi + 1)$ -competitive, 3862
- Π_1^0 , 1962
 complete, 1962
 hard, 1962, 4062
- Π_1^1 complete, 1102
- Π_2
 alternating, 1866
 assertions, 1313
- Π_2^0
 complete, 1962
 hardness, 1962
- Π_2^1 complete, 1798, 1962
- Π_2^P complete, 2854, 3788
- π -calculus, 3983
- pictorial
 data bases, 509
 database, 4119
 query, 3614
- picture, 509, 864, 1421, 2242, 3614, 3755, 4119
 languages, 749, 3290
 matching, 2242
 processing, 864, 963
 queries, 2242
 recognition, 722, 749
- picture unambiguous
 context sensitive language, 3290
 regular, 3290
- pictures of scenes, 181
- piecewise algebraic curves, 2043
- piecewise linear
 boundaries, 2043
 motion, 1826
- piecewise testable languages, 1763
- PIG, 631
- pigeon hole principle, 1925
 formulas, 1925
- Pighizzini, Giovanni, 2982
- pile of PC, 3744
- pin, 592, 2054
- Ping, Low Chor, 3716
- Pinotti, M. Cristina, 3184
- Pinsker, 745
- Pinter, 2054
- Pinzani, R., 3696
- PIPELINE, 2610
 algorithms, 2610
- pipeline, 1005, 3817
 computation, 601
 parallelism, 2737
 scheme, 67

- pipelined, 1983
 - architectures, 1983
 - lexical scanner, 1558
 - processing, 1558
 - RAM, 3260
- pipelining, 601, 1352, 1502, 1983, 2737, 2748, 3146
 - tree structured algorithms, 1983
- Pippenger, 745, 751, 949, 1379
- Pirillo, G., 3538
- PISA, 1919
 - architecture, 1919
- pitfall, 1709
 - paradox, 1708
 - protocol, 1708
- PIVOT, 384
- pivot point, 1163
- pixel, 1699, 2873, 3342, 4135
- PJNF, 3533
- PKC, 1973, 3021
- PL, 440, 3031
- PL/1, 2, 237
- PL/CV, 891
 - programming logics, 891
- PL/I, 105
 - compile time facilities, 105
 - like dynamic arrays, 1655
- place/transition nets, 2320
- placement of
 - records, 756
 - relocatable sectors, 260
- placing
 - recovery points, 1601
 - two disks in a convex polygon, 4026
- plactic monoid, 3608
- plaintext, 643, 2995, 3751
 - attack, 681, 682, 3923
- Plaiisted, 133
 - program schema, 133
- plan, 564
- planar, 9, 526, 736, 1127, 1340, 1357, 1705, 2082, 2274, 2435, 2504, 2570, 2887, 2904, 3011, 3280, 3476, 3723, 3801
 - 3CNF formula, 1442
 - 3-connected graphs, 1127
 - acyclic directed graph, 128
 - algorithm, 517
 - approximation algorithm, 893
 - assembly, 3131
 - bipartite graphs, 1127
- planar circuit, 526, 1340, 1691
 - complexity, 1691
- planar convex hull, 893
- planar cubic 3-connected, 1828
 - graphs, 743, 942
- planar
 - curve arrangement, 3731
 - diagram, 1210
 - digraphs, 441, 2504
 - directed graph, 2504
 - discrete set of points, 1328
 - embedding, 736, 2208, 2435, 3457
 - Euclidean Voronoi diagram, 517
 - fixed radius near neighbor searching problem, 422
 - formulas, 1570
- planar graph, 9, 353, 441, 454, 518, 627, 628, 736, 908, 1077, 1172, 1332, 1395, 1398, 1442, 1648, 1752, 1926, 1961, 2010, 2058, 2316, 2340, 2435, 2499, 2636, 2667, 2668, 2841, 2902, 3511, 3612, 3917
 - coloring, 1945
- planar
 - interaction graphs, 1570
 - line intersection, 2280
 - map, 627, 628
 - multicommodity flow, 2286
 - network, 729, 1153
 - object, 672, 1612
- planar orthogonal drawings, 2208
 - of graphs, 2208
- planar point
 - location, 908, 1883
 - set, 469, 1230, 1400, 2347, 3170
- planar
 - polygons, 1896, 1972
 - realization of Boolean functions, 1340
 - relative neighbourhood, 1400
 - room with polygonal boundary, 1599
 - rotation, 2076
- planar separator, 1442
 - theorem, 1442, 1570
- planar
 - set, 32, 1387
 - skeleton, 1020
 - straight line graph, 1827
 - subdivision, 509, 1883, 2097
 - tripartite line graphs, 3426
 - two-center decision problem, 2661
 - very large scale integration, 1095
 - Voronoi diagram, 517, 1937
- planarity, 9, 627, 2082, 2316, 3814
- Plandowski, Wojciech, 3376
- plane, 32, 2724
 - graph, 1705, 1883
 - layout, 1705
 - partition, 2535
 - static problem, 89
- plane sweep, 1501
 - algorithm, 1501, 2690

- plane triangulations, 1926
- planning, 1137, 1480, 1826, 2142, 2216, 2744, 2853, 3131
 - motion, 1044
 - program, 384
- plant
 - location problem, 649
 - morphogenesis, 197
- Plantholt, 3721
- PLAPACK, 4132
- plapackJava, 4132
- plasma physics, 3935
- Plass, Michael F., 800
- plausible, 45
- Plaxton, C. Greg, 3607
- PLCP, 4075
 - sequences, 4075
- Plessey, 250, 708
- Plotkin, 1531, 2031
- Plotkin, Serge, 3540
- plotter pen movement, 689
- PLS, 2994
 - complete problems, 2994
- plus
 - hierarchy, 3705
 - (mod 2) gates, 1152
- +closure, 1124
- $\pm 60^\circ$ tracks, 1975
- PN, 1180
- Pnueli, 460, 3714
- POBDD, 3781
 - reduction, 3781
- Pohl, 14
- point
 - data, 2800
 - deletion feature, 515
 - distribution, 1193
- point enclosure, 876
 - problem, 2071
- point location, 1146, 1883, 2097, 2536, 3406
 - algorithm, 509
 - data structure, 2097
 - problem, 1146, 2536, 3601
 - query, 1883, 2536
 - task, 1883
- point
 - matching, 2438
 - of choice, 3360
 - representation, 1717
- point set, 87, 422, 550, 893, 1198, 1400, 1562, 2166, 2169, 2347, 2384, 2784, 3011, 3016, 3208, 3615, 3811, 3892, 3917
 - congruence, 3615
 - representation, 593
 - stereo matching problem, 3615
- point symmetry, 1230
- point to point
 - connection problem, 3034
 - network, 2835
- point with integer coordinates, 1159
- pointdeletion process., 515
- pointer, 114, 187, 480, 503, 511, 603, 718, 721, 763, 845, 1440, 1482, 1658, 1915, 2236, 2528, 2950
 - adjustment schemes, 312
 - algorithms, 2878
 - based models, 1702
 - fields, 152, 427, 2866
- pointer free
 - data structure, 2644
 - operations, 100
 - representation, 100
- pointer handling, 1571
- pointer machine, 3746, 3816
 - model, 427, 2950, 3860
- pointer
 - permutation scheme, 176
 - redirection, 671
 - reduction, 671
 - reversal, 321
 - to atoms, 114
 - valued variables, 100
 - variable, 1655
 - with scope, 1440
- points in general position, 1815, 2527, 3011
- pointwise difference, 2276
- Poisson
 - approximation, 1750
 - distribution, 717, 1274
 - equation, 39
 - filling model, 1274
 - model, 603, 1274
 - result, 1274
 - transform, 1274
- Poissonian frequency distribution, 52
- POL, 2458
- polar
 - angle, 380
 - coordinates, 320, 380, 1141
 - lattice, 3468
- polarity, 2571
 - function, 2571
- policy, 418, 555, 2114, 2196, 3022, 3101, 3265
 - of resource allocation, 418
- polling, 3383
 - algorithms, 3383
 - in a network, 3383
- poly, 2610, 3174, 3413
- Pólya urn, 3654
- polyadic π -calculus, 3983

- polybounded verifier, 2827
- polygon, 336, 350, 380, 428, 439, 490, 512, 677, 774, 841, 856, 876, 884, 893, 965, 1044, 1079, 1198, 1267, 1364, 1373, 1394, 1530, 1546, 1676, 1741, 1777, 1824, 1860, 1888, 1921, 1970, 2043, 2075, 2119, 2221, 2337, 2426, 2445, 2744, 2804, 2960, 3039, 3164, 3249, 3375, 3389, 3507, 3693, 3857, 3892, 3917, 4127
 - circle graph, 4057
 - clipping, 1984
 - comparison, 327
 - containment, 3375
- polygon decomposition, 1530, 2331
 - problem, 1267, 2144
- polygon in the plane, 774, 3131
- polygon intersection searching, 2119
 - problem, 774
- polygon nesting, 1972
 - problem, 1972
- polygon
 - search, 3710
 - similarity, 336, 428, 467, 1888
 - triangulations, 1504
 - with holes, 1578
- polygonal, 1364, 2043, 2877
 - chains, 2290
 - faces, 3722
 - holes, 1267
- polygonal intersection searching, 774
 - problem, 2119
- polygonal
 - map, 1380
 - object, 1982
 - obstacle, 1044, 1262, 1599, 1779
 - path, 2075
- polygonization, 3249
- polyhedra, 746, 884, 1414, 2043, 2146, 2725
- polyhedral, 1671, 2043
 - bodies, 746
 - objects, 2904, 3722
 - obstacle, 1137
 - terrains, 1671
- polyhedron, 884, 1414, 3722, 4044
- polylog, 1395, 2419, 2575, 2626, 3143
 - arboricity, 3286
 - parallel algorithm, 1315
 - space, 2626
- polylog time, 1395, 3433
 - algorithm, 2492
- polylogarithmic, 2161, 4128
 - algorithm, 1766
 - density, 3887
 - factor, 2427
- polylogarithmic parallel time, 1847
 - algorithms, 2530
- polylogarithmic
 - space, 2626
 - time, 2101, 2339, 3552
- polymorphic
 - functional languages, 3222
 - instructions, 624
 - lambda calculus, 3302
 - method invocation, 3750
 - recursion, 2938
 - references, 2907, 3223
- polymorphic torus, 2697
 - network, 2030
- polymorphic type system, 3188
- polymorphically typed lazy functional language, 3161
- polynomial, 18, 37, 93, 97, 171, 253, 355, 414, 436, 450, 472, 479, 507, 526, 538, 560, 562, 606, 657, 674, 692, 694, 715, 736, 743, 829, 832, 932, 1083, 1154, 1192, 1269, 1353, 1485, 1542, 1552, 1705, 1722, 1766, 1787, 1890, 1898, 2035, 2067, 2144, 2149, 2163, 2175, 2179, 2240, 2284, 2334, 2358, 2370, 2386, 2412, 2453, 2457, 2463, 2510, 2527, 2568, 2616, 2645, 2691, 2702, 2743, 2763, 2764, 2771, 2821, 2880, 2888, 3010, 3098, 3145, 3152, 3271, 3281, 3448, 3471, 3489, 3503, 3520, 3534, 3624, 3836, 3970, 3976, 4037, 4056, 4099, 4116
 - algebra, 155
 - algorithm, 215, 421, 646, 981, 1180, 1338, 1472, 1495, 1527, 1560, 2067, 2740, 3129, 3214, 3380, 3460, 3527, 3650, 3697, 3771, 4103
- polynomial algorithm for, 231
 - b-matchings, 1338
- polynomial approximation, 253, 2815
 - scheme, 1137
- polynomial arithmetic, 606
 - time, 674
- polynomial average
 - behavior, 829
 - time, 829, 1552, 2346
- polynomial bound, 3010, 3081
- polynomial bounded
 - algorithm, 130, 220
 - counters, 133
 - procedure, 130
 - time, 1014
- polynomial
 - bounds, 981
 - characterization, 1495
- polynomial complete, 82, 130, 181, 209, 217, 271, 898
 - problems, 271, 898

- polynomial
 - completeness, 209
 - complexity, 574, 674
 - configurations, 2691
 - curves, 2691
- polynomial delay, 1536
 - algorithm, 1536
- polynomial derivative evaluations, 283
- polynomial division, 1154, 2240, 2516
 - with remainder, 2516
- polynomial
 - equations, 507
 - evaluation, 18, 283, 436, 657, 2846
- polynomial expected
 - running time, 1404
 - time, 1613
- polynomial
 - factorization, 1574
 - functions, 222
 - hash functions, 222
 - hierarchy, 967, 1109, 1294, 3282
- polynomial in
 - one indeterminate, 18
 - time, 519
- polynomial
 - interpolation, 2193
 - interpretations, 2771
 - invariant, 3902
- polynomial inversion, 1154
 - modulo a power, 1154
- polynomial
 - IO complexity, 1887
 - learnability, 2792
 - learning algorithm, 1381
- polynomial length, 2865
 - universal sequence, 2616
- polynomial
 - lowness, 1542
 - multiplication, 445, 719, 936, 2193
- polynomial number, 2722, 3094, 3766
 - of processors, 1722, 1847, 2101, 2193, 2492, 3284, 3650
- polynomial of
 - high degree, 18
 - small degree, 1485
- polynomial
 - orderings, 2771
 - problem, 1664
 - queries, 2175
 - reduction, 421
 - remainder, 1353
 - routing algorithm, 1975
 - security, 1932
- polynomial sequential
 - algorithm, 1395
 - time, 3284
- polynomial size, 1154, 1931, 2238, 2568, 2619, 2699, 2880, 3094, 3287, 3337, 4033
 - Boolean formulas, 2847
 - circuits, 1341
 - constant depth circuits, 1452, 2225
 - formulas, 2847
 - network, 2330
- polynomial
 - solution, 660, 1889
 - space, 3570
 - subclass, 1197
 - tests, 2764
- polynomial time, 144, 181, 209, 393, 441, 519, 526, 538, 674, 692, 694, 741, 743, 756, 767, 770, 798, 810, 816, 832, 887, 898, 942, 960, 1083, 1139, 1197, 1205, 1267, 1268, 1289, 1334, 1337, 1381, 1406, 1442, 1536, 1605, 1613, 1726, 1760, 1763, 1783, 1787, 1887, 1891, 1898, 1925, 1927, 2003, 2049, 2058, 2112, 2197, 2228, 2240, 2283, 2300, 2448, 2534, 2548, 2601, 2626, 2635, 2637, 2676, 2702, 2716, 2743, 2786, 2798, 2879, 2894, 3066, 3098, 3175, 3291, 3366, 3470, 3488, 3489, 3527, 3543, 3571, 3748, 3941, 3945, 3961, 4052, 4129
 - algorithm, 538, 743, 798, 873, 903, 924, 942, 947, 960, 1127, 1167, 1187, 1221, 1275, 1322, 1323, 1392, 1395, 1431, 1459, 1463, 1485, 1495, 1518, 1549, 1722, 1859, 1927, 1945, 1961, 2154, 2161, 2361, 2362, 2380, 2385, 2397, 2449, 2522, 2548, 2596, 2624, 2643, 2657, 2750, 2757, 2893, 3070, 3165, 3192, 3227, 3269, 3412, 3422, 3446, 3450, 3472, 3491, 3527, 3539, 3565, 3673, 3694, 3703, 3757, 3758, 3781, 3791, 3809, 3826, 4041, 4057, 4119, 4129
- polynomial time algorithms for
 - finding a maximum matching, 299
 - optimal solutions, 3416
 - recognition, 645
 - trees, 4102
- polynomial time approximation, 2534, 2635
 - algorithm, 1514, 2118, 2258, 2657, 3174, 3422, 3458, 3472, 3774, 3808, 3864, 4064, 4117, 4124
 - scheme, 1823, 2258, 2289, 2659, 2797, 2935, 3624, 3643, 3683, 3842, 4117
- polynomial time bound, 419, 967
- polynomial time bounded, 1209, 1390, 3518
 - algorithm, 371
 - reduction, 1782
 - relativizations, 1390
- polynomial time
 - bounds, 2621
 - complete, 1132

- polynomial time complexity, 1090, 1485
 - classes, 2954
- polynomial time computability, 1485
- polynomial time computable, 209, 1891, 2258, 2596, 3134, 3534
 - function, 2453
 - ordinal, 1283
 - sets, 3245
- polynomial time
 - computation, 209, 767
 - decidable, 534, 741
- polynomial time decision
 - algorithms, 1485
 - procedure, 1776
- polynomial time
 - degree, 1209, 1294
 - disjunctive truth table reducible, 3887
 - equivalent, 421, 491, 607, 3021
 - graph coloring algorithm, 1723
 - greedy algorithm, 1925
 - heuristic algorithm, 1749
 - heuristics, 1014
 - hierarchy, 767, 1255, 1390, 1407, 1467, 1622, 1877, 2109, 2206, 2722, 2963, 3259, 3282, 3705, 3908
 - indistinguishable, 4091
- polynomial time isomorphism, 1134, 2499
 - algorithms, 1961
- polynomial time
 - learning algorithm, 2131
 - level, 767
- polynomial time many one
 - complete, 3366
 - reducibility, 3571
- polynomial time
 - n^k -enumerator, 2179
 - n -membership comparable sets, 3438
 - overhead, 1702
 - parity reductions, 2099
 - probabilistic algorithm, 767
 - probabilistically computable sets, 767
 - randomized reduction, 2645
 - recognition algorithm, 1743
 - recognizable languages, 1197
 - reducibilities on NP, 1209
 - reducibility, 1209, 1294, 2606
 - reducible, 421
 - sequential algorithms, 1961
 - serial algorithms, 1900
 - solution, 1947, 3380, 3683, 3860
 - solvability, 3757
 - solvable, 429, 743, 942, 1961, 2067, 2196, 3826
 - subclasses, 770
- polynomial time Turing
 - complete, 2645
 - Cook reducible, 3468
- polynomial time
 - turing reductions, 2453
 - weakly invertible, 1891
- polynomial transformation, 399, 1195, 2499, 2906
- polynomial with
 - 0-1 coefficients, 436
 - integer coefficients, 414, 479, 2457
 - rational coefficients, 479
- polynomial worst case time complexity, 1129
- polynomially bounded, 1925
 - functions, 2526
 - number, 2408
- polynomially
 - complete, 144
 - equivalent, 385, 421, 2879, 3464
 - reducible, 421, 674, 2369
- polynomially solvable, 1334, 1664, 1787, 2058, 2161, 2185, 2716, 3683, 3697, 3977, 4103
 - problems, 2161
 - satisfiability problems, 1664
- polynomially time bounded, 444
- polyomino, 2128, 2821, 3250, 3696, 3904
- polyphase microinstructions, 127
- polysilicon wires, 2245
- polytope, 2146, 3177, 3507
- polytopical, 2725
 - cell decompositions, 2725
- pomset bisimulation equivalence, 2402
- Ponse, Alban, 3770
- Pontelli, E., 3816
- pool, 1717
- Poon, Zhu, and Chin, 3860
- POP operation, 3927
- Pop stacks, 3927
 - in parallel, 3927
- PoPC, 3744
- Pope, D.A., 285
- Pope-Stein
 - algorithm, 285
 - division algorithm, 285
 - trial digit, 285
- Popler, 340
- popular, 158
- population, 179, 431, 612, 1700, 1729, 2853
 - of processors, 1126
- Pop-2, 1299
- port labeling, 3493
- Porto and Matos, 1441
- Posenato, Roberto, 3830
- poset, 2498, 3621
 - of finite traces, 1991
- position, 222
- positioning delay, 1591

- positive Boolean
 - dependencies, 1541
 - terms, 1541
- positive
 - coefficients, 692
 - data, 2669, 3502
 - definite, 136
 - examples, 2439
 - literal, 1187, 1322
- positive polarity, 3528
 - Reed-Muller, 3528
- positive
 - polynomial time Turing reducibility, 1894
 - probability, 1890
 - programmed grammars, 3058
 - rational fraction, 385
 - restriction, 2495
 - samples, 3763
 - semidefinite real ($n \times n$) matrix, 2110
 - structural data, 2512
 - switch cost, 1147
 - term normal form, 2325
 - Turing reducible, 2739
- positive weight, 425
 - vertices, 2423
- positively, 1395, 3673
 - compensatory operators, 2647
- possession, 2298
- possibility mappings, 2210
- possible, 190
- Post canonical systems, 357
- post conditions, 4070
- Post correspondence problem, 47, 572, 695, 1213, 1886, 2078, 2589, 3593, 3755
- post evaluation, 36
- Post
 - machine, 119
 - normal system, 482
- post office problem, 1146
 - in the plane, 1146
- post
 - order, 2151
 - pre approach, 134
- Post systems, 357
- postcondition, 134, 1004, 1306, 1492, 2641, 3778
- postorder, 35, 73
 - numbering, 166, 854
 - traversal, 1623, 1913
 - traversing, 1832
- postponement transformation, 1526
- postspecification, 1399
- potential
 - actions, 809
 - field method, 2853
 - flow, 22
 - for parallelism, 728, 1819
- potential function, 2117, 2558, 3622, 3896
 - arguments, 3896
- potential
 - problems, 140, 195
 - volume, 453
- power, 440, 460
 - bounded languages, 463
 - domain constructions, 2259
 - domains, 2259
 - engineering, 711
 - free words, 1070
 - of, 259
- power of a
 - computation model, 2030
 - model, 119
 - query language, 1849
- power of
 - attribute grammars, 1987
 - built in relations, 3868
 - folding, 953
 - geometric duality, 1163
 - integer division, 936
 - jumps, 1039
 - majority gates, 3032
 - negation, 949, 3520
 - nondeterminism, 1039
 - number of heads, 1039
 - partitioned encryption, 1473
 - primitives, 440
 - real time two-way multihead finite automata with jumps, 1039
 - term rewriting, 2031
- power series, 334, 3213, 4074
 - computations, 334
 - expansion, 674
- power set, 1760
- powering, 2619
- powerlist, 3007, 3441
 - functions, 3007
 - notation, 3007
- powerset, 1849, 1881, 4021
 - algebra, 1849
- PP, 2099, 2434, 3118, 3451
- PP^{PH}, 2109
- PP^{PH^A}, 2109
- PPQ, 2263
 - operations, 2263
- PPRM, 3528
- PQ tree, 1947
- PQA, 1748
 - operation, 1748
- PR quadtree, 2800
- practical implementations, 1095, 1210, 2363

- PRAM, 1115, 1133, 1199, 1395, 1522, 1525, 1582, 1590, 1596, 1608, 1722, 1805, 1884, 1885, 1903, 1986, 2094, 2115, 2153, 2158, 2212, 2339, 2408, 2409, 2411, 2490, 2530, 2562, 2697, 2873, 3089, 3425, 3482, 3756, 3847, 3964, 3987
 algorithm, 1680, 2153, 2212, 3089, 3379, 3439
 computation, 1596, 2094, 3600
 computational bounds, 3600
 EREW, 2468
 model, 2094, 2151, 3509, 3600, 3963, 3964
 simulation, 1596, 2123
 sorting algorithm, 1885
 theory, 3600
- Pramanik and Ittner, 2041
- Prather, Ronald E., 3409
- Pratt, 440, 547, 576, 737, 1957
 processes, 966
- precedence, 169, 750, 955, 1981
 constraint, 185, 288, 648, 1038, 2025, 2032, 2362, 2628, 3273, 3565
 constraints, 504
 functions, 186, 225
 grammar, 26, 186, 225, 302, 362, 955
 matrices, 225
 matrix, 186, 225
 network, 309
 parser, 955, 1054
 parsing, 169, 263
 relation, 302, 362, 750, 1721, 3488, 3977
 relationship, 2133, 3462
- precise
 types, 945
 typing, 945
- precision, 891, 1036, 1380, 2127, 2987, 3515
- precomputation, 399, 1099
- precomputed, 2671, 3728
- precondition, 37, 134, 1004, 1102, 1306, 1492, 2530, 2641, 4070
- preconditioned conjugate gradient iteration, 1731
- preconditioning, 18, 37, 51, 436, 2098
- predecessor, 268, 288, 1512
 algorithm, 339
 of an element, 339
 problem, 3563
- predetermined reduction goals, 4018
- predicate, 258, 314, 625, 675, 742, 829, 847, 1194, 1286, 1295, 1319, 1333, 1402, 1422, 1642, 1820, 1844, 1909, 1995, 2015, 2113, 2249, 2255, 2523, 2787, 2867, 3316, 3595
 algebra, 3316
- predicate calculus, 95, 192, 369, 795, 3316, 3419
 language, 795
- predicate
 detection, 3595
 join reduced, 742
- predicate logic, 1017, 1427
 based languages, 1628
- predicate
 on functions, 1402
 semijoin reduced, 742
 terms, 258
 transfer, 1319
 transformation algorithm, 134
- predicate transformer, 298, 629, 1286, 1422, 1909, 2297, 2321, 2452, 2485, 2867, 3033, 3478
 semantics, 629
 wp, 1909
- predicates on relations, 608
- predicative, 1402
 specification language, 1402
 specifications, 1402
 symbols, 412
- prediction, 142, 878, 3342, 3362, 3741, 3867
- predictive
 uncertainty, 179
 value, 179
 variants of the polymorphic λ -calculus, 3916
- predictor automaton, 1709
- preemptable real time tasks, 2819
- preemption, 1384, 1406, 2185, 2362, 3193
 times, 255
- preemptive, 1359, 3227, 3828
 algorithm, 868
 DD schedule, 519
 earliest deadline scheduling strategy, 1713
 policies, 1384
 priority, 1384
 schedule, 519, 2312
- preemptive scheduling, 255, 519, 639, 868, 1384, 1406, 1605, 1713, 1918, 1938, 1969, 2362, 2624, 3227
 algorithm, 519
- preemptive scheduling of periodic
 jobs, 868
 real time tasks, 611
- preemptively scheduled, 639
- Preethy, A.P., 3898
- preevaluation, 36
- preference, 401, 1955, 2563
 list, 401
- preferred, 2108, 2701, 2865
- prefix, 383, 457, 615, 637, 794, 1585, 1903, 2086, 2345, 2348, 2501, 2551, 2785, 2834, 2880, 3172, 3465, 3803
 circuit, 3936
 code, 463, 637, 812, 2093, 2928, 3708
 computation, 1903, 2101, 3936, 3965
- prefix free, 2093
 language, 2093
 property, 3639

- prefix
 - freeness, 794
 - grammar, 2880
 - iteration, 2981
 - language, 1585
 - matching algorithm, 2664
 - problem, 3936, 3965
 - property, 457, 955
 - relation, 1585
 - sum, 3007, 3172, 3803
 - traversal, 2246
- prefixes of
 - an infinite word, 1423
 - infinite words, 1423
- preflow push
 - max flow algorithm, 3896
 - method, 3896
- prenex normal form, 2672
- preorder, 35, 62, 73, 96, 671, 969, 1290, 2151, 2871
 - node numbers, 3688
- preorder traversal, 1290, 1623, 2393, 2394, 2890
 - of a tree, 1913
- preordered Kripke structures, 2876
- prepagings, 338
 - algorithm, 338
 - swapping strategies, 261
- Preparata, 439, 1389
- Preparata and Hong, 552
- Preparata and Sarwate, 2357
- Preparata, F.P. and D.V. Sarwate, 2357
- prepare to commit operations, 3349
- preperfect, 1649
- preperfectness, 1649
- prepositional
 - Horn clause logic, 1289
 - intuitionistic logic, 1204
- preprocess, 2083
- preprocessed
 - graphs, 2012
 - text, 2106
- preprocessing, 281, 656, 1261, 2012, 2083, 2235, 2251, 2531, 2772, 2871, 3783
 - algorithm, 656
 - cost, 656
 - phase, 385, 737, 2013
 - procedure, 1020
 - time, 1000, 1262, 2627, 2775
- Presburger arithmetic, 584, 658, 1194
- prescribed, 1365
 - data structure definitions, 3635
- presence of faults, 1566, 1769, 3274, 3605
- presentation, 598, 1067, 1363, 1662, 1722, 1847, 1996, 2037, 2101, 2334, 2563, 2817, 2907, 4117
 - hardware, 2037
 - of programs, 842
- preservation of
 - correctness properties of parallel systems, 927
 - the invariants, 3831
- preserves derivations, 1078
- preserving
 - adjacency of nodes, 2176
 - internal sequencing of data, 693
 - order, 268
- preset, 522, 1360
- presorted sequences, 901
- presortedness, 901, 1885, 2234, 2236
- presorting, 1937
- prespecification, 1399
- prespecified order, 2050
- presynthesized library modules, 1515
- prevention, 1346
- preventive, 1964
- pre-NTS
 - context free grammars, 2522
 - grammar, 709
 - grammars and languages, 2522
 - languages, 2522
 - property, 2522
- Price, 282
- Prim
 - algorithm, 2248
 - shortest spanning tree algorithm, 367
- primal, 2435
- primal dual
 - algorithm, 4082
 - approximation algorithm, 2843
 - method, 2843
- primality
 - checking, 393
 - problem, 767
 - test, 408
 - testing, 2156
- primary
 - bucket, 2080
 - copy method, 3001
 - key, 625
- primary memory, 280, 817
 - pages, 280
- primary signal, 4
- prime, 1595, 2833, 3344
 - divisors, 606
 - factor, 3032
 - factorization, 472, 1117
 - factors, 2167, 3835
 - implicants, 3037, 3711
 - irredundant disjunctive normal form, 2495
- prime number, 393, 407, 635, 767, 1609, 1862, 2149, 3344, 3548

- prime number (*cont.*)
 - of nodes, 3727
 - sieve, 3344
- primitive, 43, 254, 430, 470, 555, 1138, 1295, 1473, 1808, 1911, 2707, 3847
 - computable unary functions, 3216
- primitive data, 72
 - structures, 256
- primitive
 - element, 2888
 - function function, 500
 - functional dependencies, , 484
 - functions, 1101, 1372
 - iteration, 3216
 - logical connective, 2046
 - morphism, 3640
 - operations, 226, 757, 936, 1642, 3811
 - priority manipulation operations, 2895
 - recursion, 11
- primitive recursive functions, 11, 2268
 - on trees, 2078
- primitive
 - relation, 1480, 1824
 - relations in temporal logic, 1480
 - root, 3515
 - temporal relations, 1824
 - words, 3640
- primitives type, 307
- principal
 - AFL, 680
 - cone, 1681
 - leading minors, 2334
 - minors, 529
 - rational cone, 900
- principle of
 - equivalent representation, 1494
 - inclusion and exclusion, 2687
 - the longest match, 2198
- Prins/Gries, 1941
- prioritization, 2895
- prioritized, 2895, 2929
- priority, 590
- priority assignment, 3022
 - policy, 3022
- priority
 - based serialization discipline, 2840
 - classes, 3501
 - cognitive algorithm, 3462
- Priority CRCW, 2408
- priority deque, 1464, 1790, 2644
 - operations, 2644
- priority
 - disciplines, 2840
 - inversions, 3501
 - measure, 379
 - of transaction classes, 2150
- priority ordering, 2048
 - problem, 2895
 - scheme, 3314
- priority
 - problems, 43
 - processes, 44
 - protocol, 2048
- priority queue, 166, 174, 268, 555, 939, 1013, 1227, 1384, 1464, 1748, 1790, 2103, 2263, 2508, 2639, 2680, 2891, 3240, 3410, 3889
 - heaps, 3410
 - operations, 2129, 3240
 - scheduling, 575
 - with attrition, 1748
- priority scheduling, 124, 2686, 3764, 4039
 - policy, 2686
- priority
 - scheme, 2150
 - search tree, 1435, 3642
- PRIORITY write PRAM, 3169
- Pritchard, 3344
- Pritchard, Paul, 3544
- privacy, 610, 682, 957
 - homomorphism, 3430
- private computation, 2584
- private key, 562
 - algebraic code cryptosystem, 3838
 - cryptosystems, 2496, 3206
- private vs. common random bits, 2213
- privilege, 410, 621, 1249
- probabilistic acceptors, 4004
- probabilistic algorithm, 317, 391, 606, 694, 705, 767, 843, 916, 1043, 1066, 1203, 1253, 1376, 1448, 1712, 1958, 1980, 2042, 2116, 2478, 2568, 2721, 3059, 3448
 - of the third kind, 606
- probabilistic analysis, 622, 998, 1268, 1415, 1784, 1905, 2442, 2922, 2923, 2951, 3105, 3180, 3637, 3682, 3863, 3937
- probabilistic analysis of
 - algorithms, 947, 991, 1723, 1864, 3105
 - Karger randomized algorithm, 3637
- probabilistic
 - automaton, 752
 - behavior, 1784
 - checking, 2116
 - choice, 3714
 - classes, 2722
 - combination, 3504
 - communication complexity, 3768
 - complexity classes, 1894
 - computation, 767, 1407, 3031
 - deletion algorithm, 2157
 - distance, 143

- probabilistic encryption, 1473, 1932
 - algorithm, 1932
 - scheme, 1932
- probabilistic
 - extensions, 1407
 - failure, 1415
 - grammars, 78
 - graph, 2906
 - hierarchy, 767
 - logic, 610
 - lower bound, 1043
 - machine, 3787
 - method, 1066, 1925, 3513
 - minimum spanning tree algorithm, 317
 - model, 1268
 - performance, 1268
- probabilistic polynomial time, 2099, 2109
 - algorithm, 3323
 - hierarchy, 3885
 - verifier, 1615
- probabilistic
 - process, 934, 3714
 - proof, 2951, 3180
- probabilistic protocol, 1936, 2042, 3084
 - verification, 3103
- probabilistic
 - public key encryption, 1473
 - searching, 184
 - selectivity, 3118
 - selfstabilization, 1980
 - simulation of PRAM, 1596
 - speedup, 1066
 - Turing machine, 967, 1066, 3031, 3205, 3451, 4004
- probabilistically, 1517, 1613, 1980, 3504
 - checkable debate systems, 2993
 - decidable, 538
 - independent, 1771
- probability, 1, 16, 173, 1527, 1755, 1924, 2059, 2424, 2560, 2891, 2915, 2993, 3714, 4025
 - analysis, 3098
 - asymptotics, 3232
 - converging to 1, 2287
 - density function, 2906
 - distribution, 328, 503, 570, 806, 829, 890, 893, 959, 1136, 1142, 1448, 1633, 2305, 2906, 2916, 3098, 3504, 3652, 3757, 4031
- probability of
 - access, 224, 691, 1724
 - cheating, 3598
 - conflicts, 1527
 - failure, 2346
 - misrecognition, 143
 - shares, 4025
 - success, 3393
- probability
 - one, 991, 1548, 3167
 - tending to 1, 1596
 - theory, 303
- probable correctness, 1391
 - theory, 1391
- probably optimal embedding, 3296
- probe, 1111, 1160, 1236, 1295, 1612
 - length, 1714
 - messages, 1637
 - rate, 615
 - sequence, 1142
- Probert, 3218
- probing, 1750, 1815, 1949
 - techniques, 1949
- problem, 1, 43, 106, 130
 - by Ginsburg, 3
 - domain, 281
 - in engineering, 39
 - instance, 2049
 - kernel, 4037
- problem of
 - absolute privacy, 957
 - accepting invalid strings, 750
 - ascending subsequences, 448
 - blocked online bipartite matching, 2160
 - chemical structure inference, 123
 - definition, 23
 - dining philosophers, 2113
 - dynamic expression evaluation, 1847
 - garbage creation, 962
 - generation, 768
 - identification, 669
 - identities, 370
 - maintaining a data file, 1966
 - matching nuts and bolts, 3351
- problem of mutual exclusion, 568, 1897
 - in a network, 1897
- problem of
 - packing, 672, 1448
 - parallel conflict free access, 1855
 - rearranging scattered information, 3963
 - relational recursion, 1837
 - representation, 45, 448
 - routing, 3805
 - sink finding, 781
 - table lookup, 226
 - the dining philosophers, 345
 - Zarankiewicz, 3711
- problem partitioning, 1819
- problem reduction, 108
 - representation, 108
- problem
 - representation, 239, 754
 - solver, 364

- problem solving, 108, 239, 754, 2314
- models, 239, 754
- problem
 - space, 364
 - transformation, 1355
- procedural
 - implementations, 620
 - interpretation, 1017
 - language, 1996
- procedure, 10, 33, 931
 - calls, 737, 1169, 1817, 2641
- procedure integration, 1817
 - algorithms, 1817
- procedure, Davis-Putnam, 1552
- process, 43, 62, 136, 190, 1788
- process algebra, 1639, 1934, 2134, 2219, 2294, 2459, 2550, 2614, 2653, 3770, 3813, 4000
 - axiomatizations, 1639
- process
 - allocation, 1382
 - application, 1934
- process assignment, 631, 1632
 - algorithms, 631
 - problem, 631
- process
 - behaviour, 310
 - calculi, 1934
 - classes, 1176
 - communication, 753, 1653
 - concept, 44
- process control, 49, 868, 1611, 1831
 - environments, 693
- process
 - crash, 4008
 - equivalences, 54
 - fairness, 3714
- process in
 - a locality, 310
 - transition, 310
- process
 - interaction graph, 631
 - logic, 440, 502
 - management, 1317
 - model, 1659, 3212
 - networks, 2653
 - scheduler, 1176
 - scheduling, 753
 - swap overhead, 1126
 - synchronization, 277
 - synthesis, 3293
 - with dynamic priorities, 1816
- processed jobs, 3269
- processes communicating asynchronously, 1639
- processing
 - algorithm, 120, 1558
 - costs, 1037
 - elements, 668, 896, 1177, 1376, 1855, 1997, 2507, 2639, 2746, 3591, 3620
 - graphs, 105
 - lists, 339
- processing order, 1812
 - of jobs, 1812
- processing
 - overheads, 3655
 - point, 553
 - time, 53, 268, 288, 1122, 1558, 1605, 1663, 1812, 2440, 2620, 3070, 3416, 3470, 3660, 3828
- processor, 26, 167, 185, 493, 838, 1730
 - allocation, 1983
 - array, 1893, 1942, 2030, 2296, 2620, 2697, 3832
 - bound, 342, 1624, 2270, 3345
 - complexity, 1350
 - consistency, 3260
- processor efficient
 - exponentiation, 2328
 - implementation, 2173
- processor
 - failure, 1967
 - identifiers, 2042
- processor identity, 1936
 - problem, 1936, 2042, 2799
 - protocol, 1936
- processor
 - identity problem, 2042
 - interconnection, 668, 1617
 - memories, 2009
 - networks, 508, 1089, 3745
 - scheduling, 2789, 3273
 - sharing, 1122
 - slack, 2530
 - systems, 167, 2610, 2819
 - throw back, 300
- processor time
 - complexity, 2004
 - product, 2732, 4128
- PROCOL, 1831
- Prodinger, Helmut, 3662
- producer consumer system, 270
- product, 94
 - automaton, 1411
 - distribution, 2953, 3834
 - form networks, 1075
 - objective function, 1178
- product of
 - elementary automata, 1411
 - Lucas numbers algorithm, 4139
 - polynomials, 215
 - prime numbers, 3614
 - two $n \times n$ matrices, 1164
- product reductions, 2434

- production, 13, 129
 - compiler, 120
- production rule, 47, 77, 773, 1244, 1459
 - knowledge bases, 2495
- production systems, 830
- productions, 13, 47, 65, 169, 284, 292, 356, 394, 398, 438, 989, 1244, 1301, 1988, 2061, 2675, 2880, 3074
 - in context free derivations, 356
 - on two-dimensional arrays, 1244
- products, 2268, 2568, 2777
- profile, 3465
- program, 6, 8, 25, 27, 28, 122, 192, 1019, 1028, 1036, 1169, 1263, 1297, 1347, 1383, 1579
 - algebra, 976
 - analysis, 238, 3128, 3303
- program behavior, 890, 2787
 - modelling, 293
- program
 - behaviour, 229, 1239
 - caused errors, 652
 - checkers, 1383
 - checkpointing, 914
 - components, 190
 - composition, 29, 2297, 3512
 - constraints, 3128
 - construction, 448
 - constructors, 2452
 - constructs, 3008
 - control, 29
 - correctness, 178, 364, 618, 761, 891, 1179, 1295, 1914, 1941, 1968, 2057, 2060, 2201, 2266, 2297, 2321, 2336, 2387, 2545, 2585, 2641, 2794, 3009, 3027, 3033, 3050, 3113, 3201, 3356, 3485, 3778, 3880, 3891, 3983
- program counter
 - loads, 882
 - stores, 882
- program
 - dependence graph, 1329
 - derivation, 549, 913, 985, 1046, 2079, 2137, 2255, 2266, 2292, 2356, 2376, 2391, 2452, 2590, 2930, 3003, 3004, 3007, 3008, 3397, 3419, 3441, 4139
 - design, 2734
- program development, 213, 464, 549, 565, 604, 620, 1314, 1402, 2282, 3633
 - by transformations, 565
- program equivalence, 513, 3990
- program execution, 609, 914, 1257, 1494, 1557
 - time, 914, 1239
- program
 - faults, 1391
 - flowgraph, 1598
 - formation, 448
 - fragments, 1028, 1498, 2774
 - generation, 3512
- program graph, 88
 - nodes, 88
- program
 - instructions, 88, 1239, 1329
 - invariants, 3893
 - inversion, 2100, 2246
 - level, 453
 - locality, 229, 310
 - mapping, 2354
 - model, 1601, 1617
 - modularity, 105, 118, 2734
 - modules, 370
 - of ALGOL 60 type, 501
 - optimisation, 104
- program optimization, 82, 545, 980, 1169, 1817
 - problem, 544
- program
 - parallelization, 1239
 - performance, 914
 - presentation, 913, 1349
 - proofs, 178
 - properties, 1478, 2787
 - proving, 134, 196, 294
 - refinement, 2703
 - restructuring language, 24
 - schema, 95, 133, 396
- program schemata, 133
 - over distributed memory, 1736
- program schematology, 1736
- program scheme, 534, 727, 978, 1028, 1103, 1181, 3868, 3990
 - in QDL, 1102
- program
 - segment, 370, 1041, 1492, 2458
 - simplification, 3215
 - slicing, 3215
 - specialization, 1698, 3512
 - specification, 298, 620, 1971, 2057, 2113, 2172, 2317, 2641, 2703, 3017, 3027, 3099, 3138, 3397, 3572, 3616, 3893, 3921
 - state, 1909
 - storage, 2835
 - synthesis, 754, 761, 1278
 - termination, 280, 1489
 - testing, 238, 314, 355, 997, 1329, 1598, 3246
- program transformation, 248, 513, 547, 618, 716, 918, 980, 1188, 1214, 1320, 1665, 1677, 1817, 1875, 3009, 3498, 3512
 - techniques, 1061
- program
 - translated from Pascal, 1297
 - validation, 414

- program (*cont.*)
 - verification, 134, 412, 489, 954, 1102, 1246, 1492, 3009, 3880, 3921
 - verifier, 134, 384, 541
 - volume, 453
- program with
 - bounded memory, 1181
 - errors, 582
 - finite modes, 501
 - loops, 192
- programmed
 - context free languages, 161
 - deallocation, 1012
 - grammars, 161
 - simulation, 2, 4
- programmer, 29
- programming, 25, 1151
 - by induction, 25
 - calculi, 1968, 2321, 2344, 2452, 2867, 2981, 3002, 3003, 3007, 3008, 3009, 3302, 3407, 3441, 3498, 3916, 3983, 4101
 - concurrent systems, 928
 - construct, 404
- programming effort, 45
 - growth rate, 1071
- programming
 - environment, 1200
 - errors, 82, 1807
 - examples, 8
 - experience, 132, 1996
- programming language, 26, 100, 105, 106, 122, 135, 151, 159, 256, 368, 477, 480, 644, 747, 786, 787, 928, 1017, 1041, 1101, 1111, 1200, 1289, 1361, 1372, 1477, 1639, 1919, 1996, 2060, 2563, 2572, 3750
 - definitions, 284
 - design, 1679
 - Edison, 1200
 - EUCLID, 480
 - Lisp, 1477
 - PASCAL, 480
 - semantics, 480, 1169, 1968
- programming languages, 5, 17, 23, 24, 25, 26, 28, 34, 58, 82, 99, 151, 159, 169, 189, 190, 191, 213, 256, 258, 284, 311, 340, 343, 443, 462, 464, 532, 544, 644, 653, 691, 710, 755, 779, 786, 787, 830, 883, 891, 950, 966, 1012, 1069, 1360, 1372, 1408, 1461, 1482, 1492, 1636, 1642, 1655, 1674, 1736, 1807, 1831, 1856, 1911, 1919, 2060, 2077, 2180, 2202, 2207, 2318, 2431, 2443, 2707, 2734, 2907, 2938, 2949, 3142, 3161, 3223, 3302, 3303, 3404, 3485, 3512, 3521, 3647, 3677, 3753, 3916, 4061, 4076
 - classification, 23
- programming
 - logic, 891, 1372, 1478, 1875
 - methodology, 105, 157, 213, 243, 891, 1004, 1071, 1125, 1314, 1346, 1443, 1498, 1677
 - of elastic stores, 157
 - operations, 256
 - paradigm, 1557
 - problems, 412
 - systems, 213, 3075
 - technique, 25, 565, 617, 1036
 - techniques with continuations, 1985
 - theory, 2589
 - tool, 43, 237
 - vehicle, 972
- programs as
 - predicates, 1402
 - proofs, 891
- progress, 1909
 - axiom, 1158
 - properties of programs, 1909
 - property, 2700, 3873
- Proietti, Guido, 3761
- Project, 553
- projection, 267, 608, 634, 677, 762, 839, 949, 950, 1612, 1995, 2638, 3696
 - join normal form, 3533
- projection of a
 - slice, 356
 - universal instance, 523
- projection of
 - data, 762
 - languages, 752
 - relations, 941
- projection
 - operator, 267, 608
 - polyhedra, 2725
 - probe, 1612
 - reduction, 3242
- projective, 726
 - planes, 2310, 3496
- Prolog, 847, 958, 1041, 1297, 1299, 1330, 1557, 1751, 1767, 2572, 3778
 - based, 1297
 - interpreter, 1557
 - program, 1041, 1297, 1299, 1781
 - systems, 847, 1041
- promise classes, 2954
- proof, 12
 - by consistency, 2924
 - derivation, 3005
 - design, 3004, 3005
 - graphs, 3386
 - methodology, 3033
- proof methods, 1630, 1941
 - for data refinement, 1520

- proof of
 - ambiguity, 3477
 - assertions about programs, 196
 - completeness, 2202
- proof of correctness, 159, 412, 618, 1875, 1911, 2342, 3062, 3631
 - of parallel programs, 962
- proof of
 - NP completeness, 1195
 - parallel programs, 1067
 - performance, 1122
- proof
 - procedures, 1204, 1459
 - rule, 196, 235, 340, 1019, 1941, 2207, 2266, 2641, 3891
- proof system, 480, 1157, 1478, 1567, 1785, 1798, 1833, 2060, 2787, 2827
 - for first order temporal logic, 1478
- proof
 - techniques, 300, 1043, 1203, 1585, 2403, 3407
 - theory, 2077
- propagating
 - OL systems, 160, 2679
 - DOL system, 313
 - learning algorithm, 2062
- propagation, 1249, 2487, 3013, 3859
 - characteristic, 3672
 - criterion, 3859
 - delay, 2487, 2587, 2931
 - of privileges, 1249
- proper
 - circular arc graph, 942, 1859
 - complete system, 875
 - C-coloring, 2028
 - dpda, 1034
 - hierarchy, 2078
- proper interval graph, 942, 1127, 1619, 1859, 3121, 3194
 - recognition, 3194
- proper
 - matching, 567, 810
 - prefix, 463
 - robust scheduling, 3152
- properties for complexity measures, 670
- properties of
 - nondeterministic programs, 1306
 - programs, 460, 2060, 2611
- *-property, 1098
- property, 194
 - on graphs, 2299
 - preservation, 3407
- propositional, 1091, 2371, 2458, 2572, 3316, 3586, 3588
 - calculus, 440, 542, 1459, 1628, 1733, 2046, 2590
 - circumscriptive formulae, 2510
 - description, 1535
 - duration calculus, 3704
- propositional dynamic logic, 1091, 1102, 1417
 - with converse, 1417
- propositional
 - expert systems, 2495
 - formula, 1289, 1503, 1664, 2056
 - formulae, 1289, 2510
 - formulas, 1503, 1925, 2056, 3829
- propositional Horn
 - formulae, 1628
 - sentences, 1289
- propositional
 - language, 440
 - level, 2420
 - logic, 1289, 1417, 1541, 1782, 2046, 2392, 2510, 2731, 3006, 3588
- propositional logic of
 - branching time, 1417
 - common knowledge, 1417
 - knowledge, 1417
- propositional modal logic, 769, 1417, 1587
 - S5, 3316
- propositional
 - modal resolution, 1587
 - models, 2371
 - normal modal logics, 3087
 - problem, 3588
 - proof system, 1925
- propositional satisfiability, 2521
 - problem, 2392
- propositional sentences, 1322
 - in CNF, 1322
- propositional temporal, 2572
 - logics, 2458
- propositional variables, 1782, 1802
- PROSIT, 773
- Protasi, Marco, 3052
- protected
 - kernel call, 1176
 - regions, 237
- protection, 31, 426, 676, 1062, 1167, 1688
 - graph, 1062
 - in operating systems, 31
 - mechanism, 31, 118, 708, 1167
 - model, 1062, 1830
- protection of
 - information, 957
 - property, 1811
- protection problem, 676, 1062
- protective, 1964
- protein structure, 2554, 2632
- protocol, 508, 698, 838, 885, 913, 1145, 1150, 1346, 1415, 1417, 1483, 1547, 1609, 1653, 1831, 1858, 1897, 1936, 1967, 2026, 2033, 2042, 2048, 2257, 2279, 2283, 2310, 2351, 2405,

- protocol (*cont.*), 2570, 2584, 2767, 2929, 2944, 2991, 2997, 2998, 2999, 3060, 3084, 3103, 3110, 3119, 3186, 3190, 3285, 3477, 3522, 3532, 3634, 3649, 3652, 3653, 3659, 3692, 3701, 3732, 3861, 3906, 3986, 4008, 4025, 4059, 4086, 4091, 4131
 - attacks, 3835
 - communication, 1420
 - conformance testing, 2026, 2279, 2283
 - constrained concurrent object oriented language, 1831
- protocol implementation, 2026, 2279, 2283
 - conformance, 3692
- protocol model, 1417
- protocol of accessing, 698
 - overlapping sets of resources, 698
- protocol
 - of resource accessing, 698
 - specification, 2026, 2279
 - superimposition, 2351
 - testing, 2279
 - verification, 3103
 - vulnerabilities, 3649
- prototype, 544, 3162
 - implementation, 544
 - military computer systems, 1098
- prototypical expression grammar, 1360
- provability, 1782
- provable, 1134
 - competitive rule, 2216
 - equivalent, 122
 - in F , 1134
- provably
 - infinite, 1313
 - nonregular, 1313
- prover, 1407, 1615, 2388, 2827, 3299, 3787
- proving correctness, 364, 1150, 1968, 2210
 - of strategies, 364
- proving
 - open properties by induction, 1630
 - program correctness, 178
 - selfstabilization, 1635
 - termination, 2437, 2771
- proximity
 - problems, 2384
 - queries, 2288
 - searching, 2106
- proximity/similarity queries, 2288
- PRS, 46, 2749
 - algorithm, 3152
 - of Brooks, 46
- prune and search, 2337
- pruned
 - 3D torus, 3832
 - three-dimensional toroidal networks, 3832
- pruning, 1879, 2092, 3832
 - algorithm, 1320
 - direction, 3832
 - power, 2688
 - search space, 3716
 - strategy, 3832
 - technique, 3667
- Przymusinski perfect model semantics, 2269
- Przytycka, Teresa, 3328
- Przytycka, Teresa M., 3379
- PS, 555, 575
 - schema, 555
- PSEL close, 3071
- pseudo
 - constant, 2066
 - lines, 2290
- pseudocode, 495
- pseudoflow languages, 879
- pseudoforest, 1559
- pseudokey, 1037
- pseudoline, 3028, 3797
- pseudopolynomial algorithm, 2362
- pseudopolynomial time, 2362
 - algorithm, 3903
- pseudorandom
 - function, 3925
 - generation, 3993
 - generator, 1960, 3869
- pseudorandom number
 - generation, 4001
 - generator, 38, 50, 907, 1093, 1932
- pseudorandom
 - permutations, 2002, 4033
 - property, 2002
 - sequence, 2505, 2609, 3465, 3894, 4075
 - variables, 3993
- pseudo-algorithmic separation, 3028
- pseudo-average block sensitivity, 3819
- PSN, 759
- PSP sequence, 2609
- PSPACE, 1467, 1622, 2040, 2253, 2560, 2572, 2626, 2993, 3569, 3570
- PSPACE = PCDS[log n , 1] = RPCDS[log n , 1], 2993
- PSPACE
 - complete, 1507, 2161, 2253, 2572, 2986, 3284, 3788, 3893
 - completeness, 2986
 - hard, 1044, 1150, 3569
 - hardness, 1507
 - upper bound, 4140
- psychological complexity, 513
- psychologist, 45
- psychology, 942
- pT, 1294
- PTOL languages, 201

- PTAS, 2797, 3624, 3643, 3842, 3926, 4043, 4117
PTIME, 2369
 complete, 1392
PTM, 1066
Ptolemaic graphs, 3661
PTQ, 1229
public, 437
 coin interactive proof, 3787
 decryption, 1416
 encryption key, 1475
public key, 562, 938, 3175, 3186, 3634, 3840
 cipher system, 3175
 cryptographic systems, 1932
 cryptographics, 924
 cryptography, 1932, 3308, 3587, 3840
 cryptosystem, 437, 562, 885, 1253, 1416, 1475, 1532, 1973, 2998, 3021, 3719
 distribution system, 3230
 encryption scheme, 1932
 scheme, 3933
 system, 610, 1416, 3021, 3175
Pudlak, Pavel, 3464
Pugh, 2230
Pullar, 2359
Pulleyblank b-matching algorithm, 1338
Pulleyblank, William R., 3731
pumping lemma, 343, 497, 804, 828, 879, 1106, 1215, 1744
 for regular languages, 497
pumping property, 1744
PUMPS architecture, 1954
Punnen, Abraham P., 3771
Purdom, 15, 70
 conjecture, 70
Purdom, P.W., 2386
pure
 birth process, 805
 classical implication calculus, 1782
 codes, 3640
pure context free
 grammar, 1301
 language, 1301
pure grammar, 1301
pure Horn
 component, 2495
 functions, 2495
pure
 implicational fragment, 1782
 λ -calculus, 2552
 length increasing grammar, 1301
 Lisp, 243, 397, 714
 literal, 1552
pure literal rule, 829, 1552
 algorithm, 1552
pure
 Prolog programs, 3778
 random search, 46, 416
purging, 541
pursuit evasion, 2476, 3277
 game, 3277
 problem, 2476, 3277
pursuit evasion game, 2476
push/relabel algorithm, 4082
pushdown, 999, 1068, 1103, 1168
pushdown automaton, 112, 113, 378, 640, 739, 740, 814, 836, 999, 1022, 2832, 3309
 with k two-way input heads, 739
pushdown
 machine, 202
 stack, 458
pushdown store, 1156, 1168, 1264
 automaton, 378
pushdown
 transducer, 386, 725, 1114
 translations, 386
 tree automaton, 2832
pushout, 3396
 consistency, 3396
 construction, 3396, 4069
puzzle, 998, 2909, 3167
PV
 multiple slices, 307
 programs, 1286
Pyeong, S. Mah, 3349
pyramid, 593, 963, 2990
 acceptor, 395
pyramid cellular
 acceptor, 395
 automaton, 593, 864, 1293
pyramid
 machine, 963
 mode, 2990
 networks, 2592
pyramidally solvable, 3791
 case, 3791
P- and V-operations, 43, 406

-adic
 arithmetic, 1010, 1502, 1595
 conversion of rational numbers, 1010
 lifting, 1584
 numbers, 1595

-adic representation, 1010
 of rational numbers, 1010

-adic system, 1010, 1595
P-approximable, 3438
P-BSSF, 3435

-center problem, 1620, 3174

-complete
 families of symmetric Boolean functions, 1693
 family, 1693

- P-complete language, 2355
p-cycles graphs, 3529
p-degrees, 1209
 of NP sets, 1209
P-invariant Petri nets, 981
P-isomorphic, 3245
p-isomorphic to SAT, 1134
P-isomorphism question, 3245
p-isomorphisms, 1134
P-mc(*n*), 3438
p-meager, 4050
p-measure 0, 3438
p-m-degree, 1209
p-m-reducibility, 1209
p-neighbor *k*-center problem, 3670
P-operation, 43, 1280
P-paddable sets, 3245
P-printability, 1622
P-printable sets, 3245
P-processor PRAM algorithm, 2212
p-projection, 1693
P-RAM, 1753
 algorithms, 2603
P-RAM model of
 computation, 2101
 parallel computation, 1847
p-resolution, 2514
p-selective, 2739
P-selective, 3438
 and sparse sets, 3071
 set, 3071, 3438
p-selector, 2739
P-SPACE hard, 2142
p-T
 degrees, 1209
 reducibility, 1209
- Q**
 Q_n , 1030, 3111, 3837, 3967
 Q_n^k , 3967
 Q_n^s -like graphs, 3967
 QA, 1690
 QA(ϵ), 1690
 QDL, 1102
 with arrays, 1102
 QoS routing, 3874
 QPTL, 2008
 QT, 1208
 logic, 369
 structure, 1208
 quad tree, 153, 1057, 1126
 quad/octree method, 2853
 quadrangle inequality, 1906, 2805, 3708
 quadratic
 0-1 programming, 216
 algorithm, 2370, 3584
 approximating model function, 1731
 Boolean equation, 630, 665
 convergence, 2824
 decision tree model, 673
 entropy, 36
 forms, 692
 formula, 2056
 function, 4001
 hash functions, 222
 lower bound, 884
 mutual information, 36
 programming, 1192, 2039
 residues, 1932
 residuosity, 1703
 search, 1142
 Shaker sort, 1594
 space, 3931
 surd number, 1865
 quadratic time, 328, 1594, 2495, 2711, 2802, 3431
 algorithm, 3063
 quadratic upper bound, 1839
 quadratic worst case, 328
 behavior, 784
 quadratically upper bounded, 1732, 1839
 quadric surface, 2076
 quadruple star, 3680
 quadtree, 1208, 1380, 1474, 2566, 2800
 decomposition, 1380
 representation of an image, 1474
 qualified subsets, 3652, 4025
 qualitative
 analysis of tree type algorithms, 1276
 properties, 3714
 quality metrics, 3321
 quality of service, 3874
 routing, 3874
 quantification, 1229, 1461, 3449
 in ALGOL like languages, 1408
 rule, 1229
 quantified, 419
 Boolean formula, 419, 800, 3237
 dynamic logic, 1102
 formulas, 1408
 propositional temporal logic, 2008
 quantifier, 369, 419, 1229, 1408
 alternations, 2008
 free logical reductions, 3588
 quantitative, 484
 quantizer, 1765
 quantum, 4114
 quantum black box
 algorithm, 4099
 complexity, 3957, 4099
 model, 3957

- quantum
 - computation, 4099, 4114
 - computer, 3947, 4099
 - computing, 3947, 3957, 4126
 - gates, 4114
 - logic, 3695
 - search, 3947
- quasi
 - serial execution, 2147
 - serializability, 2147
- quasiconcurrent guarded region, 1807
- quasigroup, 2412
- quasimonotonic array languages, 210
- quasiparity, 3045
- quasiperfect code, 2888
- quasiperiod, 2551, 2795
 - of a string, 2205
- quasiperiodic, 2551, 2795
- quasisynchronous, 269
- quasivariable, 2180
- quasi-arithmetic coding, 3342
- quasi-Boolean, 2590
 - equivalence, 2590
 - expressions, 2590
- quasi-ordering, 1531, 4021
- quasi-typename, 2180
- quaternary tree, 1020, 1126
 - bucketing, 1020
- quaternion, 155
- qubit, 4114
- queens, 1437, 2358
 - algorithm, 970
 - problem, 434, 970, 1258, 1432, 1940, 2358, 2367, 2613
- Queille and Sifakis, 1246
- Queinnec, Christian, 3647
- query, 10, 61, 187, 194, 281, 369, 385, 409, 422, 426, 447, 473, 485, 553, 633, 650, 656, 661, 662, 678, 718, 748, 771, 795, 825, 839, 859, 1030, 1048, 1063, 1084, 1146, 1238, 1302, 1327, 1368, 1435, 1459, 1546, 1573, 1626, 1725, 1761, 1848, 1849, 2050, 2083, 2105, 2131, 2175, 2182, 2251, 2267, 2277, 2313, 2342, 2424, 2453, 2489, 2566, 2660, 2679, 2737, 2775, 2803, 2844, 2854, 3165, 3199, 3238, 3272, 3299, 3301, 3383, 3392, 3435, 3489, 3614, 3623, 3638, 3657, 3684, 3703, 3705, 3746, 3820, 3853, 3957, 3986, 4099, 4109
 - algorithms, 1368
 - analysis, 10, 2342
- query answering, 662
 - device, 1626
- query
 - containment, 3238
 - cost, 1063, 3029
 - distributions, 1953
 - equivalence, 771
 - evaluation, 744, 3657, 4096
- query execution
 - plans, 3029
 - strategy, 3029
- query
 - formulation, 369
 - language, 332, 369, 795, 1063, 1636, 1849, 2342, 3199
 - learning, 3766, 4031
 - line, 2267
 - machines, 2206
 - model, 4031
 - object, 774, 3638, 4098
 - on cache, 3684
- query optimization, 1063, 1848, 2313, 2489, 2692, 2854, 3297
 - strategy, 2679, 2692
- query
 - order, 3705
 - picture, 3614
 - point, 1262, 1546, 2566, 3272, 3642, 3693, 3746
 - polygon, 774
 - problems, 1761
- query processing, 553, 742, 996, 1084, 1626, 2489, 2672, 2737, 3029, 3146, 4019
 - model, 3029
 - time, 2489, 3435
- query
 - ranges, 3406
 - rectangle, 785
 - reformulation, 4019
 - region, 3853
 - response times, 1861
 - responses, 2131
 - scheduling, 553
 - segment, 1171, 2071, 2332
 - set, 61, 485, 993, 1030
 - signature, 3614
 - string, 4109
 - terms, 2660
 - time, 533, 1171, 1304, 1387, 2071, 2097, 2536, 2638, 2775, 3638, 3746, 3820, 4109
 - vertical line segment, 2083
- querying
 - a set of colored points, 3638
 - incomplete information in databases, 3199
- question of Shamir, 144
- questioner, 2105, 2471
- queue, 44, 714, 803, 878, 886, 958, 1013, 1097, 1156, 1168, 1389, 2747
 - automaton, 2828
 - length process, 878

- queue (*cont.*)
 - lengths, 878, 1075
 - merge sort, 2747
 - operations, 958
 - queueing, 379
 - disciplines, 80
 - measure, 379
 - queueing model, 280, 1591, 1663
 - of virtual memory, 1796
 - queueing network
 - departure processes, 878
 - models, 878
 - queueing
 - networks, 310, 878
 - of processors, 379
 - problem with feedback, 57
 - problems, 57
 - system, 806, 1384
 - theory, 57, 806, 1796
 - queues, 866, 878, 972, 1156, 1168, 1194, 1257, 2168, 3609, 3769
 - queuing
 - assumption, 686
 - buffer register size, 146
 - networks, 310, 3564
 - system, 990
 - Queyranne, 3792
 - quick
 - method, 1749
 - sort, 431
 - quickest
 - path problem, 2593, 2627, 2826, 3724
 - paths, 3724
 - QUICKSORT, 328
 - quicksort, 784, 858, 1356, 1397, 2096, 2247, 2399
 - algorithm, 1701, 3700
 - with equal keys, 858
 - quiescence detection, 1716
 - quiescent cell, 75
 - quindiagonal systems, 783
 - Quisquater, Jean-Jacques, 3835
 - quorum, 1897, 2310, 2823, 2852, 3336, 3602, 3686, 3785, 4110, 4138
 - quorum based
 - k -mutual exclusion, 3785
 - mutual exclusion algorithms, 2852
 - quorum consensus, 2310
 - algorithm, 2823
 - quorum
 - generation scheme, 3602
 - group, 3716
 - sets, 3602
 - size, 2310, 2791, 2823, 3602, 4110
 - system, 3686, 3785, 3953, 4110
 - quorumcast routing, 3716
 - problem, 3716
 - quorumcasting, 3716
 - quotient, 755, 1353, 1687, 3656
 - algebra, 472
 - by an equivalence, 1687
 - digits, 285
 - monoid, 1085
 - q-residuosity, 2827
- R**
- R, 2954
 - $R(n)$ reversal bounded $2npda(l)$, 814
 - r.e.
 - indices, 2669
 - languages, 2669
 - QDL, 1102
 - R^d , 594, 1002, 1072, 1219
 - RA stack, 972
 - Ra, Dong-Yul, 3292
 - Rabi, Muhammad, 3634
 - Rabin, 391, 494, 606, 610, 767, 848, 1932, 1958, 2175, 2655, 2764
 - algorithm, 391
 - Rabin and Scott, 752
 - Rabin
 - automaton, 848, 982
 - method, 610
 - nearest neighbor algorithm, 391
 - pair indices, 848
 - principle, 3535
 - probabilistic algorithm, 606
 - scheme, 1055, 1932
 - signature scheme, 1055
 - special automaton, 982
 - type algorithm, 767
 - Rabin, M.O., 257
 - Rabinovich, A., 3704
 - race
 - between primary and secondary signals, 4
 - hazards, 4
 - in a circuit, 4
 - Rackoff, 1392
 - rational online algorithms, 824
 - Radhakrishnan, D., 3898
 - radii, 2784, 3368
 - radio network, 3591
 - radius, 301, 550, 908, 1854, 1903, 2178, 2260, 2784, 3628, 3985
 - radius of a
 - chordal set, 550
 - graph, 3985
 - radix, 979
 - dependent, 158
 - exchange sort, 1574
 - search trees, 1556, 3405
 - radix sort, 2155
 - algorithm, 2155

- radix sorting, 557, 1228
- Rado structure, 4021
- Ragde, 2490
- Raghavan and Upfal, 3539
- Rahman, Saidur, 3542
- Rajasekaran, Sanguthevar, 3777
- Ralston, 172
- RAM, 205, 824, 1065, 1376, 1956, 2036, 2156, 2215, 2480, 2950, 3262, 3746
- ram, 182
- RAM algol, 1956
 - statement, 1956
- RAM chips, 1497
- RAM model, 2156, 3860
 - of computation, 1569
- RAM
 - program, 3581
 - registers, 1956
 - space, 1196
- Ram, Sudha, 3578
- Ramachandran, V., 3315, 3335, 3344, 3354, 3368, 3373, 3398, 3412, 3496, 3513, 3539, 3566, 3576, 3578, 3625, 3700
- Ramachandran, Vijaya, 3516
- Ramakrishnan, I.V. and P.J. Varman, 2256
- Ramamoorthy and Kleir, 106
- Ramamurthy, Badrinath, 3780
- Raman, T.V., 3405
- Raman, Venkatesh, 3648, 3676
- Ramesh, H., 3667
- Ramírez Alfonsín, J.L., 3797
- Ramnath, Sarnath, 3350, 4080
- ramp schemes, 3879
- Ramsey
 - theoretic arguments, 3509
 - theory, 3283, 3509
- Rana, 1366, 2757, 2758
 - algorithm, 2794
- Ranade butterfly routing, 2561
 - algorithm, 2561
- random
 - 2-3 trees, 475, 921
 - 2-SAT, 4003
- random access, 177, 1297, 1658, 2617, 3881
 - files, 3881
 - latency, 3744
 - machine, 182, 205, 276, 350, 399, 419, 675, 766, 814, 836, 894, 909, 939, 1376, 1517, 1702, 1956, 1992, 2156, 2639, 2950, 3746
 - memory, 85, 3826
 - stack, 972
- random
 - alignments of strings, 2916
 - arrangement, 1556
 - assignment, 4064
- random binary
 - search trees, 3682, 3863
 - tree, 2598, 2951, 3682
- random bit
 - generator, 2480
 - patterns, 1037
 - string, 3986
- random
 - bits, 2568, 3751, 4091
 - B-trees, 921
 - choices, 391, 2127, 3942
 - construction of heaps, 1534
- random context, 1711
 - grammars, 68, 232
 - languages, 68
- random context structure
 - automaton, 1711
 - grammars, 1711
- random
 - cyclic permutation, 1248
 - distribution, 1714
 - equiprobable binary trees, 2951
 - errors, 2131
 - expressions, 2519
 - faults, 2287, 2754
 - file organization, 177
 - finite functions, 2542
 - fringe balanced binary search tree, 3654
 - functions, 2542
 - generation, 1997, 2866
- random generation of
 - combinatorial structures, 3078
 - polygons, 1339
 - words, 3078
- random
 - graph, 70, 1268, 1404, 2335, 2478, 2754, 2782, 2959, 3637, 3765
 - initial point procedure, 1696
 - initialization, 2237
 - insertion, 921
 - islands model, 3749
 - keys, 615, 1451, 2254
 - k -element subset, 1669
 - list permutations, 2480
 - local search, 2111
 - mappings, 2335
 - NC, 1689, 1762
 - NC², 1726
- random number, 211, 1141, 1669, 1759, 2059, 3508
 - generation, 3556
 - generator, 38, 752, 3751, 3856
- random oracle, 1467, 2203, 2424, 2560, 3869, 3908
 - separation, 2040, 2203

- random
 - p.m. query, 718
 - patterns, 3271
 - permutation, 223, 1222, 1594, 1606, 2157, 3682, 3803
 - points, 1864
- random polynomial
 - algorithms, 1889
 - time, 538, 1889
- random prefixes, 1055
- random probing, 1750
 - hashing, 1750
- random
 - procedures for optimization, 46
 - pseudokey, 1037
 - reductions, 2645
 - replacement, 1724
 - samples, 142, 3508
 - sampling, 1141, 1669, 1729, 2131, 3508, 3585, 3954
 - satisfiability problems, 2098
- random search, 46, 1142
 - methods, 2237
- random
 - sequence, 4075
 - set generation, 3508
 - sets, 328, 594, 1552, 2560
 - simplex algorithm, 3177
 - source, 3848
 - string model, 2213
 - strings, 1024
 - suffixes, 1055
 - syntax tree, 2519
 - testing, 1391, 3246
 - text, 615, 3271
- random time, 2192
 - interval, 806
- random tree, 1720, 2335, 2951, 3180, 4058
- random variable, 594, 1180, 1222, 2436, 2440, 2683, 2806, 2872
 - algorithms, 1276
- random walk, 1976, 2200
 - in a tree, 1347
- random walks, 3900, 4086
 - on graphs, 3900
- randomised
 - greedy algorithm, 1253
 - heuristic algorithm, 1890
 - heuristics, 1890
- randomization, 494, 1037, 1467, 1802, 2230, 2436, 2813, 2910, 2971, 3193, 3553, 4100
 - strategy, 2416
- randomized, 1899, 2033, 2308, 2436, 2463, 2533, 2658, 2715, 2799, 3558, 3573, 3665, 3986, 4016, 4086
 - algorithm, 494, 1202, 1347, 1766, 2033, 2117, 2195, 2232, 2346, 2436, 2534, 2683, 2715, 2735, 2764, 2813, 2872, 2874, 2910, 3016, 3177, 3205, 3400, 3553, 3558, 3582, 3622, 3637, 3646, 3754, 3763, 3768, 3777, 3802, 3803, 3942, 3986, 3993, 4016, 4044, 4066, 4124
 - arbitrary CRCW PRAM algorithm, 3777
 - BA protocol, 2033
 - Byzantine agreement protocols, 2033
 - computations, 1315
 - expected time, 4109
 - fixed adversary CRCW PRAM, 3573
 - group testing, 3775
 - interactive proofs, 1407
 - k -server algorithm, 4100
 - linear time algorithm for minimum spanning trees, 3802
 - list update algorithm, 2658
 - many one complete, 2645
 - maximum flow algorithm, 2002
 - mutual search, 3986
 - NC algorithm, 2299
- randomized online
 - algorithm, 2195, 2735, 3187
 - multiprocessor scheduling, 3553
 - scheduling algorithms, 2910
- randomized
 - optimal algorithm, 2232
 - optimization algorithm, 1548
 - parallel algorithm, 1202, 1692, 1899, 2782, 3236
 - polynomial time algorithm, 3765
 - protocol, 3986
 - reduction, 2645
 - rounding, 4016
 - strategy, 2195, 3775
 - trackless 2-server problem, 4066
 - uniform selfstabilizing mutual exclusion, 4086
- randomizing algorithm, 2595
- randomly, 391
 - decidable, 1253
- randomly generated
 - instances, 1806
 - problems, 1217
 - test problems, 630
- randomly generating binary trees, 2598
- randomness, 391, 1037, 1341, 1960, 2213, 2505, 2568, 2611, 2872, 2987, 3259, 3400, 3652, 3767, 3875
 - assumptions, 603
- Rangan, C. Pandu, 3347, 3354, 3426, 3713, 3842, 3889
- Rangarajan, K., 3139
- range
 - cominima problem, 2775

- range (*cont.*)
 - constructibility, 3182
 - detection, 1387
- range join, 2933
 - algorithm, 2933
- range of
 - a function, 3993
 - values, 744
- range
 - query, 153, 791, 859, 939, 1304, 1387, 1435, 1658, 1761, 1908, 2235, 2836
 - querying, 679
 - restricted mergeable priority queues, 2680
 - restriction, 3638
- range search, 1304, 1435, 1562
 - algorithm, 1562
 - queries, 3406
- range searches, 153, 2654
- range searching, 748, 1387, 1761, 3406, 3805, 3820
 - problem, 774
- range
 - sorting, 557
 - sorts, 557
 - tree, 1171, 1368
- ranged buckets, 1804
- Ranjan et al., 2752
- Ranjan, Chang, and Hartmanis, 2473
- Ranjan, D., 3150, 3816
- Ranjan, Desh, 3790
- rank, 252, 623, 694, 1269, 1610, 1869, 1924, 2224, 2596, 2825, 3641
 - decision problem, 694
- rank of
 - a matrix, 3196
 - order n matrices, 623
 - tensors, 719
 - the adjacency matrix of a line graph, 252
- rank one
 - matrices, 1164
 - matrix, 472
- rank
 - queries, 1761
 - r decision trees, 2406
- rankable set, 3245
- ranked, 1610
 - alphabet, 1101
 - tree, 2211
- ranking, 768, 1551, 1609, 1706, 1805, 1869, 1899, 2151, 2175, 2233, 2647, 3217, 4133
 - algorithm, 768, 1551, 2598
 - function, 1997
 - nodes of a tree, 1610
- ranking of
 - an unrooted tree, 1869
 - k -ary trees, 768
- ranking problem, 1609
 - for a ring, 1609
- Rao and Kumar, 3410
- Rao and Smith, 4092
- Rao and Zhang, 2678
- Rao, Rajesh P.N., 4067
- Rao, S. Srinivasa, 3648
- Rao-Nam algebraic code encryption scheme, 3838
- RAP, 2260
- Rapps and Weyuker, 1053
 - all due paths criterion, 1598
- Raschle, Thomas, 3794
- Raskin, J.-F., 3893
- raster type data, 1380
- rate monotonic, 2713
 - scheduler, 4049
 - scheduling, 2713, 3501, 4049
- rate of convergence, 1700, 3483
- ratio minimization, 2790
- ratio of
 - areas, 467
 - segment lengths, 467
- rational
 - arithmetic, 1010, 1502
 - codes, 3387
 - coefficients, 479, 2240
 - cone, 94, 874, 900, 1681
 - constraint, 1614
 - expressions, 1067, 3811
 - formal power series, 1256
 - function, 436, 1585, 1719, 4116
 - interpolation, 1584
 - language, 94, 1284, 1614, 2396, 2502, 3387, 3789
 - matrix, 1692
 - multiples of π , 1667
 - number, 1010, 1595, 1667, 1760, 2280, 2702, 2992, 3455, 3962
 - ω -language, 2396
 - ordering, 2545
 - power series, 1256
 - relation, 766
 - search, 409
 - series, 3617
 - set, 766, 2128
 - transduction, 94, 666, 900, 1029, 1572, 3213
- rationality, 1215, 2545
 - of Petri net languages, 1215
- Ratliff, 1869
- Rauscher, 609
- Rauzy, Antoine, 4112
- Ravelo, Jesús N., 3545
- Ravi, R., 3670
- Ravikumar, 2466
- Ravikumar, B., 3648
- Ravikumar, Bala, 1523

- ray, 2076
 - shooting, 2638
 - tracing, 2076
- Raymond, 2838
 - tree, 2477
- Raymond, K., 2323
- Rayward-Smith, 1675
 - Steiner tree heuristic, 1675
- Razborov and Smolensky, 2040
- RC, 44, 4000
- RCA, 2430
- RE charts, 464
- reachability, 128, 129, 701, 1150, 2012, 2253, 2616, 3584, 4007
 - algorithm, 4021
 - in planar directed graphs, 128
 - problem, 129, 357, 584, 701, 726, 1613, 2616, 2986, 2988
- reachable problem for
 - directed graphs, 1613
 - graphs, 1613
 - undirected graphs, 1613
 - vector addition systems, 357
- reachability
 - set, 356, 726, 1507
 - tree, 971
- reachable, 128, 392, 909, 3148
 - cell, 857
 - data structures, 1915, 2528
 - marking, 2253, 2369
 - nodes, 2108
 - state, 2210, 3372
- reaching accessible sets in graphs, 1837
- reaction, 993
 - time, 981, 1180
- reactive, 2219
 - refinement, 3138
 - system, 2120, 2456, 3002, 3372, 3407
- Read and Tarjan, 309
- read and write
 - locks, 2728
 - memories, 35
- read
 - conflicts, 759, 986, 1115, 1396, 1455
 - head, 157, 2050
 - k DNF formulas, 2753
 - modify write, 1808
- read once, 3496
 - Boolean formulas, 2753
 - branching programs, 3496, 3711
 - non uniform deterministic finite automaton, 4032
- read only
 - access, 300, 1290
 - algorithms, 35
 - input tape, 2859
 - memory, 35, 1290
 - records, 300
 - transactions, 2150
- read
 - quorum, 2310
 - transactions, 556
 - twice DNF formulas, 2753
 - write conflict, 837
- read/write
 - heads, 756, 1591, 2373
 - requests, 886
- readback
 - machine, 1331, 2675
 - states, 2675
- readers and writers, 556
 - problem, 236, 333, 360, 556
 - processes, 236, 333
- readers writers, 555
- reading only heads, 752
- ready times, 402, 2819, 3022
- real, 1087, 1974, 2198, 2702, 3128, 3525, 3746, 4005, 4056
- real addition, 1109
 - operation, 548
- real arithmetic, 450
 - operations, 757
- real
 - computation, 3767
 - computer, 365
 - functions, 253
 - interval, 3845
 - life objects, 2043
 - line, 942, 1127, 1221, 1518, 1947, 2408, 3194
 - matrix, 1692
 - memory, 498, 1397
- real number, 375, 564, 657, 757, 796, 1010, 1109, 1180, 1201, 2175, 2325, 2764, 2806, 2952, 3171, 3767
 - arithmetic, 350
 - models of computation, 4005
 - operators, 757
 - representation, 2928
- real
 - part, 2136
 - polynomials, 3535
- real projective
 - plane, 3797
 - space, 3989
- real roots, 507, 2824, 3535
 - of a polynomial equation, 507
- real scaled matching, 3938
 - model, 3938
 - problem, 3938

- real
 - sized scales, 3938
 - symmetric matrix, 417, 529
- real time, 611, 714, 792, 1039, 1149, 1257, 1371, 1457, 1694, 1713, 1761, 1915, 2385, 2456, 2503, 2528, 2628, 2671, 2767, 2819, 3022, 3462, 3745, 3764, 4138
 - algorithm, 824, 3167
 - application, 611, 803, 837, 1012, 1606, 4138
 - computation, 1625, 2628
 - computing, 1122, 1761
 - concurrency control algorithms, 3462
 - concurrent language, 2485
 - constraints, 185, 2407, 3501
 - databases, 3462, 3578
 - emulations, 3745
 - environment, 1761, 3501
 - finite automaton, 1039
 - functional queue operations, 958
 - implementation, 958
 - interaction, 21
 - leader election, 2767
 - message transmission, 3450
 - multimedia, 3591
 - multiple tasks single processor, 2713
 - process algebra, 2614
 - processes, 611
 - processing, 3462
 - programming, 1694
 - queue operations, 714
 - requirements, 3101
- real time scheduling, 3227
 - algorithm, 3804
- real time
 - signal processing, 2407
 - simulation, 1457
 - software development, 3138
 - system, 933, 1122, 1239, 1440, 1713, 2120, 2304, 2385, 2485, 2614, 2628, 2713, 2767, 2819, 3002, 3064, 3101, 3126, 3138, 3314, 3462, 3678, 3699, 3704, 3804, 3841, 4049, 4073, 4105
 - version, 958
- real Turing machine, 3767
- real valued, 2517
 - capacity, 1762
 - edge cost, 765
 - function, 565, 1762, 1906, 2650
 - key, 1227
 - weight, 1013, 2741
- real world, 484, 941, 996, 1021, 2072
 - applications, 1095
 - costs of computations, 454
 - dependencies, 996
 - keys, 1037
- realizability, 891, 2817, 2841, 3531
 - of Delaunay triangulations, 1901
 - theorem, 2841
- realizable
 - algorithms, 366
 - by a shuffle exchange network, 291
- realization of
 - elastic storage, 157
 - permutations, 291
 - Petri nets, 86
- reallocating memory, 2509
- realtime, 1998
 - DPDA, 666
- rearrangeable, 3959
 - graph, 3959
- rearrangeable nonblocking, 2724
 - condition, 2724
- rearrangement, 697, 1385, 2159, 3412
 - of permutations, 3412
- rearranging scattered information, 3963
- reason about
 - interacting systems, 1971
 - loops, 1971
- reasoning, 773, 899, 1092, 1427, 1911, 2046, 2229, 2297, 2317, 2441, 2649, 2655, 2879, 3221, 3545
 - reasoning about
 - a system behaviour, 1635
 - always true, 2297
 - computer systems, 520
 - correctness, 2563
 - distributed systems, 1756
 - first order properties of underlying interpretations, 1478
 - infinite computations, 1102
 - integrals, 2304
 - knowledge, 1417
 - processes, 440
 - programs, 440, 480, 644, 1478, 2008, 3050, 3316
 - relational databases, 3221
 - sequential phenomena, 3002
- reasoning
 - of transactions, 2057
 - tasks, 2514
 - with invariants, 2794
- rebalancing, 920
- rebuilding, 1919
- rec
 - notation, 2134
 - random, 3875
- recall and precision, 10
- recedence grammars, 263
- receiver, 371, 693, 797, 1319, 1721, 1813, 2405, 2995, 3681
- receiving group, 2405

- reception, 188
- reciprocal, 1170, 1755, 4074
 - of power series, 4074
- reclaiming storage, 1257, 3142
- recognising interval graphs, 1947
- recognition, 551, 2181, 4071
 - abilities, 2832
- recognition algorithm, 136, 246, 642, 819, 852, 942, 1499, 2052, 2779, 3073, 3661, 3794, 3967
 - for interval dags, 642
- recognition by a pfa, 2488
- recognition of
 - bandwidth 2 biconnected graphs, 2623
 - bracket languages, 1847, 2101
 - context free languages, 894, 1722
 - diamond free graphs, 4077
 - EOL languages, 292, 305
 - geodetically connected graphs, 3661
 - infinitary tree languages, 982
 - input driven languages, 1264, 1847, 2101
 - line digraphs, 819
 - ordinary context free languages, 2181
 - palindromes, 2503
 - parallel 2D-image languages, 2181
 - perfect elimination bipartite graphs, 852
 - union trees, 2596
 - unit interval graphs, 3121
 - useless components, 1704
- recognition
 - power, 999, 2320, 2832
 - problem, 209, 2597
- recognizability, 3699
 - of bracket languages, 246
 - problem, 2502
- recognizable, 2078
- * recognizable, 2502
- recognizable in
 - deterministic $\log(n)$ space, 1251, 1264
 - nondeterministic $\log(n)$ space, 1251
- recognizable
 - isomorphism, 1204
 - language, 1197, 2128, 3608
 - set of infinite words, 1104
 - subsets, 3608
 - trace language, 2502
- recognize
 - balanced graphs, 3697
 - partitionable graphs, 2052
- recognizer, 539, 1065, 1264
 - models, 722
- recognizer of
 - bracket languages, 1264
 - idl, 1264
 - sentences in a language, 169
- recognizing, 518, 894, 2725, 3173, 3656, 3661, 3674
 - recognizing a
 - closed orthant, 3535
 - language, 943
 - relation, 766
 - recognizing
 - algorithm, 741
 - balanced formulas, 3063
 - breadth first search trees, 1939
 - cographs, 4071
 - context free languages, 836
 - even linear languages, 3198
 - extended Horn formulas, 3063
 - Hamming graphs, 3560
 - languages, 739
 - linear context free languages, 1065
 - majority, 1553
 - overflow, 1036
 - refutable propositional logic formulas, 3242
 - satisfiable Horn sentences, 1322
 - shortest path trees, 2940
 - strict 2-threshold graphs, 3073
 - strongly connected components, 2291, 2569
 - the König property in graphs, 630
 - recognizing threshold
 - dimension 2 graphs, 3794
 - graphs, 4071
 - recognizing unordered depth first search, 1590
 - reconfigurability, 1617, 1971
 - reconfigurable, 2030
 - reconfigurable bus, 2030, 2620
 - system, 1942, 2030, 2409, 2620, 2697
 - reconfigurable buses, 1942, 2296, 2409, 2673
 - reconfigurable mesh, 2030, 2673, 2697, 3288
 - connected architectures, 3127
 - reconfigurable mesh connected computer, 3127
 - models, 3127
 - reconfigurable
 - mesh models, 3127
 - meshes, 3288
 - systems, 1971, 2317
 - reconfiguration, 1617, 1971, 2133
 - algorithm, 1668
 - capabilities, 2868
 - problem in a hypercube, 1668
 - protocols, 1769
 - reconfiguring
 - defective VLSI arrays, 3826
 - the multiprocessor, 1668
 - reconstructability, 218
 - reconstructing, 3324, 3904
 - reconstructing a
 - binary tree, 2393
 - discrete 2D object, 3904
 - secret, 3110
 - tree, 2246

- reconstructing
 - distributed computations, 3818
 - graphs, 1815
 - hv convex polyominoes, 3904
 - sequential behavior, 950
- reconstruction, 85, 1612, 1815
 - machine, 3324
- reconstruction of
 - a binary tree, 2394
 - polygons from projections, 1612
- reconstruction property, 772
- record, 177
 - hit ratios, 839
 - keys, 1556
 - loss probability, 52
 - relevant to a query, 187, 633, 1030
 - sets, 187, 633, 1030
 - signature, 3614
- recoverability, 1964
- recovery, 236, 652, 1126, 1369, 1439, 1716, 2084, 2646, 3124, 3308, 3349, 3587
 - algorithm, 2084, 3124
- recovery from
 - a crash, 1566
 - mismatches, 737
- recovery
 - in distributed systems, 2498
 - line, 1439
 - overhead, 4090
 - point, 1601, 3124, 4090
- RecSSS*, 2688
- rectangle, 571, 589, 622, 748, 785, 841, 1079, 1244, 1373, 1992, 2119, 2535, 2960, 3417, 3575, 3794, 3860, 4017, 4033
- rectangle containment searching, 785
 - problem, 785
- rectangle enclosure, 785, 3444
- rectangle enclosure reporting, 4017
 - algorithm, 3444
- rectangle enclosure searching, 785
 - problem, 785
- rectangle
 - graph, 1288
 - in a d -dimensional space, 785
- rectangle intersection, 748, 785
 - problem, 1511
 - searching problem, 785
- rectangle
 - model, 3794
 - problem, 785, 1511
 - tooth tail method, 211
 - visibility, 3506
 - with edges parallel to the coordinate axes, 2119
- rectangular, 589, 1755, 2936, 3566
 - arrays, 571
 - grid, 2310, 2476, 3566
 - languages, 571
- rectangular matrix, 1502
 - multiplication, 1051
- rectangular
 - mesh, 2482
 - module, 2508
 - objects, 1755
 - obstacles, 2936, 3272, 3402
 - partition, 2144
 - path, 2135
 - pieces, 530
 - shaped areas, 2054
 - visibility, 2267
- rectilinear, 317, 1267, 2095, 2804, 2960, 3272, 3375, 3402, 4122
 - convex, 1079
 - decompositions, 2960
 - distance, 2804
 - graph, 1641
 - map, 3683, 3860
 - matching algorithms, 1201
- rectilinear metric, 2804
 - geometry, 3562
- rectilinear
 - minimal tree, 2178
 - norm, 1002
 - obstacles, 2142, 2936
 - polygon, 1079, 1578, 2804, 2960
 - polygons in the plane, 1079
 - short path queries, 3272
 - spanning paths in grids, 3855
- rectilinear Steiner minimal
 - arborescence, 2805
 - tree, 2178, 2400
- rectilinear Steiner tree, 2095, 2190, 2245, 2400
- recurrence, 1065, 1206, 1276, 1574, 2656, 2932, 3339, 3807, 3952, 4106
 - equation, 1276, 1574, 3339, 3905
 - formulation, 2606
- relation, 536, 1046, 1206, 1274, 1344, 2079, 2292, 2532, 2598, 2604, 2806, 3927, 3968, 4106
 - systems, 279
- recurrent, 1242, 2749
 - interconnection pattern, 1242
- recursion, 28, 243, 381, 732, 970, 992, 1111, 1344, 1837, 1985, 2134, 2159, 2246, 2294, 2418, 2656, 3222, 3662
- recursion in
 - higher languages, 28
 - process algebras, 2134
- recursion
 - introduction, 547
 - removal, 248
 - simplification, 669

- recursion (*cont.*)
 - structure of programs, 669
 - theorem, 2867
 - theory, 1283, 2669, 2984
 - tree, 1753
 - vs. iteration, 888, 1074
- recursive, 28, 159
 - algorithm, 458, 806, 881, 998, 1508, 2020, 2246, 2688, 2851
 - and nonrecursive formulas, 1616
 - array languages, 210
- recursive ascent, 1838
 - Earley parser, 2329
 - implementation, 2329
 - parser, 1661, 2329
 - technique, 2329
- recursive
 - authentication protocol, 3649
 - bucket, 895
 - calls, 458, 547
- recursive circulant
 - graph, 3481, 3726
 - network, 3726
- recursive
 - code, 243
 - computing, 1666
 - construction, 1753, 3481
 - constructs, 1934
- recursive control
 - models, 1494
 - structures, 192
- recursive
 - copying collector, 3163
 - data flow equations, 1867
 - Datalog queries, 1870
 - declaration, 1402
 - definition, 2134, 2648
- recursive descent, 975
 - parsers, 1311
- recursive descent parsing, 975
 - algorithm, 1661
- recursive
 - enumerability, 1687
 - equations, 2629
 - formulation, 248
- recursive function, 670, 1707, 2268, 3012, 3929
 - declarations, 620
- recursive
 - interconnection patterns, 1242
 - language families, 2497
 - languages, 210, 397, 1576, 2231
 - level, 1283
 - lists, 114
 - logics, 3232
 - mode declarations, 620
 - multidimensional divide and conquer, 807
 - nondeterministic programs, 716
 - number theory, 159
 - ω -rule, 1785
 - oracle, 1134, 1255
 - ordinal, 1283
- recursive parsing, 1661
 - algorithm, 1661
- recursive path ordering, 2648
- recursive procedure, 248, 910, 1646
 - body, 980
 - calls, 460, 669
- recursive processes, 3293
- recursive program, 28, 716
 - improvements, 1028
 - transformations, 1028
- recursive
 - programming, 243, 577, 888
 - programs, 243, 488, 716, 808, 1028, 1722, 3632
- recursive query
 - evaluation, 2418
 - optimization, 1870
- recursive
 - real number, 1066
 - representation, 1134
- recursive rule, 1843
 - expansions, 2418
- recursive
 - schemata, 741
 - scheme, 741, 1028
 - set, 1209, 1294
 - solution, 577, 732
 - structure, 522
 - subdivision of space, 1474
 - types, 3536
 - unsolvability, 700
- recursively defined, 520
 - expressions, 1310
 - function spaces, 520
 - functions, 1028
 - matrix multiplier, 601
 - relations, 1028
- recursively enumerable, 670, 700, 1102, 1687, 3075
 - chain code picture language, 3290
 - complete domain, 4062
 - Dedekind cuts, 1066
 - language, 68, 482, 879, 2669, 3352
 - set, 12, 414, 778, 1139, 3309
 - subclass, 3929
- recursively
 - generated set, 565
 - unsolvable, 700
- recursiveness, 210, 228
- red black
 - tree (symmetric binary B-tree), 2422
 - trees, 920, 2422

- Reddy, Pradhan, and Kuhl, 2778
- redexes, 2676, 3753
- redirection, 3404
- redistributing records, 906
- reduce, 407, 445
 - operators, 2452
- reduce/reduce conflicts, 1144
- reduced, 7, 46
 - biquaternions, 2460
 - cover grammar, 2883
 - ε -free LL(1) grammar, 65
 - finite automaton, 497
- reduced representation, 2240
 - of a trigonometric polynomial, 2240
- reduced
 - sensitivity, 49
 - tables, 2318
- reducibility, 454, 832, 1209, 1891, 2252, 3052, 3182, 3282
 - among approximation problems, 3961
 - for 5-coloring, 353
- reducible, 88
 - communication graphs, 2758
 - flow graph, 2757
 - graph, 88, 2757, 2758
- reducible in
 - logarithmic space and linear time, 861
 - polynomial time, 832
- reducing, 46
 - categorical expressions, 7
 - conflict resolution, 2656
 - I/O bandwidth, 1445
 - Ω to $\diamond W$, 3800
 - the response time, 203
- reductio ad absurdum, 1411
- reduction, 7, 742, 786, 1044, 1343, 1603, 1652, 1850, 2049, 2286, 2611, 2676, 2715, 2722, 2769, 2879, 3182, 3633
 - algorithm, 2729, 3087, 3781, 3902
 - concepts, 927
 - in complexity, 180
 - machine instruction set, 1343
 - mechanism, 1041
- reduction of
 - a handle, 26
 - bit length of a multiplier, 979
 - errors, 237
 - LR(k) parsers, 2693
 - OBDD, 2729
 - two-way automata to one-way automata, 1728
- reduction
 - operator, 2835
 - ordering, 2068, 2437, 2771, 3760
 - process, 628
 - protocol, 4008
- relation, 1910, 2366
- rules, 1806, 2229
- strategies, 3793
- system, 1101
- techniques, 493
- time, 1331, 2675
- to sorting, 1379
- variables, 2835
- redundancy, 187, 633, 1030, 1110, 1597, 2449, 2745, 2768, 2868, 3076, 3093, 3308, 3999
 - removal, 4053
 - schemes, 3308
- redundant, 227, 1110, 1329, 1330, 1830, 2388, 3123
 - arrays, 4045
- redundant code, 1329
 - detection, 1329
- redundant
 - computations, 2326
 - disk modulo allocation, 1110
 - encodings, 1316
 - information, 388
 - instructions, 1090
 - minterms, 2931
 - parsing paths, 1229
 - storage, 271
 - use, 1598
 - VLSI arrays, 2868
- Reed-Muller coefficients, 3528
- reference
 - and assignment, 3223
 - behaviour, 260
 - citation relationships, 324
- reference count, 1257, 2528, 3142
 - algorithm, 2528
 - scheme, 397
- reference counter, 1704
- reference counting, 384, 397, 1257, 1915, 2528, 3142
 - algorithm, 1257, 2528
 - garbage collection algorithm, 2528
 - schemes, 3142
- reference
 - counts, 243, 384, 397, 1257
 - node, 375
 - potential, 375
 - semantics, 2180
 - string, 1735
 - structure index, 324
 - time, 366
 - traces, 229
- referencing
 - pointers, 152
 - variables, 5
- referential transparency, 1092

- refinement, 46, 846, 1520, 2266, 2295, 3027, 3138, 3282
 - calculus, 2100, 2452, 2485, 2867, 3478
 - mappings, 2210
- refinement of
 - actions, 2295
 - equivalence relations, 699
- refinement
 - procedure, 46
 - relations, 3138
- reflected tree, 1688
 - hierarchy, 1688
- reflection, 582
 - attack, 3505
- reflexive, 197
 - antisymmetric and transitive relation, 1660
 - rights, 1167
 - transitive closure, 669
- reflexivity, 2363
- reflexivo transitive closure, 701
- refutation, 1017, 1587
 - by NLRI deduction, 1289
 - complete, 2514
 - completeness, 1792, 2514
 - method, 2229
- refutationally complete, 2202
- Reg, class of regular languages, 2145
- regeneration, 279
 - capability of L systems, 279
- region, 46, 88
 - dilation, 1946
 - erosion, 1946
 - invariant linear component, 980
 - query, 447
 - search, 447
- regional average volume, 3867
- register, 27, 1049, 1177, 1721, 1735, 1858, 1997, 2696, 2881, 3653, 3831
 - address, 1956
- register allocation, 82, 1049, 1817, 3426
 - graph, 3426
 - problem, 3426
- register transfer level, 520
- regression, 3585, 3749
 - solution, 3585
 - testing, 3408
- regular, 1721, 1858, 2138
 - architectures, 2868
- regular array
 - grammars, 1244
 - languages, 1244
- regular
 - binary tree, 768
 - bipartite graph, 3347
 - control, 361, 2720
 - coverings, 4121
 - deterministic grammar, 399
 - expander, 1976
 - expression, 8, 463, 516, 879, 950, 1331, 1753, 1981, 2198, 2268, 3677
 - factors, 444
- regular grammar, 55, 202, 474, 2061, 2198
 - forms, 683
- regular
 - graph, 2200, 2746, 3493
 - k -ary tree, 768
 - language, 94, 202, 241, 249, 297, 348, 497, 640, 663, 740, 879, 898, 922, 1029, 1068, 1155, 1284, 1684, 1686, 1728, 1776, 2145, 2466, 2522, 2880, 3343, 3352, 3502, 3656, 3951
 - languages inferable from positive data, 3502
 - lookahead, 348, 1853
 - n sided polygon, 433
 - networks, 3493
 - noncounting languages, 463
 - n -gons, 442
 - n -sided polygon, 499
 - ω -language, 2093
 - partition, 168
 - polygon, 515, 1846, 3262
 - prefix codes, 463
 - problems, 3741
 - recursive schemas, 982
 - register, 1721, 1858
- regular resolution, 542
 - proof, 542
- regular right
 - part grammar, 1331, 2675, 2862
 - power bounded languages, 463
- regular
 - sequence specifications, 55
 - set, 218, 378, 463, 1303, 1604
 - sets of infinite tapes, 188
 - signature schemes, 3587
 - translation, 386
- regular tree
 - grammars, 1312
 - languages, 3848
 - specifications, 55
- regular
 - triangles, 442
 - TRS, 2676
 - undirected graphs, 1613
- regularity, 188, 218, 956, 1029, 1678, 2466, 2699, 3832, 3911, 4000
- regularity of
 - languages, 2511
 - normed PA processes, 4000
- regularity
 - preserving distortions, 188
 - problem, 241

- regularization, 172, 350
 - procedure, 172, 350
 - theory, 81
- regulated
 - k -limited ETOL systems, 2720
 - rewriting, 2720, 3074
- regulation, 2720
 - mechanisms, 2720
- rehashing, 244, 1606
- Reif, 1766
- Reingold, Edward M., 3631
- Reingold, Nick, 3398, 3558
- Reingold, Westbrook, and Sleator, 3622
- Reiser, 158
- Reiser and Knuth, 158
- Reiser and Kobayashi, 878
- Reiser, J., 148
- Reiss, 426
- Reiss, Steve, 385
- Reiter, 799
 - closed world assumption, 2269
- Reith, Steffen, 4118
- rejecting
 - halting state, 752
 - sink, 3685
- rejection, 3645
 - by a sigmoid neuron, 2650
- relabelling, 2294
- relation, 2, 12, 231, 256, 302, 332, 1259, 1971, 3973
 - algebra, 3495
 - between intervals, 1824
 - model, 762
 - of E.F. Codd, 256
 - scheme, 600, 634, 798, 1025, 1279, 2449, 2637, 2751, 3533
- relational, 608, 1259, 1541, 2041, 2249, 3940
- relational algebra, 256, 332, 369, 771, 1237, 1837, 1849, 1881, 2250, 2342, 3199
 - operators, 1080
- relational
 - algebraic language, 795
 - and deductive databases, 2854
 - approach to database systems, 528
 - arguments, 2342
 - calculus, 795, 1567, 2803, 3002
- relational data base, 231, 286, 332, 388, 528, 634, 744, 2449
 - management systems, 1063
 - query languages, 332
- relational data
 - model, 1259, 2041
 - sublanguage, 286
- relational database, 256, 332, 369, 481, 484, 486, 523, 600, 608, 625, 742, 798, 839, 871, 996, 1021, 1063, 1237, 1241, 1541, 1618, 1650, 1730, 1800, 1804, 1907, 2368, 2576, 2751, 2933, 3221, 3318, 3392, 3533, 3703, 3825, 3958, 3973, 3999
 - definition, 528
 - design, 528
 - design theory, 523
- relational database management, 523
 - system, 2576
- relational database
 - model, 600, 941, 1094
 - queries, 771
 - query processing, 3703
 - schema analysis, 528
 - scheme, 798, 1800
 - system, 1804
 - theory, 625, 1672, 2368, 2786, 3619
- relational
 - datamodel, 2637
 - DBMS, 1063, 1080, 1235
 - division, 1837
 - expressions, 771, 899
- relational join, 1140, 2188
 - operator, 1730
- relational model, 231, 372, 486, 528, 795, 1021, 1025, 1094, 1279, 2449
 - for databases, 625
- relational
 - operation, 553, 757, 839, 2737
 - operators, 2342
- relational query, 1848, 2737, 3523
 - processing, 742
- relational
 - recursion, 1837
 - representation of specifications, 1567
 - selections, 1837
 - semantics, 629, 2985
 - structure, 181, 1094
 - theory, 1021
- relativation problems, 1622
- relative
 - completeness, 1157, 1478
 - complexity, 209, 1209, 1836, 1891
- relative complexity of evaluating, 1891
 - the optimum cost, 1891
- relative
 - convex hull, 2075
 - entropy, 3848
 - error, 1784, 3720, 3993
 - implementability, 316
 - loss of records, 52
 - motion, 22
 - neighborhood graph, 2841
 - neighbourhood graph, 1400
 - overlap, 2332

- relative performance, 63
 - guarantee, 3174
- relative
 - processor speed, 2204
 - strength, 1808
- relativised
 - definability, 2363
 - deterministic polynomial time, 1889
 - random polynomial time, 1889
 - separations, 3107
- relativization, 1255, 1390, 1877, 2560, 2626, 3469, 3908
 - of complexity classes, 2203
- relativized, 1622, 2206, 2560, 2993
 - circuit depth, 2424
 - complexity class, 1467, 2109
 - separation, 3469
 - world, 2954, 3469, 3908
- relaxation, 2533, 3703, 4095
 - methods, 130
- relaxed
 - barrier synchronization, 3742
 - Monge matrix, 3791
 - triangle inequality, 4030
- relay processes, 2055
- release, 3110, 3764
 - and due date assignment, 3828
 - date, 519, 3828, 3960
 - lock, 2742
 - time, 868, 902, 1938, 2681, 2757, 3227, 3660
- relevance, 1222, 1856
 - of a document, 477
- relevant subgraph, 2108
- reliability, 31, 46, 355, 1369, 1483, 1964, 2243, 2421, 2640, 3580, 3620, 4133, 4138
 - analysis, 2640, 4112
 - model, 2640
- reliability of a
 - distributed program, 3620
 - system, 1964
- reliability of
 - communication links, 3620
 - software, 1391
- reliability
 - problem, 3620
 - theory, 806
- reliable, 1128, 1857, 3686, 4035
 - and effective program construction, 1028
 - bank, 1050
 - broadcast, 4059
 - computing, 1415
 - connectivity problem, 2243
 - distributed computer systems, 1439
 - hypercube, 2197
 - information, 2105
 - processes, 1857
- reliable system, 118
 - operation, 118
- reliable
 - test & set objects, 3500
 - uniprocessor computer systems, 1439
 - upper bound, 1890
- relix, 1837
 - code, 1837
- relocation algorithms, 312
- reluctant jogger, 731
- rely
 - and guarantee conditions, 4070
 - guarantee discipline, 4070
- remainder, 755
 - function, 755
- remote login systems, 3505
- removing
 - a segment, 933
 - infinite loops, 2776
 - information, 541
 - loops, 1144
- Rémy, J.L., 3645
- renamable Horn problems, 2392
- renaming, 1187, 2056, 2774, 3079
 - a set of clauses, 1187, 1733
 - equivalence, 2056
 - of formulas, 2056
 - problem, 3439
- rendezvous, 928
 - table, 1319
- renewable resources, 519
- renewal
 - process, 878
 - reward theorem, 652
 - theory, 652
- Renyi α -entropy, 36
- reordering, 1636
 - data items, 1177
- reorganisation strategies, 818
- reorganization, 1460, 2114
 - of index sequential files, 1238
- repair, 1391, 2685
 - pattern, 2685
- repeated
 - elements, 2825
 - merging, 90
 - range search, 1387
 - rounding, 158
- repeatedly executed region, 980
- repeater, 2260
- repeaters allocating problem, 2260
- repetition, 828, 1106, 1111, 2266
- repetition in a
 - string, 3480
 - word, 699

- repetition
 - in words, 699
 - operators, 159
- repetitive structures, 279
- replacement, 549, 1569
 - algorithm, 366, 890
 - of a substring, 157, 2685
 - selection, 1182, 3930
 - strategy, 2291
 - trees, 3930
- replacing faulty nodes, 2948
- replay attack, 3505
- replica, 3001
- replica control, 1897
 - protocol, 1897, 2310
- replicated copies, 837
- replicated data, 2310, 2823, 4138
 - management, 2310, 4138
- replicated
 - databases, 1897, 3686
 - disk, 3492
 - object, 1897
 - resources, 1786
- replication, 1110, 1897, 3001, 3686
 - control, 1786
 - of data, 3684
 - scheme, 3001
- reply message, 1725
- report
 - generation, 256
 - writer, 6
- report writing, 6
 - systems, 6
- representable, 535
- representation, 17, 60, 100, 105, 108, 390, 412, 532, 949, 1134, 1180, 2072, 2514, 2649, 2653, 2753, 2865, 2965, 3213, 3366, 3370, 3506, 3941
 - by Boolean circuits, 3588
 - change, 754
 - for logic functions, 2865
 - in first order logic, 108
- representation independent, 1313
 - independence results, 1313
- representation language, 34
- representation of
 - a tree, 62
 - an abstract device, 105
- representation of binary
 - tree traversal, 73
 - trees, 60
- representation of
 - bipartite planar graphs, 3723
 - Boolean functions, 4083
- representation of data, 151, 1677
 - structures, 60
- representation of
 - disjoint sets, 872
 - entities, 484
 - finite tree automata, 452
 - graphs, 1573
 - height balanced trees, 926
 - information, 59, 1330, 3199
 - integers, 226
 - knowledge, 45, 1021
 - lists, 1214
 - problems, 1134
 - sets, 212
 - spaces, 259
 - temporal knowledge, 1480
 - the language recognition problem, 108
 - tree automata, 452
 - trees, 969, 3506
- representation
 - problem, 2037
 - space requirements, 2921
- representational difficulties, 381
- representative, 570, 1257, 1717, 3545
- representative instance, 1626
 - of a database, 1626
- representatives of n-tuples, 265
- representing
 - a class of functions, 12
 - binary images, 1474
 - knowledge, 364, 1330, 2229
 - matrices as quadrees, 1126
 - structures, 20
- reproduction of incorrect messages, 270
- request for
 - blocks of cells, 83
 - computation, 611
- request
 - message based strategies, 3732
 - point, 4100
- requesting of resources, 418
- requirement engineering, 2047
- requirements specifications, 2047
- rescaling, 1593
 - functions, 1593
- Rescigno, Adele A., 3383
- reset, 2567, 3990
 - capability, 2026
 - free, 2375
- resetting, 2293, 2957
 - operations, 2293
- residual, 2137
 - algorithms, 3443
 - graph, 3612

- residue, 1005, 2833, 3898
 - arithmetic, 2309
 - classes modulo m , 222
 - codes, 3076
 - notation, 2309
 - number system, 1005, 2812, 2833, 2901, 3076, 3898, 4036, 4107
 - representations, 4036
 - system, 1005, 2812
 - to binary conversion, 2812, 3106, 3184
- resilience, 2463
- resiliency, 1415, 2132
- resilient, 2852
 - consensus protocols, 2132
 - coteries, 2852
 - functions, 2677
- resistance, 3206
- resistive spaces, 2117
- resolution, 542, 548, 799, 1330, 1421, 1459, 1699, 1792, 1925, 2196, 2198, 2420, 2514, 2800
- resolution based
 - deduction systems, 1792
 - theorem prover, 108
- resolution calculus, 1792
- resolution deduction, 1289
 - method, 1322
- resolution
 - levels, 1421
 - like method, 4055
 - logic, 847
 - method, 1204
- resolution of
 - cross references due to the nonlinearity, 2137
 - overloading, 548
 - the overloaded + operator, 548
- resolution
 - principle, 1017
 - procedure, 1204
- resolution proof, 1925
 - procedures, 1204
- resolution
 - rules, 1204
 - style proof procedure, 2514
 - system, 1204
 - theorem proving, 847, 2420
 - tree, 542
- resolvent, 799
- resolving, 548, 3148
 - data conflicts, 3462
 - error propagation, 4090
- resource, 418, 698, 838
- resource allocation, 43, 80, 83, 118, 418, 519, 707, 851, 933, 1033, 1050, 1131, 1239, 1317, 1323, 1361, 1655, 2196, 2362, 2728, 3849, 3882
- policy, 418
 - problems, 2743
- resource
 - allocator, 1317
 - bound, 1576
- resource bounded
 - category, 4050
 - environments, 2621
- resource bounded measure, 3869, 4050
 - zero, 3869
- resource
 - bounds, 1379, 2517
 - capacity, 3607
 - conflict, 1090
 - constrained scheduling, 2037
 - constraints, 402, 504, 519
 - consumption, 1812
 - contention, 961
 - invariants, 1286
 - manager, 1668
 - requirements, 261, 402
- resource scheduling, 401, 2737
 - problem, 3607
- resource
 - sharing, 754, 1954
 - utilization, 418
- respecification, 120
- responder, 2105, 2471
- response, 2105, 2192, 2279, 2471
- response time, 124, 1075, 1084, 1122, 1250, 1861, 3435, 3912, 4138
 - behavior, 4138
 - convexity, 1075
 - of a query, 553
- restart, 837
- restartable fail stop processor simulations, 2530
- Restive, 812
- Restivo, A., 3772
- restricted classes, 2072, 2269
- restricted classes of
 - graphs, 1828, 1879
 - networks, 1783
- restricted
 - devices, 68
 - failure detector, 4008
 - finite substitution, 683
- restricted form, 37, 1278, 2443
 - of the interpolation problem, 37
- restricted
 - H -colouring, 2284
 - matching problems, 1845
 - model, 573
 - multicounter machines, 1139
 - number of processing elements, 1376
 - parallelism, 1376
 - Petri nets, 1964

- restricted (*cont.*)
 - quadratic queries, 2175
 - use of productions, 68
- restriction, 480, 735, 879, 931, 941, 2127, 2265, 2411, 2648, 2695, 2737, 3013, 3222, 3748, 3786
 - and exclusion operators, 3735
 - on the set of productions, 730
 - policy, 1933
- restructuring, 1419
 - of matrices, 261
 - operators, 2072
 - rule, 1633
- result
 - checking, 3635
 - states, 1218
- resultant, 2690, 3471
- retention strategy, 1012
- retract, 1995, 3944
- retransmission dependency, 1439
- retransmitting, 1276
- retrieval, 53, 197, 221, 264, 286, 423, 503, 718, 744, 859, 1658, 1861, 2242, 2647, 3690, 4098
 - algorithm, 437
 - anomaly, 3690
 - effectiveness, 2647
 - from context trees, 139
 - models, 197
- retrieval of
 - exact statistics, 3430
 - information, 737
 - pictures, 2242
- retrieval
 - operations, 1037, 2491
 - output, 10
 - performance, 61
 - request, 264
 - request pattern, 264
 - results, 61
 - systems, 197
 - techniques, 10, 61
 - time, 1030, 4096
- retrieving, 1135, 1291, 1616, 3011
 - fuzzy information, 3657
- retry, 543
- return, 420, 1721, 1964, 2671
 - of an unfalsified detection message, 1756
 - statement, 3397
- reusability of software, 2733
- reusable, 2728
 - resources, 698
 - subtrees, 2717
- Reusch, 162
- reuse, 3132, 3801
 - constraints, 3801
 - distance, 3801
- reversal, 389, 814, 958, 1056, 1068, 1139, 1379, 1581, 2574, 2705, 3412
- reversal bounded, 814
 - deterministic k-tape Turing machine, 1379
- reversal
 - complexity measure, 2574
 - number bound, 1139
 - operation, 3092
- reverse
 - A-order, 1551
 - baseline networks, 1466
 - converters, 4107
 - lexicographic order, 1536
 - order, 230
- reverse search, 4044
 - depth first traversal, 3992
 - technique, 4044
- reversed versions, 2724
- reversibility, 2430, 3630
- reversible, 2375, 2512
 - cellular automaton, 2430
 - context free grammar, 2375, 2512
 - grammars, 2375, 2512
 - Petri nets, 356
 - systems, 2430
- reversing a train, 2020
- revoke, 621
- revoking privileges, 1249
- reweighting, 1405
- rewrite, 2437, 2880, 3902
 - constraints, 4068
 - rules, 1543, 1910, 2676
 - system, 1652, 2437, 2676
- rewriting, 47, 232
 - process, 1643
 - rule, 78, 644, 749, 989, 1028, 1850, 2078
 - strategy, 2001
 - system, 232, 778, 875, 1244, 1463, 2648, 2986, 3015
 - techniques, 3902
- Rex, 2198
- Reynolds
 - cover, 1078
 - number, 22
- Rhee, Chongkye, 3411, 3721
- Rhee, Injong, 3613
- Rhodes' parser, 955
- rhythmic phenomena in morphogenesis, 197
- Ricart and Agrawala algorithm, 1715
- Rice method, 3662
- Richardson theorem, 3495
- Rick and Evans, 529
- Rick, Claus, 4141
- Riemann
 - hypothesis, 408
 - zeta function, 347, 3515

- Rifà, Josep, 3846
- right
- center of a language, 1070
 - context, 2768
 - covers, 2141
 - factor, 637
- right hand
- side of productions, 730, 1331
 - sides of productions, 241, 1331
- right
- in-threaded binary trees, 1290
 - linear grammar, 2880
 - parse, 438, 474, 614
 - pointer field, 1290
 - power bounded languages, 463
 - recursion, 1105
 - recursive, 1105
 - regular grammar, 474
 - rotation, 1504, 1930
 - shift k-ary integer GCD algorithm, 3443
- right son, 935, 1216, 1290
- pointer, 1290
- right subtree, 96, 176, 365, 447, 788, 2891
- weight, 788
- right threads, 1290
- right to left
- flow, 953
 - maximum, 223
 - tree traversals, 273
- right weight, 935
- rightmost derivation, 438, 1331, 2061
- rigid, 1205
- algebra, 1205
 - balance, 2254
 - graphs, 3155
- rigidity, 1205, 3155, 4088
- of a matrix, 3641
- rigidly moving sets of points, 2472
- Riguet, 1881
- RIM, 3749
- ring, 377, 398, 577, 732, 820, 1164, 1582, 1609, 1653, 1712, 1740, 1980, 2009, 2159, 2354, 2390, 2568, 2631, 2757, 2758, 2799, 3059, 3160, 3367, 3609, 3732, 3837, 3900, 4011
- based termination detection algorithm, 1756
 - data structure, 532
 - embedding, 3837
 - movement, 2159
 - network, 1366, 3279
- ring of
- anonymous processors, 3059
 - characteristic, 0, 2796
 - eight processes, 1637
 - finite state machines, 1607
 - identical processes, 1980
 - integer polynomials, 436
 - machines, 1635
 - philosophers, 2351
 - polynomial invariants, 3902, 4063
 - polynomials, 591
 - processors, 1564, 1712, 1740, 2009, 2515
 - residues modulo m , 390
- ring
- orientation algorithm, 3059
 - size, 2799, 3059
 - structure, 532, 1730
 - structured systems, 883
 - task, 2515
 - topology, 3388
- Ringel, 138
- conjecture, 138
- Riordan arrays, 3231
- ripple carry adders, 2620
- RISC computer, 1735
- risk ratio, 2612
- Rittri, Mikael, 3019
- Rival, 1038
- river routing, 2054, 2469, 2682
- Rivest, 194, 691, 858, 1045, 1633, 2406
- Rivest, R.L., 745
- Rivest, Shamir, and Adelman, 1932
- Rizzi, Romeo, 3808
- RL, 879
- RLP, 2616
- RM scheduling, 3501
- RMAX, 2659
- RMAX(k) classes, 2659
- RMESH, 3127
- RNC, 3154
- algorithm, 2286
- RNG, 1400, 1777
- RNS, 1005, 3898, 4036
- architectures, 4036
 - based systems, 1005
 - to binary conversion, 2812
- road network, 564
- road traffic, 57
- data, 52
- ROAESA, 3210
- robber, 2476
- robber route, 1921
- problem, 1921
- Robins, Gabriel, 3888
- Robinson, 847
- Joint consistency, 3396
 - resolution, 1587
 - unification algorithm, 1774
- Robinson, Brian L., 3888

- robot, 1667, 2142, 2853
 - arms, 1044
 - collision avoidance problem, 1149
 - dynamic constraints, 2853
 - navigation, 2936
 - path, 1149
 - system, 1044
 - vision, 3039
- robotic sensory devices, 1612
- robotics, 1044, 1149, 1236, 1394, 2465, 2476, 2570, 2853, 2873, 2904, 3277, 4006
- Robshaw, M., 2881
- Robson, 96, 1131, 1290, 1323
 - traversal, 2689
- robust, 250, 566, 1020, 2313, 3585, 3598, 3686, 3821, 3888
 - algorithm, 1972, 3469
 - centralized certifier based concurrency control, 837
 - multipriority topology independent transmission schedule, 3152
 - scheme, 3821
 - secret sharing scheme, 3598, 3821
- robustness, 765, 1422, 1635, 1972
- Röck, 4082
- Rödl and Thoma, 3433
- Roelants van Baronaigien, 2965
- Roelants van Baronaigien and Ruskey, 3822, 3915
 - Gray code, 3822
- Roelants van Baronaigien, Dominique, 3877
- Roggenbach, Markus, 3773
- Rohl, 970
 - procedure, 970
- Rohnert, Hans, 3340
- rollback, 543, 1759, 3462
 - behavior, 3362
 - lengths, 3362
 - method, 1759
 - recovery, 1439, 3861, 3934
 - time, 1601
- rollforward process, 652
- ROM sizes, 3429
- Romani, 702
 - algorithm, 2183
- Romijn, Judi, 3372
- Ron, Dana, 3567
- Rondogiannis, P., 3680
- rookwise connectedness, 551
- root, 7, 101, 164, 166, 507, 845, 1491, 1939, 2385, 2457, 2646, 2866, 2888, 3850
 - graph, 252, 819
 - leaf paths, 3382
 - multiplicity, 2240
 - needed reduction, 3793
 - neededness, 3793
- root node, 96, 139, 2718, 2723, 2866, 2891, 3850
 - insertion activity, 1460
- root normalizing strategies, 3793
- root of a
 - heap, 2103
 - polynomial, 445, 507, 2702
- root to
 - frontier, 2832
 - leaf orientation of edges, 2863
- root
 - vertex, 3667
 - weight, 788
- rooted, 121, 245
 - DAG, 1347
 - directed tree, 1745
 - graph, 1132
 - labeled trees, 1930
 - leaf labeled trees, 3153
- rooted ordered
 - binary trees, 969
 - trees, 2074
- rooted
 - spanning tree, 2940
 - subtrees, 3932
 - tree, 101, 166, 392, 567, 764, 1532, 1601, 1688, 1840, 2340, 2341, 2596, 2808, 2863, 3091, 3411, 3932
 - unlabeled trees, 1930
- roots of polynomials, 2457
- Rose, 136
- Rose, Tarjan, and Lueker, 1354
- Rosen, 669, 741, 1101, 1652
 - equivalence, 741
- Rosen, J. Ben, 3724
- Rosenberg, 772, 781
- Rosenberg, Burton, 3769
- Rosenbloom, Arnold, 3464
- Rosenbrock
 - method, 586
 - type process, 587
- Rosenfeld, 578, 749, 989
- Rosier and Yen, 1392, 1507
- rotated, 589, 1244
- rotating
 - device, 60, 157
 - disk subsystems, 1591
 - memory, 60
- rotation, 336, 494, 622, 920, 1450, 1504, 1633, 1746, 1816, 1930, 1997, 2570, 2691, 2783, 2965, 3654, 4041
- rotation based
 - arithmetic, 2076
 - computations for ray tracing, 2076
- rotation distance, 1450, 1504, 1746, 1930

- rotation distance of
 - binary trees, 1504, 1746, 4041
 - trees, 1504
- rotation
 - operation, 2965
 - tree transformation, 822, 1450
- rotational
 - latency, 1591
 - position sensing, 1591
 - symmetries, 1230
- Rote, 3380
- Rote, Wang, Woeginger, and Zhu, 2347
- Rothe, 3674
- Rothe, Jörg, 4067
- Roudneff, 3797
 - conjecture, 3989
- Roudneff, J.-P., 3989
- roughly
 - sorted, 1903
 - synchronized clocks, 2944
- round, 2033, 2353, 2875, 3942, 3974
- round of
 - communication, 797
 - message interchanges, 1999
- round
 - off rule, 158
 - optimal, 2827
- round to
 - even, 158
 - odd, 158
- rounding, 442, 2533, 4016
 - rule, 131
- roundoff
 - considerations, 18
 - error, 793
- Roupin, Frédéric, 3472
- Roussopolous, 518
- route, 1600
 - graph, 1600, 2343, 2602, 2884
 - planning problem, 2553
 - selection, 3629
- routing, 707, 1186, 1566, 1600, 1769, 1803, 1912, 1967, 1975, 1979, 2054, 2123, 2199, 2245, 2265, 2343, 2414, 2469, 2482, 2508, 2580, 2602, 2746, 2783, 2884, 3026, 3209, 3256, 3291, 3361, 3388, 3445, 3580, 3629, 3726, 3805, 3874, 3950, 3979, 4065
 - a k -terminal net, 2508
 - algorithm, 1089, 2065, 2199, 2381, 2410, 2482, 2571, 2642, 2651, 2783, 2861, 3026, 3097, 3112, 3137, 3141, 3251, 3279, 3291, 3479, 3580, 3726, 4054
 - around a rectangle, 2508
 - in hypercubes, 2884
 - metrics, 3874
 - model, 3256
 - number, 3256
 - of information, 138
 - on trees, 3256
 - optimization, 711
 - path, 2826
- routing problem, 711, 1803, 2265, 2372, 2381, 2548, 3716
 - with locality, 2450
- routing
 - schedules, 3256
 - scheme, 707, 1186, 1769
 - with locality, 2450
- row, 2045
 - and column retrieval, 1135
 - broadcasting, 2696
 - column pairs, 4110
 - major indexing, 1177
- rowwise transform, 498
- Roy, 216
- Roy, T. Sony, 3368
- Rozenberg, 126
- RP, 3885
 - operator, 2722
- RPN, 1964
- rpo, 2648
- RPS, 1591
 - reconnection delay, 1591
- RRPG, 1331, 2675
- RS index, 324
- RSA, 3659, 3835, 3933
 - cryptosystem, 3548, 4009
 - encryption, 2901
 - moduli, 3515
 - scheme, 1932
 - secret data, 3548
- RSA signature, 3659
 - computation protocols, 3659
- RSMA, 2805
- Ružička, Peter, 3733
- Rubinstein, Shlomi, 3555, 3774
- rudimentary, 1441
 - function, 1441
 - language, 1625
 - reductions, 2272
 - relations, 1081
- Ruggieri, Salvatore, 3778
- rule, 1330
 - rule based, 2489
 - model, 2047
 - rule for
 - assigning release and due dates, 3828
 - construction, 836
 - rule of
 - radius at most two, 3352
 - routing, 707

- rule
 - probability, 3994
 - rewriting techniques, 2418
 - rule/goal graphs, 2418
 - run generation algorithm, 3415
 - run length, 383
 - coded strings, 3055
 - run length encoding, 1474, 1946
 - method, 383
 - run of pixels of the same colour, 1474
 - run time, 710, 763, 1395, 2235
 - system, 501
 - Runge-Kutta methods, 287, 586, 587
 - running
 - cost, 103, 493, 546, 631
 - costs of modules, 546
 - identity of a concurrent entity, 693
 - running time, 434, 515, 539, 560, 609, 638, 689, 743, 757, 816, 866, 901, 929, 1066, 1192, 1273, 1300, 1485, 1552, 1576, 1673, 1685, 1760, 1818, 1872, 1884, 1898, 1957, 1997, 2002, 2189, 2300, 2377, 2387, 2416, 2463, 2465, 2575, 2594, 2671, 2683, 2705, 2719, 2763, 2770, 2804, 2872, 2919, 2952, 3154, 3219, 3330, 3344, 3369, 3534, 3624, 3708, 3716, 3794, 3836, 3860, 3896, 3931, 4056, 4082
 - running time of
 - algorithms, 1576
 - an algorithm, 391
 - runtime, 569, 636, 945, 1126, 1222, 1297, 1817, 2180, 2618, 3743
 - distribution, 3813
 - error free, 1492
 - errors, 945
 - mechanism, 5
 - of the Bykat Eddy algorithm, 569
 - performance, 2688
 - prediction, 3743
 - referencing, 5
 - stack, 511
 - staging, 2137
 - system, 1012, 1099
 - rural Chinese postman algorithm, 2026
 - Rusinowitch, Michaël, 3015
 - Ruskey, 969
 - Ruskey, Frank, 3844
 - Russell, Alexander, 3539, 4032
 - Russell, D.L., 270
 - Russian, 61
 - Rusu, L., 3537
 - Ruzicka, 1360
 - result, 1360
 - Ruzzo, 2007
 - Ruzzo, Simon, and Tompa, 1390
 - relativization, 1390
 - Ryan, P.Y.A., 3649
 - Rytter, Wojciech, 3236, 3376
 - r*-coloring, 3450
 - r*-decision lists, 2406
 - r*-error digital search problem, 1952
 - R*-forest, 2871
 - R*-generability, 2363
 - R*-generable, 2363
 - r*-merge, 617
 - r*-parse, 438
 - R*-value, 462
- S**
- S machine experiment, 294
 - S_0 , 1664
 - S2-APMPOTA(1), 571
 - S4, 3087
 - S5, 2572, 3316
 - Kripke structure, 1417
 - (*s, t*) planar network, 729
 - (*s, t*)-paths, 3612
 - S, T-route problem, 1921
 - SA, 612
 - sa, 663
 - SAA, 370
 - Saab, Youssef, 3120
 - Saab, Youssef G., 3452
 - Sabnani, K. and A.T. Dahbura, 2283
 - SAC, 2818
 - Saccà, Domenico, 3318
 - Sacerdote and Tenney, 357
 - saddleback search, 761
 - SADT, 3741
 - Safavi-Naini and Seberry, 3514
 - safe, 1858
 - information, 3161
 - introduction of operations, 3633
 - lambda terms, 2464
 - marked graphs, 554
 - node, 921
 - ω -regular language, 2086
 - register, 1721, 1858
 - sequence, 1317
 - safety, 418, 962, 1167, 1173, 1176, 1285, 1361, 2029, 2086, 2281, 2282, 2456, 2464, 2700, 2707, 2794, 3418
 - analysis, 2464
 - critical systems, 3270
 - liveness classification, 2456
 - safety of
 - a resource allocation, 418
 - state transition, 418

- safety
 - property, 962, 1173, 1285, 2086, 2210, 2281, 2282, 2700
 - question, 1167
 - test, 418, 1050, 1317
- safety/security in digital systems, 2881, 2958, 2995, 3030, 3076, 3136, 3308, 3323, 3324, 3430, 3434, 3514, 3598, 3652, 3681, 3690, 3835, 4025
- SAGBI basis, 3902, 4063
- Sagiv, Delobel, Parker, and Fagin, 1241
- Sajeev and Olszewski, 1571
- Sajith, G., 3091
- Sakakibara, 2375, 2512
 - algorithm, 2375, 2512
- Sakano, Keiichi, 3323
- Sakoda and Sipser, 663
- Sakoda circle problem, 1293
- Sakurai, Kouichi, 3224, 3707
- Salhi, A., 3749
- Salinier, Bruno, 2949
- Salmasizadeh, M., 3606
- Salomaa, 68, 201, 1067, 1973
 - leftmost restriction, 68
 - system, 1067
- Salomaa, A., 193
- Salomaa, Arto, 3951
- Salomaa, Kai, 3309
- SAM, 2038
- Samarsky, 81
- sample complexity, 2224, 3252
 - of PAC learning, 3252
- sample
 - graph, 813
 - path, 1759
- sample space, 2872
 - of shares, 4025
- sampling, 211, 416, 2131, 2633, 2987, 3246, 3400, 3993
 - algorithms, 2987
 - information, 4125
 - lemma, 3802
 - oracle, 2131
 - period, 691
 - scheme, 1700
- Sanchez, Pedro P., 3833
- Sanders, 2297, 2321
 - theorem, 2297
- Sanders, P., 3803
- sandwich problem, 3758
- Sang, Koo Seo, 3297
- Sang, Lyul Min, 3577
- Sankoff, 295
 - algorithm, 295
- Santini, Massimo, 3830
- Santomo, Alesiano, 3546, 3621
- Santoro, 1082, 1438
- Santoro, N., 4045
- Santoro, Nicola, 3549, 3732
- Santos, 1066
- Santos, Francisco, 3359
- Santos, J., 3501
- Saoudi, A., 2860
- Saouter, Yannick, 3905
- Sardinas, 794
- Sardinas and Patterson algorithm, 794
- Sardinas-Patterson-Even test, 1008
- Sarkar, Chakrabarti, Ghose, and De Sarkar, 2529
- Sarkar, U.K. et al., 2382
- Sassa, Masataka, 3541
- SAT, 1268, 1664, 2098, 2521, 2716, 2731, 3087, 3887, 3966
 - instances, 2716
- #SAT, 2179, 2453
- satellite, 2748
- satisfaction, 3101, 3418
 - of functional dependencies, 1626
 - relation, 3418
- satisfiability, 278, 612, 829, 1268, 1286, 1289, 1306, 1417, 1503, 1540, 1570, 1664, 2098, 2371, 2392, 2395, 2442, 2467, 2572, 2589, 2666, 2716, 3063, 3079, 3128, 3237, 3280, 3815, 3966
 - for S_0 , 1289
- satisfiability of
 - a Horn expression, 1628
 - formulas, 2572
- satisfiability problem, 419, 829, 1194, 1268, 1289, 1322, 1417, 1664, 1802, 2098, 2346, 2510, 2572, 2589, 2716, 3063, 3222, 3815, 4068, 4119
- satisfiability problem for
 - formulas, 419
 - S_1 , 1289
- satisfiability
 - problem of propositional logic, 1289, 3815
 - threshold, 4003
- satisfiable, 278, 630, 829, 1503, 1664, 3128, 4003
 - 3CNF formulae, 2442
- satisfiable Boolean
 - function, 538
 - graph, 538
- satisfiable
 - formulae, 3908
 - sentences, 1322
- satisfying
 - assignments, 3908
 - truth assignment, 1540, 2442, 2467
- Sato, Tadakazu, 3466, 3718
- saturated sets, 3302
- saturation, 1617

- Savage, 601, 877, 1051
- saving space in parallel computation, 1683
- Savitch, 664, 1390, 2616
 - theorem, 664, 2206, 2253
- Saxe, 650, 2548
- Saxe and Bentley, 650, 661, 679
- Saxe, James B., 454
- Saxena, Sanjeev, 3091
- SBS tree, 3411
- SCAI
 - language syntax, 132
 - programs, 132
- scalability, 3245, 3739
- scalable
 - performance, 3741
 - set, 3245
- scalar, 215
 - multiplication, 215, 377, 1164
 - multiplicative complexity, 436
 - numeric variables, 256
 - operators, 1056
 - product, 443, 786, 953
- scale, 3805, 3841
 - changes, 522
- scaled, 3938
- scaled matching, 3938
 - problem, 3938
- scaled pattern matching, 3938
- scaling, 1511, 2691
 - technique, 1511
- SCAN, 63
- scan, 59, 786, 1558, 1633, 1804, 2829, 3115
- scan disk, 3101
 - scheduling policy, 3101
- scan line, 1079
 - generation, 59
 - graphics system, 59
 - method, 3115
 - paradigm, 1079
- scan
 - mark garbage collection, 103
 - phase, 2607
 - process, 1915, 2528
 - protocol, 3653
- SCAN rule, 63
- scanner, 3653
 - generators, 2198
- scanning
 - list structures, 72
 - policies, 63
- Scarborough, 158
- scatter
 - function, 1556
 - storage, 222
 - table, 244, 4146
- scattered context, 482
 - grammar, 13, 482, 3074
 - language, 13, 482
 - normal forms, 68
 - rule, 13
- scattered grammars, 482
- scattering, 2390
 - strategy, 244
- SCC, 2569, 3523
 - recognition, 2569
- SCCS, 1678
 - process, 1678
- scene, 1992, 3693
 - analysis, 3888
- SCG, 13
- Schönhage, 155, 909
 - result, 155
- Schönherr, Sven, 3811
- Schöning, 1542, 3071
- Schützenberger, 112, 539, 801
- Schach, Stephen R., 3321
- Schaefer, 419, 2510
- schedulability, 3764
- schedule, 185, 288, 402, 504, 519, 560, 611, 639, 648, 868, 977, 1812, 1969, 2133, 2385, 2681, 2831, 3066, 3152, 3256, 3273, 3349, 3583, 3849
 - a calling process, 753
- schedule length, 1027, 1336, 1602, 3319
 - criterion, 1027
- schedule of
 - cache loads and stores, 1735
 - primitive operations, 1261
- scheduled, 185, 868, 902, 2133, 2362, 2799, 3022, 3607, 3817
 - parallelism, 2133
- scheduler, 973, 1176, 1632, 4039
- scheduling, 44, 167, 183, 185, 235, 269, 430, 527, 553, 642, 868, 886, 902, 1180, 1280, 1406, 1480, 1557, 1602, 1605, 1735, 1807, 2006, 2133, 2185, 2312, 2362, 2363, 2606, 2624, 2681, 2819, 2910, 2926, 3022, 3066, 3068, 3101, 3146, 3193, 3269, 3314, 3319, 3416, 3461, 3470, 3488, 3553, 3565, 3610, 3660, 3678, 3687, 3804, 3828, 3849, 3903, 3912, 3977, 4024
 - a complete k-ary tree, 3319
 - algorithm, 44, 185, 288, 611, 973, 1061, 1280
 - analysis, 3764
 - anomalies, 1632
 - chains, 3488
 - cyclic tasks, 3678
 - decisions, 2628
 - dependent and preemptable tasks, 288
 - discipline, 368
 - file transfers, 1336

- scheduling groups of
 - jobs, 3903
 - unit length jobs, 3903
- scheduling
 - hard real time periodic task sets, 4049
 - independent 2-processor tasks, 1027
 - infinite duration calls, 3193
 - jobs, 3070
 - multiprocessor tasks, 2362, 2801, 3565
- scheduling of
 - processes, 44
 - task systems, 527
 - unit length independent tasks, 185
- scheduling parallel tasks nonpreemptively, 2133
- scheduling periodic
 - and sporadic time critical tasks, 1713
 - jobs, 868
 - tasks, 1713
- scheduling
 - periodically occurring tasks, 639
 - problem, 185, 288, 504, 527, 560, 642, 672, 868, 1038, 1336, 1772, 1812, 3849
 - programs, 753
 - real time computations, 2385
 - rule, 236
 - sporadic tasks, 1713
 - strategies, 1239
 - tasks, 288, 402, 3470
 - theory, 185, 2624
 - to meet deadlines, 288, 402
 - tree structured tasks, 1602
 - under resource constraints, 402
 - unit time tasks, 902, 2681
 - variable sized requests, 3849
 - with deadlines, 1359
- schema, 484, 3212
 - design, 1626, 1800
 - hazard, 3176
 - processing, 3212
- schemata equivalence, 741
- schematic
 - properties, 1028
 - protection model, 1830
 - rewrite system, 2437
 - rules, 565
- schematology, 3990
- SCHEME, 397, 1985
- scheme, 195, 378, 603, 708, 721, 741, 1055, 1257, 1421, 1473, 1490, 2258, 2267, 2334, 2447, 2610, 2659, 2712, 2869, 2874, 2875, 2947, 2957, 2998, 3136, 3230, 3274, 3336, 3405, 3467
 - for concurrent transactions, 300
 - of recursion, 2589
- Schensted, 175
- Schieber, Baruch, 3581
- Schittenkopf, Christian, 3568
- Schlageter, 300
- Schlipf, 1962
- Schmeck, Hartmut, 1282
- Schmeichel, Edward F., 3584
- Schmidt and Druffel, 1646
- Schmidt, Jeanette P., 2632
- Schmitt, 757
- Schmitt, Michael, 3333, 3403
- Schneider, 735
- Schneider, F.B., 2989, 3263, 3372, 3378, 3437, 3475, 3499, 3520, 3586, 3595, 3597, 3613, 3701, 3714, 3747, 3882, 3952
- Schneider, Fred B., 1627, 1977
- Schneider, S.A., 3649
- Schneiderman and Goodman, 919
- Schnorr, 479, 636, 1894
 - algorithm, 636
 - and Shamir, 2699
 - bound, 636
 - random sequence, 3875
- Schobbens, P.-Y., 3893
- Schoenmakers, Berry, 3484
- Scholten, C.S., 3004
- Schoor, 918
- Schorr-Waite
 - algorithm, 618
 - marking algorithm, 618
- Schott, R., 3645
- Schröder tree, 3645
- Schroeder, 3186
- Schur
 - complements, 2334
 - symmetric functions, 2334
- Schwabe, Eric J., 3745
- Schwartz, 127, 659
- Schwartz and Sharir, 1236
- Schwarz, S., 3748
- Schwarzkopf, Otfried, 3406, 3582, 3646
- scientific
 - abstracts, 738
 - computation, 3248
- Sciore axioms, 1618
- SCL, 13
- scope, 27, 2606, 2835
 - ambiguities, 1229
- scope of
 - a stack, 803
 - formulae, 1080
 - label names, 931
- scope rules, 190, 975
- scope-n local map, 2631
- scoping, 500

- Scott, 125, 1991
 domains, 1995
 topology, 1991
 Scott, Michael L., 3410
 SCP, 2260
 SCS, 2855
 methods, 2855
 SCV, 878
 SCW, 1861
 surrogate files, 1861
 SC-SF, 3664
 models, 3664
 SD, 899
 SDQP, 3642
 SDR, 510
 SEOL, 1124
 systems, 1124
 search, 36, 45, 72, 101, 130, 184, 217, 222, 239, 252,
 261, 281, 282, 339, 409, 416, 449, 477, 522,
 554, 559, 560, 566, 609, 661, 678, 687, 691,
 699, 703, 706, 718, 737, 825, 850, 855, 857,
 961, 1045, 1112, 1123, 1142, 1147, 1179,
 1238, 1272, 1291, 1347, 1357, 1435, 1451,
 1690, 1714, 1767, 1802, 1890, 2080, 2094,
 2105, 2106, 2174, 2218, 2254, 2275, 2314,
 2560, 2671, 2683, 2837, 2855, 2865, 3313,
 3315, 3447, 3474, 3551, 3692, 3695, 3710,
 3776, 3947, 3986
 a sorted list, 703
 search algorithm, 282, 691, 754, 1321, 1666, 1690,
 2237, 3899
 of Fredmann, 939
 search
 based computations, 1041
 commands, 477
 cost, 656, 2654, 3776
 direction, 1731
 distance, 2013
 efficiency, 1690, 1841
 effort, 2688
 search for a
 key, 1112
 rational number, 409
 search
 for rationals, 385
 key, 566
 length, 1112
 loci, 422
 method, 101, 226, 2174
 number, 3710
 operation, 3474
 operators, 1696
 ordered tables, 282
 ordering, 691
 path, 1435, 2553
 performance, 1724, 1750
 problem, 226, 281, 1192, 1197, 1802, 1809,
 2013, 2358, 2553, 2719, 3288
 procedure, 409
 process, 45, 1696, 2105
 radius, 2013
 rearrangement, 1809
 space, 1347, 1696, 1767, 2174, 2420
 speedup, 3776
 strategy, 45, 108, 239, 1347, 1953, 4040
 structure, 2080
 techniques, 2613
 time, 271, 422, 687, 1460, 2230, 3313, 3899
 tree, 153, 822, 1435, 1646, 1658, 2000, 2164,
 2254, 2288, 2950, 2967, 3405, 3966, 4037
 trees with restricted maximal height, 184
 tries, 194
 version of SAT, 1802
 with positive switch cost, 1147
 searched key, 1142
 searcher, 2275, 3277, 3710
 & fugitive, 3277
 searching, 8, 53, 194, 203, 206, 222, 226, 282,
 312, 346, 427, 449, 454, 503, 559, 565, 566,
 650, 662, 678, 679, 687, 691, 718, 721, 748,
 754, 774, 785, 791, 825, 855, 859, 895, 1112,
 1123, 1290, 1306, 1321, 1347, 1666, 1714,
 1861, 1928, 2105, 2115, 2174, 2332, 2559,
 2657, 2784, 2855, 2946, 3313, 3474, 3579,
 3677, 3876, 3986, 4040
 a graph, 2306
 algorithm, 422, 661, 721, 1296
 complexity, 1491
 graphs, 2174
 searching in
 partial ordered sets, 1928
 $X + Y$, 1928
 searching
 on secondary keys, 718
 phase, 737
 problem, 454, 533, 650, 661, 662, 721, 1245,
 2106, 3638
 problems for multidimensional point sets, 679
 strategy, 4040
 the index, 203
 with errors, 4040
 SEC, 1705
 Secher, Jens Peter, 3623
 second level, 1390, 1407, 1962, 2827, 3282
 of the polynomial time hierarchy, 1255
 second
 nearest vertex, 1533
 normal form, 1487

- second order, 3302, 4061
 - algorithm, 1126
 - curve, 2076
 - derivative information, 1731
 - information, 1731
 - linear recurrence, 1865
 - logic, 1555, 2510, 3276
 - nonlinear differential equations, 1207
 - predicates, 1194
 - sentences, 1555
 - substitution, 794
 - surface, 2076
 - unification, 4061
 - variables, 4061
- second shortest path, 3576
- secondary
 - array, 271
 - database storage, 1663
 - keys, 194
- secondary memory, 2455, 2489, 3313
 - device, 280
- secondary signal, 4
- secondary storage, 566, 718, 791, 1724, 1730, 2041, 3601
 - accesses, 1804
 - device, 1730
- secondary text files, 737
- secret, 437, 3136, 3434
 - information, 734, 2298
- secret key, 885, 3393, 3835, 3956, 4042
 - agreement, 3634
 - cipher, 3393
 - exchange, 3634
- secret
 - message, 4135
 - multicast, 3655
- secret reconstruction, 3110
 - protocol, 3110
- secret set, 3655, 4025, 4091
 - schemes, 4091
- secret
 - shadow space, 2958
 - shadows, 2958
- secret sharing, 1473, 3110, 3324, 3434, 3551, 3598, 3652, 3948
 - policy, 3110
 - scheme, 3110, 3324, 3434, 3551, 3598, 3652, 3821, 3879, 3948, 4025
- secret value, 3821
- secure, 437, 1098, 2712, 2995, 2998, 3430, 3505, 3635, 3649, 3881, 3922, 3925, 4046, 4091
 - authentication scheme, 3681
 - communications, 2991
 - concurrency control, 3690
 - designs, 3881
 - digital mobile communications, 2712
- secure information
 - retrieval, 437
 - storage, 437
 - systems, 437
- secure
 - multiversion concurrency control mechanism, 3690
 - system, 31, 1098
- security, 31, 426, 437, 562, 610, 681, 682, 957, 993, 1098, 1145, 1532, 1830, 2405, 2496, 2576, 2827, 3021, 3175, 3190, 3428, 3505, 3649, 3655, 3922, 3925, 4042
 - against cheaters, 3821
 - class, 1532
 - in digital systems, 2818, 2991, 3132, 3145, 3186, 3190, 3230, 3522, 3532
 - measures, 31
 - model of Bell and LaPadula, 1098
 - models, 1098
- security of
 - a system, 681
 - multiplexer generators, 3923
 - SPLICE/AS, 2998
- security of the
 - exponentiation function, 3021
 - Lucas function, 3021
 - Tseng-Jan group signature schemes, 4137
- security
 - parameter, 1932
 - problem, 31, 426, 473
 - related communication standards, 3906
 - risks in statistical databases, 1302
 - theorem, 1098
 - violation, 31
 - with efficiency problem, 1012
- Sedgewick, 858, 1753, 1957
 - theoretical lower bound, 858
 - transformation, 1753
 - version of quicksort, 2096
- Sedjelmaci, Mohamed S., 3443
- seed
 - binary matrix, 1093
 - matrices, 1093
 - matrix, 1093
- seek
 - distance, 2089, 3254, 3492
 - time, 3265, 3492
- Segal, Michael, 3663
- segment, 609, 612, 633, 658, 746, 845, 876, 933, 1030, 1052, 1106, 1149, 1171, 1193, 1267, 1431, 1440, 1515, 1882, 2013, 2071, 2091, 2264, 2332, 2417, 2678, 2799, 2853, 3317, 3380, 3389, 3683, 3692, 3807, 3860
 - address, 933
- segment dragging, 2083
 - problem, 2083

- segment
 - intersection, 3317
 - merging, 2799
 - of finite length, 1149
 - on the plane, 1052
 - tree, 1079, 1171, 1883
- segmentation, 817, 933, 3700
 - for complex systems, 21
- segmented
 - allocation problem, 612
 - store, 612
- segmenting, 21
 - scheme, 21
- segments with largest relative overlap, 2332
- Seidl, Helmut, 2937, 3381
- SELECT, 553
- selectable collisions, 3132
- selecting
 - Chinese postman algorithm, 3692
 - information, 26
 - the k largest, 2175
- selection, 346, 581, 1042, 1087, 1111, 1113, 1273, 1509, 1517, 1685, 1928, 2022, 2825, 3185, 3350, 3896, 3987, 4043
 - algorithm, 346, 581, 2217, 2825, 2990
 - criteria, 1053, 1598
 - fairness, 1420
 - function, 799
 - method, 581
- selection of
 - good algorithms, 283
 - index terms, 917
 - reductions, 26
- selection
 - problem, 860, 1538, 1685, 2825, 3350
 - procedure, 1053
- selective
 - merging, 3944
 - resetting, 2293
- selectivity, 3118
- selector, 1454
 - values, 644
- self, 2066
 - application, 1934
 - object, 2180
- selfadjusting, 1714, 2164, 3315
 - data structures, 1633, 2829, 3484
 - hash tables, 1142, 1714
 - linear list algorithm, 3315
 - lists, 3315
 - multiway search trees, 2164
 - structures, 1142
 - trees, 1953
- selfapplication, 2137
- selfapproaching strategy, 3862
- selfchecking number, 325
- selfconsistent, 1902
 - operations, 100
- selfcontained, 681
- selfembedding, 1096
- selfembedding property, 1096
 - of term rewriting systems, 1096
- selfindexed search algorithm, 3899
- selfintersecting polygons, 380
- selfintersection, 380
- selflabelling technique, 3760
- selfloop, 136, 299, 590, 1212, 1472, 1568, 1835, 2026, 2336, 2593, 3477
- selfmodification of instruction addresses, 1169
- selfmodifying
 - finite automaton, 3195, 4002
 - program, 1781
- selfoptimizing, 1781
 - Prolog program, 1781
- selforganizing, 1724, 3783
 - automaton, 864, 1293
- selforganizing data, 1142
 - structures, 691
- selforganizing
 - heuristic, 691, 1724
 - maps, 3783
- selfoverlap free, 3453
- selfprefix problem, 2664
- selfproving construction, 73
- selfrecreating binary trees, 3484
- selfreducibility, 1894, 3118
- selfreducible, 3144
 - paddable, 3144
- selfreferential
 - Kolmogorov complexity, 1622
 - structures, 2528
- selfrepairing programming system, 45
- selfreproducing configurations, 75
- selfreproduction, 75
- selfresolution, 1792
 - rule, 1792
- selfrouting networks, 2724
- selfscheduling coroutines, 196
- selfsimilar input traffic, 4073
- selfstabilization, 410, 1369, 1635, 1980, 1998, 2285, 2351, 2446, 2799, 2802, 3084, 3096, 3119, 3378, 3701, 3747, 4034, 4086
- selfstabilizing, 410, 2226, 2333, 2351, 2446, 2451, 2799, 2807, 3378, 4086
- selfstabilizing algorithm, 1980, 2226, 2333, 2446, 2799, 3270, 3378, 4034
 - for finding a maximal matching, 2446
- selfstabilizing
 - binary phase clock protocol, 3701
 - depth first search, 2807

- selfstabilizing (*cont.*)
 - dining philosophers algorithm, 2351
 - leader election, 3378
 - mutual exclusion algorithm, 2799, 3270
 - property, 2333
 - protocol, 2351, 3096
 - serial model programs, 3747
 - system, 410, 1635, 2285, 2351, 3270
- selfsubstitution, 1865
- selftesting, 1027
 - programs, 3448
- selftesting/self correcting programs, 3448
- selftype, 2066, 2180
- Selivanov plus hierarchy, 3705
- Selkow, 71
- Selkow, Stanley, 3447
- Sellers, Peter H., 2632
- Selman, 1894
- semantic
 - analysis, 1311, 1367, 1515
 - approach, 1515, 2077
 - assertions, 191
 - basis, 2297
 - constraints, 1626
- semantic data
 - modelling, 3390
 - models, 787
- semantic definition, 544, 1674, 1856
 - of side effects, 191
- semantic
 - description, 239
 - descriptor, 2249
 - domain, 1642
 - equations, 1788, 1991
 - equivalence parsing, 1229
 - evaluator, 3025
 - expressions, 2326
 - functions, 3432
 - implications, 1571
 - inclusion degree, 3999
 - independence, 2250, 2985
- semantic information, 779
 - processing, 45
- semantic
 - models, 1101
 - net, 181
 - phenomena, 1367
 - problem, 1367
 - processing, 273, 376
- semantic properties, 196, 1028
 - of programs, 192
- semantic
 - rule, 273, 1331
 - space, 3999
- semantic specification
 - of the APL operators, 786
 - techniques, 544
- semantic
 - target language, 928
 - vector space model, 3958
- semantical, 2046
 - relations, 278
 - specifications, 278
- semantically, 600, 2985
 - independent, 2250
 - related logics, 3616
- semantics, 24, 239, 284, 544, 604, 625, 629, 634, 779, 782, 786, 830, 928, 1021, 1101, 1111, 1173, 1278, 1285, 1367, 1506, 1515, 1535, 1642, 1788, 1793, 1856, 1881, 1991, 2249, 2269, 2402, 2456, 2458, 2459, 2514, 2563, 2572, 2590, 2649, 2666, 2672, 2700, 2733, 2839, 3349, 3404, 3616, 3813
 - based, 2137, 3349
 - directed compilation, 2137
 - for logic programs, 2839
 - language, 24
- semantics of a
 - declarative language, 1409
 - language, 1111
 - program, 2269
- semantics of a programming language, 1372
 - construct, 298
- semantics of a
 - recursive language, 243
 - simple language, 1278
- semantics of
 - cause effect structures, 1535
 - commands, 1793
 - concurrency, 1067
 - concurrent programs, 604
 - cons, 2707
 - inheritance networks, 2649
 - jumps, 1793
 - message passing, 1319
 - P and V operations, 1158
 - PASCAL, 191
 - processed information, 278
 - programming languages, 159, 370
 - programs, 1422
 - recursive definitions, 782
 - recursively defined functions, 1372
 - sequential programming languages, 928
 - source information, 278
 - statecharts, 2120
 - SUBSTAD, 321
 - the programming language CORAL, 66, 191
 - weak semaphores, 1446

- semantics preserving translations, 2342
- semaphore, 227, 235, 254, 307, 404, 406, 470, 995, 1111, 1120, 1158, 1176, 1266, 1280, 1446
 - arrays, 86, 254
 - invariant method, 1286
- semaphore operations, 406, 686, 1263
 - P and V, 686
- semaphore primitives, 43, 1176
 - of Dijkstra, 86
- semaphore
 - queue, 1176
 - value, 43
 - variables, 43, 1176
- semelective VLSI circuits, 2107
- semelectivity, 2107
- semibranching bisimulation, 3300
- semicommutation, 1468
- semiconductor circuits, 605
- semicoroutine, 196, 1138
- semidecidable, 122
- semidefinite programming, 3698
- semidynamic, 1171
 - routing schemes, 707
 - rules, 707
- semifinite strip, 1435
- semifree edges, 4071
- semigroup, 1368, 1810, 1946, 2268
 - computations, 1810
 - problem, 1368
- semihomogeneous routing algorithms, 2482
- semilinear, 726
 - property, 113, 951
 - set, 113, 356, 726
- semilinearity, 951
- seminative
 - bottom up evaluation, 2679
 - evaluation, 2679, 2692
- semirandom source, 3451
- semiring, 199, 820, 1312, 1582, 1603, 1640, 3213, 3789
 - morphisms, 3213
- semiring of
 - formal power series, 399
 - power series, 3213
- semistrong coloring, 2902
- semitree, 2150
- semi-algebraic
 - objects, 2043
 - set, 2043
- semi-analytical solution, 529
- semi-extended regular expressions, 516
- semi-implicit Runge-Kutta methods, 287, 586, 587
- semi-infinite rectangular slab, 622
- semi-join, 742, 1084, 1870, 1907
 - algorithm, 1907
 - operations, 1084
 - reduction program, 1084
 - theory, 1870
- semi-Thue system, 1166, 2511
- semi-unification, 2938, 3019
- Sen, A., 2381
- Sen, Ranjan K., 3109
- Sen, Ranjan Kumar, 3955
- sender, 1721, 3681
- Sengupta, Abhijit, 3837
- Sengupta, Anirvan, 3513
- Sengupta, Rimli, 3520
- sense of direction, 1224, 1627, 3493, 3549, 3644, 4121
- sensitive, 701, 893, 1126, 1418, 2438, 4113
 - complexity, 1424
 - information, 984
- sensitivity, 49, 3355, 3589, 3819, 4099
- sensitivity analysis, 765, 1292
 - problem, 765
- sensitivity of a Boolean circuit, 3589
- Sentance and Cliff, 783
- sentence
 - generator, 1069
 - patterns, 1059
- sentential form, 56, 169, 263, 284, 720, 750, 1331, 2522
- Seok, Hee Hong, 3462
- Seongtaek, Chee, 3672, 3859
- SEP, 1229
- separability, 1914, 3011
 - measures, 143
 - of classes, 143
- separable
 - convex polygons, 987
 - permutation, 3487, 3694
- separate compilation, 1200
 - facility, 1200
- separated, 592, 763, 965, 3011, 3131, 3646
 - matching, 816
- separately, 178
- separates, 2245, 3011
- separating
 - line segments, 3646
 - oracles, 1622
 - set, 168
 - strings, 1719
- separation, 2054, 2424, 2954
 - by a straight line, 204
 - constraints, 2385
- separation of
 - complexity classes, 2424
 - concerns, 579
- separation problem, 2385
- separator, 14, 383, 988, 1354, 1514, 1516, 1610, 1624, 1869, 2504, 3082, 3646
 - theorem, 1514, 1516

- sequence, 107, 2271, 2294, 3706
 - alignment, 3931
 - analysis, 3085
- sequence comparison, 1943, 2023, 2170, 3054
 - algorithm, 2023
- sequence
 - complexity, 3465
 - matching, 1943
- sequence of
 - actions, 307, 3920
 - angles, 1741
 - assignment instructions, 82
 - edges, 101
 - equations, 591
 - exterior angles, 1741
 - free cells, 83
 - increasing functions, 11
 - integers, 265, 373, 1594, 1957, 3890
 - nodes, 139
 - non-path steps, 110
 - numbers, 1797
 - operators and operands, , 453
 - parentheses, 2598
 - positive integers, 1253
 - prefix preserving Lyndon words, 2828
 - procedure invocations, 1017
 - productions, 438
 - symbols, 3371
 - vertices, 889
 - words, 107
- sequence
 - splitting, 1112
 - to sequence recursiveness, 159
- sequencer, 1793
- sequencing, 29, 430, 1831, 2407, 2919, 3660
 - of processes, 575
 - primitives, 29
 - rules, 63
 - tasks, 611
- sequent symmetry multiprocessor, 2538
- sequential, 85
- sequential access, 1658
 - method, 203
- sequential
 - algorithm, 728, 978, 986, 1884, 1947, 1955, 1961, 2146, 2359, 2605, 2670, 2873, 2932, 3301, 3425, 3749, 3817, 4078
 - allocation, 114, 2509
 - array, 244
 - atomic shared multiwriter variable, 2451
 - calculus, 3002
 - circuits, 2, 4
 - composition, 275, 1111, 1929, 1934, 2060, 3353
 - computation, 1603
 - concurrent process, 190
 - control, 1494
 - decomposition in cosets, 3894
 - evaluation strategies, 1101
- sequential execution, 556
 - time, 3423
- sequential
 - files, 1238
 - forms of data representation, 99
 - implementation, 1900
 - integer sorting, 2036
 - languages, 3007
 - lists, 387
- sequential machine, 348, 476, 520, 1996
 - decomposition, 162
 - maps, 396
- sequential
 - median, 2825
 - merging, 2825
- sequential models, 1702
 - of computation, 1371, 2699
- sequential
 - ordering, 236
 - part, 1111
 - pattern matching, 1558
 - processes, 568, 698, 838, 995
 - processing, 6, 1037, 1772
- sequential program, 604, 950, 962, 1653
 - design, 4070
 - machine, 396
 - semantics, 1909
- sequential
 - ravel order, 1056
 - recording, 258
 - retrieval, 203
- sequential rewriting, 572
 - systems, 572
- sequential search, 282, 1045, 1724, 3398
 - strategy, 449
- sequential
 - searching, 691
 - segment of memory, 2816
 - simulation, 2686
 - solutions, 783
 - sorting algorithms, 1942
 - stable matching algorithm, 1955
 - storage scheme, 1658
 - string matching, 2671
 - systems, 275, 2676
- sequential time, 1203, 1354, 2215
 - algorithm, 2152
 - complexity, 1353, 1722, 2181
- sequential
 - timestamp, 2451
 - transformation process, 741
 - writing traversal array acceptor, 749
- sequentiality, 640, 2676, 3425, 3435, 3793

- SERE, 516
 Sere, K., 3397
 Sereno, Matteo, 3845
 serial, 420
 algorithm, 1315, 4128
 implementation, 1896
 instruction multiple data associative processor, 477
 number, 156
 SJRPS, 1084
 storage, 264
 time, 526, 1896
 serializability, 1023, 1326, 1456, 2147, 2150, 2842, 2917, 3583
 of database transactions, 2458
 theorem, 2842
 serializable, 1337
 schedule, 3583, 3690
 serialization, 1023, 3462
 graph, 2842
 order, 3578
 serializer, 1807
 series expansion, 223
 series parallel, 3620
 graphs, 1221, 2743, 3748, 3955
 Serlin, 868
 Serna, M., 2383
 server, 280, 1075, 1831, 2117, 2171, 2216, 2298, 2934, 3038, 3540, 3564, 3659, 3684, 3841, 3906, 4066, 4100
 server aided
 computation, 3659
 protocols, 3659
 RSA signature, 3659
 server problem, 2117, 2171, 3261, 4066
 service distribution, 57
 service time
 distribution SCV, 878
 distributions, 878
 servicing
 requests, 63
 system, 57
 session problem, 3613
 set
 constraints, 3827, 4062
 controls, 993
 cover, 3636
 set covering, 1963, 2755, 3408
 problem, 1963, 2260, 2755, 3658
 set
 difference problem, 1092
 disjointness problem, 1846
 expressions, 4062
 set intersection, 516, 2165
 problem, 1092, 1545, 2165
 set
 manipulation, 268
 notation, 644
 set of
 arcs, 2546, 2705, 4027
 articulation, 1926
 attributes, 372, 388, 608, 634, 1377, 1626, 3221
 binary relations, 4145
 clauses, 1187, 1204, 1330, 1733, 2514, 3079
 closed formulae, 257
 connectives, 1782
 constraints, 76, 647, 771, 1365, 1370
 defining relations, 1129
 dependencies, 700, 771, 996, 2449
 descendants, 1303
 disjoint isothetic rectangles, 2535
 set of edges, 101, 128, 165, 252, 266, 299, 403, 425, 469, 508, 564, 705, 978, 983, 1062, 1315, 1514, 1722, 1749, 1787, 2556, 3192, 3680
 and nodes, 3523
 set of
 equalities, 541
 factors, 3772
 firing sequences, 67
 generators, 259, 1119, 1129
 high information density, 3182
 identical processors, 185
 set of infinite
 sequences, 188
 trees, 2017
 set of
 integers, 222, 407, 655, 1135, 1963
 intervals, 2003, 2408
 lines, 163, 2221, 3646
 logical conditions, 370
 measurements, 36
 multisets, 1489
 natural numbers, 222, 1378, 1820, 2526, 4051
 operators, 370, 795, 2519
 overlapping rectangular objects, 1755
 productions, 263, 720, 750, 1643, 1722, 1988
 queries, 61
 relations, 388
 rewrite rules, 1910
 rules, 477, 2333, 3692, 3753
 square numbers, 3449
 terminal words, 683
 terms, 33, 514, 1910, 3976
 trees, 3827, 4062
 set of vertices, 69, 101, 128, 136, 170, 252, 266, 299, 403, 564, 642, 673, 702, 736, 873, 1062, 1221, 1315, 1518, 1537, 1749, 1835, 2377, 3967
 of a simple polygon, 1414

- set of words, 3, 1959, 2375, 2512, 2844
 - containing a square, 699
- set operations, 212, 407, 503, 3735
 - on polygons, 2359
- set
 - operators, 4062
 - partitioning, 471
 - partitions, 247
 - splitting, 3698
- set theoretic, 575, 1241, 1642, 2250, 3219
 - algorithms, 3544
 - model of polymorphism, 1642
 - operators, 1237
 - problems, 1237
- set
 - theorist, 644
 - theory, 644, 1237, 1642
- set union, 471, 2140
 - find algorithm, 240
 - problem, 471, 597, 1092, 2061, 2140, 2375
- set up costs, 560
- Sethi, 1456
- Sethi, Bhupinder S., 3888
- SETL, 251, 644
- setup
 - costs, 4024
 - optimization problem, 2500
 - time, 4024
- Seunhun, Jung, 3804
- SEW, 1705
- sewing problem, 593
- Seynhaeve et al., 3827
- Sgall, Jiří, 3553
- shadow, 2958, 3110
- shadowed
 - disk systems, 3492
 - disks, 3492
- Shafransky, Yakov M., 3610
- Shaker sort, 1594
- Shallit, Jeffrey, 3343
- shallow
 - binding, 500
 - Boolean circuits, 2024
- Shamir, 144, 674, 924, 2560, 3835
- Shamir and Beeri, 144
- Shamir and Snir, 2796
 - lower bounds, 2796
- Shamir
 - RSA for paranoids, 3835
 - threshold scheme, 643, 760
- Shamir, Adi, 3835
- Shamos, 204, 350, 517, 552, 870, 1374, 1412
- Shamos and Hoey, 517, 2013
- Shamos and Honey, 422
- Shangzhi, Sun, 3724
- Shanker, 2615
- Shannon, 3393
 - entropy, 36
 - expression for entropy, 173
 - mutual information, 36
- shape, 93, 97, 2594
 - distribution of height balanced trees, 926
- shape of
 - a convex polygon, 1236
 - subtrees, 3682
- Shapiro, 524
- Shapley, 1955
- Shared abstract data types, 3741
- shared
 - address spaces, 817
 - authentication token, 3505
 - bus, 1617, 3042
- shared data, 654
 - base, 333
 - items, 1874
 - structures, 3741
- shared environment closure reducers, 3163
- shared list
 - cell, 384
 - structure, 384
- shared memory, 721, 759, 1290, 1617, 1858, 1874, 1936, 2006, 2042, 2094, 2218, 2302, 2409, 2562, 2567, 2971, 3119, 3137, 3260, 3613, 3653, 3741, 3744
 - computer, 1354, 2030, 2302
 - distributed systems, 3613
 - environment, 2767
 - machine, 1379, 2538
 - model, 759, 986, 1539, 1900, 2567
 - models of parallel computation, 2562
 - multiprocessors, 3137
 - processor design, 2042
 - programs, 3065
 - scheme, 721
- shared memory SIMD
 - computers, 2302
 - model, 759, 1455
- shared memory systems, 3653
- shared object, 1709, 3975
 - implementation, 3975
- shared
 - random coins, 3986
 - read/write registers, 1858
 - register, 1589, 1709, 1721, 2138, 2567
 - resource, 1062, 1305, 3732
 - secret keys, 3906
 - storage multiprocessor system, 530
 - variable, 1305, 1446, 2138, 2158, 2451, 3831

- sharing, 42, 111, 1688
 - assignment, 1482
 - special purpose resources, 1954
- Sharir, 2784
- Sharir, Micha, 3317
- sharp
 - complexity bounds, 1392
 - lower bound, 3434
- Sharp, David, 3628
- sharpened triangle inequality, 4117
- shattering long line segments, 3646
- Shaw, 879
- Shaw, Woei Wu, 3838
- Shaw-Traub
 - algorithm, 97
 - family of algorithms, 97
- Shearer, 3311
- shearing
 - effect, 551, 749, 989
 - problem, 989
- Shearsort, 2123
- Shelf algorithms, 3575
- Shell, 431, 1594, 1957
- Shell sort, 431, 1465, 1594, 1957
 - increment sequences, 1957
 - running time, 1957
- Shell version of the insertion sort, 580
- Shende, Sunil M., 3801
- Sherman, Alan T., 3634
- Shiau and Yang, 3662
- Shiau, Shyue-Horng., 3399
- Shibata, Yukio, 3442
- Shidlovsky, B., 3601
- Shidlovsky, Boris, 3312
- shift, 420, 2456, 2783, 3688, 3915
 - graph, 3688
 - operation, 3688
- shift or pattern matching algorithm, 2855
 - of Baeza-Yates and Gonnet, 2855
- shift reduce
 - algorithm, 169, 263
 - parser, 2329
 - parsing algorithms, 302, 362
- shift register, 52, 264, 420, 3606, 3923
- shift/reduce conflicts, 1144
- shifted, 602, 2198, 2783
 - circularly, 576
- Shikishima-Tsuji, Kayoko, 3453
- Shiloach, 494, 576, 2058
- Shiloach and Vishkin, 728, 1315, 2408
- Shimony, Solomon E., 3386
- Shimozono, Shinichi, 3730
- Shin, Chan-Su, 3725, 3810, 4026
- Shin, Sung-Yong, 3722
- Shinohara, 2231
- Shinohara, Ayumi, 3730
- Shirazi, Asaf, 3653
- Shmueli, Oded, 3684, 3703
- Shmueli, 3925
- Shodai, 2007
- Shoens, Kurt, 3684
- Shokrollahi, M.A., 3641
- Shonkwiler, R., 3603
- Shor, 4114
- shore, 857
- short
 - circuit evaluation, 1636
 - configurations, 696
 - cycles, 3010
 - ear decomposition, 3945
 - interactive proof, 1407
 - Job first, 2840
 - word lengths, 50
- shortest, 367
 - addition chain, 1118
 - addition/subtraction chain, 1118
 - alternating path, 1185
 - and quickest path, 2826
 - average length, 1497
 - closed walk, 1705
- shortest common supersequence, 2170
 - problem, 2170
- shortest common superstring, 2524
 - problem, 2524
- shortest diagonal, 1827, 2426
 - problem, 1827
- shortest
 - distance, 583, 965, 1137, 3425
 - edit script, 2023
 - enclosing walks, 1705
 - even paths, 1185
 - guard diagonal, 4127
 - Hamiltonian path, 3365
- shortest lattice vector, 3468
 - problem, 3468
- shortest
 - linear organization, 525
 - maximal cycle basis, 3048
 - obstacle avoiding path, 1599
 - odd path, 1185
 - odd/even path, 1185
- shortest path, 367, 459, 616, 765, 905, 1013, 1121, 1137, 1262, 1364, 1546, 1614, 1835, 2142, 2182, 2248, 2311, 2602, 2629, 2701, 2761, 2893, 2940, 3272, 3382, 3576, 3691, 3761, 3780, 3874, 3950, 4054
 - algorithm, 367, 2761
 - computations, 2667
 - finding graph algorithms, 1860
 - for a ladder, 1779
 - length, 2936

- shortest path (*cont.*)
 - metrics, 3431
 - of an object among obstacles, 1779
 - problem, 367, 616, 723, 724, 1275, 1603, 2575, 2667
 - problems under constraint, 1614
 - queries, 2182, 3272
 - routing algorithms, 4054
 - tree, 765, 1292, 2940
 - under constraint, 1614
- shortest paths, 199, 249, 583, 702, 1052, 1185, 1262, 1546, 1779, 1826, 1834, 1860, 2593, 2667, 2730, 2861, 2891, 2940, 3147, 3272, 3301, 3348, 3425, 3545, 3576, 3629, 3724, 3780, 3805, 3870
 - in a graph, 199
 - problem, 2546, 3147
- shortest
 - pattern, 3970
 - periodic subsequence, 265
 - remaining Job first, 2840
- shortest routing, 3251
 - algorithm, 3479
- shortest
 - spanning tree algorithm, 367
 - subgraph, 1823
- shortest superstring, 2524
 - approximation, 2919
 - problem, 2919
- shortest
 - tree, 2618
 - vector problem, 3961
 - vectors in a lattice, 3961
 - vertical segment, 1671
 - watchtower, 1671
- Shortt, 626
- Shoudai and Miyano, 2299
- shouting communication mode, 3971
- Shuffle, 3357
- shuffle, 879, 995, 3357
- shuffle closure, 879, 995, 1449, 2355
 - hierarchy, 2027
 - operator, 1577, 2027
- shuffle exchange, 291, 352, 659, 1186, 1242, 1252
 - graph, 1252, 2475, 2599
 - interconnection network, 1186
 - network, 291, 352, 659, 1186, 2123, 2699
 - steps, 659
- shuffle
 - expressions, 2027
 - language, 1449, 1577
 - network, 2724
 - operation, 879
 - operator, 1449, 1577, 2027, 2355
 - product, 1085
 - resistant coding, 2027
- shuffled row major
 - indexing, 1177
 - PE indexing, 1177
- SI, 428
 - cover, 1078
- Sibeyn and Kaufmann, 3979
- side effect, 191, 958, 1679
 - free, 972
- Sieling, Detlef, 3781
- sieve of Eratosthenes, 3344
- sifting, 4083
- sight, 1921
- sigma algebra, 945
- Σ_2^P , 1255
- Σ_2^P , 3705
- Σ_3^P , 3705
- Σ_n -completeness, 2611
- σ -transformation, 1526
- sigmoid
 - network, 2650
 - neural networks, 2650
 - neuron, 2650
- sign
 - detection, 2833, 2901
 - messages, 4042
- signal, 19
- signal of
 - request, 430
 - termination, 430
- signal
 - processing, 1005, 1445, 1765, 2073, 2148
 - routing, 2054
- signal/wait statements, 1807
- signalling, 735
- signature, 610, 775, 945, 1958, 2666, 3435, 3587, 3614, 3659, 3686, 3788, 3840, 4089, 4134
 - entropy, 4089
- signature file, 3435, 3664, 4089
 - declustering method, 4089
 - method, 3664
 - models, 3664
- signature
 - of operations, 370
 - organization, 3435
 - schemes, 3956
 - system, 610
- signcryption, 3840
 - schemes, 3840
- signed, 1055
- signer, 3871
- Sijtsma, 1995
- Siklossy, 96
- SIL, 532
- Sil/2 programming language, 189
- Silberschatz, 735
- Silberschatz, Abraham, 3485

- silent, 2295
 - actions, 2295
- Siler
 - probability function, 1616
 - recursive function, 1616
- silicon
 - area, 1005
 - chip, 672, 2245
 - compilers, 1684
- Silicon Graphics challenge multiprocessor, 3410
- Silvestri, Riccardo, 3469, 3571
- SIMD, 2030, 2148, 2218, 2302, 2315
 - architectures, 1983, 2395
 - computer, 1177, 1997
- SIMD hypercube, 2315
 - multiprocessors, 2148
- SIMD
 - integer matrix multiplication algorithm, 1603
 - machine, 659, 950, 1847, 2101, 2577
 - manner, 1603
 - matrix multiplication algorithm, 1603
 - model, 1396
 - parallel computation, 1603
 - processor, 477
 - shared memory model, 1115
- Simeone, B., 665
- similarity, 428, 467, 1726, 1930, 3060, 3848, 4119
 - based search, 4028
 - coefficients, 20
 - matching, 2660
 - measure, 822, 917, 1888, 1982, 2276
- similarity of
 - dendrograms, 822
 - matrices, 1726
 - polygons, 336, 451, 467
 - polynomial configurations, 2691
- similarity
 - relation, 4094
 - retrieval, 3614, 4119
- similarity search, 4028
 - algorithms, 4098
- Simon, 767, 1007, 2671, 3252
 - string searching algorithm, 2671
- Simon, J., 3743
- SIMPLE, 3149
- simple, 3507, 3517, 3524, 3531, 3542, 3548, 3576, 3580, 3585, 3692, 3711, 3849
 - algebras, 1642
 - arrangement, 3797
 - blocks, 5
- simple circuit, 136, 1127
 - in a graph, 1127
- simple
 - comparison model, 1045
 - connected graph, 3650
 - simple context, 1265
 - free languages, 378
 - simple
 - cycle, 731
 - cycles of length at least, 3, 731
 - simple deterministic, 680
 - algorithm, 3328
 - context free languages, 1301
 - language, 680
 - NTS languages, 680
 - simple
 - duplex links, 3026
 - expression grammar, 1360
 - graph, 3159
 - homomorphisms, 3418
 - machine, 29
 - simple matrix
 - grammar, 330, 2112
 - languages, 2112, 3988
 - simple max partition problem, 1495
 - simple model, 117
 - of query scheduling, 553
 - simple
 - n-gon, 1970
 - n-sided polygon, 350
 - oriented polygonal curve, 1741
 - simple PAC, 4031
 - model, 3766, 4031
 - simple
 - parser, 263
 - path, 101, 505, 1315, 1357, 1828, 1912, 2299, 2602, 2708, 2826, 4007
 - Petri nets, 86
 - polygons, 350, 380, 512, 677, 774, 856, 1267, 1364, 1389, 1530, 1739, 1741, 1860, 2075, 2182, 2331, 2337, 2384, 2426, 2706, 3117, 3365, 3375, 3531, 3693, 3710, 3892, 4127
 - polygons in the plane, 1364, 3582
 - polyline, 1389
 - PRAM, 3600
 - simple precedence, 302
 - grammars, 362
 - simple
 - queries in chain networks, 1084
 - query, 447, 1084
 - roots, 2240
 - rules, 2476
 - star, 1722
 - undirected graph, 1455, 3450, 3529, 3530, 3737
 - simplex
 - algorithm, 1192, 3177
 - method, 2771, 4044
 - searching, 2638
 - simplicial
 - vertex, 136, 4077
 - vertices of a graph, 4077

- simplicity, 97
- simplification, 490, 1667
 - of DOL systems, 313
 - ordering, 514, 2068, 2771
 - problem, 692
- simplifier, 1667
- simplifying assumptions, 746
- simply typed λ -calculus, 2552
- Simpson, L., 3606
- SIMULA, 196
- Simula, 1655
- SimulaTM, 2180
- simulate a global clock, 2204
- simulated, 182
- simulated annealing, 1548, 2111, 2601
 - algorithm, 1548, 3370
- simulating, 716, 909, 2676, 3044
- simulating a
 - computer system, 142
 - recursion bottom up or top down, 1753
- simulating
 - circular attribute grammars, 1867
 - hardware, 142
- simulation, 47, 119, 142, 182, 211, 269, 294, 664, 696, 716, 751, 814, 818, 836, 878, 883, 894, 909, 927, 964, 1037, 1047, 1065, 1141, 1142, 1156, 1233, 1379, 1399, 1574, 1617, 1702, 1755, 1759, 1843, 1868, 1902, 1954, 2210, 2212, 2338, 2418, 2451, 2530, 2599, 2683, 2686, 2814, 2959, 2962, 3031, 3060, 3127, 3407, 3408, 3447, 3847, 3865, 3934, 3935
 - algorithm, 276
 - by single head tape units, 1168
 - comparisons, 878
 - experiment, 16, 475, 818, 4089
 - maps, 307
 - model, 142
- simulation of
 - 2DPDA, 547
 - 2dpda(k), 909
 - 2npda(k), 814
 - circuits, 1986
 - large networks, 1651
 - one-way two-head nondeterministic finite automata, 1065
 - PRAMs with scan primitives, 3847
 - space and reversal bounded deterministic Turing machines, 1379
 - two-head finite automata, 1640
- simulation
 - relation, 2210
 - results, 142, 691, 878, 1047, 2571, 2829
 - scheme, 1596
 - series, 1037
 - strategies, 3044
- studies, 142
- time, 1596
 - via functions, 2972
- simultaneity, 1473
- simultaneous, 249, 980, 1176, 1473, 1942, 2298, 3110, 3378
 - access of shared resources, 1617
 - accessibility, 666
 - activation, 1535
 - broadcast in the presence of faults, 1473
 - broadcasts, 2642
 - entries, 2323
 - memory, 777
 - passivation, 1535
 - reading, 1133, 1455
 - reads, 1231, 1350
 - recursion, 11
 - resource bounds, 1379, 1525
 - subset sum problem, 2677
 - updating, 300
 - writes, 1231, 1350
 - writing, 1133
- Singh, Ambuj, 3820
- single
 - attribute retrieval, 221
 - buffering, 1385
 - character searching, 2855
- single class
 - closed queuing networks, 1075
 - customers, 806
- single
 - connectedness, 4007
 - entry graph, 88
 - function coarsest set partition, 2389
 - hashing, 373
 - head tape units, 1168
 - headed disks, 3492
 - instruction multiple data stream, 2218
- single instruction stream, 259
 - computation, 259
 - multiple data stream, 1603
- single jog minimum area, 2682
- single key
 - cryptosystem, 643
 - file organizations, 2080
 - operation, 2080
- single layer
 - layout, 1161
 - routing, 3320
- single letter alphabet, 1139, 1866
- single link
 - clustering, 916
 - hierarchic clustering method, 916
 - method, 916

- single machine
 - failure, 2084
 - problems, 1180
- single machine scheduling, 3828
 - problem, 3416
- single
 - most vital edge problem, 3425
 - node scattering, 3445
 - nonterminal, 683
 - point crossover, 3212
- single probe
 - lookup strategy, 1196
 - table lookup strategies, 1196
- single
 - process transient faults, 4034
 - processor, 3416, 4049
 - qubit gates, 4114
 - query environment, 553
 - recursive rule, 1843
- single reset
 - language, 1277
 - tape, 1277
- single resource, 3607
 - scheduling problem, 3607
 - task systems, 3912
- single
 - reversal machine, 1277
 - round multiprover model, 3299
 - row routing, 1803, 2265
 - rule programs, 2523
 - server queue, 806
 - source shortest paths, 2575
- single state, 2210
 - deterministic pushdown automaton, 378
- single step
 - graph searching problem, 2306
 - search, 2275
 - searchable, 2275
- single
 - tree languages, 4029
 - vertex dominators, 3013
 - writer register, 1858
- singleton
 - complete set of E-unifiers, 1543
 - coterie, 2869
- singly connected, 4007
- singly linked list, 2829
 - representation, 972
- singly rooted tree of context nodes, 139
- singular matrix, 81
- Sinha, Rakesh K., 3847
- Sinha, Santanu, 3516
- Sinharoy, Balaram, 2462
- sink, 375, 1762
 - finding, 781
 - node, 2108, 2783
 - vertex, 3748
- sinking automaton, 848
 - on infinite trees, 848
- Sipser, 663, 967, 2776
 - reversed simulation, 2776
- Sistla and Clarke, 4140
- Sistla, Vardi, and Wolper, 2008
- site, 1374, 1712, 2835, 2838, 3853
 - of procedure calls, 1817
- site/link failures, 2838
- situation, 170
- Six and Wood, 774
- size, 2596
 - bound, 1105, 1680
 - depth tradeoff, 2781, 3373
 - index computation, 1655
- size of
 - a drawing, 3666
 - description, 663
 - domains, 1080, 1235
 - linear circuits, 4088
 - logic circuits, 751
 - projections, 762
 - resolution proofs, 1925
- size of the
 - description of a finite automaton, 663
 - inaccessible set, 1302
- sized subset, 1545
- SJR, 742
- SJRP, 1084
- skeleton, 3208, 3892, 4097
- $\sqrt{\text{ }}$ -skeleton, 3208
- skeptical semantics, 2649
- skew, 2455
 - hierarchies, 916
 - sort, 2129
- skewed
 - access patterns, 1724
 - distributions, 1300
- skewing scheme, 524, 2410
- Skillicorn, D.B., 3423
- skinny trees, 3992
- skip
 - list data structure, 2230
 - lists, 2230
- Sklansky, 380, 512
- Skolem
 - functions, 2672
 - term, 1480
- Skolemization, 1670
- Skordev, 535
 - language, 535
- skyline problem, 1992
- Skyum and Valiant, 1693

- Skyum, Sven, 3557
- SL, 799
 - resolution, 799
- slab method, 509
- Slavik, Petr, 3636
- Sld
 - derivation, 2443
 - refutation, 2443
- SLD resolution, 1557, 2269
 - like inference rule, 2572
- Sld tree, 2443
- SLDNF, 2443
- Sldnf, 2443
 - derivation, 2443
 - refutation, 2443
 - tree deal, 2443
- Sleator and Tarjan, 2164, 2195
- Sleator, D.D. and R.E. Tarjan, 2129, 2558
- Sleator, Tarjan, and Thurston, 1504, 1746
- Sleep and Holmström proposal, 1214
- slender languages, 3988
- slice, 356, 950, 1654
 - concept, 356
 - function, 3464
- slicer, 950
- slicing, 950, 1654, 3215
 - algorithm, 3215
- slicing of
 - an L-systems, 193
 - derivation theorems, 201
- slicing properties in K-iteration grammars, 193
- sliding window, 2671
- Slisenko, 1197, 1722
- SLM, 1090
- Sloan, Robert H., 3067
- slope percentile, 250
- slope selection, 2232
 - problem, 2674
- Slot and van Emde Boas, 1196
- slotted access protocol, 2048
- slow memory, 906
- slowly growing function, 1401, 2388
- SLR(1) parsers, 1775
- SLR(k), 747
 - covering, 2141, 2191
 - grammar, 2141
- Slutzki, Giora, 3125
- sm grammar, 330
- SM
 - queue, 280
 - SIMD computers, 2302
- small
 - computer, 38
 - degree of nondeterminism, 2038
 - depth AND-OR circuit, 3594
 - diameter, 550, 2746
 - universal constant, 2715
- smallest
 - circle, 328, 3016
 - circuit, 949
 - covering hypersphere, 1854
 - depth formula, 435
 - element, 346, 581, 617, 1685, 3907
- smallest enclosing circle, 2104, 3016
 - problem, 1192
- smallest
 - enclosing ellipses, 3811
 - identity, 2035
 - modulus, 4116
 - overall weight, 1539
 - sized subset, 2165
- Smalltalk 80TM, 2180
- Smaltalk, 1655
- smart next fit algorithm, 1773
- SMART system, 61
- SMCB problem, 3048
- SMFA, 3195
- SMG, 2806
- Smid, Michiel, 3638, 3857
- Smith, 3222
- Smith and Lennon, 3021
 - canonical form, 1726
 - parallel depth first search algorithm, 1648
- Smith, J.L., 280
- Smith, W., 2426
- SMK, 1872
- SMM, 1539, 1900
- smooth, 901
 - curve, 66, 2853
 - modular inverse, 2167
 - nondecreasing integer function, 2097
- smoothness, 901, 1513, 2149
 - assumption, 172
 - function, 2149
- smoothsort, 842, 901, 2247
- SMP, 1495, 3744
- SMT, 1217, 2400
- SMT _{d} (n), 2400
- Smullyan, 1441
- snake, 2699
- snake like
 - order, 1893
 - row major indexing, 1177
- snapshot, 1413, 1813, 2150, 2458, 2547
 - algorithm, 1413
 - memory, 3653
 - problem, 3285
- Snelick, Robert, 3065
- Snir, 2350
- Snobol, 4, 244

- SNP complete, 2088, 2809
 - problems, 2809
- Snyder, 2400
- Snyder, Timothy Law, 2190
- SOAPL, 440
- social sciences, 147
- soft precedence, 26
 - method, 26
- software, 21, 31
 - control, 1874
 - crisis, 1169
 - data paging, 21
 - design, 1642, 3027, 3935, 4070
- software development, 1642, 3633
 - tool, 972
- software devices, 105
- software engineering, 414, 1914, 1971, 2047, 2304, 2317, 2733, 3027, 3103, 3113, 3128, 3246, 3321, 3396, 3633, 3750, 4070
 - tools, 454
- software
 - equations, 1071
 - failure, 1611
 - maintenance, 2774
 - methodologies, 1169
- software metric, 1071, 2612, 3409
 - design, 3409
- software modules, 1063
- software packages, 142
 - for data compression, 1497
- software
 - paging subsystem, 21
 - physics, 453
 - portability, 1169
 - production management, 237
 - products, 1071, 2846, 3677
 - reliability, 105, 118, 355, 934, 1053, 1286, 1391, 1662, 2113
 - science, 453
 - specification, 120, 296, 1642
 - systems, 251, 370, 1642, 1919, 2550, 2718
 - testing, 1053, 1598, 3030, 3246, 3408
 - transport system, 1169
 - transportation, 1169
 - validation, 1642, 1914, 2550
- Soisalon-Soininen, 1198
- Sokolowski, 804
 - criterion for context free languages, 804
- Sollin algorithm, 165
- Solovay and Strassen, 767
- solution, 7, 39, 96, 111, 136
 - accuracy, 3225, 3833
 - of equations, 46
 - patterns, 1258
 - quality, 2314
 - space, 1355
 - strategies, 754
- solutions of nonconsistent systems of linear algebraic equations, 81
- solvability, 30, 1609
- solvability of
 - deadlock, 575
 - formal termination, 501
 - search problems, 1197
- solvability of the
 - macro problem, 501
 - ranking problem, 1609
- solvability
 - of word equations, 3020
 - proof, 501
- solvable, 1213, 2008
- solvable in
 - NC, 2299
 - $O(n)$ time, 3828
 - polynomial time, 419, 478, 526, 884, 1771, 1891, 1912, 2154, 2518, 2572, 3063, 3460, 3796, 3977
- solvable
 - nondeterministically in polynomial time, 1887
 - without conditionals, 86
- solving
 - a system of n linear equations in n unknowns, 623
 - algebraically, 507
 - crossword puzzles, 45
 - linear equations in dimension two, 1240
 - systems of difference equations, 48
- SOM, 3783
- Son et al., 3859
- son trees, 521
- Song, Shibin, 4073
- Soo, Hak Sung, 3473, 3672, 3859
- Soon, M. Chung, 3349
- Sorenson and Jebelean k -ary reduction algorithms, 4015
- Sorenson, Jonathan, 3344
- Sorri, L., 3696
- sort algorithms, 329
- sort based, 1804
 - algorithm, 1140
- sort based join, 1804
 - algorithm, 1804
- sort
 - expressions, 945
 - key values, 2455
 - operation, 137, 1140
 - time, 329
- sort/merge external sort, 1182
- sorted
 - linear array, 212
 - list, 503, 566, 703, 728, 3635

- sorted (*cont.*)
 - matrices, 1928, 3350
 - matrix, 3350
 - n -vectors of reals, 1928
 - point set, 1488
 - subsets, 1296
- sorter, 715
- sorting, 40, 53, 90, 91, 92, 102, 109, 137, 219, 306, 312, 431, 445, 503, 517, 552, 557, 559, 570, 580, 656, 715, 728, 757, 784, 807, 858, 860, 901, 956, 959, 1016, 1087, 1095, 1140, 1163, 1177, 1201, 1228, 1296, 1356, 1376, 1385, 1397, 1438, 1465, 1517, 1525, 1594, 1620, 1701, 1706, 1766, 1801, 1804, 1878, 1880, 1884, 1893, 1903, 1928, 1942, 1954, 1957, 2063, 2064, 2123, 2155, 2221, 2234, 2236, 2247, 2322, 2409, 2450, 2455, 2471, 2577, 2601, 2699, 3207, 3351, 3412, 3415, 3635, 3777, 3918, 3930, 4125, 4144
 - a linked list, 858
 - algorithm, 40, 102, 329, 358, 359, 487, 557, 570, 580, 638, 757, 796, 901, 1222, 1465, 1594, 1885, 1957, 2053, 2064, 2123, 2236, 2322, 2399, 2747, 3918
- sorting by
 - comparison, 570
 - distribution, 570, 1801
 - distributive partitioning, 358
- sorting in
 - linear expected time, 840
 - situ, 901
- sorting integers, 2699
 - of polynomial magnitude, 1766
- sorting
 - keys, 617
 - method of Dobosiewicz, 757
 - methods, 306, 329
 - multisets, 3777
 - n real numbers, 1376
 - network, 1095, 1177, 1465, 1594, 1814, 1880, 2856, 3207
 - numbers, 840, 1376
 - on a mesh, 2699
 - permutations, 3412
 - presorted sequences, 1885
 - problem, 99, 306, 358, 715, 1163, 1177, 2020, 2471
 - program, 715, 2129
 - programs, 6
 - roughly sorted sequences in parallel, 1903
 - sequences, 180
 - task, 1385, 2236
 - time, 1942, 3930
 - tree, 272
- SOS, 2459
 - semantics, 3813
 - SOS style, 3770
- Sotteau, D. and J. Rowley, 2903
- sound and complete, 899, 2876, 3006, 3316
 - algorithm, 2521
 - formal system, 3825
 - procedure, 4076
 - proof systems, 2060
 - query evaluation, 2249
 - set of inference rules, 1021
- sound and jointly complete, 1399
- sound characterization of
 - safety, 2029
 - the liveness property, 2029
- sound
 - derivation, 2269
 - formal system F, 1134
 - machine structure, 29
 - proof system, 480
 - solution, 1670
 - temporal logic, 1480
- soundness, 1478, 2443, 2734, 2907, 3006, 3188, 3714
 - and completeness results, 2077
- soundness of
 - reasoning, 1639
 - the UNITY logic, 2734
- source, 230, 375, 1762
 - code interpreters, 1558
 - destination pairs, 3034
 - graph, 2548
 - information, 278, 782
 - node, 836, 2108, 2421, 2652, 2757, 2758, 3591, 3716, 3724, 3726
 - polygon, 1364
 - program, 202, 1169, 3201
 - vertex, 3748
- Soyer, Refik, 3833
- sp machine, 396
 - languages, 396
- space, 259
 - and reversal bounded Turing machines, 1379
- space and time, 117, 808, 1318
 - consuming, 1010
 - overhead, 1440
- space bound
 - complexity classes, 4004
 - on the auxiliary worktape, 1657
- space bounded, 205, 1866, 2752, 3031
- space bounded alternating, 1866
 - Turing machine, 1866
- space bounded
 - computation, 1613, 2206, 2473, 2616, 2752
 - environments, 2621
- space bounded nondeterministic
 - 1-inkdot Turing machines, 2752
 - Turing machines, 1390, 2752

- space bounded
 - oracle models, 2206
 - relativizations, 1390
- space
 - bounds, 664, 2772
 - classes, 2882
- space complexity, 245, 246, 458, 516, 593, 740, 1216, 1251, 1262, 1264, 1378, 1491, 1550, 1702, 1866, 1871, 2096, 2230, 2261, 2262, 2399, 2833, 2927, 2996, 3413, 3937, 3975, 4004
 - classes, 3851
- space complexity of
 - CVP, 526
 - decision problems, 2262
 - linear programming, 411
 - pebble games on trees, 563
 - recursive algorithms, 458
- space
 - constructible function, 1378
 - declaration, 259
 - efficiency, 1208
- space efficient
 - algorithm, 526, 2236
 - distributive sort, 2096
 - implementation, 458, 1056
- space
 - measures, 1702
 - of functions, 266
 - optimality, 1373
 - overhead, 1257, 3435
 - partition algorithm, 2535
 - reduction method, 2174
 - requirement, 72, 290, 643, 760, 808, 1079, 1171, 1208, 1683, 1861, 2800, 3340, 3930
 - time product, 366
 - usage, 4004
- spacefilling curves, 959
- space-time, 338, 2487
 - complexity of unmerging, 1438
 - integral, 1735
 - model, 2487
 - product, 338
 - trade off, 407
 - tradeoffs, 733
- spacing of a difference net, 48
- span, 1164
- spanner, 2922, 3529, 3530
- spanners with small dilation, 3530
- spanning, 1823
 - arborescence, 308
 - branching, 392
 - forest, 813, 1566
 - paths, 3855
 - pseudoforest, 1559
 - subforest, 854
 - subgraph, 252, 854, 2248, 2299, 3529, 3530, 3673
- spanning tree, 101, 121, 138, 165, 308, 317, 367, 392, 567, 704, 765, 810, 986, 1231, 1260, 1345, 1508, 1554, 1566, 1835, 1939, 2150, 2226, 2248, 2889, 2935, 2940, 2992, 3178, 3257, 3354, 3436, 3547, 3549, 3592, 3715, 4039, 4051, 4094
 - algorithm, 367, 1260, 1835, 2807
 - generation, 4039
 - of a graph, 101
 - problem, 308, 2735, 2935, 2992, 3000, 3178, 3354, 3715
- spanning trees, 138, 240, 308, 505, 704, 887, 1201, 1508, 2226, 2248, 2429, 2580, 2935, 2992, 3526, 3547, 3592, 3680, 3850, 3992, 4051
 - with restricted degrees, 4051
- SpanP, 2870
 - functions, 2870
- spare, 1385
 - augmented architecture, 2948
 - input buffer, 1385
- sparse, 136, 422, 2975, 3182, 3245
 - Boolean matrices, 540
 - case sets, 3405
 - derivations, 614
- sparse dominance
 - queries, 3642
 - query problem, 3642
- sparse
 - extensions, 2754
 - graphs, 165, 843, 1220, 2705, 2759, 4102
 - maps, 853
 - matrices, 136, 540, 833, 852, 918, 1126, 2850
- sparse matrix, 1514, 2850, 3183
 - multiplication, 833, 918
 - representation, 1126, 4079
 - techniques, 287
 - vector multiplication, 2850
- sparse
 - near neighbours, 219
 - networks, 2754
- sparse oracle, 1622
 - sets, 1877
- sparse oracles, 1622
 - separating NP from P, 1622
- sparse
 - permutation graphs, 2122
 - polynomials, 3098
- sparse set, 880, 1877, 1887, 1894, 2645, 2954, 3071, 3182, 3525, 3887, 4005
 - in NP, 880

- sparse
 - spanners, 2922
 - subgraphs, 3737
- sparse symmetric
 - differences, 3071
 - matrix, 1514
- sparse
 - system of linear equations, 504
 - tables, 939
- sparseness, 1887, 3525, 4005
 - property, 4005
- SPARSER, 384
- sparsification, 2822
- sparsity, 1082, 1632
 - condition, 301
- spatial
 - addressing, 522
 - data structures, 1937, 2800
 - model, 522
- spatial modelling, 522
 - system, 522
- spatial
 - reasoning, 3614
 - regularity, 3888
 - relations, 2242
 - relationships, 2242, 3614
 - structure of images, 4096
- special classes, 2426
- special classes of
 - graphs, 353, 1859, 1961, 2448, 2743, 3347, 3458
 - matrices, 540
 - polygons, 2075
- special
 - factor, 1563
 - functions, 1954
 - matrix multiplication problems, 1164
- special purpose
 - resources, 1954
 - sorters, 1517
- specialization, 1961, 3270
 - order, 1991
- specializer, 2137
- species, 2719
- specification, 6, 278, 496, 513, 544, 560, 620, 775, 786, 787, 846, 891, 1059, 1138, 1298, 1306, 1333, 1399, 1402, 1520, 1598, 1679, 1709, 1798, 1831, 1844, 2047, 2198, 2210, 2255, 2281, 2282, 2458, 2459, 2550, 2563, 2641, 2655, 2787, 2817, 2867, 3009, 3633, 3714, 3921, 4070, 4096
 - and verification of concurrent systems, 2219, 2458
 - formalisms, 2452, 2787
 - language, 1461, 2001, 2100, 2120, 2294, 2304, 2326, 2459, 2653, 2787, 3002, 3036, 3050, 3099, 3138, 3316, 3353, 3390, 3586, 3873, 3880, 3921
 - mechanism, 157
 - methodology, 2029, 2281, 2282
- specification of a
 - program, 1598
 - programming language, 284
 - query, 447
- specification of abstract data types, 412
- specification of database
 - dynamics, 787
 - integrity constraints, 787
- specification of
 - distributed systems, 2029
 - explicit parallelism, 106
 - minimaxing, 1320
 - objects, 55
 - parallel problems, 430
 - parallelly iterated processes, 995
 - programs, 1520
 - the behavior of shared objects, 1709
- specification
 - oriented semantics, 2563
 - technique, 1709
- specifying concurrent
 - processes, 995
 - systems, 2459
- specifying programming languages, 1331
- spectral, 2546
 - characterization, 3939, 4093
 - techniques, 4113
- spectrum, 2136, 2456, 3449
 - of complexity classes, 849
- speech
 - recognition, 1906
 - understanding system, 384
- speed, 2476, 3056
 - of copying, 1868
- speedup, 211, 547, 1203, 1287, 1307, 1376, 1954, 2125, 2300, 2305, 2538, 2686, 4023, 4078
 - algorithms, 1837
 - techniques, 1837
- spell checking, 2844
- spelling correction, 2844
- Speranza, M.G., 2801, 3470
- Speranza, Maria Grazia, 3687
- Sperner systems, 2869
- sphere, 1696
 - algorithm, 1854
 - packing, 2400
- spider
 - factory, 466
 - production, 466

- Spielman, D.A., 3641
 Spilker, Heike, 3332
 spin
 glasses, 3830
 lock, 2742
 Spira, 877, 2847
 spiral storage, 1658
 SPJ, 3703
 SPL, 237
 splay trees, 1504, 2164, 2558
 splaying, 2558
 SPLICE/AS, 2998, 3532
 splicing, 3352
 operation, 3352
 rule, 3352
 systems, 3352
 spline modelling, 172
 split binary semaphore, 404, 406, 1158
 split graph, 1040, 1127, 1221, 1961, 2740, 3040
 recognition algorithm, 3040
 split
 key, 2080
 sequence, 1112, 1714
 split sequence hash
 search, 1112, 1714
 tables, 1714
 splitgraph, 3090
 splitmerge, 1225
 splitsort, 2236
 splitting
 and merging, 687
 field, 155
 in linear hashing, 1658
 irreducible graph nodes, 88
 sporadic task, 1713
 Spork, Maz, 3623
 SPP, 2954, 3908
 SPR, 1954
 spread, 718, 1197, 3764
 spring model, 1738
 SPRT subsequence algorithms, 3960
 spurious message generation, 3669
 square, 442, 571, 841, 1106, 1244, 2702, 2973, 3566
 square array
 inputs, 571
 languages, 571
 square arrays, 1490
 square containing, 1106
 strings, 1106
 square free, 730, 869, 1106, 1563, 2152
 DOL language, 730
 decomposition of polynomials, 2240
 elements, 1211
 graphs, 3229
 languages, 869
 morphism, 915, 3640
 polynomial equation, 507
 words, 915, 1070, 1211, 3072
 square
 grid, 953, 3566
 in a word, 699
 lower bounds, 1156
 square mesh
 computers, 2727
 connected array, 1177
 square
 operation, 4139
 problem, 841
 root algorithm, 3429
 rooting, 3429
 time, 1156
 squared coefficient of variation, 878
 squaring, 2619
 SR, 264, 420, 1809
 Sridharan, N.S., 149
 Srikanth and Toueg, 1857
 Srinivasan, Bala, 3310
 SRM, 2174
 SS, 2676
 SSPACE, 3570
 SSS*, 892, 2688
 procedure, 892
 SSSP problem, 2575
 stabbing, 876, 1863
 c-oriented polygons, 876
 stabbing number, 876, 2960
 queries, 876
 stability, 287, 545, 858, 940, 2570, 3829, 4069
 condition, 1384
 stability of
 a priority queue, 1384
 faithful morphisms under pushouts, 4069
 the parallel solution, 783
 stability problem, 287
 stabilization, 172, 2676, 2943, 4039
 stabilizer, 344, 2365
 stabilizing, 1998, 3701
 observers, 2943
 phase clocks, 3084
 unison, 1998
 stable, 932, 1971
 algorithm, 638
 linked list quicksort, 858
 stable marriage, 881, 992, 1727
 problem, 881, 992, 1143, 1335
 stable matching, 1955
 algorithm, 1955
 problem, 1955
 stable merging, 638, 1225
 algorithm, 1225
 stable minimum storage sorting algorithm, 102, 638

- stable model, 3318
 - semantics, 2269
- stable property, 1413
- stable rounding, 131, 158
 - rule, 158
- stable set, 1787, 2223, 3460
 - problem, 1787
- stable
 - sort, 102
 - sorting algorithm, 638
 - storage, 4090
 - unmerging, 1438
- stack, 27, 28, 35, 62, 72, 96, 152, 175, 176, 230, 243, 340, 387, 539, 547, 696, 716, 803, 808, 814, 890, 955, 972, 999, 1012, 1068, 1111, 1216, 1290, 1389, 1809, 1832, 1997, 2159, 2194, 2221, 2480, 2509, 2675, 2768, 2816, 3877, 3927, 3954, 3992, 4081
 - algorithms, 1276
 - allocation, 1436
 - automaton, 999
 - bounded, 814
 - configuration, 998
 - data abstraction, 972
- stack elimination, 547
 - technique, 547
- stack
 - free copying, 176
 - height, 539, 1499
 - implementation, 500, 1012
 - like container data type, 3927
 - manipulating programs, 716
 - motion, 1499
 - of cellular arrays, 593
 - permutations, 2598
 - probability distribution, 890
- stack size, 1832
 - of an ordered tree, 1832
- stack
 - symbol, 112, 696, 1499
 - system, 501
- stacking conflict, 2675
- STAD, 1654
- Staiger, Ludwig, 3325
- staircase
 - profile, 2609
 - shape, 2054
 - shaped contour, 2267
- standard
 - algorithm, 97, 833
 - characterization, 2880
 - cost model, 3622
 - deterministic methods, 46
 - deviation, 703, 821
 - form, 1777
 - internal merging, 1385
 - interpretation mechanism, 683
 - method, 3233, 3302
 - multiset ordering, 1489
 - operations, 256
 - problems, 2665
 - procedure, 501
 - representation of a tree, 62
 - semantics, 2348
 - Sturmian words, 3092
 - texts, 1216
- Stănică, Pantelimon, 3420
- star, 245, 1722, 3291, 4097
 - configuration, 3522
- star connected, 3291
 - cycles, 3291
- star
 - cutset lemma, 1904
 - cutsets, 1904
- star free, 3234
 - expressions, 3704
 - language, 463, 3234
- star graph, 478, 1544, 1722, 2222, 2414, 2571, 2583, 2630, 2745, 2746, 2780, 3168, 3209, 3427, 3524, 3752, 3799, 3812, 3850, 4027
 - interconnection network, 2745, 2780
 - topology, 2414, 3738
- star
 - interconnection network, 3427, 3752
 - network, 1706, 2602
 - operation, 94, 874
 - polygon, 2273
 - problem, 2502
- star shaped, 1267
 - polygon, 1267, 3862
- star structure, 3620
- star subgraph, 245, 371
 - rooted in T, 245
- star topology, 2222
- starry transduction, 1572
- start
 - formula, 2017
 - node, 538
 - permit, 430
 - round of broadcasting, 2875
 - state, 2017, 2279
 - symbol, 438, 1988, 2512
- starting string, 77
- starvation, 345, 575, 1018, 1266, 2113, 2728, 2840, 3690
 - starvation free
 - secure multiversion concurrency control, 3690
 - solution, 406, 1266
- starvation
 - freedom, 2477
 - prevention, 345

- STAR-100, 214
- state, 178
 - change, 119
 - complexity, 2466, 3307
 - dependent failure mechanisms, 1662
 - function, 2325, 3881
 - grammars, 68
 - graph, 236, 1738
 - merging, 3944
 - oriented program, 2585
 - preservation, 4090
 - signals, 19
- state space, 1272, 1422, 1696, 1700, 3356, 3784, 3992
 - form, 19
 - model of an automaton, 19
 - representation, 108
- state transformations, 396
- state transition, 1607
 - diagrams, 554
 - rule, 1788
- state variables, 2787
- statechart, 2120
- statement, 8, 12
 - coverage criteria, 1598
- static
 - agents, 3986
 - analysis, 3142, 3750
 - checking, 710
 - data structure, 662
 - dictionary, 3346
 - filtering, 2692
 - filters, 2692
 - hazard, 2931
 - optimality theorem, 2164
 - optimization algorithm, 273
 - parallel computation, 2822
 - point location data structures, 2097
 - problem of elasticity, 89
- static program
 - checking, 3921
 - slicing, 3215
 - testing, 1329
- static
 - scheduling, 3678
 - scoping, 500, 2707
 - semantics, 134
 - to dynamic transformations, 3820
 - topologies, 1617
- static type
 - checking, 2066, 2180
 - of constraint, 1650
- statically, 945, 1971, 3142
 - assignable index, 5
 - inferring a, 3161
 - related, 5
 - restricted, 710
 - scoped higher order language, 2707
 - structured, 679
 - typed object oriented languages, 2180
- stationary, 2142, 2853
 - distribution, 1548, 1700
 - line segment obstacles, 2142
 - Markov chain, 756
 - obstacles, 2142, 2853
 - sphere, 22
- statistical, 839, 1080, 1235, 3206
 - aggregates, 984
 - average, 265
 - characteristics of a database, 984
 - confidence, 179
 - confidentiality, 3430
 - database, 426, 473, 984, 993, 1302
- statistical delay
 - analysis, 4073
 - bound, 4073
- statistical estimation, 46, 1080, 2916, 3030
 - for Monte Carlo inversion, 46
- statistical estimation procedure, 46
 - of Anderssen and Seneta, 46
- statistical
 - estimators, 250
 - failure probability, 3030
 - information, 426
 - mechanics, 1890
 - method, 839, 1781
 - model, 146, 197, 839, 1781
 - moments, 4075
 - pattern recognition problems, 36
 - properties, 38, 2881
 - querying, 426
 - screening, 3065
- statistically, 1960
 - independent, 1497
 - significant words, 33
- statistics, 250, 384, 892, 908, 1087, 1759, 2313, 3030, 3371, 3374
 - of a string, 3480
- status, 957
- Stearns, 378
- Stearns and Hartmanis, 188
- Stearns, Hartmanis, and Lewis, 1550
- Steel, J.M. and A.C. Yao, 2274
- Steiger, William, 3028
- Stein, M.L., 285
- Steiner, 3658
- Steiner distance, 3129
 - hereditary, 3129
- Steiner
 - forest problem, 2843
 - minimal tree, 1217, 1537

- Steiner (*cont.*)
 minimum trees, 3864
 points, 1217, 3864, 4122
 problem, 1823, 2723, 3114
- Steiner problem in
 directed graphs, 2723
 graphs, 1537, 2172
- Steiner
 problem on networks, 1823
 set, 2352, 3181
 subsets, 2352
- Steiner tree, 1345, 1537, 1675, 1823, 2095, 2172, 2264, 2618, 2735, 3114, 4122
 approximation algorithm, 2172
 problem, 2618, 2698, 2735, 2843, 3864
- Steiner triple
 covering problem, 3658
 system, 2412, 3658
- Steiner, George, 3458
- Steinhaus problem, 860
- Steinhaus, Hugo, 860
- Stem, 1763
- Stemann, V., 3641
- stemming, 2660
- stencil
 path, 218
 tree, 218
- step counting functions, 670
- stepwise
 refinement, 237, 618, 2282, 2703, 3633
 simulation, 1734
- Sterbini, Andrea, 3173, 3561, 3794
- stereo isometry, 428
- stereo matching, 3554, 3615
 problem, 3554, 3615
- Stewart, 1014, 3570
- Stewart, I.A., 3868
- Stewart, Iain A., 3445
- Stewart, Lorna, 3574
- stiff differential equations, 287, 446, 586, 587
- stiffness, 586
- Stillman, 675
- Stinson, 3879
- Stinson, D.R., 3400, 3879
- Stirk, Charles, 3401
- Stirling, 2363
 numbers of the second kind, 2763
- stochastic
 analysis, 3212
 context free grammars, 3994
 data acquisition systems, 52
 deterministic regular tree grammars, 3848
 dominance, 3265
 game, 3224
 grammars, 3848
 location, 3289
 marked graphs, 2806
 optimality, 3265
 Petri nets, 4138
 process, 805
 rule, 707
 stochastic search, 416
 method, 2837
 stochastic
 system, 1759
 tree grammars, 3848
- Stockman, 892
 result, 892
- Stockmeyer, 436
- Stoer-Wagner
 algorithm, 3949
 min cut algorithm, 3949
- Stoica, Ion, 3607
- Stokes' law, 22
- Stolcke, 3994
- Stoller and Schneider, 3595
- Stone, 141, 493, 659
- stop and copy, 2646
 garbage collector, 2646
- stop lists, 33
- stopping
 criterion, 3833
 times, 1415
- storage, 5, 16, 27, 45, 82, 102, 103, 152, 157, 187, 1208, 1768, 3235
- storage allocation, 5, 83, 152, 189, 612, 808, 1440, 1655, 2816, 3171
 problem, 612
 strategies, 117
- storage
 and retrieval of future events, 1233
 area, 152, 1037
 bounds, 973
 capacity, 52, 546, 738, 2055
 cells, 35, 1131
 costs, 652, 2835
 device, 31, 1037
 directors, 1591
 econom, 293
 efficient data structure, 3310
 for consecutive retrieval, 525
 hierarchy, 1735
 locations, 187, 536, 576, 772, 962
 management, 397, 1012, 1436, 1735, 2576, 2646
 method, 3737
 modification machine, 1702
- storage of
 coefficients, 141
 information, 1330
- storage optimization, 224
 problems, 224

- storage
 - redundancy, 525
 - requirement, 14, 52, 104, 221, 309, 407, 525, 546, 803, 973, 1030, 1037, 1300, 1421, 2688
- storage scheme, 427
 - for height balanced trees, 365
- storage segments, 1440
- storage size, 117, 1997
 - selection problem, 1031
- storage space, 187, 309, 458, 772, 1030, 1126, 1232, 1460, 1915, 2161, 2687, 3031
 - requirement, 187, 633
- storage
 - strategies, 687
 - tape alphabet size, 4004
 - utilisation, 1073
 - utilization, 1234, 1460, 1658, 2491, 3231
- store, 1097
 - keeper, 83
 - requirements, 115
- Storer, James A., 3358
- storing, 447, 2092, 3474
 - a company business records, 721
- storing data, 139, 1049
 - items, 1177
- storing
 - information, 203
 - matrices on disk, 1135
- Storlind, Robert, 3237
- Storwick, 668
- STP-MSPBEL, 3864
- Strachey, 462, 710
- straight insertion sort, 796, 1222
- straight line, 808, 2435, 3561, 3767
 - algorithms, 215, 808
 - computer programs, 393
 - drawing, 3262, 4097
 - dual, 1431
 - graph, 1827
 - grid drawing, 3258, 3561
 - microcode segments, 1090
 - planar graph, 517
 - programs, 82, 445, 694, 1240
 - segment, 1149, 1193, 1401, 1815, 2075, 3080
- straight lines, 467, 1002, 1149, 3797
 - of infinite length, 1149
- straight
 - merge sorting, 617
 - order, 88
- Strassen, 155, 283, 351, 377, 1271
 - algorithm, 701, 793
 - asymptotic result, 351
 - bound, 540
- Strassen matrix multiplication, 793
 - algorithm, 15
- Strassen
 - method, 342, 377
 - methods for fast matrix arithmetic, 199
 - result, 377, 461
- strategic
 - knowledge, 364
 - placement, 170
- strategy, 364, 3793
- stratified
 - context unification, 4068
 - Datalog, 2662
 - programs, 2692
 - trees, 939
- Straubing, 3798
- stream cipher, 2881, 3473
 - applications, 4075
 - encryption, 3881
- stream contraction, 2270
- stream distribution, 3597
 - algorithm, 3597
- stream enciphering, 1093
- stream of
 - offers, 1298
 - pseudocodes, 495
- STREAM parallel logic languages, 2431
- stream processing, 1502, 1558
 - functions, 928
- stream velocity, 22
- streams of reactions, 1298
- Streett, 2655
 - automaton, 2655
- Streinu, Ileana, 3028
- strength, 2790, 3655
- strength of
 - a network, 2790
 - connectedness, 20
 - construction schemes, 1283
- stretchability, 3797
- strict 2-threshold, 3073
- strict avalanche
 - characteristics, 2818
 - criterion, 2818, 2979, 3263, 3420, 4150
- strict
 - combinators, 1358
 - final state serializability, 1456
 - hierarchy, 1130, 3035
 - interpretations, 683
 - reduction, 3668
 - SCCS process, 1678
 - serializability, 1456
 - view serializability, 1456
- strictly
 - antitone, 1930
 - concave, 1206

- strictly (*cont.*)
 - convex, 1206
 - fair language, 1678
 - rudimentary relations, 1081
 - second shortest paths, 3576
 - serial SJRP, 1084
 - stronger orderings on multisets, 1489
- strictness, 1358, 1592, 2242, 2348, 3161
 - analysis, 1592, 1995, 2348, 3161
 - properties, 1592
- Strijk, Tycho, 3860
- string, 13, 77, 1194, 1982, 2341, 3128, 3518, 3614, 3767, 3844, 3899, 3931, 4087
 - algorithms, 3371, 3439
 - alignment algorithms, 3931
 - compaction, 1558
 - comparison, 576, 3412
 - correction, 1982
 - covers, 2851
 - division, 1950
 - edit distance, 3055
 - grammars, 989
 - language, 922, 1950
- string matching, 182, 276, 685, 737, 1179, 1230, 1232, 1371, 1479, 1568, 1840, 1872, 2106, 2215, 2301, 2341, 2345, 2551, 2554, 2559, 2664, 2671, 2695, 2774, 2795, 3122, 3313, 3579, 3631
 - algorithm, 1958, 2215, 2695
 - methods, 2215
 - problem, 290, 2301, 2664
 - with mismatches, 3122, 3334
- string matchings with gaps, 2106
- string of
 - symbols, 12, 290
 - terms, 33
 - updates, 859
- string pattern, 737, 1024
 - matching, 1840
- string prefix matching
 - algorithms, 2664
 - problem, 2664
- string processing
 - applications, 1988
 - programming languages, 737
- string rewriting, 1363, 3020
 - system, 482, 1363, 2522, 3453
- string search, 615, 1003
 - problem, 615
- string searching, 1958, 2855, 3313, 3334, 3371
 - algorithms, 1024
- string
 - selfprefix problem, 2664
 - similarity, 1943, 2660
 - superprimitivity test, 2551
 - text, 1024
- string to string correction
 - problem, 671, 822, 1982
 - techniques, 1982
- string
 - to string editing problem, 1943
 - transducers, 2078
 - trees, 138
 - without squares, 1106
- strip, 3575
 - algorithm, 689
- strip packing, 3575
 - problem, 3575
- STRONG ASPACE, 2752
- Strong, 669
- strong bisimulation, 2134
 - equivalence, 2981
- strong chains, 3488
- strong component, 110, 764
 - decomposition tree, 764
 - detection, 2959
- strong components, 110, 764, 929, 2959, 4081
 - detection, 2959
- strong
 - connectedness, 2546
 - connectivity, 15, 2260
 - correctness, 632
 - digraph, 986
 - elimination ordering, 3661
- strong equivalence, 331, 771, 2402, 2578, 3519
 - between, 2578
 - problem for monadic recursion schemes, 378
- strong
 - fairness, 973, 3372
 - implementation, 406
 - induction, 1630, 1820
 - invariance, 2157
 - linear orderings, 425
- strong LL(1)
 - grammar, 690
 - parsers, 457, 690
- strong LL(k), 457
 - parsing, 457
- strong
 - minimal change property, 1058
 - modes of space complexity, 3851
 - nonsingularity, 2334
 - normalization, 3302
- strong NP
 - hard, 1812
 - hardness, 1044, 1472
- STRONG NSPACE, 2752
- strong NSPACE, 1871
- strong order, 425
- strong orientation, 986, 1115
 - problem, 1133

- strong
 - perfect graph conjecture, 1904, 3045
 - precedence relation, 3977
- strong regularity, 3911
 - of matrices, 719
- strong
 - semaphore, 1280
 - sequentiality, 2676, 2949, 3753, 3793
 - strict two phase locking, 2917
 - tree relations, 3977
 - type system, 1989
- strong typing, 465
 - languages, 465
- strong upper bounds, 1905
- stronger, 392, 457
- strongest postcondition, 134
 - calculus, 846
- strongest resource invariant, 1286
- strongly balanced Boolean functions, 3939
- strongly chordal, 2588
 - graph, 1221, 2484, 2588, 2766, 3661, 3697, 3870, 3928
- strongly competitive
 - online algorithm, 3577
 - randomized algorithm, 3577
- strongly connected, 15, 88, 374, 1133, 1651, 1725, 2260, 2571, 2806, 3584, 4027
 - component, 15, 101, 374, 419, 1133, 1220, 1733, 2569, 2759, 3523, 4081
 - components of a digraph, 15
 - digraph, 764, 2546, 2663
 - graph, 374, 1220, 2806
 - region, 88
- strongly equivalent, 378, 771, 2578
 - Petri net, 2578
- strongly fair
 - language, 1678
 - scheduling algorithm, 973
- strongly
 - needed redexes, 3753
 - normalizing, 2552, 3916
- strongly NP
 - complete, 2362, 3610, 3660
 - hard, 1602, 1760, 3610, 3678, 3748
- strongly polynomial, 1338, 3625
 - algorithm, 1359
 - minimum cost flow algorithm of Tardos, 1338
 - time, 1783, 2698
- strongly
 - reducible, 2258
 - regular, 3911
- strongly sequential, 3753
 - term rewriting systems, 2676
 - TRS, 3753
- strongly
 - space bounded, 1388
 - typed languages, 465
 - where oblivious, 977
- structural analysis, 229
- structural complexity, 513, 715
 - theory, 2882
- structural
 - data, 2512
 - descriptions, 2512
 - engineering, 3155
- structural equivalence, 3519
 - queries, 2512
- structural
 - forms, 284
 - grammatical inference, 2512
 - locality of reference, 1477
 - membership queries, 2512
 - operational semantics, 2459
 - programming, 370
- structural properties, 1894, 2546, 2954, 3493, 3894
 - of proofs, 1204
- structural property, 2252
 - of categories, 4069
- structural
 - recursion, 2867
 - similarity, 438
 - tensor, 1011
 - testing, 1598
 - tests, 2137
 - tolerance, 3981
 - transformations, 786
- structure, 14, 72, 197
 - creation, 763
 - definition, 763
 - function, 1563
 - generating function, 116
 - generator, 123
 - memories, 896
 - of states, 2402
 - programming, 319
 - SOI#, 775
 - theory, 197
- structured
 - algorithms, 565
 - CFL, 1836
 - cfl, 1647
 - context free languages, 1647
 - data, 100, 3848
 - form, 568
 - implementation, 134
 - jump, 3008
 - knowledge, 45
 - object, 830, 1197
 - operating system organization, 118
 - operational semantics, 3813

- structured program, 99
 - schemes, 370
- structured programming, 43, 151, 464, 1197, 1258, 1419
 - in system design, 43
 - language, 258
- structured
 - programs, 535
 - SIMULA programming, 134
 - text, 3423
- STS, 1169
- STS(n), 2412
- Stuckey, 4076
- Sturm, 507
 - method, 507
 - sequence, 417, 507, 529
- Sturmian words, 3092
- stutter invariance, 3586
- stutter invariant, 3586, 4140
 - languages, 4140
 - LTL, 4140
 - temporal properties, 3586
- stuttering, 1285
 - subsequence, 1471
- st-connectivity, 3759
- st-numbering, 2889, 3354, 3542
- subadditivity, 3356
- subalgebra, 2981
- subarm, 1746
- subarray, 152, 290, 989, 1074, 1244, 2825, 3700
- subbijection, 1932
- subclass, 378, 747, 814, 1139, 1140, 1155, 1763, 2497, 2854, 3502
- subclass containment, 1034
 - problem, 378, 1034
- subclass of
 - chordal graphs, 2499, 3928
 - Petri nets, 129, 2806
- subcube, 1668, 1730, 2197
 - allocation scheme, 2197
 - identification problem, 2197
 - with fault free nodes, 2197
- subdivision, 979, 2221, 2536, 3801
 - table, 979
- subdomain, 1995
- subexponential
 - exact learning algorithm, 3337
 - time, 3337
- subexpression, 548, 2590, 3677
- subfamily, 922
 - of context free languages, 640
- subgoal induction method, 954
- subgrammar, 683
- subgraph, 20, 88, 101, 110, 121, 181, 245, 299, 392, 645, 660, 736, 765, 813, 870, 1374, 1528, 1722, 2058, 2161, 2248, 2445, 2528, 2583, 2651, 2908, 2922, 3040, 3090, 3111, 3155, 3208, 3244, 3422, 3547, 3673, 3697, 3892, 3926, 3928, 3967, 3981, 4071
 - homeomorphism problem, 887, 2379
 - isomorphic, 1244
 - isomorphism, 181, 1689
 - listing algorithms, 1926
- subgraph of
 - an mst, 813
 - the Delaunay triangulation, 1374, 2841
- subgraph problem, 660, 3697
- subgroup, 344, 431, 734
 - relation, 1688
- subhypergraph, 2368, 2518
- subject
 - heading, 33
 - language, 544
- subkeys, 615
- sublanguage, 604
- subliminal channel, 3514
- sublinear, 1390, 2549, 3210
 - alternating time bounds, 664
 - size directed cycle, 2504
- sublinear time, 2932
 - parallel algorithm, 1799, 2932
 - selection, 1685
- sublinear
 - workspace, 1016
 - worst case bound, 3240
- sublogarithmic
 - space, 1866
 - worst case bound, 3240
- submatrix, 1718
- submodular flow, 4082
 - problem, 4082
- submodular
 - function, 3792, 4082
 - maximum flow, 4082
- submodule, 2550
 - construction, 3784
- submonoid, 637
- suboptimal, 4040, 4110
 - solution trees, 2688
 - solutions, 187, 1090
- subpattern, 3487, 3694
- subprogram problem, 3409
- subquadratic algorithm, 3219, 3544
- subquery, 553
- Subrahmanian, 2514
- Subramanian, Ashok, 3081
- subrecursive
 - complexity classes, 1313
 - hierarchies, 11
 - language, 192
 - programming language, 192

- subregular grammar forms, 683
- subroutine, 104, 211, 505, 1138, 1566, 3147, 3961
 - structure, 104
- subsemigroup, 1776
- subsequence, 265, 315, 337, 570, 1151, 1175, 2023, 2068, 2234, 3487, 3694, 3877, 4087
 - of morphisms, 780
- subset, 3, 114, 268, 372, 459, 525, 622, 637, 650
 - dependencies, 899
 - graph, 3219
- subset of a
 - finite set, 271, 633, 1963
 - set, 3982
- subset
 - of records, 649
 - partial order, 3219
 - product problems, 1178
 - property, 1026
 - relation, 3219
- subset sum, 2677
 - problem, 947, 1253, 2425, 2529, 4043
- subspace, 267, 718, 2638, 2828
 - method, 267
- SUBST, 321
- SUBSTAD, 321
- substantiable evaluations, 442
- substitution, 321, 669, 675, 900, 1330, 1665, 1681, 1927, 2771, 3521
 - axiom, 2734
 - boxes, 2327, 2818, 3206
 - closure, 94
 - composite, 1927
 - existence problem, 675
 - lemma, 2615
 - permutation network, 2327
 - preserves perfection, 1927
- substitution/permutation cryptosystems, 2327
- subtraction, 436
- substring, 13, 279, 582, 615, 737, 910, 1106, 2554, 2685, 3412, 3513, 3824
 - statistics, 3480
 - tests, 1024
- substructure, 152, 1279
- subsumption, 1330
- subsystem, 1919
- subtask, 838, 1239
- subterm, 514, 2437
 - ordering, 2648
 - property, 2771
- subtext, 615
- subtour elimination constraints, 2016
- subtraction, 215, 393, 694, 972, 1164, 2526, 2870
- subtree, 164, 217, 273, 788, 892, 969, 1519, 1532, 1835, 1840, 1844, 2211, 2215, 2301, 2341, 2537, 2718, 2719, 2797, 2866, 2891, 3157, 3436, 3682, 3703, 3932, 4057
 - counting, 969
 - heights, 365
- subtree isomorphism, 1689, 2215, 2301, 2341, 3932
 - problem, 1689, 1840, 2074, 2215, 2301
- subtree listing, 969
- SUBTREE2, 2301
- subtrees in trees, 136
- subtyping, 3113, 3302
 - systems, 3302
- subword complexity, 730, 869, 948, 1732, 1839, 3093
 - function, 730
 - of a language, 869
- sub-AFL, 94
- succession relation, 167, 255
- successive
 - approximation, 2824, 3898
 - multiplication, 979
- successor, 1512
 - relation, 3570
- succinct, 663, 2161, 2865, 2921, 3366
 - circuit representations, 3366
 - problems, 3588
 - representation, 1392, 2865
- Sudakov, Benny, 3765
- Sudborough, 113, 246, 664
- suffix, 637, 794, 1997, 2363, 3313
 - array data structure, 2106, 3313
 - arrays, 2106, 3313
 - automaton, 1990
 - closed, 2363
 - free ness, 794
 - grammar, 2880
 - prefix match, 2345
- suffix tree, 1872, 1990, 2345, 2919, 3313, 3474
 - data structure, 3313
- sugared λ -calculus expression, 802
- Sugihara, Kokichi, 3086
- Sugimoto, Noriko, 3884
- suitability, 2734
- Σ_n -completeness, 2611
- sum coloring, 3978
- sum free, 2798
 - subset, 2798
- sum of
 - all segments, 2079
 - deviations of jobs completion times, 3416
 - edge lengths, 469, 3725
 - powers, 445
 - squares, 155
 - the distances between paired points, 689
 - two squares, 761
 - vertex labels, 564

- summarizing information from a file, 6
- summation, 347, 400, 2408, 3172
 - formula, 2629
 - of series, 347
- Sun and Shieh, 3136
- Sun, Yong, 3424
- Sundaram, Ravi, 3539
- Sung, Kwon Kim, 3725
- Sung, Ting-Yi, 3467, 3736
- Sung, Yong Shin, 3810
- * recognizable, 2502
- *MOD, 753
- *-syntactic monoid, 2396
- super primitivity, 2551
- supercomputing, 3726
- superconcentrator, 390, 745
- supercube, 2126, 2381
 - network, 2381
- superexponential, 1441
 - function, 1441
- supergraph, 1400
- superimposed
 - code words, 1861
 - coding, 3664
- superincreasing, 924
 - sequences, 924
 - structure, 924
- superlinear
 - in program length, 1071
 - space bounds, 2194
 - time, 602
- superpolynomial
 - lower bounds, 1925
 - sized, 1925
 - speedup, 3759
 - time algorithm, 2719
- superposition, 2202
 - of departure processes, 878
- superprimitive, 2205, 2551, 2795
 - strings, 2205
- superprimitivity, 2795
- superset, 3544
- superterse, 3438
- supervaluation, 1930
- supervisory
 - computer, 1611
 - loop, 1611
- Supowit, 1791, 2448
- support, 1807, 2015, 2610, 3272
 - systems, 59
- supremum of a minimal pair, 1209
- Suraweera, Francis, 3425
- surface, 1394, 2043
 - configurations, 696
- surgery, 321
- Suri and O'Rourke, 2075
- surjective
 - computation of homomorphism, 927
 - linear cellular automaton, 3718
- surjectivity, 2631
- surrogate files, 1861
- survival route graph, 2884
- suspend
 - mechanism, 1138
 - primitive, 1138
- suspended evaluation, 243
- Suzuki, Ichiro, 3710
- swap, 1808
- sweep
 - boundary, 2690
 - plane, 1079
- sweeping automaton, 663
- sweepline algorithm, 2784
- switch
 - actors, 1035
 - statements, 3405
- switched capacitor
 - circuits, 1611
 - filters, 1611
- switching, 817, 1466, 2724, 3463, 4024
 - algorithm, 630, 665
 - boxes, 2525
 - class, 4052
 - classes of graphs, 4052
 - elements, 3580
 - function, 1433, 2931
 - networks, 390
 - technique, 2861
- symbol, 3, 7
 - comparisons, 3970
 - mappings, 2854
 - probabilities, 173
- symbol table, 8, 244, 1704, 1724
 - design for a compiler, 737
 - searching, 8
- symbol tables for compilers, 721
- symbolic
 - algebraic computation, 2043
 - calculus, 1188
 - computation, 117, 341, 2043, 3471
 - computing, 3448
 - databases, 3614
 - dynamics, 3072
- symbolic evaluation, 314
 - system, 314
- symbolic execution, 134
 - systems, 541
- symbolic
 - machine execution, 541
 - manipulation, 1477

- symbolic (*cont.*)
 - mathematical computation, 12
 - mathematics, 12
 - picture, 3614
 - predicate, 314
 - problems, 2341
 - processing, 1494
 - regression, 3749
 - sticks designs, 2682
 - testing, 314
 - values, 314
 - verification method, 3891
- symmetric, 491, 540, 783, 930, 1699, 1718, 1936, 2616, 2621, 2677, 2746, 2783, 2997, 3792, 3959
 - algorithm, 1653
- symmetric all farthest
 - neighbor problem, 1739
 - neighbors problem, 1739
- symmetric binary
 - B-trees, 206, 521, 920
 - numbers, 1491
- symmetric
 - body, 3359
 - Boolean functions, 1351, 1693, 3252, 3829
 - costs, 731
- symmetric difference, 3705
 - hierarchy, 3705
- symmetric
 - distance function, 1699
 - encryption schemes, 4091
 - function, 1007, 1424, 1452, 1693, 3377
 - group, 344, 3412
- symmetric key, 2712
 - cryptography, 2712
- symmetric
 - labeling, 2616
 - logspace, 2303
 - matrices, 81
- symmetric matrix, 491, 1718, 2009
 - vector product, 2009
- symmetric
 - min max heap, 3889
 - order, 62, 96, 706
 - ordering, 935
 - quotient of two relations, 1881
 - quotients, 1881
 - relaxed Monge matrix, 3791
 - resilient functions, 2677
 - transitive closure, 1803
- symmetric tridiagonal
 - matrix, 529
 - systems, 783
- symmetric TSP, 2016
- symmetrical, 2644
 - cellular space, 1457
 - implicit double ended priority queue
 - implementation, 1464
 - relation, 1085
- symmetrically, 1295
- symmetrizable matrix, 491, 607
- symmetrizing matrices, 491
- symmetry, 731, 956, 1230, 1609, 2414, 2621, 2629, 2799, 3209, 3790, 3792, 3832
 - breaking, 3059
 - groups, 2365
- symmetry of
 - a planar point set, 1230
 - information, 2621
- symmetry problem, 1230
- symptotic expressions, 347
- synchomisation, 270
- synchron events, 269
- synchronisation, 508, 1176, 1191, 1263, 1674, 1856, 1911
 - standards, 237
- synchronising
 - interactions, 693
 - parallel processes, 1176
- synchronizable test sequence, 2279
- synchronization, 42, 43, 111, 124, 183, 235, 307, 404, 470, 566, 686, 753, 766, 837, 879, 1617, 1643, 1674, 1715, 1807, 1933, 1998, 2042, 2158, 2204, 2218, 2310, 2409, 2411, 2710, 3410, 3613
 - activities, 368
 - algorithm, 1816
 - anomaly, 124, 183
 - cost, 1897
 - mechanism, 345, 766, 1807, 2158
 - model, 470
- synchronization of
 - concurrent processes, 124, 2113
 - processes, 1067
- synchronization
 - primitive, 124, 307, 345, 470, 1280, 1305, 1808, 1833
 - problem, 124, 183, 236, 307, 333, 470, 2279
 - protocol, 1897, 3934
 - relations, 307
 - systems, 470
 - theory, 470
- synchronized, 470, 2944
 - actions, 368
- synchronized alternating, 2038
 - finite automaton, 2038
 - machine, 2038
- synchronized
 - alternation, 2038
 - clocks, 2204
 - communications, 928

- synchronized (*cont.*)
 - disk, 1663
 - EOL systems, 1124
 - shuffle, 995
- synchronizing, 333, 1579, 3605
 - a network of digital clocks, 3084
 - actions, 307
 - concurrent processes, 307
 - multiple processes, 1933
 - periodic processes, 3613
- synchronoueing, 2035
- synchronous, 928, 1691, 1770, 2055, 3042, 3419
 - circuit complexity, 1691
 - circuits, 1691
 - communication, 735, 1295
 - MIMD mesh, 2699
- synchronous model, 1454, 2055
 - with I/O ports on the border, 1454
- synchronous operation, 3042
- synchronous parallel
 - computers, 1242
 - processors, 1007
- synchronous
 - processors, 1133
 - product operator \times , 1678
- synchronous ring, 2035, 2799, 3563
 - problem, 3563
- synchronous
 - stream ciphers, 3881
 - system, 928, 1998, 2788, 3974, 4049
 - timing model, 3613
- synchronous VLSI model, 1454
 - of computation, 1095
- synchronous way, 953
- synchronously, 986, 1354, 1980
- syndrome
 - decoding, 3076
 - polynomial, 3846
- syntactic
 - algebra, 1656
 - algorithm, 4111
- syntactic analysis, 26, 58, 154, 168, 202, 290, 747, 955, 1059, 1922
 - of an English sentence, 1059
- syntactic category, 720
- syntactic characterization, 1962
 - of first order temporal formulae, 1478
- syntactic
 - congruences, 3789
 - domain, 1642
 - equivalence, 1487
- syntactic error
 - detection, 690
 - recovery, 2685
- syntactic error repair, 2685
 - model, 2685
- syntactic
 - errors, 154, 457, 582
 - form, 12
 - ideal, 1656
 - level, 154
 - monoid, 2396
 - notion, 34
 - nuclei, 3789
 - nucleus, 3789
 - object, 159
 - phenomena, 1367
 - processing, 376
 - properties, 742
 - restrictions, 1322
 - rules of Montague, 1229
 - structure, 1229
 - subprograms, 2060
 - sugar, 1408
- *-syntactic monoid, 2396
- syntactical
 - analysis, 84, 747
 - entities, 192
 - optimization, 1848
- syntactically
 - correct, 582
 - defined refinements, 2295
 - explicit, 1571
 - identical, 669
 - imposed sequentiality, 3047
 - specified, 700
- syntax, 24, 34, 239, 284, 2060
 - analysis, 202, 750, 2137
 - and semantics of programming languages, 787, 1311
- syntax directed
 - proof system, 2060
 - translation, 84, 2733
 - unit conversion, 84
- syntax error
 - diagnostics, 277
 - repairing, 822
- syntax errors, 457
- syntax free, 786
 - semantics, 786
- syntax of a
 - language, 24, 2198
 - natural language, 1059
- syntax of
 - atoms and terms, 847
 - natural languages, 3162
 - programming languages, 1331, 1988
 - set expressions, 3827
- syntax
 - rules, 1331
 - tree, 1311, 1318, 2519

- synthesis, 49, 484, 1515, 2285, 2458, 2606, 4083, 4113
 - algorithm, 3293
- synthesis of
 - algorithms, 1061
 - an optimal algorithm, 713
 - database programs, 2057
 - fast algorithms, 2073
 - logic programs, 2255
 - scheduling algorithms, 1061
- synthesis
 - Petri nets, 1964
 - procedure, 2458
- synthesizing, 1286
 - concurrent programs, 2458
 - logic programs, 2255
- synthetic perturbations, 3065
- Syslo algorithm, 588
- system, 6, 93, 142, 145
 - accounting, 3744
 - analyst, 6
 - analysts, 6
 - architecture, 326, 754
 - availability, 326
 - control, 1796, 1902
 - crash, 652
 - description, 120
 - design, 6, 264
 - expert, 2731
 - for testing and debugging, 1654
 - graph, 2679, 2692
 - life cycle, 1419
- system of
 - algorithmic algebras, 370
 - differential equations, 2457
 - distinct representatives, 510
 - equations, 287, 399, 1638
- system of linear
 - algebraic equations, 81
 - equations, 136, 504
 - inequalities, 3123
- system of
 - processes, 1180
 - quorums, 4110
 - sequential processes with mutual exclusion, 1180
 - synchronization primitives, 470
- system
 - overhead, 326
 - parameters, 142, 981, 1075, 1180
- system performance, 2628
 - measure, 553
 - optimization, 553
- system programming, 21, 151, 237, 1736
 - language, 21, 237, 2066
 - problems, 1736
- system
 - reliability, 1964, 4133
 - states, 1425
 - structure, 120, 2317
 - throughput, 418, 753, 981, 1180
 - with multiple users, 233
 - workload, 1180
- systematic
 - error, 66
 - initial point procedure, 1696
 - programming, 617
- systemic arrays, 1983
- systolic, 1175, 2606
 - algorithm, 1293, 3459
 - architecture, 1352, 3480
 - architectures methodologies, 3905
- systolic array, 953, 1175, 1376, 1445, 1645, 2044, 2407, 2606, 2639, 3459, 3480
 - architecture, 1352
- systolic
 - binary GCD chip, 1917
 - computation scheme, 1376
 - coprocessors, 1376, 2639
 - network, 1445, 1496
 - partitioning algorithms, 2606
 - stack, 1175
 - subroutine, 1293
 - system, 1445
 - tree automaton, 2986
- Szelepcsényi, 1866
- Szendrényi, 569
- Szepietowski, Andrzej, 3364, 3851
- Szilard language, 413, 960, 2061
- Szwarcfiter and Lauer, 309
- Szwerinski, 1457
- Szymacha, Tomasz, 3376
- Szymanski conjecture, 1979
- Szymanski, Boleslaw K., 2462
- S-boxes, 2818
- s-boxes, 2327, 3206
- S-expression representations, 384
- S-locks, 1708
- S-machine, 119
- s-median problem, 2533
- s-optimum spanning tree, 2992
- s-partition, 3968
- s-partitions of n , 3968
- S-S2PL, 2917
- S-stability, 586
- s - t reachability problem, 2964
- s -trees, 3474
- S-unification, 1543

T

- TOL
 - grammar, 126
 - language, 126, 201, 730
 - languages over terminals, 126
 - system, 47, 77, 126, 193, 730, 1475, 1643, 4143
- t' -FST, 1853
- TAAL, 237
- table
 - addresses, 222
 - constructor, 1144
- table driven, 1308
 - code generators, 1144
 - program, 495
- table lookup, 708, 1010
 - problem, 226
- table
 - management, 559
 - of infinite size, 226
 - overflow, 373
 - scanning, 1142
 - search, 222
 - searching, 1257
 - size, 979
- tableau, 742, 2420
 - method, 771, 2420
- tableaux, 175, 771, 2420, 3608
- tabled ETOL system, 778
- tablet, 972
- tabular
 - database model, 486
 - parsing techniques, 457
 - technique, 766
- tabulation, 547, 716
 - method, 547, 894
- tactile probes, 1236
- TAG, 951, 3162
- tag, 1223, 4134
 - bit, 35, 72, 1223
 - free marking algorithms, 1223
 - system, 337, 2081
- Tag, Gon Kim, 3151
- tagged
 - architectures, 710
 - tableaux, 771
- tagless marking, 1519
- Tai and Selkow, 671
- tail recursion optimization, 1299
- Takacs, 57
- Takada, 2061
- Takagi, Naofumi, 3429
- take function, 1056
- take grant
 - model, 1062
 - protection model, 1062
- takeover time, 3212
- Takeuchi, 506
 - function, 506
 - recursive equation, 506
- taking all
 - first prefixes, 640
 - last prefixes, 640
 - prefixes, 640
- TAL, 951
- tally, 4134
 - encoding, 2954
 - set, 1887, 2645, 3134
- TAM, 3138
 - language, 3138
- Tamassia, Roberto, 3506
- Tamminen, 1037
- Tamon, Christino, 3685
- tamper proof
 - chip, 2991
 - hardware, 2991
- tamper resistant cryptographic token, 3505
- tamperfree devices, 2496
- tampering, 1107
 - of data, 1107
- Tan et al., 1637
- Tan, Kian-Lee, 3146
- Tanaka, Keisuke, 3377
- tandem queueing networks, 2806
- Tang, C.Y., 3590
- Tang, Chuan Yi, 3866
- Taniguchi and Kasami, 578
- Tanimoto measure, 917
- tape complexity, 675
- tape head, 119
 - movement, 119
- tape
 - merge, 90
 - transformations, 535
- tardiness, 2185
- target, 940, 1979, 2754, 2936, 3352, 3386, 3961
 - code, 1144, 1850
 - concept, 2439
 - function, 2544, 2792, 4056
 - key, 855
 - language, 928, 3352
 - machine, 950
 - polygon, 1364
 - programming language, 773
 - token rotation time, 3501
- Tarjan, 165, 454, 597, 1745, 2518, 2878
 - algorithm, 2759, 2959
- Tarjan and Yannakakis, 1354
- Tarjan
 - result, 597
 - $\Theta(n + m)$ algorithm, 3457
- Tarjan, Robert Endre, 800, 1292

- Tarski, 884
- Tarski-Fraisse-Vaught characterizations, 1279
- Tarui, 2722
- task, 185
 - allocation, 2069, 2515, 2748
 - dependencies, 3741
 - mapping, 2515
 - migration, 3024, 4038
 - periods, 3314
 - precedence graph, 2133
 - preemption, 2133
- task scheduling, 1386, 2515
 - heuristic, 2789
- task
 - system, 527, 611, 2624, 2757, 3607, 3912
 - systems with resources, 527, 648
 - turnaround time, 2069
 - with unknown duration, 3540
- tatic slice, 1654
- τ -bisimulation, 2295
- Tausworthe, 513
 - sequence, 907
- tautology, 538
- Taylor, Stephen, 3447
- TC, 1375
- TC^0 , 1836
- $TC^0 = NC^1$, 1836
- TC_n , 3414
- TCP/IP, 4131
- TD charts, 464
- TDk chart, 464
- teacher student interaction, 132
- Technical University Munich, 620
- technique, 27, 152
- Tejel, Javier, 3389, 3807
- telecommunication, 326, 1574
 - networks, 1497
- telephone
 - exchange, 57
 - listings, 721
- template, 763, 2148, 2554, 2632
 - matching, 2148
- temporal, 2572, 2576, 3940
 - agent model, 3138
 - aggregate processing, 3984
 - aggregation, 3984
 - connectives, 4070
 - databases, 3984
 - deductions, 1480
 - formalism, 2876
 - forms, 2787
 - formula, 1246
 - Horn formula, 2572
 - knowledge, 1480, 1824
 - temporal logic, 632, 927, 962, 1157, 1324, 1478, 1480, 1638, 2008, 2219, 2304, 2321, 2363, 2458, 2572, 2655, 2787, 2876, 3002, 3099, 3307, 3586, 3880, 3893, 4070
 - of programs, 946
 - programming, 2572
 - temporal
 - operators, 632, 946, 3880
 - precedence problem, 3816
 - predicate, 2787
 - property, 2787, 3586, 4140
 - semantics, 2219
 - theory, 1478
 - temporary storage, 52, 82, 1588
 - locations, 808
- Teng and Yao, 2919
- tensor, 1011, 1269
 - products, 3196
 - rank, 155, 719, 1011
- tensorial
 - basis, 472
 - rank, 472
- tep bisimulation, 2614
- Terekhov, I., 3882
- term, 27, 3976
 - algebra, 2219
 - graph rewriting, 3404
 - in a language, 4101
 - reduction system, 1543
- term rewriting, 514, 1101, 2545, 2648, 2676, 2949, 3017, 3424, 3753, 3760, 3793, 4022
 - approach, 2001
- term rewriting system, 514, 1096, 1410, 1470, 1489, 1639, 1850, 1910, 2001, 2085, 2366, 2676, 2771, 2773, 2949, 2981, 3015, 3017, 3753, 3793
 - compiler, 1850
 - interpreter, 1850
- term transformations, 448
- terminal, 126, 438, 683, 1301, 1722, 1981, 1988, 1997, 2218, 2508, 3864, 3955, 4095
 - alphabet, 126, 394, 709, 1643, 3243
 - balancing, 2018
 - derivations, 1078
 - formulae, 284
 - marker, 823
 - nodes, 799, 836, 2688
 - productions, 4029
 - string, 1308, 1988
 - symbol, 202, 302, 362, 474, 683, 1308, 1981, 2541
 - vertex, 167, 255
- terminating
 - computation, 112, 742, 1041
 - concurrent histories, 554

- terminating (*cont.*)
 - derivation, 2061
 - rewriting system, 514
- termination, 192, 514, 962, 1096, 1124, 1191, 1281, 1410, 1413, 1470, 1489, 1547, 1637, 1653, 1756, 1770, 1910, 2033, 2085, 2545, 2648, 2676, 2771, 2944, 3017, 3453, 3477, 3760, 4021
 - condition, 3865
- termination detection, 579, 913, 930, 985, 1247, 1411, 1413, 1566, 1716, 1770, 1813, 1949, 2757, 2758, 2944
 - algorithm, 913, 1281, 1653, 1862, 1949, 2015, 2794
 - problem, 1653
- termination of
 - distributed protocols, 1547
 - protocols, 1547
 - Takeuchi function, 506
 - term rewriting systems, 1489
- termination
 - ordering, 1489, 2437
 - problem, 930, 3453
 - proof, 3096
- terminator, 169
- ternary
 - (11, 6, 5) Golay code, 3846
 - Golay code, 3846
 - operation, 370
 - relations, 216
- terrain, 564, 1671, 2853
 - graph, 564
- test, 30
 - algorithm, 2523
 - and set, 1060, 1808
 - & set constructions, 3500
 - architectures, 2279
 - case construction method, 2049
 - cases, 2049, 3246
- test data selection, 1053
 - criteria, 1053
- test
 - data sets, 414
 - equivalent, 1964
- test for
 - cycles, 1519
 - membership, 3063
 - query equivalence, 771
- test
 - generation process, 1964
 - pattern generation, 2729
 - planning, 3775
 - selection criterion, 1598
- test sequence, 2026, 2279, 2750, 3692
 - generation, 2026, 3692
- test set, 1076, 1644, 3763
 - for morphisms, 1644
- test
 - sets for languages of infinite words, 1644
 - square freeness, 2152
 - suite, 3408
 - transformation, 1763
- testable, 2205, 2563, 3640
 - in polynomial time, 1975, 2786
- tester memory requirements, 3639
- testing, 9, 30, 1265, 1391, 2750
- testing a
 - graph for n -cube, 583
 - simple polygon for monotonicity, 2706
- testing
 - algorithm, 1500, 2866
 - congruence, 2438
 - digraph isomorphism, 1646
- testing for
 - class membership, 1575
 - deadlock freedom, 1326
 - n -cube, 583
- testing
 - integration subroutines, 1207
 - membership, 3063
 - methods, 1391, 2550
 - monoids for group freeness, 1763
 - monotonicity of polygons, 677
 - n -cube, 583
- testing of
 - approximation algorithms, 2049
 - software, 414
- testing
 - planar graphs for isomorphism, 9
 - polygon similarity, 1888
 - preorders, 2459
 - preservation, 2523
 - schemes, 4045
 - similarity of matrices, 1726
 - string superprimitivity, 2795
 - system, 2624
 - the universal instance assumption, 523
 - unboundedness, 1626
 - variable step size integration, 1207
- Tetali and Winkler, 3900
- text, 615, 3970
 - character, 615, 2671, 3579
 - compression, 2152, 3358
 - editing, 290
 - editor, 737, 1250, 1418
- text processing, 2531, 2855
 - algorithms, 2855
- text search algorithm, 615
- text searching, 3996
 - systems, 2106

- text
 - size, 3938
 - string, 2664, 2715, 2774, 2855, 3143, 3824
 - substitution, 3677
- textual
 - analysis, 1367
 - sampling, 1391
 - substitution, 3358
 - synthesis of generation, 1367
- Thatcher, 396
- Thatte, 2552, 2676
 - partial types, 2464, 2552
 - transformation, 2676
- Theil, 250
 - estimator, 250
- theorem, 164, 178, 193, 200
 - by Ladner, 832
- theorem of
 - Hell and Nešetřil, 2284
 - Spira, 877
 - Tutte/Nash-Williams, 887
 - well founded induction, 1820
- theorem prover, 108, 506, 541, 2615, 3695
- theorem proving, 341, 442, 675, 769, 799, 1017, 1204, 1492, 1587, 1698, 1792, 2068, 2229, 2683, 3006
 - programs, 675
- theorem, Church-Rosser, 2615
- theoretical
 - biology, 107
 - complexity, 306
 - computer science, 246, 399, 1887, 3400
- theory, 23, 2008, 2649, 3138
 - composition operator, 2077
- theory of
 - admissibility, 1995
 - admissible predicates, 1995
 - automata, 162, 399
 - cellular automata, 75
 - codes, 3538
 - compilation, 1736
 - computation, 11, 28, 119, 122, 159, 520, 675, 821, 943, 1361, 1485, 1581, 1596, 1606, 1642, 1943, 1976, 1988, 1993, 2017, 2062, 2134, 2175, 2179, 2213, 2272, 2294, 2335, 2353, 2363, 2365, 2428, 2430, 2433, 2434, 2439, 2453, 2463, 2497, 2505, 2549, 2589, 2608, 2611, 2631, 2669, 2677, 2702, 2736, 2771, 2773, 2776, 2781, 2880, 2925, 2972, 2984, 2987, 2994, 3003, 3012, 3015, 3027, 3037, 3047, 3075, 3088, 3130, 3150, 3158, 3195, 3216, 3252, 3259, 3352, 3377, 3396, 3466, 3469, 3491, 3567, 3571, 3593, 3633, 3634, 3641, 3665, 3695, 3718, 3769, 3781, 3787, 3827, 3880, 3885, 3908, 3916, 3929, 3951, 3952, 3961, 3962, 3990, 4002, 4021, 4022, 4031, 4032, 4062, 4068, 4069, 4100, 4115
 - concurrency semantics, 3300
 - databases, 771
 - developmental systems, 77
 - elasticity, 48, 89
 - formal languages, 77, 3568
 - functional dependencies, 1021
 - growth functions, 93
 - K -iteration grammars, 193
 - L -systems, 107, 193, 712
 - matching, 646
 - nonmonotonic inheritance, 2649
 - numberings, 3075
 - ω -languages, 922
 - Owicki and Gries, 3419
 - parsing, 640, 1078, 1088
 - powerlists, 3007
 - processes, 1639
- theory of program
 - correctness, 1246
 - schemas, 95
- theory of
 - programs, 769
 - real numbers under addition and order, 1109
 - scheduling, 80
 - schemes of structured algorithms, 370
 - set constraints, 3827
 - traces, 1991
- theory presentations, 3633, 4069
- Therrien, 267
- thesaurus, 61
- thick, 3245
- Thierrin, 463
- Thiessen tessellation, 1020
- Thilikos, Dimitrios M., 3455, 3476
- thinning, 2302
 - algorithm, 2302
- third normal form, 798, 2449, 2751, 3533
- Thirusangu, K., 3139
- Thomas, 837
- Thomason, 1404
- Thomborson, C.D., 3744
- Thomborson, Clark D., 3744
- Thompson, 1095, 1269, 2699
- Thompson and Yasuura, 1454
- Thompson
 - I/O schedule, 977
 - model, 977
 - VLSI model, 977
- thread, 397, 1290
- threaded binary
 - search trees, 1290
 - tree, 1290

- threaded trees, 1290
- threading, 845
- threat, 1921
- three
 - dedicated processors, 2362
 - letter alphabet, 915
- three-coloring, 1267, 1442
- three-colourable graph, 2284
- three-counter machine, 999
- three-dimensional, 130, 3115
 - digital structures, 1711
 - grammars, 1711
 - grid, 1267, 1476
 - layouts, 1476
 - $m \times n \times p$ mesh of trees, 1051
 - orthogonal graph drawings, 3401
 - routing problem, 3805
 - space, 1137, 1583, 2146, 3131
 - vector addition systems, 1507
 - version, 2144
- three-layer wirability, 3141
- three-machine permutation flow shop problem, 1812
- three-neighbor
 - RCA, 2430
 - RPCA, 2430
- three-partition problem, 1472
- three-sided range queries, 1435
- three-term recurrence formula, 253
- three-valued, 1642
 - logic, 286, 2269, 3770
 - stable model semantics, 2269
- three-way, 858
 - automaton, 578
 - branch on comparison, 3776
 - comparison, 3776
 - key comparison, 3776
 - two-dimensional finite automaton, 578
- threshold network, 2650
- threshold, 20, 1165, 1346, 2225, 2650, 2845, 3073, 3189, 3594, 3948, 3956
 - algorithm, 3771
 - circuits, 1836, 1948, 2109, 2225, 2238, 2349, 2600, 2619, 3032, 3189, 3207, 3594
 - dimension 2 graph, 2, 3794
 - function, 1814, 1948, 2225, 2845, 3189
 - gate, 2109, 2153, 3594
 - graphs, 3073, 3794, 4071
 - k -function, 1015
 - network, 2650, 3559
 - neural networks, 2650, 3094
 - number, 2, 3073
 - property, 3559
 - scheme, 1811, 2405, 2958, 3110, 3136, 3879, 3948
 - secret sharing schemes, 3948
 - signature, 3956
 - structures, 3821
 - value, 3189, 3716
- throughput, 418, 560, 1075, 1276, 2487, 3042, 3564
 - concavity, 1075
 - monotonicity, 3564
 - rate, 1352
- Thue, 655
- Thue and Morse method, 3072
- Thue
 - congruence, 669
 - irreducible sequence, 337
 - language, 712
 - problem, 3072
 - restriction, 869
 - sequence, 655
 - system, 669, 720, 1086, 1166, 1303, 1463, 1649, 1973
- Thue-Morse word, 1563, 2501, 2785, 3093
- Thue-Morse word on
 - three symbols, 1563
 - two symbols, 1563
- Thuillier, H., 3537
- tidy drawing
 - problem, 3734
 - problems of trees, 3734
- tight
 - bounds, 2012, 2457, 2770, 2836, 3068, 3244, 3291, 3579, 4025
 - lower bound, 1469, 1479, 1599, 1608, 1959, 2020, 2584, 2664, 2721, 2730, 3244, 3484, 3960
- tight upper
 - and lower bounds, 539, 1712, 3766
 - bound, 1737, 3101, 3579
- tight worst case upper bound, 3710
- tighter bounds, 2129, 3171
- tightly coupled
 - multiprocessors, 1769
 - synchronous systems, 928
- Tijdeman, 3607
 - algorithm, 3607
- tiling, 2876
 - problem, 2876
- time, 27, 182
 - advancement algorithm, 269
- time and cost optimal parallel heap construction
 - algorithms, 2732
- time and space
 - bounds, 2119
 - complexity, 407, 859, 909, 1179, 2916, 2931, 3597
 - efficient algorithms, 1546
 - optimal algorithm, 1079, 1373
- time and storage requirements, 104, 407

- time bound, 309, 342, 598, 759, 810, 841, 876, 937, 1100, 1192, 1261, 1315, 1493, 1517, 1608, 2000, 2104, 2186, 2975, 3340, 3534, 3642, 3771, 4079
- time bounded, 205
 - environments, 2621
 - multitape TM, 1868
 - nondeterministic multitape Turing machine, 1503
- time
 - bounds, 219, 451, 936, 1159, 1428, 2194, 2588, 2741, 3118, 3534, 3613
 - characteristics of program execution, 293
 - time complexities, 1116, 1510, 1521, 1765, 1810, 1847, 2064, 2101, 2148, 3059, 3339, 3375
 - of semigroup computations, 1810
 - time complexity, 70, 182, 212, 265, 308, 312, 357, 358, 429, 458, 487, 499, 505, 552, 588, 593, 597, 674, 675, 716, 737, 739, 740, 756, 759, 766, 814, 836, 868, 894, 936, 942, 943, 1065, 1074, 1156, 1168, 1251, 1253, 1254, 1290, 1344, 1350, 1365, 1368, 1371, 1392, 1396, 1403, 1414, 1444, 1500, 1596, 1620, 1634, 1638, 1702, 1752, 1766, 1810, 1840, 1915, 1978, 1997, 2022, 2035, 2051, 2061, 2069, 2096, 2129, 2151, 2165, 2166, 2217, 2322, 2331, 2347, 2357, 2375, 2399, 2426, 2446, 2455, 2512, 2515, 2528, 2574, 2601, 2618, 2637, 2670, 2671, 2687, 2695, 2745, 2748, 2784, 2789, 2802, 2810, 2819, 2825, 2873, 2921, 2947, 2990, 2996, 3011, 3034, 3161, 3207, 3220, 3285, 3339, 3350, 3354, 3364, 3386, 3413, 3415, 3425, 3474, 3508, 3613, 3653, 3656, 3661, 3779, 3794, 3820, 3866, 3931, 3937, 3970, 3982, 3984, 4037
 - classes, 3118
 - gaps, 3613
 - of algorithms, 3734
 - time complexity of languages, 739
 - recognized by two-way nondeterministic pushdown automaton, 894
 - time complexity of
 - Sakakibara algorithm, 2375
 - sorting, 552
 - the set union problem, 2061
- time
 - constructible function, 2760
 - consuming, 1861
 - cost, 1050
 - time critical
 - process control, 868
 - systems, 2304
 - tasks, 1713
 - time dependence, 1238, 3660
 - time dependent, 754, 3066
 - behaviour, 818
 - execution times, 2757, 3066
 - tasks, 3660
 - time domain, 2487
 - model, 2487
 - time
 - efficient, 1352, 3882, 3931
 - independent properties, 190
 - index, 2996
 - instants, 1756
 - invariant relation, 632
 - time inversion
 - mapping, 1480
 - operation, 1480
 - time limits, 1191, 2062
 - time lower bounds, 715
 - for sorting, 1893
 - time mapping methods, 269
 - time optimal, 185, 1403, 3147, 3965
 - algorithm, 876, 3870
 - convex hull computation, 3211
 - scheduling, 185
 - short circuit evaluation, 1636
 - time
 - overhead, 1257
 - penalty, 3580
 - Petri net, 1964
 - points, 3984
 - processor product, 1396, 1683, 2494
 - randomness tradeoff, 2721
 - redundancy, 2407
 - time requirement, 104, 515, 784, 2053
 - function, 2053
 - time shared systems, 264
 - time sharing, 44, 142
 - computer systems, 57
 - operating system, 293
 - time speedup, 1043
 - time square
 - mode, 1975
 - model, 3141
 - time
 - stamps, 1816
 - triggered systems, 3314
 - unit, 2806, 3752, 3828
 - upper bound, 534
 - vs. storage tradeoffs, 1634
 - time warp, 3362, 3934
 - simulations, 3362
 - simulators, 3362
 - timed, 3126
 - automaton, 3699, 4105
 - languages, 3126
 - timed marked
 - graphs, 981
 - Petri net, 1472

- timed
 - Petri net, 981
 - transition systems, 3126
- timeout, 1319, 1712, 3064
- timer, 3064
 - management service, 3064
- × operators, 1678
- timestamp, 1247, 1346, 1565, 2150, 2441, 2538, 2995, 2999, 3285, 3818, 3934
 - algorithm, 1565, 2150
- TIMESTAMP algorithm, 3187
- timestamp
 - based run, 3934
 - interval, 3578
 - ordering, 2150
- timestamped, 2204
 - token message, 2944
- timestamping, 1565, 2538
 - algorithm, 1565
- time-space, 445
 - complexity of reachability queries, 2012
 - optimal, 2223
 - tradeoff, 445, 585, 808, 2012, 2918
- timing, 14, 430
 - behaviour, 1709
 - characteristics, 3764
 - model, 3613
 - restrictions, 1609
- tip
 - nodes, 892
 - values, 892
- Tiusanen, M., 2154
- Tiwari, Prasoon, 3581
- TM, 535, 1550, 1868
 - model of a, 119
- TMPN, 1472
- Toda and Ogiwara, 2722
- Toeplitz, 2334
 - matrix, 2334
 - matrices, 2334
- Toeplitz matrix, 1269, 2334
 - inversion, 1154
 - inversion algorithms, 2334
- Toffoli, 2430, 4114
- Tofte, 2907
 - type discipline, 2907
- token, 590, 1635, 1816, 1949, 1980, 2198, 2320, 2351, 2727, 2806, 2838, 3732
- token based
 - control in rings, 3732
 - M.E. algorithms, 2840
 - method, 1816
 - strategies, 3732
 - synchronization, 1816
- token distribution
 - algorithms, 2199
 - problem, 2199
- token passing, 1635, 3997
- token ring, 3675, 3997
 - topology, 3997
- Tokuda, Takehiro, 2942, 3025
- Tokunaga, Shin-ichi, 3385
- tolerance, 3605, 3981
 - of a geometric or combinatorial structure, 3981
 - relations, 162
- tolerant CRCW PRAM, 3169
- Tolle, 733
- Tollis, Ioannis G., 3506
- tombstone, 1440
 - management, 1440
 - method, 1440
- Tomita, 2329
 - parsers, 2329
- Tompa, 445
- tool design, 884
- Toom, A., 2516
- TOP, 2007
- top down, 168, 3410, 3436
 - evaluation, 2679
 - finite state tree transducer, 1853
 - infinite tree automaton, 982
 - left to right deterministic parsers, 277
 - mergesort, 2747
 - mode, 452
 - nondeterministic tree transducers, 348
 - parse order, 3095
- top down parsing, 340
 - strategy, 1661
- top down
 - program development, 464
 - search structure, 1017
 - skew heaps, 2129, 3484
- top down tree
 - transducers, 1853, 2736
 - transformation languages, 200
- top
 - hull, 1328
 - terminal, 2054
- topological
 - ball, 1705
 - characterization, 1926
- topological characterization of
 - liveness, 1173
 - safety, 1173
- topological
 - consistency, 3086
 - dimension, 3525
 - equivalence, 1466

- topological order, 2007, 3340
 - of a DAG, 3301
 - problem, 1873
- topological ordering, 2308
 - problem, 2308
- topological
 - planar graphs, 1926
 - properties, 2126, 2828, 3026, 3291, 3738
 - representations, 1172
- topological sort, 1873
 - ordering, 2895
- topological sorting, 85, 110, 2007, 2291, 3301, 4144
 - arrangements, 99
 - problem, 99, 2007
- topological structure, 2265
- topologically
 - closest, 2264
 - consistent algorithms, 2841
 - equivalent, 1466, 1699, 2724
 - tree like, 123
- topology, 1084, 1089, 1173, 1837, 1991, 2197, 2265, 2421, 2441, 2456, 2507, 2746, 2810, 2835, 3388, 3493, 3539, 4054
- topology of
 - a distributed computing system, 3620
 - an FDMA network, 3801
- Tor and Middleditch, 1389
- Torán, Jacobo, 3887
- tori, 3467, 4013, 4054
- toroidal, 2482
 - mesh, 2738
 - network, 2482
- Torres, Marco A., 3899
- torus, 2354, 2390, 2738, 2933, 3266, 3832
 - algorithm, 2933
 - computers, 2933
 - networks, 4013
 - of processors, 3266
- TOTAL, 652
- total, 110
 - adjacency, 522
 - Boolean function, 4099
 - chromatic number, 3928
 - coloring, 3928
 - completion time, 3903, 3960
 - complexity, 2908
 - computing time, 117
 - correctness, 460, 776, 1306
- total correctness of
 - a program, 1306
 - nondeterministic programs, 1306
 - programs, 460
- total
 - deadlock, 1286
 - division ordering, 2068, 2545
 - total dominating set, 1221, 1275, 2067, 3574
 - of a graph, 1275, 1518
 - total domination, 1221, 1275, 1518, 2976, 3574
 - problem in interval graphs, 1221
 - total exchange, 2390
 - algorithm, 2390, 3445
 - total
 - execution time, 167, 255, 310
 - flow time, 3416
 - function, 209, 506
 - graphs, 3842
 - interval number, 3214
 - jogs minimization, 2054
 - monotonicity, 1906, 3389
 - number of repetitions, 187, 633
 - total order, 346, 1632, 1721, 2143, 2471, 2498, 2799, 3340
 - search, 3156
 - total ordering, 448, 974, 1140, 2068
 - relation, 1755
 - total
 - orders, 1489
 - path length, 164, 3257, 3436
 - projections, 1626
 - recursive functions, 3075
 - security, 1012
 - size, 612, 1438, 1448, 3484, 3687
 - spring energy, 1738
 - time minimization, 1084
 - turning angle, 1741
 - totalistic
 - cellular automaton, 1496
 - network, 1496
 - systolic networks, 1496
 - totally balanced, 2588
 - hypergraphs, 2766
 - matrix, 2588, 3697
 - totally
 - dominates, 1561
 - dominating set, 1561
 - monotone matrices, 3389
 - totally ordered, 1630, 1858
 - domain, 2871
 - set, 1824, 1924, 2793, 3987
 - totally unimodular matrices, 2448
 - tour, 1014, 3926, 4129
 - cover problems, 2698
 - covers, 2698
 - optimality, 1014
 - Touretzky, 2649
 - tournament, 617, 781, 2170
 - algorithms, 2170
 - tree, 617
 - Toussaint, 1739, 1777, 2273
 - Toussaint, G.T., 1739

- towers of Antwerpen, 2159
 - problem, 2159
- towers of Hanoi, 248, 577, 732, 827, 888, 998, 2159, 2532, 2604
 - problem, 248, 577, 2159, 2532, 2604
 - puzzle, 732, 888, 998
- toy problems, 496
- Toyama, 2773
- TR rule, 1633
- trace, 229, 366, 554, 1468, 1679, 1991, 2888, 4116
 - driven modeling, 142
 - equivalence, 2153
 - language, 2502, 3139, 4116
 - monoid, 2502, 4116
- trace of
 - a computation, 258
 - finite sets, 3786
 - set systems, 3786
- trace
 - semantics, 3920
 - specifications, 1679
 - systems, 2458
 - theory, 2153, 3360
- traceable signers, 3956
- tracing, 258
- track, 1975, 2054, 2539, 3141, 3812
 - assignment, 2508
- tracking, 2570
- trackless
 - algorithms, 4066
 - online algorithms, 4066
- tractability threshold, 2510
- tractable, 2522, 3134
 - algorithm, 4037
 - satisfiability problems, 2521
- tradeoff, 656, 1095, 1190, 1690, 2041, 2148, 2835, 2865
 - results, 877
- traditional predicate calculus, 95
- traffic, 2168, 2701
 - control, 942
 - load, 1089, 2861
- trail, 1588
 - problem, 2663
- train reversal problem, 2020
- training, 179
 - digraphs, 3012
 - problem of a 3-neuron sigmoid network, 2650
 - set, 179
- trajectory, 1002, 1654, 2142, 2853, 3693
 - path, 3693
 - planning, 2853
- transaction, 300, 556, 787, 837, 851, 919, 1023, 1326, 1337, 1512, 1527, 1565, 1708, 2057, 2147, 2150, 2317, 2917, 3349, 3462, 3583, 3690
- transaction backout, 1337
 - problem, 1337
- transaction
 - based environments, 3583
 - concurrency, 3462
 - dependencies, 1565
 - initiation times, 1565
 - interference, 837
 - lock points, 1565
- transaction management, 3349
 - scheme, 3349
- transaction
 - processing, 300, 805, 837
 - serializability, 1565
 - systems, 1023
- transcendental, 155
- transcription errors, 325
- transducer, 348, 386, 973, 1585, 1776
- transduction, 94, 1572
- transfer
 - lemma, 775, 900
 - of control, 1138
 - paths, 1591
- transfinite induction, 1630, 1820
- transform, 26, 295, 498
 - a data structure, 454
- transformation, 188, 248, 955, 1331, 1420, 1753, 1844, 1930, 2255, 2391, 3574, 3747
 - algorithms, 969, 2880
 - approach, 1402
 - in a computer program, 1498
- transformation monoid, 1763
 - of an automaton, 1763
- transformation of
 - a tree, 1930
 - algorithms, 448, 1188
 - linear programs, 289
 - marked graphs, 67
 - programs, 293
 - regular expressions, 1753
- transformation on
 - programs, 773
 - trees, 671
- transformation
 - protocol, 4059
 - rules, 122, 135, 604, 773, 1848, 3498
 - system, 1028
 - technique, 2533
- transformational
 - approach, 1028
 - grammars, 830
 - power, 1028
 - refinement, 3138
 - semantics, 604
 - techniques, 1320

- transformed, 19, 22
 - grammar, 34, 1331
 - parser, 2883
 - program, 1420
- transformer, 1422, 3356
- transforming
 - a graph, 1652
 - algorithms, 547
- transient, 1902, 2351
 - behavior, 1902
 - behaviour, 280
 - communication failures, 1547
 - edge failures, 3761
 - failure, 3270, 4034
 - fault, 3378, 4034
- transition, 452, 590, 913, 981, 1018, 1144, 1411, 1635, 1964, 2210, 2279, 2320, 2578, 2671, 3873
 - constraints, 3390
 - diagram, 1179
 - fair languages, 1678
 - graph, 162, 452, 2026
 - mapping, 572
 - matrix, 52, 3031
- transition probability, 1239, 2564
 - matrix, 2564
- transition
 - relation, 2363, 2563
 - rule, 1507
 - sets, 554
 - square map, 2227
 - system, 554, 1638, 1687, 2363, 2459, 2550, 2700, 2972, 3773, 3920
 - table, 1144, 1824
- transitive, 2133, 3234, 3644, 4057, 4119
 - and irreflexive relation, 514
- transitive closure, 13, 15, 70, 128, 199, 205, 616, 636, 642, 701, 889, 1220, 1350, 1455, 1573, 1590, 1603, 1837, 1870, 1910, 2759, 2959, 3523, 3572, 4094
 - algorithm, 70, 701, 2745, 2759, 2959, 3572
 - matrix, 889
 - of (MIN, +) product, 616
- transitive closure of a, 70
 - digraph, 1573
 - directed graph, 15, 1220, 3301
 - graph, 216
 - string, 13
- transitive closure of
 - directed graphs, 3523
 - graphs, 1837
- transitive closure problem, 616, 701, 3301
- transitive closures, 13
 - of graphs, 889
- transitive
 - completion, 65
 - functions, 1269
 - ranking, 860
 - redirections, 3404
 - reduction, 3546
- transitive reflexive
 - closure, 669
 - completion, 65
- transitive
 - relation, 197
 - sense of direction, 3644
 - subgroup, 344
 - term graph rewriting, 3404
 - tournament, 425
- transitively, 3273, 3404
- transitively closed
 - form, 642
 - interval dags, 642
- transitivity, 216, 438, 2606
 - table, 1480, 1824
- translating, 928, 1375
 - Pascal programs into Prolog, 1297
- translation, 192, 336, 386, 708, 802, 830, 1099, 1114, 1229, 1375, 1392, 2162, 2227, 2342, 2649, 2691, 3138, 4140
 - arguments, 2626
 - extension mechanism, 23
- translation of
 - intuitionistic logic, 1204
 - programs, 135
 - Turner combinators, 1099
- translation
 - ordering, 2068
 - scheme, 708
- translation square
 - arrangement, 3615
 - map, 2227
- translation
 - tables, 708
 - vector, 467
- translational implementations, 544
- translator description language, 24
- transmission, 188, 649, 1944, 2048, 2487, 2929, 3152, 3679, 3724, 3752
 - costs, 649
 - delay, 1084, 2204, 2806
 - failures, 3752
 - frequencies, 1009
- transmission of
 - data packets, 3716
 - information, 838
- transmission
 - paths, 2931
 - protocols, 2929
 - scheduling, 3152
 - session, 2048

- transmitter, 371, 1128
 - station, 371
- transmitting
 - delay, 2913
 - messages, 1089
- transmuter, 765
- transparent, 1769, 2091, 2268
 - edge, 2091
 - interprocess communication, 1382
 - w.r.t. resolution, 1204
- transportability, 495
- transportable
 - code generator generator system, 495
 - interpreters, 189
- transportation, 1735
 - network, 553
 - of computer software, 1169
 - problem, 3416
 - service networks, 2174
- transposable matrix, 607
- transpose, 1056, 1633, 1724
 - heuristic, 691
 - of a matrix, 214
 - rule, 1633
- transposed, 2193
 - Vandermonde system, 2193
- transposition, 3412, 3428, 3844
 - cipher, 3428
 - encryptions, 3428
 - errors, 325
 - of matrices, 1581
- transpositional metrics, 416
- transputer, 1617, 2009
 - based multiprocessor system, 1617
- transshipment, 564
 - problem, 564
- transversal, 1745, 1863
- transversal hypergraph, 4055
 - problem, 4055
- transverse edges, 1745
- trapdoor, 938
 - function, 654, 1932
 - information, 1475
 - knapsack, 924
 - one-way function, 654, 3145
 - system, 938
 - techniques, 924
- trapezoid, 3181, 3857
 - graph, 2976, 3181, 3543, 3547
- trapezoidal decomposition, 3857
- Traub, J.F., 844
- traveling, 3731
- traveling salesman, 2111, 2698
 - cycle, 870, 1374
 - traveling salesman problem, 130, 441, 688, 1014, 2016, 2050, 2300, 2400, 3741, 3771, 3774, 3791, 3807, 3926, 4030, 4117, 4124
 - with distances 1 and 2, 3926
 - traveling salesperson problem, 3668
 - travelling salesman problem, 76, 209, 959, 1749, 2016, 3380, 3389
- traversal, 35, 62, 73, 217, 1290, 1623, 2394, 3549
 - of binary trees, 3257
 - problems, 2151
 - strategies, 2108
 - with stacks, 35
 - without stacks, 35, 62
- traversing, 2092, 2322
 - a binary tree, 96, 511
 - binary trees, 62, 511
 - general trees, 2151
 - graphs, 2108
 - trees, 35
- treap, 2967, 3061
- treatment, 1402
 - of nondeterminism, 1402
- tree, 7, 35, 44, 53, 62, 72, 79, 100, 101, 138, 153, 166, 170, 176, 206, 217, 218, 233, 245, 268, 272, 273, 295, 312, 360, 365, 371, 396, 399, 410, 424, 427, 447, 452, 459, 471, 492, 503, 505, 511, 521, 526, 542, 548, 563, 567, 592, 617, 671, 675, 678, 687, 717, 718, 733, 735, 764, 788, 791, 794, 799, 810, 813, 822, 825, 850, 854, 876, 892, 895, 926, 935, 951, 969, 982, 986, 1009, 1073, 1171, 1212, 1216, 1217, 1221, 1291, 1233, 1254, 1290, 1309, 1312, 1315, 1347, 1375, 1435, 1450, 1451, 1490, 1491, 1504, 1519, 1522, 1544, 1551, 1554, 1559, 1575, 1610, 1656, 1660, 1688, 1689, 1720, 1745, 1746, 1753, 1819, 1832, 1835, 1840, 1844, 1869, 1913, 1930, 1939, 1942, 1944, 1947, 2019, 2151, 2053, 2080, 2150, 2151, 2156, 2176, 2211, 2246, 2254, 2296, 2301, 2322, 2333, 2341, 2375, 2385, 2386, 2394, 2397, 2415, 2443, 2448, 2477, 2486, 2499, 2503, 2517, 2527, 2548, 2537, 2580, 2603, 2670, 2688, 2718, 2719, 2743, 2756, 2820, 2843, 2863, 2866, 2871, 2890, 2891, 2911, 2940, 2965, 2967, 2996, 3038, 3153, 3157, 3158, 3214, 3217, 3256, 3258, 3345, 3347, 3376, 3382, 3388, 3410, 3411, 3419, 3423, 3447, 3459, 3506, 3535, 3539, 3590, 3623, 3645, 3654, 3661, 3716, 3734, 3753, 3756, 3776, 3817, 3864, 3866, 3917, 3930, 3932, 3977, 3992, 3997, 4044, 4054, 4057, 4058, 4087, 4097
 - 3-spanner, 3347
 - 3-spanner problem, 3347

- tree adjoining
 - grammars, 1922
 - languages, 3162
- tree adjunct
 - grammars, 951
 - languages, 951
- tree
 - algebra, 1656
 - algorithm, 3776
 - and connectivity, 3623
 - array, 1734
 - automation ineffable, 1324
 - automaton, 452, 1324, 2375, 2832, 2986, 3309, 4060
 - tree balancing, 1233
 - algorithms, 1344
 - tree based
 - search methods, 1658
 - temporal aggregation, 3984
 - tree
 - codes, 2736
 - construction algorithm, 1566
 - tree contraction, 2486, 3376, 3423
 - algorithm, 3376
 - tree
 - copying, 176
 - correction, 295, 671
 - tree cover, 2698
 - aprobem, 2698
 - tree
 - data structure, 2822
 - decomposition, 3809
 - difference, 3423
 - drawing, 3725
 - edit, 3423
 - tree editing, 671
 - operations, 671
 - tree
 - embedding, 2548
 - encoding, 1840
 - equivalence, 741
 - tree equivalence for
 - linear recursive schemes, 741
 - recursive schemata, 741
 - tree equivalence
 - problem, 741
 - relation, 741
 - tree
 - estimation, 4044
 - finite state transformation, 396
 - generation, 266
 - handling, 54
 - hierarchy, 1532
 - indexing, 1658
 - tree isomorphism, 1840, 2215, 2301
 - problem, 1840
 - tree
 - labeling problem, 424
 - language, 501, 982
 - tree languages recognized, 4060
 - by deterministic tree walking automata, 4060
 - tree layout, 3734, 3756
 - problem, 3756
 - tree like, 3088, 3158, 3759
 - cutting planes, 3759
 - data structures, 206
 - graphs, 1722
 - Hajós calculus, 3088
 - parse, 1197
 - parsing, 1197
 - tree
 - machine, 3169
 - mappings, 671
 - matching problems, 2211
 - network, 138, 3084, 3562
 - node, 1734, 1844, 2164, 2603, 2866
 - obstructions, 2433
 - of a recursion, 1753
 - tree of bounded
 - balance, 206
 - degree, 1720
 - tree of
 - depth two, 295
 - shortest Manhattan paths, 1052
 - tree pattern matching problem, 1840
 - tree precedence, 3977
 - in scheduling, 3977
 - relation, 3977
 - tree
 - protocol, 2310
 - realizability, 1720
 - realizable distance matrix, 1720
 - reconstruction, 1913, 2246
 - representation, 112, 1375, 2092
 - search, 687, 2090, 2382, 3156
 - searching, 892
 - sequence, 2890
 - series variety, 1656
 - shapes, 926
 - similarity measures, 822
 - storage, 2704
 - tree structure, 7, 44, 493, 556
 - of processes, 44
 - tree structured, 44, 240, 333, 1983, 3734
 - diagram, 3734
 - file, 1460
 - interconnection graph, 493
 - resources, 333
 - systems, 410
 - task system, 1602

- tree
 - structures, 114, 249, 748, 1450, 1844, 1897, 2866
 - to tree correction problem, 671
- tree to tree editing, 295
 - problem, 295
- tree transducer, 348, 396, 794, 2078
- tree transformation, 671, 822, 1844, 1853, 1867, 2078
 - algorithm, 1746
 - languages, 200
- tree traversal, 72, 273, 511, 1623, 1913, 2151, 2322, 2393, 2394
 - algorithm, 35, 62, 2689
 - problem, 2151
- tree
 - type algorithm, 1276
 - t-spanner, 3347
 - walking automaton, 4060
 - width, 3450
- tree with
 - arbitrary weights, 53
 - unit length tasks, 185
- treewidth, 3476
- Trevisan, Luca, 3624
- trial and error approach, 1024
 - process, 172
- trial digit, 285
- trial quotient, 285
 - digits, 285
- triangle, 252, 350, 856, 989, 1159, 1193, 1448, 1562, 1908, 2010, 2264, 2380, 3090, 3311, 3797
 - conjecture, 801
 - counting problem, 1908
- triangle free, 1528
 - graph, 1927, 3214
- triangle
 - inequality, 2016, 3174, 3670, 4016, 4030, 4117
 - of a graph, 87
- triangular, 1448, 2636
 - distribution, 1448
 - factor, 1514
 - grid, 953
 - range searching, 774
 - Toeplitz matrices, 1154
- triangular Toeplitz matrix, 1269
 - inversion, 1154, 1353
- triangularisation, 2044
- triangulated, 677, 3503
 - graph, 3919
- triangulating, 490
- triangulating a set of points, 1396
 - in the plane, 1396
- triangulating a
 - simple polygon, 350, 1984
 - subgraph of the Delaunay triangulation, 3244
- triangulating simple polygons, 2706
- triangulation, 350, 469, 518, 550, 856, 1193, 1267, 1345, 1374, 1412, 1431, 1768, 1888, 1901, 1937, 2097, 2182, 2264, 2380, 3244, 3262, 3531, 3917, 3981, 4041, 4097
 - graph, 4097
- triangulation of a
 - point set, 550
 - polygon, 677
 - simple polygon, 856, 1901
- triangulation of
 - point sets, 1396
 - polyhedra, 1746
- triangulation
 - problem, 1396, 1431
 - procedure, 856
 - subset, 469
 - without separating triangles, 1901
- triclique, 3426
- triconnected
 - component separator, 2969
 - components, 101, 2379
- trict interpretation grammars, 683
- tridiagonal
 - linear systems, 1270
 - systems, 3702
- tridimensional Ising spin glasses, 3830
- trie, 194, 717, 1556, 1658, 1952, 2654, 2656, 3772, 3932
 - design heuristics, 1952
 - index construction, 1952
 - structures, 2654
- trigonometric
 - expression, 1667
 - polynomial, 2240
- trinity algebra, 1481
- tripartite, 3426
- triple, 238, 3658
 - exponential upper time bound, 741
 - indexing technique, 4096
- triple of
 - elements, 30
 - vertices, 4030
- triple
 - order, 96
 - star, 3680
- trisort, 858
- trivalent Cayleygraph, 3097, 3414, 3998
 - network, 3251
- trivalent
 - Cayley networks, 3479
 - graphs, 1242
- Trivedi, 338
- trivial, 64

- trivial algorithm, 947, 1915
- Tromp construction of a waitfree atomic register, 3831
- tropical semiring, 3213
- TRS, 1910, 2085, 2676, 2771, 3753
- true precondition, 2320
- truncation, 3938
 - rule, 2420
 - technique, 2420
- truth assignments, 1442, 3829
- truth table, 2865
 - complete, 2645
- truth table minimization, 3941
 - of DNF formulas, 3941
- truth table
 - property, 1181
 - reductions, 3107
- truth values, 286
- Trystram, Denis, 3319
- Tsakalidis, Athanasios, 3417, 3444, 3746
- Tsao, 789
- Tseitin, 542
 - proof, 542
- Tseng and Jan, 4137
- Tseng and Lee, 1955
- Tseng, Yuh-Min, 3428
- Tseng, Yu-Chee, 3367
- Tsitsiklis, John N., 3593
- Tsong, Yueh Chen, 3408
- Tsou and Fischer, 2449
- TSP, 1014, 1749, 2016, 2372, 3926, 4030, 4117
 - with triangle inequality, 2372
- TSP(1, 2), 3926
- Tsuchiya, Tatsuhiro, 3953
- Tsudik, G., 3655
- Tsukiji, Tatsuie, 3626
- Tuan and Teo, 2054
- Tucker, P.A., 3776
- tuning, 3065
 - architecture, 609
- tuple, 265
- Turán, György, 3373
- Turakainen, 712
- turbine assembly, 522
- Turing, 261, 294, 535
 - acceptors, 257
- Turing complexity, 1283
 - classes, 1283
 - theory, 4005
- Turing machine, 119, 182, 209, 294, 414, 535, 590, 674, 808, 964, 1232, 1283, 1313, 1378, 1390, 1550, 1576, 1581, 1607, 1625, 1657, 1702, 1866, 1868, 1871, 2258, 2473, 2574, 2601, 2704, 2752, 2760, 2859, 3364, 3767, 3905, 3990
 - computations, 2986
 - model, 2473, 2752
 - names, 1134
 - simulation, 585
 - space, 1702
 - tapes, 90
 - variant, 119
- turing machines, 535
- Turing
 - original model, 119
 - reducibility, 1209, 1891
 - reducible, 612
 - selfreducibility, 3118
 - transformations, 535
- Turing-Church thesis, 210
- turn
 - angle constraints, 3805
 - constraints, 3805
 - penalties, 3805
- Turner, 1214, 1375
 - combinators, 802, 1099, 1358, 1375
 - reduction machine, 1099
 - translation, 1375
- Turpin, Andrew, 3806
- Turski, W.M., 3052, 3053, 3236, 3237, 3303, 3312, 3313, 3336, 3376, 3380, 3384, 3416, 3422, 3436, 3451, 3454, 3554, 3575, 3598, 3601, 3610, 3616, 3639, 3650, 3652, 3660, 3678, 3712, 3763, 3773, 3798, 3806, 3839, 3854, 3873, 3890, 3891
- Tutte, 887
 - Theorem, 2307
- Tuza, Zsolt, 3687
- Twente Technological University, 237
- twin
 - heap, 2644
 - primes, 3515
- twisted cubes, 3112
- two
 - complement, 2214
 - edge disjoint, 2903
 - graphs, 538
 - headed disk, 3265
 - letter plactic monoid, 3608
- two level
 - lockout, 300
 - scheme, 708
- two
 - $n \times n$ matrices, 2568
 - neighbor RCA, 2430
 - paths problem, 2058
 - person game, 612
 - point nets, 1803
 - sorted lists, 1438

- two-way
 - finite automaton, 999
 - stack automaton, 999
- two-agent mutual search, 3986
- two-bounded circuits, 1152
- two-center
 - decision problem, 2661
 - problem, 529, 2784
- two-coloring, 2769
 - linked lists, 2769
- two-cover problem, 2784
- two-dimensional, 571, 578, 746, 893, 989, 1002, 1126, 1163, 1956, 2037, 2260, 2430, 2559, 2592, 2990, 3056, 3371, 3585
- two-dimensional array
 - grammars, 210
 - of symbols, 290
 - patterns, 862
- two-dimensional
 - arrays, 989, 1553, 1956
 - automata theory, 571
 - automaton, 71, 395, 571, 578, 722
- two-dimensional bin packing, 530, 589, 2037
 - algorithms, 622
 - problem, 530
- two-dimensional
 - binary array, 593
 - bounded cellular automaton, 1553
 - bussed meshes, 2587
 - closest pair problem, 1501
 - consecutive retrieval property, 271
- two-dimensional dictionary
 - matching, 2531
 - problem, 2531
- two-dimensional Euclidean space, 1620
- two-dimensional finite
 - automaton, 318, 571, 578
 - point set, 499
- two-dimensional
 - grid, 1267, 1476
 - indexing, 3601
 - information retrieval, 3474
 - input tape, 71
 - languages, 210, 318, 551, 749
 - linear programming, 2004
 - logic, 946
 - majority language, 1553
- two-dimensional mesh, 1177, 2123
 - connected computers, 1847, 2101
 - structures, 1321
- two-dimensional
 - meshes, 2123
 - nondeterministic finite acceptors, 571
 - orthogonal range queries problem, 2106
 - pattern, 395
- two-dimensional pattern matching, 290, 2559, 2633
 - problem, 2633
- two-dimensional patterns, 210, 551
 - in a text, 2531
- two-dimensional
 - phrase structure grammars, 989
 - poset, 3546
 - potential problem, 195
- two-dimensional processor array, 2030
 - with a reconfigurable bus system, 2030
- two-dimensional
 - RCA, 2430
 - reconfigurable meshes, 2697
 - rectangular array, 578
 - routing problem, 3805
 - space, 1198, 1583, 3497
 - structure, 946
 - systolic arrays, 1645
 - tables, 231, 372
 - tape, 318, 578
 - temporal logic of programs, 946
 - texts management, 3474
 - transforms, 498
 - Turing machines, 3041
 - vector packing, 3643
 - version, 2144
- two-head one-way deterministic finite automaton, 1232
- two-headed disk, 886, 2373, 3149, 3254, 3265
 - system, 3149, 3254
- two-independent set problem, 2306
- two-input gates, 180
- two-layer rectilinear wire, 2508
- two-letter alphabets, 1686
- two-level, 3512
 - grammar, 1059, 1069
 - memory model, 4125
 - normal forms, 2865
 - representations, 2865
- two-level storage, 906
 - hierarchies, 1735
- two-local random reductions, 2544
- two-locally random reduction, 2544
- two-machine flowshop scheduling, 3972
- two-neighbor RPCA, 2430
- two-party messages, 797
- two-pass routing scheme, 2525
- two-person
 - game, 2105, 2471, 3009
 - search game, 2105
- two-phase, 1742, 2679
 - abstract interpretation, 2679
 - locking, 1565, 2150
- two-point based sampling, 3400
 - technique, 3400

- two-point boundary value problem, 1348
- two-processor distributed system, 493, 1819
- two-processor flow shop, 1812
 - scheduling, 1812
- two-processor
 - module assignment problem, 546
 - scheduling, 3273
 - system, 167, 255, 1819
 - task scheduling, 1336
- two-qubit gate, 4114
- two-queue machine, 3769
- two-row routings, 2265
- two-server balancing algorithms, 2934
- two-sided, 3259
 - infinite words, 3538
- two-step transaction model, 1456
- two-tape merging, 90
- two-thirds rule, 16
- two-valued logic, 2269
- two-way, 999, 2038
- two-way alternating
 - finite automaton with one head, 2145
 - k -counter machine, 1139
 - TM, 1550
- two-way automaton, 999, 1728, 1993, 2832
 - with weak counters, 999
- two-way cellular automaton, 792
- two-way comparison, 3776
 - search, 3776
- two-way
 - counter, 3990
 - currency trading, 3707
- two-way deterministic, 1550
 - finite automaton, 663, 716
 - one-counter machine, 999
 - pushdown automaton, 182
 - TM, 1550
- two-way
 - divide and conquer, 1074
 - dominant sequence clustering, 2789
 - finite automaton, 578, 663, 999
 - flush, 1911
 - globally deterministic synchronized alternating
 - finite automaton, 2038
 - heads, 696
 - input tape, 1868
 - key comparison, 3776
 - linear array, 3415
 - list, 434
 - merge, 728, 2305
 - multihead pushdown automaton, 113
 - multiprocessor automata languages, 1433
- two-way nondeterministic
 - finite automaton, 663
 - one-weak counter machine, 999
- pushdown automaton, 740, 814, 909
 - TM, 1550
 - tree automaton, 2832
- two-way pointers, 532
- two-way probabilistic
 - automaton, 2488
 - finite state automaton, 2488
- two-way pushdown
 - automaton, 276, 894, 909, 999, 2978
 - tree automaton, 2832, 3309
- two-way read
 - only input tape, 2473, 2752
 - write worktape, 2473, 2752
- two-way
 - real time cellular automaton, 792
 - simulation, 2972
 - traffic, 2055
 - tree automaton, 2832
 - Turing machines, 3851
- type 0
 - grammars, 68
 - languages, 68
- type 1
 - grammars, 68
 - languages, 68
- type
 - 2 language, 3, 945
 - assumptions, 3222
- type checking, 151, 710, 763, 945, 2066, 2180
 - overloading, 3222
- type
 - compatibility problems, 976
 - definition facilities, 544
 - derivation, 2938
 - inference, 2464, 2552, 3222
 - invertible grammars, 2375
- type of
 - identifiers, 779
 - properties of programs, 962
 - statistical, 1302
- type
 - rules, 151
 - soundness proof, 3188
 - structure, 1592
 - system, 1919, 1989, 2552
 - theory, 891, 945, 2907, 3188, 3222, 3223
- typed
 - programming language, 548
 - tokens, 590
- typing
 - errors, 945
 - variables and assignments, 3188
- Tyszkiewicz, Jerzy, 3627
- Tzeng, Wen-Guey, 3440, 3906

- t*-ary
 - ordered trees, 1832
 - trees, 1551
- T-equivalence, 832
- t*-fst, 1853
- T-incomparable, 832
- T-join
 - problem, 2286
 - structure of a graph, 2286
- t*-lock, 3690
- T-polynomial, 266, 1212
- t*-resilient consensus, 3974
- t*-spanner, 3530
- t*-tolerant implementation, 3975
- U**
 - $u \rightarrow v$ cut, 425
 - u.a.r., 2772
 - UD, 1251
 - UDP/IP, 4131
 - Uehara, Ryuhei, 3451
 - UET systems with resources, 527, 595
 - UET task system, 648
 - with 0-1 resources, 648
 - uet tasks, 504
 - UG, 830
 - UGAP, 1935
 - Uhlmann, Jeffrey, 3805
 - UIO sequences, 2026
 - Ukkonen algorithm, 3931
 - Ulam, 2105
 - game, 3179
 - Ulam-Rényi game, 4040
 - with lies, 4040
 - Ullman, 473, 648, 747, 1254
 - asymptotically optimal layout, 1254
 - ultimately periodic, 2860, 3538
 - properties, 193
 - ultralinear single tree grammars, 4029
 - ultrametric, 1560
 - partition, 1560
 - Umemoto, Hideki, 3710
 - unambiguity, 278, 836, 2018, 4029
 - of context free grammars, 116
 - requirement, 1475
 - unambiguous, 278, 836, 1475, 1988, 2112, 3076
 - CFL, 2537
 - computation, 4014
 - unambiguous context free
 - grammar, 847, 960, 1423, 2772
 - language, 640, 1931, 2537, 3078
 - unambiguous
 - decomposition of trees, 2537
 - description, 120, 3290
 - example grammars, 438
 - function classes, 4014
 - path system, 836
 - pushdown transducer, 386
 - structures, 779
 - unary, 476, 1657
 - alphabets, 1993
 - encoding, 1022
 - unary function, 727, 976, 2880, 3216, 3449
 - letter, 727
 - unary
 - knapsack problem, 1657
 - predicate, 2880
 - semaphore, 227
 - weighted perfect matching, 2286
 - unauthenticated Byzantine agreement protocol, 1857
 - unauthorized
 - access, 957
 - information, 31
 - unavailability of a quorum system, 3686
 - unavoidable set, 904
 - of words, 904
 - unavoidable sets of words, 904
 - unbiased random sample, 1729
 - unbounded error probabilistic Turing machines, 3031
 - unbounded fan in, 1424, 3189, 3768
 - Boolean circuits, 1152
 - circuits, 1152, 1986, 2153, 2225, 3589, 3847
 - gates, 3226
 - unbounded
 - function, 171, 2388
 - key space, 226
 - knapsack problem, 3527
 - memory, 1181, 2696
 - unbounded parallel
 - computational model, 1386
 - machine model, 1315
 - unbounded quantifiers, 430
 - unbounded searching, 226
 - problem, 226
 - unbounded
 - semaphore, 995
 - variables, 2376
 - unboundedness, 1626
 - detection, 971
 - uncapacitated plant location problem, 649
 - uncertainty, 338, 1697, 2646
 - based information measures, 1952
 - measure, 1952
 - unconditional
 - distribution of accesses, 691
 - equations, 2202
 - transfer, 144, 1643
 - unconditionally secure, 3110, 3681, 4091
 - secret set scheme, 4091

- unconstrained minimization, 1731
- uncontrolled rollback, 1439
- uncoordinated checkpoints, 2849
- uncountable cardinalities, 644
- unctional dependencies, 871
- undecidability, 572, 695, 1102, 1150, 1555, 1962, 2081, 2458, 2589, 2736, 3015, 3827, 3880, 3983
- undecidability of
 - a word problem, 669
 - ambiguity, 1988
 - selfembedding, 1096
- undecidability of the
 - bandwidth problem, 1886
 - equality problem, 357
- undecidability of the equivalence problem, 1103
 - for sentential forms, 56
- undecidability of
 - the halting problem, 1506
 - the Post correspondence problem, 2665
- undecidability
 - proofs, 3983
 - property, 2081
 - results, 572, 1843
- undecidable, 47, 386, 456, 501, 514, 572, 578, 619, 669, 695, 1034, 1091, 1096, 1102, 1114, 1150, 1194, 1256, 1475, 1649, 1843, 1886, 1988, 2078, 2081, 2128, 2458, 2522, 2665, 2736, 2876, 3020, 3222, 3593, 3755, 3793, 3911, 3983, 4061
 - fragment, 3827
 - problem, 318, 1114, 2128, 2443, 3983
 - question, 55
- undefinability, 2363
- undefinable, 2363
- undefined, 3616
 - expression values, 1372
- undefinedness, 1372, 2590
- undercover, 1078, 1088
 - relation, 1088
- underestimate, 1690
- underspecification, 3616
 - for S5, 3616
- undetected termination, 1447
- undirected
 - Cayley graph, 3291
 - cycle separators, 2504
 - distance graph, 1537
 - edge weighted graph, 308
 - edges, 469, 883
 - finite graphs, 252
- undirected graph, 14, 101, 162, 163, 166, 299, 371, 403, 421, 441, 444, 564, 599, 660, 731, 743, 759, 765, 810, 815, 843, 873, 883, 887, 978, 986, 1040, 1115, 1121, 1212, 1243, 1354, 1514, 1573, 1613, 1718, 1738, 1799, 1828, 1835, 1842, 1912, 1935, 1939, 1944, 1965, 2034, 2058, 2200, 2201, 2209, 2239, 2241, 2339, 2361, 2377, 2379, 2482, 2504, 2518, 2540, 2577, 2602, 2616, 2741, 2822, 2843, 2857, 2887, 2889, 2935, 2940, 3010, 3040, 3081, 3338, 3341, 3425, 3477, 3490, 3715, 3761, 3995, 4071, 4072, 4116
 - without loops, 266
- undirected
 - network, 1783, 2525
 - path graph, 1221, 1288, 1822, 3661
 - planar graphs, 2058, 3612
 - simple graph, 668
 - tree, 3158
- unequal costs, 3327
- unfailing completion procedure, 2202
- unfair, 1158
 - P and V operations, 1158
- unfairness, 575
- unfold/fold
 - transformation rules, 3498
 - transformations, 3498
- Ung, Kyu Park, 3151
- unicity distance, 3393
- unicnectivity, 2708
- uncrossing pair of functions, 1682
- unicyclic graph, 492, 505
- unidirectional, 1980, 3563
 - dynamic MOS shift register, 264
 - links, 2868
 - loop, 2168
 - messages, 1831
- unidirectional ring, 1607, 1712, 2009, 3701
 - of identical finite state machines, 1607
- unidirectional
 - search, 2314
 - star graphs, 2571
- unifiability, 861
- unifiable instances, 1774
- unification, 321, 675, 847, 861, 958, 1330, 1531, 1543, 1751, 1767, 1774, 2031, 3020, 3157, 3521, 3788, 3884, 4061, 4068
 - algorithm, 321, 1543
 - algorithms, 341
 - failure, 1767
 - modulo an equational theory, 2031
- unification of
 - kinded finite trees, 3157
 - regular trees, 3157
 - terms, 958
- unification theory, 3521
- unification type, 1531, 2031
 - zero, 1531

- unified, 847, 927, 1299, 2655, 3664, 3788
 - algorithm for sorting, 2123
 - architecture, 3740
 - framework, 3832
 - linear time algorithm, 3298
 - solution, 748
- uniform, 2419, 3645
 - algorithms, 797
 - approach, 3534
 - arithmetic, 1154
 - Boolean circuits, 1931
 - b -ary trees, 3327
 - circuit, 1379
- uniform code, 637
 - string, 1418
- uniform complexity, 3534
- uniform cost, 1956, 3754
 - criterion, 836, 859, 894, 909, 1065, 1956
 - RAM, 2468
 - random access machine, 276
- uniform
 - data distributions, 3867
 - distribution, 303, 306, 373, 449, 557, 566, 569, 581, 703, 895, 1063, 1391, 1431, 1669, 2192, 2305, 2313, 2399, 2439, 2594, 2770, 2792, 2872, 3489
 - emulations, 1651
 - framework, 4022
 - generation, 2866, 3645
 - graphs, 4086
 - guarantee, 2909
 - hashing, 1750, 2094
 - hypergraph, 2350, 3433
 - implication problem, 2523
 - inevitability, 1324
 - learner, 2497
 - liveness, 1173
 - measure, 373
 - method, 2655
 - model, 3231
 - morphisms, 3640
 - multipaging, 3754
 - multiprocessor systems, 868
 - NC^1 , 1836
 - partition problem, 1495
 - partitioning of relations, 3151
 - probability distribution, 1887
 - processes, 3084
- uniform processors, 868, 1359, 2799, 3319
 - of different speeds, 3319
- uniform
 - quorum sizes, 3336
 - RAM time measure, 268
 - random generation, 3078
- uniform random number
 - generator, 3508
- subroutine, 211
- uniform
 - random sampling, 1141
 - recurrence equations, 357
 - regular network, 1496
 - reliable broadcast communication primitives, 4059
 - request probabilities, 3265
 - rings, 1980, 2799
 - sort, 2096
 - space measure, 1702
 - TC^0 , 1836
- uniform termination
 - is undecidable, 1096
 - property, 1096
- uniform
 - treatment, 774
 - witness, 2203
- uniformity, 794, 3645, 3768
- uniformly
 - at random, 2772, 3609, 4033
 - balanced data structure, 1953
- uniformly bounded, 107
 - average labor, 247
- uniformly distributed, 306, 373, 431, 570, 919, 991, 1014, 1123, 1527, 1773, 1804, 1916, 2440, 3434
 - arc lengths, 2629
 - data, 703, 2654
 - input keys, 431
 - inputs, 570
 - key values, 358
 - keys, 187
 - random permutation, 3803
 - real numbers, 1801
- uniformly limited ETOL systems, 3074
- uniformly monotone, 1530
 - polygons, 2331
- unify, 1767, 3071
- unify(t_1, t_2, env), 1299
- unifying, 861
 - infinite trees, 3157
 - sets of terms, 861
 - substitution, 675
 - weak substitutions, 675
 - wp and wlp, 3356
- unilateral components, 205
- unilaterally connected components, 205, 335
 - algorithm, 335
- unimodal, 46, 1676, 1777
 - polygon, 1676, 1777
 - subregion, 46
 - vertex, 1777
- unimodality, 1676, 1777
 - of convex polygons, 1676

- unimonotone polygon, 2426
- uninterpreted, 2879
 - parallel system, 575
- union, 160, 271, 644, 884, 941, 996, 1079, 1124, 1410, 1795, 1845, 1910, 1963, 1981, 1988, 2140, 2290, 2342, 2355, 2466, 2526, 2665, 2835, 2877, 3396, 3414, 3691, 3703, 4056
 - ambiguity, 1988
 - closure, 361
 - find algorithm, 240, 1052
- UNION FIND
 - data structure, 471
 - problem, 471
- union find problem, 471, 2878
- union of
 - disjoint cycles, 3945
 - rectangles in the plane, 1373
 - regular languages, 2466
 - two 0L languages, 2665
- Union operation, 471, 553
- union
 - rule, 2596
 - tree recognition, 2596
 - trees, 2596
- union_find, 1803
- uniprocessor, 2148, 3022, 3142
 - machine, 808
- unique
 - 2-satisfiability problem, 3079
 - and critical SAT, 3318
- unique decipherability, 1008, 1251
 - problem, 1251
- unique
 - decompositions of trees, 2537
 - factorization, 637, 801, 1973
 - feasible solutions, 76
 - feature, 3148
 - fixed, 3022
 - fixpoint solutions, 1991
 - Hamiltonian cycle, 518
 - Horn renaming, 3079
 - HornSAT, 2716
 - interpretation, 3074
 - maximal solutions, 361
- unique minimal
 - model, 1555
 - sequence of moves, 998
 - solution, 361
- unique
 - nonterminal symbol, 399
 - normal form, 1639
- unique path multistage
 - interconnection networks, 1769
 - Omega network, 2525
- unique root of smallest modulus, 4116
- unique SAT, 2716
 - for Horn formulas, 2716
- unique satisfiability problem, 2716
- unique solution, 1206, 2716
 - problems, 3318
- unique source, 1745
- uniquely
 - decipherable, 1251
 - terminating, 1166, 3502
- uniquely terminating code
 - languages, 3943
 - linear languages, 3943
- uniquely terminating regular languages, 3502
- uniqueness, 262, 1674, 1800, 1856
- uniqueness of fixed points, 1674
 - of endofunctors, 1856
- uniqueness of
 - irreducible ESP, 2130
 - normal forms, 1652
- uniqueness property, 12
- unison, 1998
- unit conversions, 84
- unit cost, 14, 766, 2463, 3913, 4016, 4047
 - measure, 2036, 2950
- unit
 - deductions, 1017
 - delays, 19
- unit execution time, 504
 - scheduling problem, 642
- unit interval graph, 3121, 3858
 - recognition, 3121
- unit
 - interval model, 3121
 - length independent tasks, 185
 - of time, 102, 359, 638, 3388
 - processing times, 3610
- unit resolution, 411, 1017, 1628, 3063
 - for Horn clauses, 1322
- unitary, 2031
 - execution time, 674
 - operation, 4114
- united types, 465
- UNITY, 2297, 2321, 2734, 2787, 3033
- unity, 3873
- UNITY
 - logic, 2321, 2520, 2734, 3033
 - programs, 3873
- Unity programs, 2703
- UNITY style logic, 2700
- UNIVAC 1108 computer, 496
- univariate
 - polynomial, 436, 2193
 - polynomials with 0-1 coefficients, 436

- universal
 - acceptance mode, 4060
 - algebra, 2250
 - automaton, 2017
- universal classes, 531, 1279
 - of hash functions, 531, 2127
- universal
 - computer constructor, 75
 - constant, 843
 - data types, 151
 - distribution, 2399
 - existential first order sentences, 2510
 - fields, 657
 - first order formulae, 2258, 2659
 - grammars, 830
 - hash functions, 2127
 - hashing, 3423
- universal instance, 523
 - assumption, 523, 742
- universal
 - invariants, 3902
 - join dependence, 2368
 - lower bound, 2934
 - one-way hash functions, 3635
 - optimal strategies, 3224
 - polynomial invariants, 3902
 - primitives, 183
 - programming languages with, 192
 - quantification, 2363
 - quantifier, 773, 795
- universal relation, 523, 771, 1567, 3703
 - interface, 2368
 - join dependency, 1618
- universal
 - scheme, 1025
 - selector, 1056
 - sequence, 1613, 2616
- universal set, 1545
 - of gates, 4114
- universal
 - sorting algorithm, 784
 - space, 259
 - traversal sequence, 1613, 2616
 - Turing machine, 2430
 - types, 151
 - upper bound on programs, 294
- universality, 949, 3901
- universally
 - hard set of formulae, 257
 - quantified, 1422
- universe, 268, 2000
- universe of
 - discourse, 1919
 - expressions consisting of functions and program forming operators, 976
 - objects, 976
- University of Helsinki, 273
- University, Carnegie-Mellon, 59
- UNIX, 1382
- unknown
 - environment, 2936
 - pattern, 36
 - value, 2249, 3845
- unlabeled
 - hypercube, 3733
 - n-node hypercube, 3733
 - trees, 1930, 2215
- unlabelled, 822, 2512
 - derivation trees, 2512
 - graphs, 1758
 - trees, 822
- unless properties, 2703
- unlimited, 3581
 - polynomial number of processors, 1315
- unmarked
 - cells, 1915, 2528
 - node, 244
- unmerge, 1438
- unnegated variables, 4055
- Unno, Hiroshi, 3734
- unordered
 - currying, 3047
 - labeled trees, 2397, 2797
 - rooted trees, 2301
 - trees, 1840, 2296, 2397, 2797
 - vector grammars, 394
- unpacked decimal
 - keys, 1037
 - numbers, 1037
- unpebbled vertex, 563
- unpredictability, 300, 2505
 - requirements, 4075
- unpredictable, 1816, 2505, 2509
 - subset, 1606
- unprovability, 1313
- unprovable, 2046
- unquantified formulas, 658
- unranking, 768, 2233
 - algorithm, 768, 1551, 2598
- unrelativized, 2560
 - polynomial time hierarchy, 2963
- unreliable
 - calls, 2287
 - communication, 1191
 - components, 3500
 - failure detector, 4008
 - link, 2421, 3289
 - networks, 2421
 - node, 3289
 - processes, 1857
- unresolved, 1779

- unrestricted
 - access to a common memory, 342
 - functional dependencies, 871
 - selection function, 799
- unrooted trees, 1840
- unsatisfiability, 1017, 2098, 4003
 - of Horn sentences, 1017
- unsatisfiable, 1670
- unsaturated vertex, 245
- unsolvability, 476, 754, 1483
 - in the presence of faults, 1483
 - of the consensus problem, 1483
- unsolvable, 476, 1213
- unsolved problems, 357
- unsorted, 1376
 - linear lists, 1633
- unsound, 1875
- unstable states, 1796
- unstructured
 - data, 100
 - flowgraph programs, 513
 - form, 513
 - programs, 513, 1419
- unsupervised learning, 2777
- untyped, 2180
 - lambda calculus, 2464
 - λ -calculus, 1592, 2366
- unwanted information, 31
- unweighted, 371, 873, 1757, 2278, 2352, 2575, 2635, 3178, 3637
 - graphs, 873, 2377, 3637
 - perfect domination problem, 2019
- unwind property, 1181
- un-Skolemization, 1670
- un-Skolemizing clause sets, 1670
- UP, 1495, 2954
- $UP \cap co-UP$, 3823
- update, 256, 286, 462, 643, 652, 654, 859, 1626, 1761, 2080, 3653, 3820
 - algorithm, 805, 1368
 - anomalies, 1650
- update of
 - an array element, 1297
 - data, 634
- update
 - operation, 1037, 1297, 1506, 1633, 1786, 2950, 3474
 - time, 1171, 2071, 2097, 2950, 3820
- update/query algorithms, 1368
- updating, 6, 174, 206, 345, 3474
 - a minimum spanning tree, 1231
 - hypothetical data bases, 897
 - mechanism, 5
 - minimum spanning trees, 1231, 1544, 1554
- updating of
 - counters, 82
 - pointers, 82
 - variables, 82
- updating problem, 1544
- UPGMC, 916
- upper and lower bounds, 539, 733, 1392, 1608, 1682, 1695, 2384, 2806, 2868, 3114, 3147, 3364
- upper bound, 53, 69, 97, 109, 163, 220, 281, 294, 349, 372, 436, 442, 463, 527, 531, 534, 539, 552, 636, 648, 649, 668, 737, 814, 831, 860, 894, 942, 947, 1006, 1051, 1053, 1105, 1167, 1196, 1210, 1226, 1270, 1280, 1340, 1359, 1392, 1504, 1534, 1552, 1620, 1712, 1718, 1730, 1746, 1790, 1791, 1890, 1948, 2020, 2025, 2041, 2051, 2103, 2106, 2135, 2160, 2178, 2183, 2253, 2358, 2384, 2422, 2426, 2466, 2468, 2472, 2476, 2586, 2591, 2616, 2619, 2687, 2721, 2767, 2831, 2845, 2979, 2987, 3011, 3101, 3252, 3266, 3277, 3369, 3393, 3471, 3540, 3551, 3599, 3651, 3666, 3672, 3698, 3748, 3772, 3900, 3968, 3971, 3986, 4024, 4030, 4041, 4140
 - analysis, 1552
 - for copying, 1868
 - worst case complexity, 673
- upper envelope, 1882
 - of n line segments, 1882
- upper
 - interface, 2279
 - semilattice, *see also* USL
 - tester, 2279
- upward drawing, 2082
 - of AVL trees, 3596
- upward funarg, 397
- upward separation, 2954, 4067
 - technique, 2954
- upwards closed, 2511
- Urban, Kenneth J., 3631
- Urquhart, 660, 1925
- Urrutia, Jorge, 3102, 3723
- use of memory, 2382, 2688, 4125
- usefulness of negative data, 2231
- useless value, 1456
- uselessness, 1456
- user authentication scheme, 654
- user defined
 - functions, 1477
 - ordered set, 443
- user
 - hierarchy, 4046
 - identifiers, 1416
 - interface, 896
 - perception, 990
 - portability, 2298
 - queries, 61, 1048, 2491
 - scheduling, 1176

- Ushijima, Kazuo, 3671
 USL, 1209, *see also* upper semilattice
 Ustimenko, A.P., 3384, 3839
 utCLL, 3943
 utilization factor, 4049
 U-graph, 2026
 U-machine, 119
 U-R systems, 3014
 u-spheres, 1696
 U-tree, 1764
- V**
- V operating system, 2192
 V operation, 1158, 1446
 V primitive, 254
 Vaandrager, Frits, 3372
 Vaccaro, Ugo, 3652, 3752, 3763
 Vadapalli and Srimani, 3251, 3998
 Vaidya, 2915
 Vaishnavi, 774
 Vaishnavi and Wood, 774
 Vajda quadratic entropy, 36
 Vajnovszki, 3915
 Vajnovszki, Vincent, 3822
 Vakali, Athena, 3492
 Valian, 674
 Valiant, 378, 666, 725, 741, 745, 1381, 1442, 2870, 2887
 algorithm, 741
 alternate stacking method, 666
 comparison model, 1113
 learnability model, 2131
 parallel comparison decision tree model, 3509
 Valiant, L.G., 651
 valid
 prefix property, 3162
 schedule, 611
 validation, 1150, 2047
 validity, 512, 710, 841, 1019, 1102, 1306, 2336, 3616, 3861
 of a first order formula, 1306
 validity of qualitative
 linear time properties, 3714
 properties of probabilistic processes, 3714
 validity
 of temporal formulae, 1478
 problem, 440, 1102, 1194
 Valk and Vidal, 1215
 valuated graph, 1614
 value
 ordering heuristic, 1940
 protection, 710
 van den Broek and van der Hoeven, 1652
 van den Bussche, Jan, 3392
 van der Aalst, Wil, 3952
 van der Sommen, F.W., 3004
 van Dijk, Marten, 3551
 van Emde Boas, 613
 trees, 939
 van Emde Boas, P., 1159
 van Gasteren and Tel, 2297
 van Gasteren, A.J.M., 3004
 van Gelder et al., 2269
 van Glabbeek and Weijland, 3300
 van Glabbeek hierarchy, 3911
 van Horn, 44
 van Kreveld, Marc, 3860
 van Leeuwen, 201, 521, 748, 2267
 van Leeuwen and Wood, 679, 2836
 van Leeuwen, J., 193, 596
 van Lint and Seidel, 4052
 van Maaren, Hans, 3658
 van Ommering, R.C., 3572
 van Oudheusden, 216
 van Wijngaarden grammars, 830, 847
 Vandermonde
 matrices, 2193
 matrix, 2193
 system, 2193
 Vapnik-Chervonenkis dimension, 2224, 3333
 Varadarajan, Kasturi R., 3507
 Vardi and Wolper, 4140
 Vari, 283
 variable, 5, 114
 abstraction, 1375
 and assignment, 3188
 binding, 139, 1665
 capture, 1665
 cost queries, 3845
 declaration blocks, 1408
 delay line, 157
 in programs, 1097
 variable length
 codes theory, 794
 codeword, 383
 exponent field, 2928
 keys, 721
 prefix, 383
 variable
 lengths, 21
 naming, 1482
 of a procedure, 5
 variable ordering, 3370, 4083, 4113
 heuristics, 1940
 variable size
 records, 16
 stacks, 2509
 variable space, 1, 338
 memory management, 3577

- variable step size numerical integration, 1207
 - methods, 1207
- variable substitution procedures, 1017
- variable to
 - fixed encoding, 383
 - variable encoding, 383
- variable
 - type fonts, 59
 - word size, 2411
- variance, 678, 703, 3465, 3654
 - deviations, 49
- variant
 - function, 1635, 2446, 2802
 - of heapsort, 1356
- variant(clause), 1299
- variation distance, 1700
 - of Markov chains, 1700
- variational
 - approach, 89
 - principle, 195
- variety, 1656
- variety of
 - languages, 3197
 - ω -languages, 3197
 - tree series, 1656
- Varma, 2525
- Varol, Yaakov, 3700
- VAS, 129, 307, 1392
 - languages, 3204
 - slices, 307
- VASS, 1507
- Vassiliev, V.A., 3535
- Vassiliou, 744, 771
- Vatan, Farrokh, 3373
- VC dimension, 3333, 3403
- VDL, 1059
 - specifications, 1059
- VDM representation, 1567
- Veanes, Margus, 3436
- vector, 5, 128
 - addition reachability problem, 357
- vector addition system, 129, 150, 357, 584, 1392, 1507
 - languages, 3204
 - with states, 1507
- vector
 - clocks, 2441
 - cross product, 198
 - grammars, 394
 - label, 128
 - operations, 733
 - order, 552
 - packing, 3643
 - processor, 214, 1997, 2218
 - products, 198
 - replacement system, 1392
 - representation, 128
- vector space, 472, 3821
 - model, 3958
- vector
 - supercomputers, 3744
 - time, 2441, 3818
 - timestamps, 3818
 - type data, 1380
- vector/parallel processor, 214
- vectorization, 950
- Vedantham, Sundararajan, 3679
- Vegas, 3059
- Vegter, 2221
- vehicle detector, 52
- Veith, Helmut, 3588
- velocity, 22, 2136
 - modulus, 2142
- Veloso, Paulo A.S., 3396, 3633
- Veloso, Sheila R.M., 3633
- Venema, Sven, 3425
- Venkatesan, G., 3347, 3426
- Venkatesh, S., 3819
- Verbarq, Knut, 3483
- Vereshchagin, 3571
- Vergis et al., 2601
- Verhaegh, W.F.J., 3527
- Verhofstad, 652
- verifiability, 4134
- verifiable
 - communication, 1831
 - secret sharing, 1473
- verification, 355, 412, 604, 780, 1019, 1360, 1372, 1492, 1607, 1742, 1911, 2057, 2485, 2550, 2655, 2729, 2730, 3113, 3145, 3418, 3516, 3714, 4070, 4113
 - algorithm, 1360, 3536
 - approach, 1402
 - conditions of programs, 1194
 - equation, 3587
 - method, 1298, 3891
- verification of
 - behavioural equivalences, 2001
 - infinite state systems, 4021
 - parallel computations, 1392
 - programs, 440, 1019, 1402
 - the invariants, 1349
- verification
 - procedure, 3871
 - process, 134, 1742
 - techniques, 927
- verifier, 1407, 1615, 2388, 2827, 3299, 3871
- verify, 780, 1360, 1478, 2568, 3007, 3522, 3873
 - an equivalence, 2001
- verify correctness, 1246
 - of programs, 2060

- verify
 - matrix products, 2568
 - probabilistic process, 3714
 - probabilistic processes, 3714
- verifying, 1798, 2844, 3692, 3920
 - concurrent processes, 995
 - matrix products, 2568
 - nonrigidity, 1205
 - observational congruence, 2001
 - programs, 954
- Verjus, J.-P., 2015
- Verma, Rakesh M., 3566
- Veroy, Boris S., 1851, 1852
- vertex, 14, 15, 69, 79, 101, 110, 121, 128, 136, 138, 166, 167, 170, 199, 245, 252, 255, 266, 299, 309, 328, 349, 350, 353, 367, 371, 374, 380, 392, 399, 403, 421, 425, 439, 459, 490, 492, 499, 505, 508, 515, 563, 564, 567, 583, 585, 627, 628, 642, 645, 660, 668, 677, 688, 689, 701, 731, 736, 746, 756, 759, 764, 765, 772, 781, 808, 810, 813, 815, 816, 841, 854, 856, 889, 893, 932, 937, 986, 1007, 1020, 1062, 1115, 1127, 1132, 1133, 1185, 1198, 1212, 1220, 1221, 1262, 1267, 1315, 1332, 1338, 1345, 1350, 1354, 1389, 1395, 1398, 1430, 1493, 1518, 1530, 1533, 1537, 1544, 1549, 1559, 1561, 1586, 1590, 1610, 1640, 1646, 1648, 1676, 1722, 1723, 1725, 1738, 1739, 1741, 1745, 1749, 1762, 1777, 1778, 1780, 1799, 1803, 1815, 1823, 1828, 1834, 1835, 1859, 1879, 1892, 1912, 1927, 1944, 1947, 1970, 1972, 1979, 1994, 2002, 2003, 2019, 2028, 2052, 2058, 2075, 2125, 2160, 2172, 2174, 2200, 2201, 2208, 2209, 2260, 2273, 2284, 2299, 2300, 2307, 2308, 2331, 2335, 2336, 2339, 2341, 2350, 2361, 2372, 2385, 2401, 2413, 2415, 2417, 2423, 2426, 2429, 2435, 2445, 2454, 2474, 2484, 2504, 2517, 2534, 2540, 2543, 2548, 2577, 2579, 2602, 2605, 2616, 2623, 2636, 2643, 2674, 2687, 2698, 2708, 2723, 2738, 2741, 2746, 2761, 2782, 2804, 2806, 2815, 2889, 2895, 2902, 2911, 2940, 2947, 2956, 2960, 2966, 2976, 3013, 3018, 3040, 3090, 3104, 3116, 3121, 3155, 3158, 3159, 3160, 3164, 3170, 3177, 3178, 3217, 3242, 3256, 3257, 3262, 3275, 3277, 3304, 3311, 3330, 3331, 3340, 3348, 3354, 3367, 3379, 3386, 3411, 3422, 3433, 3442, 3450, 3476, 3491, 3503, 3507, 3516, 3542, 3543, 3547, 3562, 3576, 3584, 3661, 3667, 3676, 3688, 3691, 3693, 3703, 3713, 3721, 3765, 3794, 3797, 3805, 3826, 3857, 3870, 3872, 3883, 3928, 3945, 3946, 3950, 3959, 3967, 3985, 3995, 4007, 4020, 4048, 4057, 4077, 4092, 4095, 4108, 4117, 4127, 4129, 4136
 - and edge disjoint paths, 3475
 - capacities, 510
- vertex coloring, 1395
 - algorithms, 2534
 - of graphs, 3942
 - problem, 2941
- vertex connectivity, 843, 2429, 2746, 2780, 3475
 - of graphs, 843
- vertex costs, 371
- vertex cover, 403, 478, 810, 1787, 2041, 2698, 3341, 3676, 3826
 - approximation, 810
 - in a tree, 810
 - problem, 371, 403, 810, 873, 1787
- vertex covering, 3018
 - problem, 3094
- vertex
 - covers, 3120
 - degree, 873, 1514, 2336, 3651
- vertex deletion, 1544
 - problem in MST, 1544
- vertex disjoint, 1835, 3442
 - cycles, 2222
 - paths, 745, 854, 1994, 2058, 2339, 2543
 - stars, 245
 - subgraphs, 3826
- vertex elimination, 3183
 - ordering, 3104
- vertex
 - estimation, 4044
 - fault, 3691
 - floodlights, 3164
 - graphs, 123, 2401
 - insertion, 1544
 - lights, 3164
- vertex of a
 - convex polygon, 328, 354
 - graph, 1890, 2028, 3697, 3978
 - network, 170
 - simple polygon, 512, 2384
- vertex of the hull, 1328
- vertex ordering, 4020, 4136
 - of graphs, 4020
- vertex ranking, 3217, 3836
 - number, 3836
 - of a graph, 3217
- vertex search
 - graph algorithms, 2423
 - problem, 2423
- vertex
 - selection, 1749
 - separation number, 2433
 - separators, 2401

- vertex set, 166, 205, 421, 645, 764, 765, 772, 815, 873, 1115, 1745, 1879, 2087, 2248, 2484, 2922, 3200, 3426, 3476, 3542, 3661, 3691, 3703, 3928
 - of a simple polyhedron, 1414
- vertex
 - subset, 2618, 4051
 - symmetry, 2414
 - transitive, 2989
 - weights, 2423
- vertical
 - bounds on propagation, 1249
 - decomposition, 941
 - migration, 609
 - segments, 1052, 2508
- vertically convex, 1896
- very high level languages, 773
- very large
 - data/knowledge bases, 1861
 - databases, 2491
 - knowledge base systems, 1861
 - list processing computations, 117
 - scale integration, 605
 - state sets, 2268
- very
 - simple languages, 680
 - sparse sets, 880
- Vesper, Tobias, 3096
- veto capability, 3324
- via minimization, 2245
- vias in chips, 2245
- video jitter, 4131
- Vienna definition language, 830, 1059
- Viennot factorization, 3395
- view, 1679
- view based
 - algorithms, 1786
 - replication control algorithms, 1786
- view definition, 834, 996
- Vigna, Sebastiano, 3644
- Vijayan, 1869
- Vinodchandran, N.V., 3107
- virginity, 3921
- virtual address, 933
 - space, 708
- virtual
 - addresses, 708
 - channel, 2861, 3026
 - communication channels, 1967
 - dynamic system, 1738
 - generation time, 2840
 - hashing, 1037
 - links, 2168
- virtual memory, 1, 229, 261, 496, 543, 708, 817, 890, 1250, 1796, 2164
 - concept, 1
 - management, 1724
 - oriented data type, 261
 - systems, 1
- virtual
 - objects, 1708
 - plane waves, 3817
 - pyramid structure, 1421
- virtual storage, 1
 - access method, 203
- virtual tape, 498
- viscous
 - drag, 22
 - flow, 22
- visibility, 1267, 1755, 1921, 2273, 2939, 3039, 3164, 3693
 - computations, 2076
 - graph, 1121, 1469, 2091, 2417, 2445, 2853
- visibility of
 - a polygon, 3693
 - windows, 1755
- visibility
 - path, 3117
 - polygon, 1364
 - problem of windows, 1755
 - relation, 2417
 - representation, 2316, 3506
- visibility representations of
 - graphs, 2316
 - trees, 3506
- visibility tree, 1079
- visible
 - parts, 1992
 - surface determination, 2359
 - vertices, 3217
- vision, 1236, 3862, 3938
- visited nodes, 2108
- visual, 2120
 - cryptography, 4135
 - human computer interaction, 3755
 - interactive computing, 3755
 - language, 3755
 - system, 4135
- visualization, 3371
- Vitányi, P.M.B., 3333, 3355, 3455, 3518, 3525, 3526, 3534, 3535, 3536, 3572, 3626, 3658, 3677, 3687, 3765, 3766, 3767, 3768, 3769, 3775, 3815, 3864, 3875, 4002, 4067
- Vitányi, P.M.B., 3627
- Vitter, Jeffrey Scott, 3342
- Vizing, 492
 - theorem, 2336, 2534
 - total color conjecture, 3928

- Vleugels, Jules, 3406
- VLSI, 601, 605, 659, 988, 1005, 1051, 1226, 1252, 1254, 1269, 1316, 1445, 1502, 1515, 1596, 1912, 1917, 1975, 2248, 2508, 2548, 2673, 2812, 3211, 3459, 4113
- adder, 605
 - architecture, 1321, 2673, 2812
 - area time bounds, 1917
 - array, 1490
 - based parallel computers, 2699
 - CAD, 4122
 - channel routing, 2539
- VLSI chip, 605, 988, 1376, 1917, 1954, 3141
- design, 1502
- VLSI circuit, 1183, 1254, 1560, 2107
- for string matching, 1479
- VLSI
- complexity, 1095, 1316, 2309, 2812
 - conversion, 1005
 - counter, 1226, 1454
- VLSI design, 1149, 1161, 1170, 1226, 2682, 3320, 3864
- tools, 1161
- VLSI
- devices, 1481
 - fast solver, 1270
 - grid model, 1596
 - implementation, 1170, 2030, 2309, 2697, 2699
- VLSI layout, 1170, 1254, 1282, 1434, 1764, 2054, 2135, 2208, 2448, 2469, 2548, 2579, 2623, 2673, 2697, 3141, 3812
- compaction, 1405, 2667
 - design, 2135
- VLSI model, 1051, 1226, 1269, 1270, 1454, 2107
- of computation, 2812
- VLSI
- network, 601, 1226
 - optimal convex hull computation, 3211
 - optimality, 1095
 - processing, 1502
 - routing, 2245, 2265
 - solver, 1270
 - sorter, 1095
 - technology, 601, 792, 1089, 1954, 2620, 2868
 - wiring, 1100
- VMIN, 338, 366
- algorithm, 366
- vocabulary, 61
- Vollmer, Heribert, 4118
- voltage assignment, 4121
- volume, 453, 560, 2146, 2813, 3561, 3811
- allocations, 560
- volume of a
- convex body, 2813
 - graph, 459
- volume of
- an algorithm, 453
 - reads and writes, 2835
- von Braunmühl, 2752
- von Braunmühl and Verbeek, 1499
- von Karger, Burghard, 3495
- von Neumann
- computer, 1169
 - machine, 1477, 1996
 - neighborhood, 2430
- Voronoi diagram, 1412
- Voronoi basin of a region, 3853
- Voronoi diagram, 350, 354, 469, 509, 517, 550, 841, 1020, 1193, 1210, 1374, 1396, 1431, 1501, 1827, 1901, 1937, 2011, 2013, 2043, 2472, 2841, 3599, 3853
- algorithm, 1020
- Voronoi diagram of
- a convex polygon, 2104
 - N line segments, 517
- Voronoi diagrams, 517, 870, 1827, 2043, 2277, 2472, 3853
- in 3-space, 3599
- Voronoi
- dual, 870
 - edges, 1020
 - points, 1020
 - polygon, 1020
 - tessellation, 1916
 - triangulation, 469
- Vossen, Gottfried, 3583
- vote tags, 4134
- voting, 2869, 4134, 4138
- centre, 4134
 - receipts, 4134
 - scheme, 2869
- VRS, 307, 1392
- slices, 307
- VSAM, 203
- VSS numerical integration methods, 1207
- Vuillemin, 1269
- vulnerability, 887, 3270
- VW grammars, 1069
- V-operation, 43, 1280
- V-tape, 261
- W**
- W_4 free graphs, 3421
- Wabbi, Ahmad, 3480
- Wagh, Meghanad D., 3414
- Wagner, 2176
- Wagner, 295
- Wagner and Fischer, 1982
- Wagner, Klaus W., 3705
- Wai, Yin Mok, 3533, 3619
- wait for graph, 2196, 3148

- wait free, 1808, 2451, 3285, 3831, 3975
 - atomic multiwriter variables, 2451
 - n -process consensus problem, 1808
 - objects, 1808
 - registers, 3285
 - shared data objects, 1808
- wait free synchronization, 1808
 - primitive, 1808
- wait relations, 636
- Waite, 511
- waiting
 - costs, 566
 - list, 43
- wakeup problem, 3119
- Waldinger, 460
- Waldmann, Uwe, 3760
- walk in a generalized de Brijn graph, 2778
- Walker, 279
- Walker and Wood, 2254
- Walsh transform, 4093
- Walsh, Toby, 3689
- Walsh-Hadamard transformation, 1183
- Walston and Felix, 1071
- Walter, Rolf, 3096, 3499
- WAM, 1767
 - implementation, 1767
- Wand, O'Keefe and Palsberg, 3302
- Wang, 749
- Wang et al., 3956
- Wang, Chan-Chi, 3751
- Wang, Chih-Hung, 3681, 3871
- Wang, Feng-Jian, 3750
- Wang, G. and S. Lu, 2357
- Wang, Huaxiong, 3789
- Wang, Jeng-Jung, 3675
- Wang, Kuei-lin, 3991
- Wang, M.Z., 3465
- Wang, P.S.-P., 228
- Wang, S.C., 3897
- Wang, Shih-Yih, 3467
- Wang, Sying-Jyan, 3580
- Wang, Xiaodong, 3339
- Wang, Y., 4002
- Wang, Yi-Min, 3861
- Wang, Yongge, 3438, 3875
- Wang, Yue-Li, 3348, 3547, 3876
- Wang, Zheng, 3874
- Ward
 - method, 916
 - minimum variance method, 916
- Warmuth and Haussler, 2027
- Warners, Joost P., 3815
- Warpechowska-Gruca, Jolanta, 3900
- Warren
 - abstract machine, 1767, 2431
 - and Friedman, 1229
- Warshall, 15, 216
 - algorithm, 70, 3572
- Watanabe, 1066
- Watanabe, Osamu, 3626, 4067
- Watanabe, Yoshimichi, 2942, 3025
- watchman problem, 1578
- watchman route, 1578, 1921, 3365
 - problem, 1921
- watchtower, 1671
- Wätjen, 2720
- Wätjen, Dietmar, 3332
- Watkins, 2058
- Watson, Karan, 3346
- wave mechanics, 529
- wavelength, 1108
 - division, 3539
- wavelet transforms, 2592
- WDM optimal networks, 3864
- weak
 - and strong space complexity, 3851
 - binary semaphores, 1446
- weak bisimulation, 2614, 3813
 - relation, 2614
- weak
 - causality, 3934
 - chains, 3488
 - component, 110
 - consistency, 3260
- weak copy consistency, 1697
 - constraints, 1697
- weak
 - correctness, 632
 - counter, 999, 2776
 - covering, 438
 - equivalence, 331, 771
 - fairness, 973, 3108, 3372
 - form, 3195
 - GCWA, 1962
 - instance model, 1626
- weak invariance, 2157
 - of probability, 2157
- weak key
 - attack, 3505
 - protected one-time password system, 3505
- weak
 - modes of space complexity, 3851
 - NSPACE, 1871, 2752
 - operator precedence grammars, 302, 362
 - persistence of Petri nets, 726
- weak precedence
 - grammars, 302, 362
 - relation, 3977
- weak
 - predicate, 675
 - semaphore conjecture, 406

- weak (*cont.*)
 - semaphores, 406, 1280, 1446
 - sense of direction, 3644, 4121
 - substitutions, 675
 - threshold networks, 3559
 - timestamp systems, 2451
 - tree relation, 3977
 - unification, 675
 - vs. strong space bounds, 1388
- weakening, 809, 2578
- weaker
 - metrics, 1991
 - set theory, 644
- weakest, 1399, 1520, 1858, 3036
 - deadlock preserving congruence, 3036
 - equivalence, 3036
 - liberal precondition, 1422, 3356, 3778
 - postspecification, 1567
- weakest precondition, 134, 1333, 1422, 1498, 1520, 1677, 2485, 3008, 3356, 3478, 3778
 - semantics, 2485, 2641, 3478
- weakest
 - predicate, 1909
 - prespecification, 1333, 1567
- weakly equivalent, 771
- weakly fair
 - language, 1678
 - scheduling algorithm, 973
- weakly
 - implemented, 406
 - permutable, 1732
- weakly persistent, 726
 - net, 726
- weakly
 - polynomial algorithm, 4082
 - predictable cellular automaton, 2988
 - space bounded, 1388
 - square free words, 1070
 - triangulated graphs, 2239
 - unifiable, 675
- weather forecasting, 1445
- web, 13
 - grammars, 13
- Weber, 2549
 - GCD algorithm, 4015
- Weber, Ken, 4015
- Wedekind, 790
- Wedekind and Härder, 790
- Wegbreit, 152
 - algorithm, 152
 - compactifying GC, 312
- Wegener, Ingo, 3370, 3394, 3711, 3781
- Wegner, 23
- Wehrheim, Heike, 3360
- Wei, 3209
 - Wei, Li-Chiun, 3591
 - Wei, R., 3879
- weight, 425
 - balanced tree, 788, 1974
 - function, 873, 1090, 2032, 2386, 2518
- weight of a
 - spanning tree, 2248
 - vertex, 3450
- weight
 - of sentences, 78
 - sequences, 3822
 - triangulation, 3208, 3917
- weighted
 - 3-matroid intersection problem, 130
 - $C_{3,1}$ problem, 3456
 - cactus graphs, 3985
 - complete graph, 1560
 - dictionary, 2164
 - digraph, 723, 1762, 2575
 - directed graph, 255, 2575, 3691
 - discrete set, 4079
 - domination problem, 2976
 - double loop network, 3691
 - error, 3804
 - feedback vertex problem, 3456
 - grammars, 78, 1312
 - graph, 756, 873, 1544, 1705, 2248, 2377, 3155, 3178, 3450, 3637, 3783, 3926, 4094
 - group method, 916
 - irredundance, 3713
 - k -parity matroid problems, 130
 - k -quorum systems, 3785
 - linear scheduling problems, 1038
- weighted matching, 1338
 - problem, 660, 2444
- weighted
 - maximum matching problem, 660
 - number of late jobs, 3828
 - outerplanar graphs, 1828
- weighted path length, 53, 935
 - of trees, 53
- weighted perfect
 - domination problem, 2019, 2740
 - matching, 2102
- weighted
 - points, 1210, 2804
 - quantile, 2990
 - schemes, 3948
 - search, 3056
 - sum, 325, 2053, 3165
 - tardiness, 1772, 2032
- weighted threshold
 - gate, 3768
 - scheme, 3948
- weighted trees, 371

- weighted undirected
 - graph, 2540, 3670, 3949
 - symmetric graph, 4094
- weighted
 - vertex cover, 2698
 - visibility graphs, 2445
 - Voronoi diagram, 1210
 - voting, 2310, 2852, 3785
- Weihe, 3612
- Weil, P., 3798
- Weiser, 1654, 3215
- Weiss, 1957
- Weiss, M.A., 3061
- Welch, Jennifer L., 3613
- well defined operations, 2628
- well formed
 - parentheses strings, 3431, 3844
 - program, 1598
 - terms, 794
- well founded, 514, 1820, 2068, 2771
 - induction, 1820, 2210
 - order, 1630
 - ordering, 460, 514, 826, 2648
 - orders, 1630
 - semantics, 2269
 - set, 1820, 2771
- well
 - foundedness argument, 2086
 - ordered, 451, 1630
 - quasi-order, 1630, 2511
 - quasi-orderings, 4021
 - quasi-orders, 2511
- well structured
 - complete sets, 4005
 - programs, 99
 - sets, 4005
- well typed terms, 2366
- Welsh and Petford, 1890
- Welsh-Powell
 - colouring heuristics, 1743
 - opposition graphs, 1743
- Welzl randomized method, 3811
- West, Douglas B., 1627
- Westbrook, Jeffery, 3398
- Weyuker and Jeng, 3246
- when oblivious, 977
- where oblivious, 977
- while
 - loop, 460, 3201, 3443
 - rule, 891
- While, Lyndon, 3628
- WHILE-DO-OD iterations, 258
- WHILE-loop, 443
- WHILE-programs, 846
- WHILE-rule, 1372
- white
 - noise components, 49
 - pebble, 563
- Whitesides, Sue, 3401
- Whitney, 87
- wide diameter, 3228
- WIDE internet, 2998
- widest k -dense corridor problems, 3810
- Widmayer, Peter, 3761
- width, 3253
 - and depth bounded uniform circuits, 1379
- width of
 - Boolean formulas, 2847
 - logic circuits, 751
 - matrices, 3658
- Wiener
 - action, 1902
 - process, 1902
- Wierum, J.-M., 3743
- Wierzbowska, Izabela, 3635
- Wijnands, A.I.J., 3004
- Wijshoff, Harry A.G., 3326
- Wilhelm, R., 1920, 2014
- Wilke, 3197
- Wilke, Thomas, 3586
- Willard, 774, 1057
- Williams, Poul Frederick, 4112
- Williamson algorithm, 3822
- Williamson, David P., 3338
- Wilsey, Philip A., 3362
- Wilson, 626, 1955, 2424
- Wilson and Shortt, 626
- Wilson, David K., 3685
- Wilson-Shortt, 626
 - algorithm, 626
- window, 1387, 1755, 1984, 3577
 - systems, 1755
 - visibility, 1755
- windowing, 1387
 - problem, 1387
- Winkowski, J., 322
- winning strategy, 3009, 3179
- Winograd, 351
 - result, 155
- WIRE, 384
- wire, 592, 1252, 1709, 2054, 2245, 2265
 - area, 1252
 - length, 1434, 1764
 - listing program, 384
- wire routing
 - design, 1364
 - problems, 887, 3543
- wire segment, 1364
- wireless communications, 3864

- wiring, 1975, 2054, 2561
 - algorithm, 1975
 - layout, 2508
 - path, 2508
 - problem, 2054
- Wirth, 992
- Wirth, Estabrook, and Rogers, 20
- Wirth, Hans-Christoph, 3715
- Wirth, N., 191
- Wirth-Weber precedence, 302
 - grammar, 955
 - relations, 362
- Wise, D.S., 488
- witness, 2388, 3924
 - graph, 3642
- Woeginger, Gerhard J., 3380, 3575, 3643
- Wolberg, 1071
- Wolsey, 2016
- Wong, 1075
- Wong and Chandra, 295
- Wong and Coppersmith, 573
- Wong, C.K., 3836
- Wood
 - heuristic method, 1090
 - method, 1090
- Wood, D., 596
- Wool, Avishai, 3686
- word, 23, 33, 1462, 1959
 - chain, 1959
 - chains, 1462, 1686, 2501
- word dimension, 1090
 - reduction, 1090
- word equation, 1644, 3020
- Word equations, 3020
- word
 - frequency data, 33
 - importance, 33
 - length, 38, 2036
 - local restriction, 1095
 - minimization, 1090
 - of Fibonacci, 685
 - problem, 669, 1086, 1166, 1303, 1363, 1463, 2303, 4085
- word problem for
 - a Thue system, 669
 - groups, 572
- word processing, 1179
- work function algorithm, 3261
- work optimal, 3147, 4128
 - algorithm, 4128
 - parallel algorithm for finding a maximal matching, 4128
- work
 - preserving emulations, 3745
 - tape, 1868
 - variables allocation by compilers, 1131
- working set
 - algorithm, 3577
 - theorem, 2164
- working storage, 27
- workload scheduling, 3146
- workspace, 732, 1016, 1223
- workstation, 3803
- worktape, 2473, 2752
- world, 2206
 - problem, 1363
- worlds where $P = NP$, 1622
- WORM 2DPDA, 2930
- worm routing, 3979
- WORM store, 2930
- wormhole routed parallel computers, 3914
- wormhole routing, 2834, 2861, 4038
 - communication, 2834
- worst case, 40, 165, 194, 209, 306, 315, 328, 329, 342, 391, 405, 422, 432, 433, 492, 499, 539, 569, 574, 602, 615, 638, 677, 703, 781, 784, 803, 901, 1074, 1099, 1123, 1143, 1172, 1187, 1192, 1220, 1223, 1228, 1261, 1287, 1304, 1356, 1375, 1403, 1405, 1537, 1544, 1675, 1684, 1707, 1748, 1790, 1821, 1942, 1955, 2006, 2049, 2053, 2054, 2094, 2095, 2129, 2140, 2156, 2236, 2254, 2323, 2371, 2400, 2449, 2455, 2466, 2509, 2559, 2630, 2723, 2747, 2764, 2783, 2784, 2800, 2836, 2875, 2950, 3068, 3167, 3388, 3457, 3484, 3551, 3693, 3730, 3845, 3918, 3954, 3970, 3976, 3986, 4058, 4083
 - adder, 2770
 - analysis, 860, 1031, 1453, 2053, 2509, 2800, 3094, 3575, 3631, 3643, 3972, 4015
 - behavior, 328, 573, 947, 2850
 - behaviour, 102, 383, 1225, 2247
 - blowup, 4140
 - bound, 90, 679, 833, 1707, 1957, 2529, 2755, 2910, 3171, 3219, 3240, 3388, 3553, 3687, 3710
- worst case choice, 1143, 1335, 1955
 - for stable marriage, 1335
- worst case
 - communication complexity, 1444
 - complexity, 367, 512, 569, 594, 630, 784, 1414, 1666, 1882, 2201, 2399, 2471, 2711, 2857, 3328, 3443, 3585
 - cost, 427, 656
 - data structures, 1748
 - distribution, 515
 - error bound, 2025, 3972
 - execution, 1955
- worst case expected
 - cost, 3986
 - time measure, 391

- worst case
 - fragmentation, 1655
 - information rate, 3551
 - input, 2160
 - lower bound, 219, 517, 573, 3971
 - male optimal stable matching, 1955
 - minimal rectilinear Steiner tree, 2095
 - minimum number of comparisons, 860
 - number, 2471, 3443, 3501
 - of DPS, 432
 - worst case optimal, 552, 2417
 - deletion, 679
 - insertion, 679
 - worst case optimization algorithm, 273
 - worst case performance, 194, 328, 422, 527, 648, 689, 1020, 1261, 1675, 1773, 2723, 3094, 3687
 - bound, 3171
 - ratio, 1323, 3864
 - worst case
 - processing time, 268
 - range queries, 939
 - ratio, 1131, 1184, 1201, 1453, 2425, 2755, 2910, 3171, 3458, 3461
 - reduction, 3925
 - request sequences, 3187
 - result, 219
 - running time, 220, 433, 539, 715, 1400, 1898, 1957, 2023, 2919, 3177, 3544
 - worst case space
 - and time, 2535
 - complexity, 458, 2800
 - worst case
 - speed, 715
 - stabilizing time, 3701
 - storage usage ratio, 1655
 - worst case time, 503, 538, 784, 829, 859, 893, 959, 1227, 1594, 1748, 2680, 2711, 2715, 3011, 3219, 3334, 3457
 - algorithm, 2312
 - bound, 757, 893
 - complexity, 306, 328, 552, 557, 570, 1201, 2784, 2819, 2878
 - worst case
 - update time, 2950
 - upper bound, 3544, 3710, 4140
 - worst possible pair of strings, 494
 - worstcase storage usage ratio, 1655
 - WPGMC, 916
 - WPRAM computational model, 3741
 - WRAM, 1152
 - wrap around
 - butterflies, 4104
 - butterfly graphs, 4010
 - connections, 1177
 - k -ary butterflies, 4104
 - wreath product, 2268, 3798
 - principle, 3798
 - Wright and Felleisen, 2907
 - write, 159
 - write all
 - algorithm, 2530
 - building blocks, 2530
 - write conflict, 1060, 3159
 - resolution, 1942
 - write conflicts, 986, 1007, 1115, 1396, 1522, 1753
 - in parallel computations, 2537
 - write
 - heads, 157
 - once read many, 2930
 - quorum, 2310
 - transaction, 556
 - write conflict, 837
 - Wronskians, 334
 - WSS, 1787
 - Wu, 3922
 - Wu, B.Y., 3590
 - Wu, Bang Ye, 3866
 - Wu, Chou and Wu, 3922
 - Wu, Hsiao-Peng, 2983
 - Wu, I-Chen, 3779
 - Wu, Q.S., 3668
 - WVC, 1787
 - WVD, 1210
 - WW grammar, 955
- X**
- $x^2 \bmod p$ orbits, 4001
 - X3C, 478
 - Xaa, 3371
 - XCRIBL system, 59
 - Xiang, Limin, 3671
 - XOR, 3059, 3206, 3581
 - CNF formula, 3829
 - XTIME, 1887
 - Xu, Yinfeng, 3878
 - Xue and Gries, 2356
 - Xue, Guoliang, 3724, 3864
 - Xue, Qingbo, 3229
 - x-fast trie, 939
 - X-locks, 1708
 - x-monotone concave polygonal chains, 2290
 - x-relations, 1237
 - X-total projection, 1626
- Y**
- YACC, 779
 - Yajima, Shuzo, 3429
 - Yaku, Takeo, 3734

- Yamada, 2873
 Yamasaki and Doshita, 1322, 1664
 Yamasaki, Hideki, 3357
 Yamashita, Masafumi, 3710
 Yamazaki, Koichi, 3455
 Yan, Huat Tan, 3700
 Yan, K.Q., 3897
 Yan, Wen-Ming, 3850
 Yan, Xudong, 3809
 Yanbe, Akio, 3224
 Yang, 3399
 Yang and Lee, 490
 Yang, Bi-Yen, 3614
 Yang, C.-H. and M.-S. Yu, 3537
 Yang, Chang-Biau, 2656, 3399, 3702
 Yang, Ching-Nung, 3514
 Yang, Dai, 3637
 Yang, Tae-Cheon, 4026
 Yang, Wu, 3756
 Yao, 475, 537, 552, 673, 717, 919, 921, 1057, 1467, 2175, 2544, 2658, 3207
 Yao and Yao, 303, 4109
 Yao
 block access estimation problem, 839
 formula, 1616
 method, 475
 result, 2175
 theorem, 1467
 upper bound, 1196
 Yao, A.C., 1196
 YCN cryptographic key assignment scheme in a hierarchy, 4046
 Yeh, Chi-Hsiang, 3812
 Yeh, Yi-Shiung, 3751
 Yen, 2369
 Yen, Hsu-Chun, 3204
 Yen, Sung-Ming, 3505
 Yeom, Heon Y., 3841
 Yeung characteristic inequality, 3014
 yield languages, 3309
 Yodogawa and Honda, 989
 Yoeli, 162
 Yoeli and Ablow, 162
 Yoeli and Ginzburg, 162
 Yokomori, Takashi, 1148
 Yokoyama, Mitsuo, 3737
 Yookun, Cho, 3577
 Yoon, Joon Lee, 3297
 Young, 175
 young, 2607
 Young, Christopher H., 3362
 Young, Neal E., 3584
 Yousif and Evans, 1296
 Yu and Johnson, 372
 Yu et al., 839
 Yu, Wenci, 3903
 Yum, 707
 Yuval, 301, 702
 Yuval and Romani, 702
 Yuval, G., 461
 Y-combinator, 397
 y-fast trie, 939

Z
 Z language, 1520, 3138
 Z specifications, 1520
 Z_m , 222, 390
 Zachos and Heller, 2722
 Zaks, 234, 1551
 sequence, 1840
 Zaks, S., 3322, 3328, 3345, 3358, 3385, 3386, 3468, 3474, 3486, 3489, 3532, 3555, 3557, 3559, 3560, 3644, 3646, 3653, 3703, 3704, 3761, 3774, 3786, 3794, 3834, 3844, 3845, 3907
 Zalcstein, 307
 Zaniolo, 528, 1021
 Zarankiewicz, 3711
 Zaremba, Marek B., 3813
 Zariski closed sets, 657
 Zehavi and Itai, 2429
 Zelinka, 162
 Zemanek, 278
 Zemlyachenko linear time algorithm, 3932
 zero, 7, 274, 344
 divisors, 472, 2457
 error, 1613
 knowledge, 2298, 2388, 2827, 2997
 zero knowledge interactive proof system, 1473, 3890
 proofs, 3890
 zero
 knowledge proof, 2298, 2388, 2827
 one law, 3757
 zero reversible languages, 2061
 regular languages, 2061
 zero
 testing, 1889, 3448
 weights, 53
 zeros of polynomials, 507
 zeta function, 3515
 Zhang and Zheng, 3859
 Zhao, Peiyi, 4080
 Zhao, Wei, 4073
 Zheng, Yuliang, 3840
 Zhu, Binhai, 3683, 3878
 Zhu, Xuding, 3450
 zigzag
 path, 3494
 permutations, 1174
 relations, 2363

- Zimand, Marius, 3518, 3869
Zipf law, 449
Zippel, Richard, 3448
Zito, Michele, 3651
Zobrist, 550
zooming, 1387
 problem, 1387
ZPLP, 2616
ZPP, 2954, 3885
Zuckerman amplification technique, 3885
Zwick, Uri, 3335
z-buffering, 3115