

**Spis publikacji** (LF – lista filadelfijska; 5YIF – wartość wskaźnika 5 Year Impact Factor; PM – dla prac sprzed roku 2019 punktacja MNiSW za lata 2013-16, dla prac od roku 2019 wg. nowej punktacji MNiSW; podano także adres wersji elektronicznej i liczbę cytowań z wyłączeniem autocytowań – według wiedzy autora, **nieaktualniane od marca 2017**).

- [33] F. Chudy, P. Woźny *Fast evaluation of derivatives of Bézier curves*, Computer Aided Geometric Design 109 (2024), 102277.  
Part of special issue *Paul de Casteljau, a pioneer in CAGD* edited by C. V. Beccari, K. Hormann, Ch. Rabut, W. Wang.  
**LF**; 5YIF: **1.6**; PM: **70 pkt.**; <https://doi.org/10.1016/j.cagd.2024.102277>
- [32] F. Chudy, P. Woźny *Linear-time algorithm for computing the Bernstein-Bézier coefficients of B-spline functions*, Computer Aided-Design 154 (2023), 103434.  
**LF**; 5YIF: **3.471**; PM: **140 pkt.**; <https://doi.org/10.1016/j.cad.2022.103434>
- [31] F. Chudy, P. Woźny, *Fast and accurate evaluation of dual Bernstein polynomials*, Numerical Algorithms 87 (2021), 1001-1015.  
**LF**; 5YIF: **2.189**; PM: **100 pkt.**; <http://dx.doi.org/10.1007/s11075-020-00996-5>
- [30] P. Woźny, F. Chudy, *Linear-time geometric algorithm for evaluating Bézier curves*, Computer Aided-Design 118 (2020), 102760.  
**LF**; 5YIF: **3.471**; PM: **140 pkt.**; <https://doi.org/10.1016/j.cad.2019.102760>
- [29] F. Chudy, P. Woźny, *Differential-recurrence properties of dual Bernstein polynomials*, Applied Mathematics and Computation 338 (2018), 537–543.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2018.06.039>
- [28] R. Nowak, P. Woźny, *New properties of a certain method of summation of generalized hypergeometric series*, Numerical Algorithms 76 (2017), 377–391.  
**LF**; 5YIF: **2.189**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s11075-016-0261-1>
- [27] S. Lewanowicz, P. Keller, P. Woźny, *Bézier form of dual bivariate Bernstein polynomials*, Advances in Computational Mathematics 43 (2017), 777–793.  
**LF**; 5YIF: **1.691**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s10444-016-9506-8>
- [26] S. Lewanowicz, P. Keller, P. Woźny, *Constrained approximation of rational triangular Bézier surfaces by polynomial triangular Bézier surfaces*, Numerical Algorithms 75 (2017), 93–111.  
**LF**; 5YIF: **2.189**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s11075-016-0198-4>

- [25] P. Gospodarczyk, S. Lewanowicz, P. Woźny, *Degree reduction of composite Bézier curves*, Applied Mathematics and Computation 293 (2017), 40–48.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2016.08.004>
- [24] P. Gospodarczyk, P. Woźny, *Merging of Bézier curves with box constraints*, Journal of Computational and Applied Mathematics 296 (2016), 265–274.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2015.10.005>  
**Liczba cytowań:** 1  
**Cytowane w:** [C63]
- [23] P. Gospodarczyk, S. Lewanowicz, P. Woźny,  *$G^{k,l}$ -constrained multi-degree reduction of Bézier curves*, Numerical Algorithms 71 (2016), 121–137.  
**LF**; 5YIF: **2.189**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s11075-015-9988-3>  
**Liczba cytowań:** 1  
**Cytowane w:** [C64]
- [22] P. Woźny, P. Gospodarczyk, S. Lewanowicz, *Efficient merging of multiple segments of Bézier curves*, Applied Mathematics and Computation 268 (2015), 354–363.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2015.06.079>  
**Liczba cytowań:** 2  
**Cytowane w:** [C61], [C63]
- [21] P. Woźny, *Construction of dual B-spline functions*, Journal of Computational and Applied Mathematics 260 (2014), 301–311.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2013.10.003>  
**Liczba cytowań:** 3  
**Cytowane w:** [C11], [C55], [C113]
- [20] P. Woźny, *A short note on Jacobi-Bernstein connection coefficients*, Applied Mathematics and Computation 222 (2013), 53–57.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2013.07.029>
- [19] S. Lewanowicz, P. Woźny, R. Nowak, *Structure relations for the bivariate big  $q$ -Jacobi polynomials*, Applied Mathematics and Computation 219 (2013), 8790–8802.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2013.02.059>  
**Liczba cytowań:** 2  
**Cytowane w:** [C7], [C99]
- [18] P. Woźny, *Construction of dual bases*, Journal of Computational and Applied Mathematics 245 (2013), 75–85.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2012.12.007>  
**Liczba cytowań:** 4  
**Cytowane w:** [C59], [C61], [C64], [C113]

- [17] P. Woźny, *Simple algorithms for computing the Bézier coefficients of the constrained dual Bernstein polynomials*, Applied Mathematics and Computation 219 (2012), 2521–2525.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2012.08.087>
- [16] S. Lewanowicz, P. Woźny, P. Keller, *Polynomial approximation of rational Bézier curves with constraints*, Numerical Algorithms 59 (2012), 607–622.  
**LF**; 5YIF: **2.189**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s11075-011-9507-0>  
**Liczba cytowań:** 4  
**Cytowane w:** [C45], [C46], [C97], [C108]
- [15] S. Lewanowicz, P. Woźny, *Bézier representation of the constrained dual Bernstein polynomials*, Applied Mathematics and Computation 218 (2011), 4580–4586.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2011.10.040>  
**Liczba cytowań:** 5  
**Cytowane w:** [C42], [C48], [C56], [C61], [C63]
- [14] S. Lewanowicz, P. Woźny, *Multi-degree reduction of tensor product Bézier surfaces with general boundary constraints*, Applied Mathematics and Computation 217 (2011), 4596–4611.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2010.11.011>  
**Liczba cytowań:** 5  
**Cytowane w:** [C6], [C54], [C60], [C61], [C81]
- [13] P. Woźny, *Efficient algorithm for summation of some slowly convergent series*, Applied Numerical Mathematics 60 (2010), 1442–1453.  
**LF**; 5YIF: **1.658**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.apnum.2010.04.001>  
**Liczba cytowań:** 2  
**Cytowane w:** [C1], [C107]
- [12] P. Keller, P. Woźny, *On the convergence of the method for indefinite integration of oscillatory and singular functions*, Applied Mathematics and Computation 216 (2010), 989–998.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2010.01.117>  
**Liczba cytowań:** 2  
**Cytowane w:** [C50], [C100]
- [11] S. Lewanowicz, P. Woźny, *Two-variable orthogonal polynomials of big  $q$ -Jacobi type*, Journal of Computational and Applied Mathematics 233 (2010), 1554–1561.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2009.02.070>  
**Liczba cytowań:** 10  
**Cytowane w:** [C7], [C30], [C40], [C41], [C87], [C89], [C90], [C99], [C116], [C117]

- [10] P. Woźny, S. Lewanowicz, *Constrained multi-degree reduction of triangular Bézier surfaces, using dual Bernstein polynomials*, Journal of Computational and Applied Mathematics 235 (2010), 785–804.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2010.07.005>  
**Liczba cytowań:** 6  
**Cytowane w:** [C54], [C57], [C59], [C60], [C81], [C96]
- [9] P. Woźny, S. Lewanowicz, *Multi-degree reduction of Bézier curves with constraints, using dual Bernstein basis polynomials*, Computer Aided Geometric Design 26 (2009), 566–579.  
**LF**; 5YIF: **1.468**; PM: **30 pkt.**; <http://dx.doi.org/10.1016/j.cagd.2009.01.006>  
**Liczba cytowań:** 32  
**Cytowane w:** [C4], [C5], [C6], [C8], [C10], [C15], [C26], [C27], [C38], [C39], [C47], [C48], [C37], [C45], [C51], [C57], [C58], [C59], [C60], [C61], [C62], [C63], [C64], [C83], [C84], [C85], [C86], [C98], [C106], [C112], [C113], [C115]
- [8] P. Woźny, R. Nowak, *Method of summation of some slowly convergent series*, Applied Mathematics and Computation 215 (2009), 1622–1645.  
**LF**; 5YIF: **2.429**; PM: **40 pkt.**; <http://dx.doi.org/10.1016/j.amc.2009.07.016>  
**Liczba cytowań:** 2  
**Cytowane w:** [C12], [C107]
- [7] S. Lewanowicz, P. Woźny, I. Area, E. Godoy, *Multivariate generalized Bernstein polynomials: identities for orthogonal polynomials of two variables*, Numerical Algorithms 49 (2008), 199–220.  
**LF**; 5YIF: **2.189**; PM: **35 pkt.**; <http://dx.doi.org/10.1007/s11075-008-9168-9>  
**Liczba cytowań:** 1  
**Cytowane w:** [C82]
- [6] S. Lewanowicz, P. Woźny, *Connections between two-variable Bernstein and Jacobi polynomials on the triangle*, Journal of Computational and Applied Mathematics 197 (2006), 520–533.  
**LF**; 5YIF: **2.014**; PM: **35 pkt.**; <http://dx.doi.org/10.1016/j.cam.2005.11.013>  
**Liczba cytowań:** 7  
**Cytowane w:** [C13], [C14], [C43], [C44], [C112], [C113], [C114]
- [5] S. Lewanowicz, P. Woźny, *Dual generalized Bernstein basis*, Journal of Approximation Theory 138 (2006), 129–150.  
**LF**; 5YIF: **0.990**; PM: **30 pkt.**; <http://dx.doi.org/10.1016/j.jat.2005.10.005>  
**Liczba cytowań:** 11  
**Cytowane w:** [C2], [C79], [C82], [C96], [C101], [C102], [C103], [C109], [C110], [C112], [C113]
- [4] I. Area, E. Godoy, P. Woźny, S. Lewanowicz, A. Ronveaux, *Formulae relating little  $q$ -Jacobi,  $q$ -Hahn and  $q$ -Bernstein polynomials: Application to the  $q$ -Bézier curve evaluation*, Integral Transforms and Special Functions 15 (2004), 375–385.  
**LF**; 5YIF: **0.822**; PM: **25 pkt.**; <http://dx.doi.org/10.1080/10652460410001727491>  
**Liczba cytowań:** 3  
**Cytowane w:** [C6], [C82], [C110]

- [3] S. Lewanowicz, P. Woźny, *Generalized Bernstein polynomials*, BIT Numerical Mathematics 44 (2004), 63–78.

LF; 5YIF: 1.655; PM: 30 pkt.; <http://dx.doi.org/10.1023/B:BITN.0000025086.89121.d8>

Liczba cytowań: 43

Cytowane w: [C2], [C6], [C16], [C17], [C18], [C28], [C29], [C31], [C32], [C33], [C34], [C35], [C36], [C49], [C65], [C66], [C67], [C68], [C69], [C70], [C71], [C72], [C73], [C74], [C75], [C76], [C77], [C78], [C80], [C82], [C88], [C91], [C92], [C93], [C94], [C95], [C96], [C101], [C102], [C104], [C105], [C111], [C118]

- [2] S. Lewanowicz, P. Woźny, *Recurrence relations for coefficients in series expansions with respect to semi-classical orthogonal polynomials*, Numerical Algorithms 35 (2004), 61–79.

LF; 5YIF: 2.189; PM: 35 pkt.; <http://dx.doi.org/10.1023/B:NUMA.0000016603.77050.6b>

Liczba cytowań: 1

Cytowane w: [C9]

- [1] P. Woźny, *Recurrence relations for the coefficients of expansions in classical orthogonal polynomials of a discrete variable*, Applicationes Mathematicae 30 (2003), 89–107.

PM: 14 pkt.; <http://dx.doi.org/10.4064/am30-1-6>

Liczba cytowań: 4

Cytowane w: [C3], [C24], [C52], [C53]

## Prace niepublikowane

- [R6] P. Gospodarczyk, P. Woźny, *An iterative approximate method of solving boundary value problems using dual Bernstein polynomials*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, wrzesień 2017, 11 str.

<https://arxiv.org/abs/1709.02162>

- [R5] P. Gospodarczyk, P. Woźny, *Efficient modified Jacobi-Bernstein basis transformations*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, styczeń 2017, 11 str.

<https://arxiv.org/abs/1701.03058>

- [R4] P. Gospodarczyk, P. Woźny, *Efficient degree reduction of Bézier curves with box constraints using dual bases*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, grudzień 2016, 13 str.

<https://arxiv.org/abs/1511.08264>

- [R3] P. Gospodarczyk, P. Woźny, *Dual polynomial spline bases*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, listopad 2016, 13 str.

<https://arxiv.org/abs/1611.01202>

- [R2] S. Lewanowicz, P. Woźny, P. Keller, *Weighted polynomial approximation of rational Bézier curves*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, luty 2015, 14 str.

<http://arxiv.org/abs/1502.07877>

[R1] S. Lewanowicz, P. Woźny, *Algorithms for construction of recurrence relations for the coefficients of expansions in series of classical orthogonal polynomials*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, luty 2001, 41 str.

<http://www.ii.uni.wroc.pl/~pwo/Programy/clrecrel.ps>

**Liczba cytowań:** 8

**Cytowane w:** [C3], [C19], [C20], [C21], [C22], [C23], [C24], [C25]

## Statystyki cytowań

- Według Scopus
  - całkowita liczba cytowań: **275**
  - h-index: **10**
- Według Web of Science
  - całkowita liczba cytowań: **271**
  - h-index: **10**
- Według Google Scholar
  - całkowita liczba cytowań: **473**
  - h-index: **12**

## Literatura

- [C1] A. A. T. Adnani, A. Reza, M. Morovati, *A generalization of Bertrand's test*, Journal of Linear and Topological Algebra 2 (2013), 141–147.
- [C2] R. P. Agarwala, G. Wang, B. Ahmad, L. Zhang, A. Hobiny, S. Monaquel, *On existence of solutions for nonlinear  $q$ -difference equations with nonlocal  $q$ -integral boundary conditions*, Mathematical Modelling and Analysis 20 (2015), 604–618.
- [C3] H. M. Ahmed, *Recurrence relation approach for expansion and connection coefficients in series of classical discrete orthogonal polynomials*, Integral Transforms and Special Functions 20 (2009), 23–34.
- [C4] R. Ait-Haddou, *Continuous and discrete best polynomial degree reduction with Jacobi and Hahn weights*, Journal of Approximation Theory 207 (2016), 165–176.
- [C5] R. Ait-Haddou, M. Bartoň, *Constrained multi-degree reduction with respect to Jacobi norms*, Computer Aided Geometric Design 42 (2016), 23–30.
- [C6] R. Ait-Haddou, R. Goldman, *Best polynomial degree reduction on  $q$ -lattices with applications to  $q$ -orthogonal polynomials*, Applied Mathematics and Computation 266 (2015), 267–276.
- [C7] I. Area, A. Atakishiyev, E. Godoy, J. Rodal, *Linear partial  $q$ -difference equations on  $q$ -linear lattices and their bivariate  $q$ -orthogonal polynomial solutions*, Applied Mathematics and Computation 223 (2013), 520–536.
- [C8] D. Bakhshesh, M. R. Samiee, *The weighted dual functions for Wang-Said type generalized Ball bases with and without boundary constraints*, International Journal of Computer and Electrical Engineering 4 (2012), 573–577.
- [C9] A. Benoit, *Algorithmique semi-numérique rapide des séries de Tchebychev*, praca doktorska, INRIA, 2012.
- [C10] A. H. Bhrawy, E. H. Doha, M. A. Saker, D. Baleanu, *Modified Jacobi-Bernstein basis transformation and its application to multi-degree reduction of Bézier curves*, Journal of Computational and Applied Mathematics 302 (2016), 369–384.
- [C11] C. Bracco, D. Cho, *Generalized  $T$ -splines and VMCR  $T$ -meshes*, Computer Methods in Applied Mechanics and Engineering 280 (2014), 176–196.
- [C12] C. Brezinski, M. Redivo-Zaglia, *Extended procedures for extrapolation to the limit*, Journal of Computational and Applied Mathematics 235 (2010), 631–645.
- [C13] H. Cai, G. Wang, *Transformation between bivariate Jacobi and Bernstein basis on triangular domain and its application*, Journal of Computer-Aided Design and Computer Graphic 21 (2009), 1394–1400.
- [C14] J. Chen, G. Wang, *Approximate merging of 4 neighbouring triangular Bézier surfaces with boundary constraints*, Journal of Computer-Aided Design and Computer Graphics 21 (2009), 1047–1053.
- [C15] X.-D. Chen, W. Ma, J.-C. Paul, *Multi-degree reduction of Bézier curves using reparameterization*, Computer-Aided Design 43 (2011), 161–169.
- [C16] M. Crăciun, A. Di Bucchianico, *Sheffer sequences, probability distributions and approximation operators*, report, Technische Universiteit Eindhoven, 2005.
- [C17] Ç. Dişibüyük, H. Oruç, *A generalization of rational Bernstein-Bézier curves*, BIT Numerical Mathematics 47 (2007), 313–323.
- [C18] Ç. Dişibüyük, H. Oruç, *Tensor product  $q$ -Bernstein polynomials*, BIT Numerical Mathematics 48 (2008), 689–700.
- [C19] E. H. Doha, *On the connection coefficients and recurrence relations arising from expansions in series of Laguerre polynomials*, Journal of Physics A: Mathematical and General 36 (2003), 5449–5462.
- [C20] E. H. Doha, *On the construction of recurrence relations for the expansion and connection coefficients in series of Jacobi polynomials*, Journal of Physics A: Mathematical and General 37 (2004), 657–675.
- [C21] E. H. Doha, H. M. Ahmed, *Efficient algorithms for construction of recurrence relations for the expansion and connection coefficients in series of Al-Salam-Carlitz I polynomials*, Journal of Physics A: Mathematical and General 38 (2005), 10107–10121.

- [C22] E. H. Doha, H. M. Ahmed, *Efficient algorithms for construction of recurrence relations for the expansion and connection coefficients in series of quantum classical orthogonal polynomials*, Journal of Advanced Research 1 (2010), 193–207.
- [C23] E. H. Doha, H. M. Ahmed, *On the coefficients of integrated expansions of Bessel polynomials*, Journal of Computational and Applied Mathematics 187 (2006), 58–71.
- [C24] E. H. Doha, H. M. Ahmed, *Recurrence relation approach for expansion and connection coefficients in series of Hahn polynomials*, Integral Transforms and Special Functions 17 (2006), 785–801.
- [C25] E. H. Doha, H. M. Ahmed, *Recurrences and explicit formulae for the expansion and connection coefficients in series of Bessel polynomials*, Journal of Physics A: Mathematical and General 37 (2004), 8045–8063.
- [C26] E. H. Doha, A. H. Bhrawy, M. A. Saker, *On generalized Jacobi–Bernstein basis transformation: application of multidegree reduction of Bézier curves and surfaces*, Journal of Computing and Information Science in Engineering, 14 (2014), 041010.
- [C27] Z. Dong, L. Zhang, J. Tan, G. Xu, *Multiple degree reduction of Wang-Ball curves by using dual basis polynomials*, Journal of Information & Computational Science 10 (2013), 959–966.
- [C28] Z. Finta, *Approximation by  $q$ -parametric operators*, Publicationes Mathematicae Debrecen 78 (2011), 543–556.
- [C29] Z. Finta, *Note on a Korovkin-type theorem*, Journal of Mathematical Analysis and Applications 415 (2014), 750–759.
- [C30] V. X. Genest, J.-M. Lemay, L. Vinet, A. Zhedanov, *Two-variable  $-1$  Jacobi polynomials*, Integral Transforms and Special Functions 26 (2015), 411–425.
- [C31] R. Goldman, P. Simeonov, *Formulas and algorithms for quantum differentiation of quantum Bernstein Bases and quantum Bézier curves based on quantum blossoming*, Graphical Models 74 (2012), 326–334.
- [C32] R. Goldman, P. Simeonov, *Generalized quantum splines*, Computer Aided Geometric Design 47 (2016), 29–54.
- [C33] R. Goldman, P. Simeonov, *Novel polynomial Bernstein bases and Bézier curves based on a general notion of polynomial blossoming*, Numerical Algorithms 72 (2016), 605–634.
- [C34] R. Goldman, P. Simeonov, *Quantum Bernstein bases and quantum Bézier curves*, Journal of Computational and Applied Mathematics 288 (2015), 284–303.
- [C35] R. Goldman, P. Simeonov, *Two essential properties of  $(q, h)$ -Bernstein-Bézier curves*, Applied Numerical Mathematics 96 (2015), 82–93.
- [C36] R. Goldman, P. Simenov, Y. Simsek, *Generating functions for the  $q$ -Bernstein bases*, SIAM Journal of Discrete Mathematics 28 (2014), 1009–1025.
- [C37] P. Gospodarczyk, *Degree reduction of Bézier curves with restricted control points area*, Computer-Aided Design 62 (2015), 143–151.
- [C38] X. Han, J. Yang, *Multi-degree reduction of Bézier curves with distance and energy optimization*, Journal of Applied Mathematics and Physics 4 (2016), 8–15.
- [C39] L. He, *Multiple phase transition path and saddle point search in computer aided nano design*, praca doktorska, Georgia Institute of Technology, 2015.
- [C40] A. Hmimid, M. Sayyouri, H. Qjidaa, *Fast computation of separable two-dimensional discrete invariant Moments for image classification*, Pattern Recognition 48 (2014), 509–521.
- [C41] A. Hmimid, M. Sayyouri, H. Qjidaa, *Image classification using a new set of separable two-dimensional discrete orthogonal invariant moments*, Journal of Electronic Imaging 23 (2014), 013026.
- [C42] Q. Hu, *Explicit  $G^1$  approximation of conic sections using Bézier curves of arbitrary degree*, Journal of Computational and Applied Mathematics 292 (2016), 505–512.
- [C43] Q.-Q. Hu, G.-J. Wang, *A novel algorithm for explicit optimal multi-degree reduction of triangular surfaces*, Science in China Series F: Information Sciences 51 (2008), 13–24.
- [C44] Q.-Q. Hu, G.-J. Wang, *Optimal multi-degree reduction of triangular Bézier surfaces with corners continuity in the norm  $L_2$* , Journal of Computational and Applied Mathematics 215 (2008), 114–126.



- [C45] Q. Hu, H. Xu, *Constrained polynomial approximation of rational Bézier curves using reparameterization*, Journal of Computational and Applied Mathematics 249 (2013), 133–143.
- [C46] X. Huixia, H. Qianqian, *Approximating uniform rational B-spline curves by polynomial B-spline curves*, Journal of Computational and Applied Mathematics 244 (2013), 10–18.
- [C47] M. Jani, E. Babolian, S. Javadi, *Bernstein modal basis: application to the spectral Petrov-Galerkin method for fractional partial differential equations*, arXiv:1606.04588[math.NA] (2016).
- [C48] M. Jani, S. Javadi, E. Babolian, *Bernstein dual-Petrov-Galerkin method: application to 2D time fractional diffusion equation*, arXiv:1605.06744[math.NA] (2016).
- [C49] H. X. Jiang, Y. Wu, *Voronovskaya-type formulas for  $\omega, q$ -Bernstein polynomials*, Acta Mathematica Sinica, 56 (2013), 135–144.
- [C50] H. Kang, S. Xiang, G. He, *Computation of integrals with oscillatory and singular integrands using Chebyshev expansions*, Journal of Computational and Applied Mathematics 242 (2013), 141–156.
- [C51] S. N. Kersey, *Dual basis functions in subspaces of inner product spaces*, Applied Mathematics and Computation 219 (2013), 10012–10024.
- [C52] S. Lewanowicz, *Construction of recurrences for the coefficients of expansions in  $q$ -classical orthogonal polynomials*, Journal of Computational and Applied Mathematics 153 (2003), 295–309.
- [C53] S. Lewanowicz, *The hypergeometric functions approach to the connection and linearization problem for the classical orthogonal polynomials*, raport, Instytut Informatyki Uniwersytetu Wrocławskiego, Wrocław, luty 2001, 10 str., uaktualnione w sierpniu 2003.
- [C54] C. Liu, X. Zhang, A. Yang, J. Chang, *Bézier surfaces on circle and fan-shaped domain*, Journal of Chemical and Pharmaceutical Research 6 (2014), 47–55.
- [C55] C. Liu, X. Zhang, A. Yang, J. Chang, *B-spline surfaces on circle and fan-shaped domain*, Journal of Chemical and Pharmaceutical Research 6 (2014), 56–63.
- [C56] Z. Liu, J.-q. Tan, X.-y. Chen, L. Zhang, *An approximation method to circular arcs*, Applied Mathematics and Computation 219 (2012), 1306–1311.
- [C57] L. Lu, *An explicit method for  $G^3$  merging of two Bézier curves*, Journal of Computational and Applied Mathematics 260 (2014), 421–433.
- [C58] L. Lu, *Effective  $C^1G^2$ -merging of two Bézier curves by matrix computation*, International Journal of Advancements in Computing Technology 5 (2013), 1117–1123.
- [C59] L. Lu, *Explicit algorithms for multiwise merging of Bézier curves*, Journal of Computational and Applied Mathematics 278 (2014), 138–148.
- [C60] L. Lu, *Explicit  $G^2$ -constrained degree reduction of Bézier curves by quadratic optimization*, Journal of Computational and Applied Mathematics 253 (2013), 80–88.
- [C61] L. Lu, *Gram matrix of Bernstein basis: properties and applications*, Journal of Computational and Applied Mathematics 280 (2014), 37–41.
- [C62] L. Lu, *Sample-based polynomial approximation of rational Bézier curves*, Journal of Computational and Applied Mathematics 235 (2011), 1557–1563.
- [C63] L. Lu, Ch. Jiang, *An iterative algorithm for  $G^2$  multiwise merging of Bézier curves*, Journal of Computational and Applied 296 (2016), 352–361.
- [C64] L. Lu, X. Xiang, *Note on multi-degree reduction of Bézier curves via modified Jacobi-Bernstein basis transformation*, Journal of Computational and Applied Mathematics 315 (2017), 65–69.
- [C65] N. I. Mahmudov, *Approximation theorems for certain positive linear operators*, Applied Mathematics Letters 23 (2010), 812–817.
- [C66] N. I. Mahmudov, *Higher order limit  $q$ -Bernstein operators*, Mathematical Methods in the Applied Sciences 34 (2011), 1618–1626.
- [C67] N. Mahmudov, *The moments for  $q$ -Bernstein operators in the case  $0 < q < 1$* , Numerical Algorithms 53 (2010), 439–450.
- [C68] N. I. Mahmudov, M. A. Özarlan, P. Sabancigil,  *$I$ -approximation properties of certain class of linear positive operators*, Studia Scientiarum Mathematicarum Hungarica 48 (2011), 205–219.

- [C69] N. Mahmudov, P. Sabancıgil, *A  $q$ -analogue of the Meyer-König and Zeller operators*, Bulletin of the Malaysian Mathematical Sciences Society 35 (2012), 39–51.
- [C70] N. I. Mahmudov, P. Sabancıgil,  *$q$ -Parametric Bleimann Butzer and Hahn operators*, Journal of Inequalities and Applications (2008), Article ID 816367.
- [C71] N. Mahmudov, P. Sabancıgil, *Some approximation properties of  $q$ -parametric BBH operators*, Journal of Computational Analysis and Applications 12 (2010), 111–123.
- [C72] N. I. Mahmudov, P. Sabancıgil, *Voronovskaja type theorem for the Lupas  $q$ -analogue of the Bernstein operators*, Mathematical Communications 17 (2012), 83–91.
- [C73] H. Oruç, Ç. Dişibüyük, *Tensor product  $q$ -Bernstein Bézier patches*, Lecture Notes in Computer Science 5434 (2009), 265–272.
- [C74] S. Ostrovska, *On the approximation of analytic functions by the  $q$ -Bernstein polynomials in the case  $q > 1$* , Electronic Transactions on Numerical Analysis 37 (2010), 105–112.
- [C75] S. Ostrovska,  *$q$ -Bernstein polynomials of the Cauchy kernel*, Applied Mathematics and Computation 198 (2008), 261–270.
- [C76] S. Ostrovska, *The approximation of all continuous functions on  $[0, 1]$  by  $q$ -Bernstein polynomials in the case  $q \rightarrow 1^+$* , Results in Mathematics 52 (2008), 179–186.
- [C77] S. Ostrovska, *The first decade of the  $q$ -Bernstein polynomials: results and perspectives*, Journal of Mathematical Analysis and Approximation Theory 2 (2007), 35–51.
- [C78] S. Ostrovska, *The  $q$ -versions of the Bernstein operator: from mere analogies to further developments*, Results in Mathematics 69 (2016), 275–295.
- [C79] S. Ostrovska, A. Y. Özban, *The norm estimates of the  $q$ -Bernstein operators for varying  $q > 1$* , Computers and Mathematics with Applications 62 (2011), 4758–4771.
- [C80] S. Ostrovska, H. Wang, *The convergence of  $q$ -Bernstein polynomials ( $0 < q < 1$ ) and limit  $q$ -Bernstein operators in complex domains*, Rocky Mountain Journal of Mathematics 39 (2009), 1279–1291.
- [C81] Y. Pan, M. Cheng, *A survey on shape preserving interpolation*, Proceedings of the 2012 International Conference on Systems and Informatics (ICSAI), 2012, 2521–2523.
- [C82] G. M. Phillips, *A survey of results on the  $q$ -Bernstein polynomials*, IMA Journal of Numerical Analysis 30 (2010), 277–288.
- [C83] A. Rababah, S. Ibrahim, *Weighted  $G^1$ -multi-degree reduction of Bézier curves*, International Journal of Advanced Computer Science and Applications 7 (2016), 540–545.
- [C84] A. Rababah, S. Mann, *Iterative process for  $G^2$ -multi degree reduction of Bézier curves*, Applied Mathematics and Computations 217 (2011), 8126–8133.
- [C85] A. Rababah, S. Mann, *Linear methods for  $G^1$ ,  $G^2$ , and  $G^3$ -Multi-degree reduction of Bézier curves*, Computer-Aided Design 45 (2013), 405–414.
- [C86] N. Rezvani, R. M. Corless, *Using weighted norms to find nearest polynomials satisfying linear constraints*, Proceedings of the 2011 International Workshop on Symbolic-Numeric Computation, 2012, 81–87.
- [C87] J. A. Rodal, *Polinomios ortogonales en varias variables discretas*, praca doktorska, Departamento de Matemática Aplicada II, Universidade de Vigo, Vigo, 2008.
- [C88] P. Sabancıgil, *Higher Order Generalization of  $q$ -Bernstein Operators*, Journal of Computational Analysis and Applications 12 (2010), 821–827.
- [C89] M. Sayyouri, A. Hmimid, H. Qjidaa, *Image analysis using separable discrete moments of Charlier-Hahn*, Multimedia Tools and Applications 75 (2016), 547–571.
- [C90] M. Sayyouri, A. Hmimid, H. Qjidaa, *Image analysis using separable discrete moments of Charlier-Tchebichef*, International Journal of Circuits, Systems and Signal Processing, 8 (2014), 91–100.
- [C91] P. Simeonov, R. Goldman, *Quantum  $B$ -splines*, BIT Numerical Mathematics 53 (2013), 193–223.
- [C92] P. Simeonov, V. Zafiris, R. Goldman,  *$h$ -Blossoming: A new approach to algorithms and identities for  $h$ -Bernstein bases and  $h$ -Bézier curves*, Computer Aided Geometric Design 28 (2011), 549–565.

- [C93] P. Simeonov, V. Zafiridis, R. Goldman, *q-Blossoming: A new approach to algorithms and identities for q-Bernstein bases and q-Bézier curves*, Journal of Approximation Theory 164 (2012), 77–104.
- [C94] Y. Simsek, *Deriving novel formulas and identities for the Bernstein basis functions and their generating functions*, Lecture Notes in Computer Science 8177 (2014), 471–490.
- [C95] Y. Simsek, *Generating functions for the Bernstein type polynomials: a new approach to deriving identities and applications for the polynomials*, Hacettepe Journal of Mathematics and Statistics 43 (2014), 1–14.
- [C96] Y. Simsek, *Interpolation function of generalized q-Bernstein-type basis polynomials and applications*, Lecture Notes in Computer Science 6920 (2012), 647–662.
- [C97] M. Shi, *Rational Bézier curves approximated by Bernstein-Jacobi hybrid polynomial curves*, arXiv:1605.04156[cs.CG] (2016).
- [C98] M. Shi, Z. Ye, B. Kang, *Disk rational Bézier curves*, Journal of Computer-Aided Design and Computer Graphics 23 (2011), 1041–1047.
- [C99] D. D. Tcheutia, Y. Guemo Tefo, M. Foupouagnigni, E. Godoy, I. Area, *Linear partial divided-difference equation satisfied by multivariate orthogonal polynomials on quadratic lattices*, arXiv:1605.09280[math.CA] (2016).
- [C100] G. Tóth, E. H. Fáncksikné, *Fast computation of truncation coefficients for the extended Stokes function*, Geomatikai Közlemények XVI (2013), 51–62.
- [C101] H. Wang, *Properties of convergence for  $\omega, q$ -Bernstein polynomials*, Journal of Mathematical Analysis and Applications 340 (2008), 1096–1108.
- [C102] H. Wang, *Shape-preserving properties of  $\omega, q$ -Bernstein polynomials*, Linear Algebra and its Applications 430 (2009), 957–967.
- [C103] H. Wang, S. Ostrovska, *The norm estimates for the q-Bernstein operator in the case  $q > 1$* , Mathematics of Computation 79 (2010), 353–363.
- [C104] H. Wang, F. Pu, K. Wang, *Shape-preserving and convergence properties for the q-Szász-Mirakjan operators for fixed  $q \in (0, 1)$* , Abstract and Applied Analysis (2014) Article ID 563613.
- [C105] H. Wang, Y. Zhang, *The rate of convergence of Lupas q-analogue of the Bernstein operators*, Abstract and Applied Analysis (2014), Article ID 521709.
- [C106] P. Wang, *The study of degree reduction of  $G^1$ -continuity of Bézier curves with shape parameter*, Journal of Jiamusi University (Natural Science Edition) 29 (2011).
- [C107] J. L. Willis, *Acceleration of generalized hypergeometric functions through precise remainder asymptotic*, Numerical Algorithms 59 (2012), 447–485.
- [C108] H. Xu, R. Wang, Z. Shu, A. Xu, *On the convergence of approximating tensor-product rational Bézier surfaces using tensor-product Bézier surfaces*, Journal of Approximation Theory 182 (2014), 68–82.
- [C109] X. Yang, B. Li, X. Zhang, R. Yang, *The regularity analysis of multivariate refinable functions from generalized Bernstein bases and application in remote sensing image compression*, International Journal of Computer Mathematics 87 (2010), 12–37.
- [C110] X. Yang, J. Min, Y. Shi, *Parametrisation construction frame of lifting scheme*, IET Signal Processing 5 (2011), 1–15.
- [C111] Ch. Zhao, L. Shi, Y. Guan, X. Li, Z. Shi, *Formal modeling and verification of fractional order linear systems*, ISA Transactions 62 (2016), 87–93.
- [C112] L. Zhang, J. Tan, Z. Dong, *The dual bases for the Bézier-Said-Wang type generalized Ball polynomial bases and their applications*, Applied Mathematics and Computation 217 (2010), 3088–3101.
- [C113] L. Zhang, H. Wang, X. Ge, J. Tan, *Dual generalized B-spline functions and their applications in several approximation problems*, Journal of Advanced Mechanical Design, Systems, and Manufacturing 9 (2015), Paper No. 15-00053.
- [C114] L. Zhou, G.-j. Wang, *Constrained multi-degree reduction of triangular Bézier surfaces*, Applied Mathematics – A Journal of Chinese Universities 24 (2009), 417–430.
- [C115] L. Zhou, Y. Wei, Y. Yao, *Optimal multi-degree reduction of Bézier curves with geometric constraints*, Computer-Aided Design 49 (2014), 18–27.

- [C116] H. Zhu, *Image analysis using separable two-dimensional discrete orthogonal moments*, Proceedings – International Conference on Image Processing, ICIP 2011, art. no. 6116681, 817–820.
- [C117] H. Zhu, *Image representation using separable two-dimensional continuous and discrete orthogonal moments*, Pattern Recognition 45 (2012), 1540–1558.
- [C118] S. Zorlu, H. Aktuglu, M. A. Ozarslan, *An estimation to the solution of an initial value problem via  $q$ -Bernstein polynomials*, Journal of Computational Analysis and Applications 12 (2010), 637–645.